

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representation of
The original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
19 April 2001 (19.04.2001)

PCT

(10) International Publication Number
WO 01/27857 A2

(51) International Patent Classification⁷: **G06F 19/00**

(21) International Application Number: **PCT/US00/28413**

(22) International Filing Date: **13 October 2000 (13.10.2000)**

(25) Filing Language: **English**

(26) Publication Language: **English**

(30) Priority Data:

60/159,176	13 October 1999 (13.10.1999)	US
60/217,658	10 July 2000 (10.07.2000)	US
60/217,251	10 July 2000 (10.07.2000)	US
09/663,968	19 September 2000 (19.09.2000)	US

(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier applications:

US	60/159,176 (CIP)
Filed on	13 October 1999 (13.10.1999)
US	60/217,658 (CIP)
Filed on	10 July 2000 (10.07.2000)
US	09/663,968 (CIP)
Filed on	19 September 2000 (19.09.2000)
US	60/217,251 (CIP)
Filed on	10 July 2000 (10.07.2000)

(71) Applicant (for all designated States except US): **SE-QUENOM, INC.** [US/US]; 11555 Sorrento Valley Road, San Diego, CA 92121-1331 (US).

(72) Inventors: and

(75) Inventors/Applicants (for US only): **BRAUN, Andreas** [DE/US]; 11237-6 Carmel Creek Road, San Diego, CA 92130 (US). **KÖSTER, Hubert** [DE/US]; 8636-C Via Mallorca Drive, La Jolla, CA 92037 (US). **VAN**

DEN BOOM, Dirk [DE/DE]; Eppendorfer Weg 205 D, D-20253 Hamburg (DE). **PING, Yip** [US/US]; 3641 Copley Avenue, San Diego, CA 92116 (US). **RODI, Charlie** [US/US]; 13823 Recuerdo Drive, Del Mar, CA 92014 (US). **HE, Liyan** [CN/US]; 10948 Creek Bridge Place, San Diego, CA 92128 (US). **CHIU, Norman** [CA/US]; 1128 Caminito Alvarez, San Diego, CA 92126 (US). **JURINKE, Christian** [DE/DE]; Rombergstrasse 22, 20255 Hamburg (DE).

(74) Agents: **SEIDMAN, Stephanie, L.** et al.; Heller Ehrman White & McAuliffe, Suite 700, 4250 Executive Square, La Jolla, CA 92037 (US).

(81) Designated States (national): AE, AG, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— Without international search report and to be republished upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **METHODS FOR GENERATING DATABASES AND DATABASES FOR IDENTIFYING POLYMORPHIC GENETIC MARKERS**

(57) Abstract: Process and methods for creating a database of genomic samples from healthy human donors, methods that use the database to identify and correlate polymorphic genetic markers and other markers with diseases and conditions are provided.

WO 01/27857 A2

-1-

METHODS FOR GENERATING DATABASES AND DATABASES FOR IDENTIFYING POLYMORPHIC GENETIC MARKERS

RELATED APPLICATIONS

Benefit of priority to the following applications is claimed herein:

- 5 U.S. provisional application Serial No. 60/217,658 to Andreas Braun, Hubert Koster; Dirk Van den Boom, filed July 10, entitled "METHODS FOR GENERATING DATABASES AND DATABASES FOR IDENTIFYING POLYMORPHIC GENETIC MARKERS"; U.S. provisional application Serial No. 60/159,176 to Andreas Braun, Hubert Koster, Dirk Van den Boom, filed October 10 13, 1999, entitled "METHODS FOR GENERATING DATABASES AND DATABASES FOR IDENTIFYING POLYMORPHIC GENETIC MARKERS"; U.S. provisional application Serial No. 60/217,251, filed July 10, 2000, to Andreas Braun, entitled "POLYMORPHIC KINASE ANCHOR PROTEIN GENE SEQUENCES, POLYMORPHIC KINASE ANCHOR PROTEINS AND METHODS OF DETECTING 15 POLYMORPHIC KINASE ANCHOR PROTEINS AND NUCLEIC ACIDS ENCODING THE SAME"; and U.S. application Serial No. 09/663,968, to Ping Yip, filed September 19, 2000, entitled "METHOD AND DEVICE FOR IDENTIFYING A BIOLOGICAL SAMPLE."

- Where permitted that above-noted applications and provisional 20 applications are incorporated by reference in their entirety.

FIELD OF THE INVENTION

- Process and methods for creating a database of genomic samples from healthy human donors. Methods that use the database to identify and correlate with polymorphic genetic markers and other markers with diseases and 25 conditions are provided.

BACKGROUND

- Diseases in all organisms have a genetic component, whether inherited or resulting from the body's response to environmental stresses, such as viruses and toxins. The ultimate goal of ongoing genomic research is to use this 30 information to develop new ways to identify, treat and potentially cure these diseases. The first step has been to screen disease tissue and identify genomic changes at the level of individual samples. The identification of these "disease"

-2-

markers has then fueled the development and commercialization of diagnostic tests that detect these errant genes or polymorphisms. With the increasing numbers of genetic markers, including single nucleotide polymorphisms (SNPs), microsatellites, tandem repeats, newly mapped introns and exons, the challenge to the medical and pharmaceutical communities is to identify genotypes which not only identify the disease but also follow the progression of the disease and are predictive of an organism's response to treatment.

Currently the pharmaceutical and biotechnology industries find a disease and then attempt to determine the genomic basis for the disease. This approach is time consuming and expensive and in many cases involves the investigator guessing as to what pathways might be involved in the disease.

Genomics

Presently the two main strategies employed in analyzing the available genomic information are the technology driven reverse genetics brute force strategy and the knowledge-based pathway oriented forward genetics strategy. The brute force approach yields large databases of sequence information but little information about the medical or other uses of the sequence information. Hence this strategy yields intangible products of questionable value. The knowledge-based strategy yields small databases that contain a lot of information about medical uses of particular DNA sequences and other products in the pathway and yield tangible products with a high value.

Polymorphisms

Polymorphisms have been known since 1901 with the identification of blood types. In the 1950's they were identified on the level of proteins using large population genetic studies. In the 1980's and 1990's many of the known protein polymorphisms were correlated with genetic loci on genomic DNA. For example, the gene dose of the apolipoprotein E type 4 allele was correlated with the risk of Alzheimer's disease in late onset families (see, *e.g.*, Corder *et al.* (1993) *Science* 261: 921-923; mutation in blood coagulation factor V was associated with resistance to activated protein C (see, *e.g.*, Bertina *et al.* (1994) *Nature* 369:64-67); resistance to HIV-1 infection has been shown in caucasian individuals bearing mutant alleles of the CCR-5 chemokine receptor gene (s ,

-3-

e.g., Samson *et al.* (1996) *Nature* 382:722-725); and a hypermutable tract in antigen presenting cells (APC, such as macrophages), has been identified in familial colorectal cancer in individuals of Ashkenzi jewish background (see, *e.g.*, Laken *et al.* (1997) *Nature Genet.* 17:79-83). There may be more than three
5 million polymorphic sites in the human genome. Many have been identified, but not yet characterized or mapped or associated with a marker.

Single nucleotide polymorphisms (SNPs)

Much of the focus of genomics has been in the identification of SNPs, which are important for a variety of reasons. They allow indirect testing
10 (association of haplotypes) and direct testing (functional variants). They are the most abundant and stable genetic markers. Common diseases are best explained by common genetic alterations, and the natural variation in the human population aids in understanding disease, therapy and environmental interactions.

15 Currently, the only available method to identify SNPs in DNA is by sequencing, which is expensive, difficult and laborious. Furthermore, once a SNP is discovered it must be validated to determine if it is a real polymorphism and not a sequencing error. Also, discovered SNPs must then be evaluated to determine if they are associated with a particular phenotype. Thus, there is a
20 need to develop new paradigms for identifying the genomic basis for disease and markers thereof. Therefore, it is an object herein to provide methods for identifying the genomic basis of disease and markers thereof.

SUMMARY

Databases and methods using the databases are provided herein. The
25 databases comprise sets of parameters associated with subjects in populations selected only on the basis of being healthy (*i.e.*, where the subjects are mammals, such as humans, they are selected based upon apparent health and no detectable infections). The databases can be sorted based upon one or more of the selected parameters.

30 The databases are preferably relational databases, in which an index that represents each subject serves to relate parameters, which are the data, such as age, ethnicity, sex, medical history, etc. and ultimately genotypic information,

-4-

that was inputted into and stored in the database. The database can then be sorted according to these parameters. Initially, the parameter information is obtained from a questionnaire answered by each subject from whom a body tissue or body fluid sample is obtained. As additional information about each
5 sample is obtained, this information can be entered into the database and can serve as a sorting parameter.

The databases obtained from healthy individuals have numerous uses, such as correlating known polymorphisms with a phenotype or disease. The databases can be used to identify alleles that are deleterious, that are beneficial,
10 and that are correlated with diseases.

For purposes herein, genotypic information can be obtained by any method known to those of skill in the art, but is preferably obtained using mass spectrometry.

Also provided herein, is a new use for existing databases of subjects and
15 genotypic and other parameters, such as age, ethnicity, race, and gender. Any database can be sorted according to the methods herein and alleles that exhibit statistically significant correlations with any of the sorting parameters can be identified. It is noted, however, is noted, that the databases provided herein and randomly selected databases will perform better in these methods, since disease-
20 based databases suffer numerous limitations, including their relatively small size, the homogeneity of the selected disease population, and the masking effect of the polymorphism associated with the markers for which the database was selected. Hence, the healthy database provided herein, provides advantages not heretofore recognized or exploited. However, the methods provided herein can
25 be used with a selected database, including disease-based databases, with or without sorting for the discovery and correlation of polymorphisms. In addition, the databases provided herein represent a greater genetic diversity than the unselected databases typically utilized for the discovery of polymorphisms and thus allow for the enhanced discovery and correlation of polymorphisms.

30 The databases provided herein can be used for taking an identified polymorphism, and ascertaining whether it changes in frequency when the data is sorted according to a selected parameter.

-5-

One use of these methods is correlating a selected marker with a particular parameter by following the occurrence of known genetic markers and then, having made this correlation, determining or identifying correlations with diseases. Examples of this use are p53 and Lipoprotein Lipase polymorphism.

- 5 As exemplified herein, known markers are shown to have particular correlation with certain groups, such as a particular ethnicity or race or one sex. Such correlations will then permit development of better diagnostic tests and treatment regimens.

- 10 These methods are valuable for identifying one or more genetic markers whose frequency changes within the population as a function of age, ethnic group, sex or some other criteria. This can allow the identification of previously unknown polymorphisms and ultimately a gene or pathway involved in the onset and progression of disease.

- 15 The databases and methods provided herein permit, among other things, identification of components, particularly key components, of a disease process by understanding its genetic underpinnings and also permit an understanding of processes, such as individual drug responses. The databases and methods provided herein also can be used in methods involving elucidation of pathological pathways, in developing new diagnostic assays, identifying new potential drug
20 targets, and in identifying new drug candidates.

The methods and databases can be used with experimental procedures, including, but are not limited to, *in silico* SNP identification, *in vitro* SNP identification/verification, genetic profiling of large populations, and in biostatistical analyses and interpretations.

- 25 Also provided herein, are combinations that contain a database provided herein and a biological sample from a subject in the database, and preferably biological samples from all subjects or a plurality of subjects in the database. Collections of the tissue and body fluid samples are also provided.

- 30 Also, provided herein, are methods for determining a genetic marker that correlates with age, comprising identifying a polymorphism and determining the frequency of the polymorphism with increasing age in a healthy population.

-6-

Further provided herein are methods for determining whether a genetic marker correlates with susceptibility to morbidity, early mortality, or morbidity and early mortality, comprising identifying a polymorphism and determining the frequency of the polymorphism with increasing age in a healthy population.

- 5 Any of the methods herein described can be used out in a multiplex format.

- Also provided are an apparatus and process for accurately identifying genetic information. It is another object of the herein that genetic information be extracted from genetic data in a highly automated manner. Therefore, to
10 overcome the deficiencies in the known conventional systems, a method and apparatus for identifying a biological sample is proposed.

- Briefly, the method and system for identifying a biological sample generates a data set indicative of the composition of the biological sample. In a particular example, the data set is DNA spectrometry data received from a mass
15 spectrometer. The data set is denoised, and a baseline is deleted. Since possible compositions of the biological sample may be known, expected peak areas may be determined. Using the expected peak areas, a residual baseline is generated to further correct the data set. Probable peaks are then identifiable in the corrected data set, which are used to identify the composition of the
20 biological sample. In a disclosed example, statistical methods are employed to determine the probability that a probable peak is an actual peak, not an actual peak, or that the data too inconclusive to call.

- Advantageously, the method and system for identifying a biological sample accurately makes composition calls in a highly automated manner. In
25 such a manner, complete SNP profile information, for example, may be collected efficiently. More importantly, the collected data is analyzed with highly accurate results. For example, when a particular composition is called, the result may be relied upon with great confidence. Such confidence is provided by the robust computational process employed .

- 30 **DESCRIPTION OF THE DRAWINGS**

-7-

Figure 1 depicts an exemplary sample bank. Panel 1 shows the samples as a function of sex and ethnicity. Panel 2 shows the caucasians as a function of age. Panel 3 shows the Hispanics as a function of age.

Figures 2A and 2C show an age- and sex-distribution of the 291S allele of the lipoprotein lipase gene in which a total of 436 males and 589 females were investigated. Figure 2B shows an age distribution for the 436 males.

Figure 3 is an exemplary questionnaire for population-based sample banking.

Figure 4 depicts processing and tracking of blood sample components.

Figure 5 depicts the allelic frequency of "sick" alleles and "healthy" alleles as a function of age. It is noted that the relative frequency of healthy alleles increases in a population with increasing age.

Figure 6 depicts the age-dependent distribution of ApoE genotypes (see, Schächter *et al.* (1994) *Nature Genetics* 6:29-32).

Figure 7A-D depicts age-related and genotype frequency of the p53 (tumor suppressor) codon 72 among the caucasian population in the database. *R72 and *P72 represent the frequency of the allele in the database population. R72, R72P, and P72 represent the genotypes of the individuals in the population. The frequency of the homozygous P72 allele drops from 6.7% to 3.7% with age.

Figure 8 depicts the allele and genotype frequencies of the p21 S31R allele as a function of age.

Figure 9 depicts the frequency of the FVII Allele 353Q in pooled versus individual samples.

Figure 10 depicts the frequency of the CETP (cholesterol ester transfer protein) allele in pooled versus individual samples

Figure 11 depicts the frequency of the plasminogen activator inhibitor-1 (PAI-1) 5G in pooled versus individual samples

Figure 12 shows mass spectra of the samples and the ethnic diversity of the PAI-1 alleles.

Figure 13 shows mass spectra of the samples and the ethnic diversity of the CETP 405 alleles.

-8-

Figure 14 shows mass spectra of the samples and the ethnic diversity of the Factor VII 353 alleles.

Figure 15 shows ethnic diversity of PAI-1, CETP and Factor VII using the pooled DNA samples.

5 Figure 16 shows the p53-Rb pathway and the relationships among the various factors in the pathway.

Figure 17, which is a block diagram of a computer constructed to provide and process the databases described herein, depicts a typical computer system for storing and sorting the databases provided herein and practicing the methods
10 provided herein.

Figure 18 is a flow diagram that illustrates the processing steps performed using the computer illustrated in Figure 17, to maintain and provide access to the databases for identifying polymorphic genetic markers.

Figure 19 is a histogram showing the allele and genotype distribution in
15 the age and sex stratified Caucasian population for the AKAP10-1 locus. Bright green bars show frequencies in individuals younger than 40 years. Dark green bars show frequencies in individuals older than 60 years.

Figure 20 is a histogram showing the allele and genotype distribution in the age and sex stratified Caucasian population for the AKAP10-5 locus. Bright
20 green bars show frequencies in individuals younger than 40 years; dark green bars show frequencies in individuals older than 60 years.

Figure 21 is a histogram showing the allele and genotype distribution in the age and sex stratified Caucasian population for the h-msrA locus. Genotype difference between male age groups is significant. Bright green bars show
25 frequencies in individuals younger than 40 years. Dark green bars show frequencies in individuals older than 60 years.

Figure 22A-D is a sample data collection questionnaire used for the healthy database.

Figure 23 is a flowchart showing processing performed by the computing
30 device of Figure 24 when performing genotyping of sense strands and antisense strands from assay fragments.

Figure 24 is a block diagram showing a system in accordance with the present invention;

Figure 25 is a flowchart of a method of identifying a biological sample in accordance with the present invention;

5 Figure 26 is a graphical representation of data from a mass spectrometer;
Figure 27 is a diagram of wavelet transformation of mass spectrometry data;

Figure 28 is a graphical representation of wavelet stage 0 hi data;

Figure 29 is a graphical representation of stage 0 noise profile;

10 Figure 30 is a graphical representation of generating stage noise standard deviations;

Figure 31 is a graphical representation of applying a threshold to data stages;

Figure 32 is a graphical representation of a sparse data set;

15 Figure 33 is a formula for signal shifting;

Figure 34 is a graphical representation of a wavelet transformation of a denoised and shifted signal;

Figure 35 is a graphical representation of a denoised and shifted signal;

Figure 36 is a graphical representation of removing peak sections;

20 Figure 37 is a graphical representation of generating a peak free signal ;

Figure 38 is a block diagram of a method of generating a baseline correction;

Figure 39 is a graphical representation of a baseline and signal;

Figure 40 is a graphical representation of a signal with baseline removed;

25 Figure 41 is a table showing compressed data;

Figure 42 is a flowchart of method for compressing data;

Figure 43 is a graphical representation of mass shifting;

Figure 44 is a graphical representation of determining peak width;

Figure 45 is a graphical representation of removing peaks;

30 Figure 46 is a graphical representation of a signal with peaks removed;

Figure 47 is a graphical representation of a residual baseline;

-10-

Figure 48 is a graphical representation of a signal with residual baseline removed;

Figure 49 is a graphical representation of determining peak height;

Figure 50 is a graphical representation of determining signal-to-noise for
5 each peak;

Figure 51 is a graphical representation of determining a residual error for each peak;

Figure 52 is a graphical representation of peak probabilities;

Figure 53 is a graphical representation of applying an allelic ratio to peak
10 probability;

Figure 54 is a graphical representation of determining peak probability

Figure 55 is a graphical representation of calling a genotype;

Figure 56 is a flowchart showing a statistical procedure for calling a genotype;

15 Figure 57 is a flowchart showing processing performed by the computing device of Figure 1 when performing standardless genotyping; and

Figure 58 is graphical representation of applying an allelic ratio to peak probability for standardless genotype processing.

DETAILED DESCRIPTION

20 Definitions

Unless defined otherwise, all technical and scientific terms used herein have the same meaning as is commonly understood by one of ordinary skill in the art to which this invention belongs. All patents, applications, published applications and other publications and sequences from GenBank and other
25 databases referred to herein throughout the disclosure are incorporated by reference in their entirety.

As used herein, a biopolymer includes, but is not limited to, nucleic acid, proteins, polysaccharides, lipids and other macromolecules. Nucleic acids include DNA, RNA, and fragments thereof. Nucleic acids may be derived from
30 genomic DNA, RNA, mitochondrial nucleic acid, chloroplast nucleic acid and other organelles with separate genetic material.

-11-

As used herein, morbidity refers to conditions, such as diseases or disorders, that compromise the health and well-being of an organism, such as an animal. Morbidity susceptibility or morbidity-associated genes are genes that, when altered, for example, by a variation in nucleotide sequence, facilitate the expression of a specific disease clinical phenotype. Thus, morbidity susceptibility genes have the potential, upon alteration, of increasing the likelihood or general risk that an organism will develop a specific disease.

As used herein, mortality refers to the statistical likelihood that an organism, particularly an animal, will not survive a full predicted lifespan. Hence, a trait or a marker, such as a polymorphism, associated with increased mortality is observed at a lower frequency in older than younger segments of a population.

As used herein, a polymorphism, e.g. genetic variation, refers to a variation in the sequence of a gene in the genome amongst a population, such as allelic variations and other variations that arise or are observed. Thus, a polymorphism refers to the occurrence of two or more genetically determined alternative sequences or alleles in a population. These differences can occur in coding and non-coding portions of the genome, and can be manifested or detected as differences in nucleic acid sequences, gene expression, including, for example transcription, processing, translation, transport, protein processing, trafficking, DNA synthesis, expressed proteins, other gene products or products of biochemical pathways or in post-translational modifications and any other differences manifested amongst members of a population. A single nucleotide polymorphism (SNP) refers to a polymorphism that arises as the result of a single base change, such as an insertion, deletion or change in a base.

A polymorphic marker or site is the locus at which divergence occurs. Such site may be as small as one base pair (an SNP). Polymorphic markers include, but are not limited to, restriction fragment length polymorphisms, variable number of tandem repeats (VNTR's), hypervariable regions, minisatellites, dinucleotide repeats, trinucleotide repeats, tetranucleotide repeats and other repeating patterns, simple sequence repeats and insertional elements, such as Alu. Polymorphic forms also are manifested as different mendelian

-12-

alleles for a gene. Polymorphisms may be observed by differences in proteins, protein modifications, RNA expression modification, DNA and RNA methylation, regulatory factors that alter gene expression and DNA replication, and any other manifestation of alterations in genomic nucleic acid or organelle nucleic acids.

5 As used herein, a healthy population, refers to a population of organisms, including but are not limited to, animals, bacteria, viruses, parasites, plants, eubacteria, and others, that are disease free. The concept of disease-free is a function of the selected organism. For example, for mammals it refers to a subject not manifesting any disease state. Practically a healthy subject, when
10 human, is defined as human donor who passes blood bank criteria to donate blood for eventual use in the general population. These criteria are as follows: free of detectable viral, bacterial, mycoplasma, and parasitic infections; not anemic; and then further selected based upon a questionnaire regarding history (see Figure 3). Thus, a healthy population represents an unbiased population of
15 sufficient health to donate blood according to blood bank criteria, and not further selected for any disease state. Typically such individuals are not taking any medications. For plants, for example, it is a plant population that does not manifest diseases pathology associated with plants. For bacteria it is a bacterial population replicating without environmental stress, such as selective agents,
20 heat and other pathogens.

 As used herein, a healthy database (or healthy patient database) refers to a database of profiles of subjects that have not been pre-selected for any particular disease. Hence, the subjects that serve as the source of data for the database are selected, according to predetermined criteria, to be healthy. In
25 contrast to other such databases that have been pre-selected for subjects with a particular disease or other characteristic, the subjects for the database provided herein are not so-selected. Also, if the subjects do manifest a disease or other condition, any polymorphism discovered or characterized should be related to an independent disease or condition. In a preferred embodiment, where the
30 subjects are human, a healthy subject manifests no disease symptoms and meets criteria, such as those set by blood banks for blood donors.

-13-

Thus, the subjects for the database are a population of any organism, including, but are not limited to, animals, plants, bacteria, viruses, parasites and any other organism or entity that has nucleic acid. Among preferred subjects are mammals, preferably, although not necessarily, humans. Such a database can
5 capture the diversity of the a population, thus providing for discovery of rare polymorphisms.

As used herein, a profile refers to information relating to, but not limited to and not necessarily including all of, age, sex, ethnicity, disease history, family history, phenotypic characteristics, such as height and weight and other relevant
10 parameters. A sample collect information form is shown in Figure 22, which illustrates profile intent.

As used herein, a disease state is a condition or abnormality or disorder that may be inherited or result from environmental stresses, such as toxins, bacterial, fungal and viral infections.
15 As used herein, set of non-selected subjects means that the subjects have not been pre-selected to share a common disease or other characteristic. They can be selected to be healthy as defined herein.

As used herein, a phenotype refers to a set of parameters that includes any distinguishable trait of an organism. A phenotype can be physical traits and
20 can be, in instances in which the subject is an animal, a mental trait, such as emotional traits. Some phenotypes can be determined by observation elicited by questionnaires (see, *e.g.*, Figures 3 and 22) or by referring to prior medical and other records. For purposes herein, a phenotype is a parameter around which the database can be sorted.

As used herein, a parameter is any input data that will serve as a basis
25 for sorting the database. These parameters will include phenotypic traits, medical histories, family histories and any other such information elicited from a subject or observed about the subject. A parameter may describe the subject, some historical or current environmental or social influence experienced by the
30 subject, or a condition or environmental influence on someone related to the subject. Parameters include, but are not limited to, any of those described herein, and known to those of skill in the art.

-14-

As used herein, haplotype refers to two or polymorphism located on a single DNA strand. Hence, haplotyping refers to identification of two or more polymorphisms on a single DNA strand. Haplotypes can be indicative of a phenotype. For some disorders a single polymorphism may suffice to indicate a trait; for others a plurality (i.e., a haplotype) may be needed. Haplotyping can be performed by isolating nucleic acid and separating the strands. In addition, when using enzymes such as certain nucleases, that produce, different size fragments from each strand, strand separation is not needed for haplotyping.

As used herein, pattern with reference to a mass spectrum or mass spectrometric analyses, refers to a characteristic distribution and number of signals (such peaks or digital representations thereof).

As used herein, signal in the context of a mass spectrum and analysis thereof refers to the output data, which the number or relative number of molecules having a particular mass. Signals include "peaks" and digital representations thereof.

As used herein, adaptor, when used with reference to haplotyping use Fen ligase, refers to a nucleic acid that specifically hybridizes to a polymorphism of interest. An adaptor can be partially double-stranded. An adaptor complex is formed when an adaptor hybridizes to its target.

As used herein, a target nucleic acid refers to any nucleic acid of interest in a sample. It can contain one or more nucleotides.

As used herein, standardless analysis refers to a determination based upon an internal standard. For example, the frequency of a polymorphism can be determined herein by comparing signals within a single mass spectrum.

As used herein, amplifying refers to means for increasing the amount of a bipolymer, especially nucleic acids. Based on the 5' and 3' primers that are chosen, amplification also serves to restrict and define the region of the genome which is subject to analysis. Amplification can be by any means known to those skilled in the art, including use of the polymerase chain reaction (PCR) etc.

Amplification, e.g., PCR must be done quantitatively when the frequency of polymorphism is required to be determined.

-15-

As used herein, cleaving refers to non-specific and specific fragmentation of a biopolymer.

As used herein, multiplexing refers to the simultaneous detection of more than one polymorphism. Methods for performing multiplexed reactions, particularly in conjunction with mass spectrometry are known (see, *e.g.*, U.S. Patent Nos. 6,043,031, 5,547,835 and International PCT application No. WO 97/37041).

As used herein, reference to mass spectrometry encompasses any suitable mass spectrometric format known to those of skill in the art. Such formats include, but are not limited to, Matrix-Assisted Laser Desorption/Ionization, Time-of-Flight (MALDI-TOF), Electrospray (ES), IR-MALDI (see, *e.g.*, published International PCT application No.99/57318 and U.S. Patent No. 5,118,937), Ion Cyclotron Resonance (ICR), Fourier Transform and combinations thereof. MALDI, particular UV and IR, are among the preferred formats.

As used herein, mass spectrum refers to the presentation of data obtained from analyzing a biopolymer or fragment thereof by mass spectrometry either graphically or encoded numerically.

As used herein, a blood component is a component that is separated from blood and includes, but is not limited to red blood cells and platelets, blood clotting factors, plasma, enzymes, plasminogen, immunoglobulins. A cellular blood component is a component of blood, such as a red blood cell, that is a cell. A blood protein is a protein that is normally found in blood. Examples of such proteins are blood factors VII and VIII. Such proteins and components are well-known to those of skill in the art.

As used herein, plasma can be prepared by any method known to those of skill in the art. For example, it can be prepared by centrifuging blood at a force that pellets the red cells and forms an interface between the red cells and the buffy coat, which contains leukocytes, above which is the plasma. For example, typical platelet concentrates contain at least about 10% plasma.

Blood may be separated into its components, including, but not limited to, plasma, platelets and red blood cells by any method known to those of skill in the art. For example, blood can be centrifuged for a sufficient time and at a

-16-

sufficient acceleration to form a pellet containing the red blood cells. Leukocytes collect primarily at the interface of the pellet and supernatant in the buffy coat region. The supernatant, which contains plasma, platelets, and other blood components, may then be removed and centrifuged at a higher acceleration,
5 whereby the platelets pellet.

As used herein, p53 is a cell cycle control protein that assesses DNA damage and acts as a transcription factor regulation gene which control cell growth, DNA repair and apoptosis. The p53 mutations have been found in a wide variety of different cancers, including all of the different types of leukemia,
10 with varying frequency. The loss of normal p53 functions results in genomic instability and uncontrolled growth of the host cell.

As used herein, p21 is a cyclin-dependent kinase inhibitor, associated with G1 phase arrest of normal cells. Expression triggers apoptosis or programmed cell death and has been associated with Wilms' tumor, a pediatric
15 kidney cancer.

As used herein, Factor VII is a serine protease involved the extrinsic blood coagulation cascade. This factor is activated by thrombin and works with tissue factor (Factor III) in the processing of Factor X to Factor Xa. Evidence has supported an association between polymorphisms in the gene and increase
20 Factor VII activity which can result in an elevated risk of ischemic cardiovascular disease including myocardial infarction.

As used herein, a relational database stores information in a form representative of matrices, such as two-dimensional tables, including rows and columns of data, or higher dimensional matrices. For example, in one
25 embodiment, the relational database has separate tables each with a parameter. The tables are linked with a record number, which also acts as an index. The database can be searched or sorted by using data in the tables and is stored in any suitable storage medium, such as floppy disk, CD rom disk, hard drive or other suitable medium.

30 As used herein, a bar codes refers any array of optically readable marks of any desired size and shape that are arranged in a reference context or frame of, preferably, although not necessarily, one or more columns and one or more

-17-

rows. For purposes herein, the bar code refers to any symbology, not necessary "bar" but may include dots, characters or any symbol or symbols.

As used herein, symbology refers to an identifier code or symbol, such as a bar code, that is linked to a sample. The index will reference each such

5 symbology. The symbology is any code known or designed by the user. The symbols are associated with information stored in the database. For example, each sample can be uniquely identified with an encoded symbology. The parameters, such as the answers to the questions and subsequent genotypic and other information obtained upon analysis of the samples is included in the

10 database and associated with the symbology. The database is stored on any suitable recording medium, such as a hard drive, a floppy disk, a tape, a CD ROM, a DVD disk and any other suitable medium.

DATABASES

Human genotyping is currently dependent on collaborations with

15 hospitals, tissues banks and research institutions that provide samples of disease tissue. This approach is based on the concept that the onset and/or progression of diseases can be correlated with the presence of a polymorphisms or other genetic markers. This approach does not consider that disease correlated with the presence of specific markers and the absence of specific markers. It is

20 shown herein that identification and scoring of the appearance and disappearance of markers is possible only if these markers are measured in the background of healthy subjects where the onset of disease does not mask the change in polymorphism occurrence. Databases of information from disease populations suffer from small sample size, selection bias and heterogeneity. The

25 databases provided herein from healthy populations solve these problems by permitting large sample bands, simple selection methods and diluted heterogeneity.

Provided herein are first databases of parameters, associated with non-selected, particularly healthy, subjects. Also provided are combinations of the

30 databases with indexed samples obtained from each of the subjects. Further provided are databases produced from the first databases. These contain in addition to the original parameters information, such as genotypic information,

-18-

including, but are not limited to, genomic sequence information, derived from the samples.

The databases, which are herein designated healthy databases, are so-designated because they are not obtained from subjects pre-selected for a particular disease. Hence, although individual members may have a disease, the
5 collection of individuals is not selected to have a particular disease.

The subjects from whom the parameters are obtained comprise either a set of subjects who are randomly selected across, preferably, all populations, or are pre-selected to be disease-free or healthy. As a result, the database is not
10 selected to be representative of any pre-selected phenotype, genotype, disease or other characteristic. Typically the number of subjects from which the database is prepared is selected to produce statistically significant results when used in the methods provided herein. Preferably, the number of subjects will be greater than 100, more preferably greater than 200, yet more preferably greater
15 than 1000. The precise number can be empirically determined based upon the frequency of the parameter(s) that be used to sort the database. Generally the population can have at least 50, at least 100, at least 200, at least 500, at least 1000, at least 5000 or at least 10,000 or more subjects.

Upon identification of a collection of subjects, information about each
20 subject is recorded and associated with each subject as a database. The information associated with each of the subjects, includes, but is not limited to, information related to historical characteristics of the subjects, phenotypic characteristics and also genotypic characteristics, medical characteristics and any other traits and characteristics about the subject that can be determined.
25 This information will serve as the basis for sorting the database.

In an exemplary embodiment, the subjects are mammals, such as humans, and the information relates to one or more of parameters, such as age, sex, medical history, ethnicity and any other factor. Such information, when the animals are humans, for example, can be obtained by a questionnaire, and by
30 observations about the individual, such as hair color, eye color and other characteristics. Genotypic information will be obtained from tissue or other body and body fluid samples from the subject.

-19-

The healthy genomic database can include profiles and polymorphisms from healthy individuals from a library of blood samples where each sample in the library is an individual and separate blood or other tissue sample. Each sample in the database is profiled as to the sex, age, ethnic group, and disease
5 history of the donor.

The databases are generated by first identifying healthy populations of subjects and obtaining information about each subject that will serve as the sorting parameters for the database. This information is preferably entered into a storage medium, such as the memory of a computer.

10 The information obtained about each subject in a population used for generating the database is stored in a computer memory or other suitable storage medium. The information is linked to an identifier associated with each subject. Hence the database will identify a subject, for example by a datapoint representative of a bar code, and then all information, such as the information
15 from a questionnaire, regarding the individual is associated with the datapoint. As the information is collected the database is generated.

Thus, for example, profile information, such as subject histories obtained from questionnaires, is collected in the database. The resulting database can be sorted as desired, using standard software, such as by age, sex and/or ethnicity.
20 An exemplary questionnaire for subjects from whom samples are to be obtained is shown in Figures 22A-D. Each questionnaire preferably is identified by a bar code, particularly a machine readable bar code for entry into the database. After a subject provides data and is deemed to be healthy (*i.e.*, meets standards for blood donation), the data in the questionnaire is entered into the database and is
25 associated with the bar code. A tissue, cell or blood sample is obtained from the subject.

Figure 4 exemplifies processing and tracking of blood sample components. Each component is tracked with a bar code, dated, is entered into the database and associated with the subject and the profile of the subject.
30 Typically, the whole blood is centrifuged to produce plasma, red blood cells (which pellet) and leukocytes found in the buffy coat which layers in between.

-20-

Various samples are obtained and coded with a bar code and stored for use as needed.

Samples are collected from the subjects. The samples include, but are not limited to, tissues, cells, and fluids, such as nucleic acid, blood, plasma, amniotic fluid, synovial fluid, urine, saliva, aqueous humor, sweat, sperm samples and cerebral spinal fluid. It is understood that the particular set of samples depends upon the organisms in the population.

Once samples are obtained the collection can be stored and, in preferred embodiments, each sample is indexed with an identifier, particularly a machine readable code, such as a bar code. For analyses, the samples or components of the samples, particularly biopolymers and small molecules, such as nucleic acids and/or proteins and metabolites, are isolated.

After samples are analyzed, this information is entered into the database in the memory of the storage medium and associated with each subject. This information includes, but is not limited to, genotypic information. Particularly, nucleic acid sequence information and other information indicative of polymorphisms, such as masses of PCR fragments, peptide fragment sequences or masses, spectra of biopolymers and small molecules and other indicia of the structure or function of a gene, gene product or other marker from which the existence of a polymorphism within the population can be inferred.

In an exemplary embodiment, a database can be derived from a collection of blood samples. For example, Figure 1 (see, also Figure 10) shows the status of a collection of over 5000 individual samples. The samples were processed in the laboratory following SOP (standard operating procedure) guidelines. Any standard blood processing protocol may be used.

For the exemplary database described herein, the following criteria were used to select subjects:

No testing is done for infectious agents.

Age: At least 17 years old

Weight: Minimum of 110 pounds

Permanently Disqualified:

History of hepatitis (after age 11)

-21-

Leukemia Lymphoma

Human immunodeficiency virus (HIV), AIDS

Chronic kidney disease

Temporarily Disqualified:

- 5 Pregnancy - until six weeks after delivery, miscarriage or abortion
 Major surgery or transfusions - for one year
 Mononucleosis - until complete recovery
 Prior whole blood donation - for eight weeks
 Antibiotics by injection for one week; by mouth, for forty-eight hours,
 10 except antibiotics for skin complexion;

5 year Deferment:

Internal cancer and skin cancer if it has been removed, is healed and
 there is no recurrence

- These correspond to blood bank criteria for donating blood and represent a
 15 healthy population as defined herein for a human healthy database.

Structure of the database

- Any suitable database structure and format known to those of skill in the
 art may be employed. For example, a relational database is a preferred format in
 which data is stored as matrices or tables of the parameters linked by an indexer
 20 that identifies each subject. Software for preparing and manipulating, including
 sorting the database, can be readily developed or adapted from commercially
 available software, such as Microsoft Access.

Quality control

- Quality control procedures can be implemented. For example, after
 25 collection of samples, the quality of the collection in the bank can be assessed.
 For example, mix-up of samples can be checked by testing for known markers,
 such as sex. After samples are separated by ethnicity, samples are randomly
 tested for a marker associated with a particular ethnicity, such as HLA DQA1
 group specific component, to assess whether the samples have been properly
 30 sorted by ethnic group. An exemplary sample bank is depicted in Figure 4.

-22-

Obtaining genotypic data and other parameters for the database

After informational and historical parameters are entered into the database, material from samples obtained from each subject, is analyzed. Analyzed material include proteins, metabolites, nucleic acids, lipids and any
5 other desired constituent of the material. For example, nucleic acids, such as genomic DNA, can be analyzed by sequencing.

Sequencing can be performed using any method known to those of skill in the art. For example, if a polymorphism is identified or known, and it is desired to assess its frequency or presence among the subjects in the database, the
10 region of interest from each sample can be isolated, such as by PCR or restriction fragments, hybridization or other suitable method known to those of skill in the art and sequenced. For purposes herein, sequencing analysis is preferably effected using mass spectrometry (see, *e.g.*, U.S. Patent Nos. 5,547,835, 5,622,824, 5,851,765, and 5,928,906). Nucleic acids can also be
15 sequence by hybridization (see, *e.g.*, U.S. Patent Nos. 5,503,980, 5,631,134, 5,795,714) and including analysis by mass spectrometry (see, U.S. application Serial Nos. 08/419,994 and 09/395,409).

In other detection methods, it is necessary to first amplify prior to identifying the allelic variant. Amplification can be performed, *e.g.*, by PCR
20 and/or LCR, according to methods known in the art. In one embodiment, genomic DNA of a cell is exposed to two PCR primers and amplification for a number of cycles sufficient to produce the required amount of amplified DNA. In preferred embodiments, the primers are located between 150 and 350 base pairs apart.

Alternative amplification methods include: self sustained sequence
25 replication (Guatelli, J. C. et al., 1990, Proc. Natl. Acad. Sci. U.S.A. 87:1874-1878), transcriptional amplification system (Kwoh, D. Y. et al., 1989, Proc. Natl. Acad. Sci. U.S.A. 86:1173-1177), Q-Beta Replicase (Lizardi, P. M. et al., 1988, Bio/Technology 6:1197), or any other nucleic acid amplification
30 method, followed by the detection of the amplified molecules using techniques well known to those of skill in the art. These detection schemes are especially

-23-

useful for the detection of nucleic acid molecules if such molecules are present in very low numbers.

- Nucleic acids can also be analyzed by detection methods and protocols, particularly those that rely on mass spectrometry (see, *e.g.*, U.S. Patent No. 5,605,798, 6,043,031, allowed copending U.S. application Serial No. 08/744,481, U.S. application Serial No. 08/990,851 and International PCT application No. WO 99/31273, International PCT application No. WO 98/20019). These methods can be automated (see, *e.g.*, copending U.S. application Serial No. 09/285,481 and published International PCT application No. PCT/US00/08111, which describes an automated process line). Preferred among the methods of analysis herein are those involving the primer oligo base extension (PROBE) reaction with mass spectrometry for detection (described herein and elsewhere, see *e.g.*, U.S. Patent No. 6,043,031; see, also U.S. application Serial Nos. 09/287,681, 09/287,682, 09/287,141 and 09/287,679, allowed copending U.S. application Serial No. 08/744,481, International PCT application No. PCT/US97/20444, published as International PCT application No. WO 98/20019, and based upon U.S. application Serial Nos. 08/744,481, 08/744,590, 08/746,036, 08/746,055, 08/786,988, 08/787,639, 08/933,792, 08/746,055, 08/786,988 and 08/787,639; see, also U.S. application Serial No. 09/074,936, U.S. Patent No. 6,024,925, and U.S. application Serial Nos. 08/746,055 and 08/786,988, and published International PCT application No. WO 98/20020).

- A preferred format for performing the analyses is a chip based format in which the biopolymer is linked to a solid support, such as a silicon or silicon-coated substrate, preferably in the form of an array. More preferably, when analyses are performed using mass spectrometry, particularly MALDI, small nanoliter volumes of sample are loaded on, such that the resulting spot is about, or smaller than, the size of the laser spot. It has been found that when this is achieved, the results from the mass spectrometric analysis are quantitative. The area under the signals in the resulting mass spectra are proportional to concentration (when normalized and corrected for background). Methods for preparing and using such chips are described in U.S. Patent No. 6,024,925, co-

-24-

pending U.S. application Serial Nos. 08/786,988, 09/364,774, 09/371,150 and 09/297,575; see, also U.S. application Serial No. PCT/US97/20195, which published as WO 98/20020. Chips and kits for performing these analyses are commercially available from SEQUENOM under the trademark MassARRAY.

5 MassArray relies on the fidelity of the enzymatic primer extension reactions combined with the miniaturized array and MALDI-TOF (Matrix-Assisted Laser Desorption Ionization-Time of Flight) mass spectrometry to deliver results rapidly. It accurately distinguishes single base changes in the size of DNA fragments associated with genetic variants without tags.

10 The methods provided herein permit quantitative determination of alleles. The areas under the signals in the mass spectra can be used for quantitative determinations. The frequency is determined from the ratio of the signal to the total area of all of the spectrum and corrected for background. This is possible because of the PROBE technology as described in the above applications

15 incorporated by reference herein.

Additional methods of analyzing nucleic acids include amplification- based methods including polymerase chain reaction (PCR), ligase chain reaction (LCR), mini-PCR, rolling circle amplification, autocatalytic methods, such as those using Q β replicase, TAS, 3SR, and any other suitable method known to those of skill

20 in the art.

Other methods for analysis and identification and detection of polymorphisms, include but are not limited to, allele specific probes, Southern analyses, and other such analyses.

The methods described below provide ways to fragment given amplified
25 or non-amplified nucleotide sequences thereby producing a set of mass signals when mass spectrometry is used to analyze the fragment mixtures.

Amplified fragments are yielded by standard polymerase chain methods (US 4,683,195 and 4,683,202). The fragmentation method involves the use of enzymes that cleave single or double strands of DNA and enzymes that ligate
30 DNA. The cleavage enzymes can be glycosylases, nickases, and site-specific and non site-specific nucleases with the most preferred enzymes being glycosylases, nickases, and site-specific nucleases.

-25-

Glycosylase Fragmentation Method

DNA glycosylases specifically remove a certain type of nucleobase from a given DNA fragment. These enzymes can thereby produce abasic sites, which can be recognized either by another cleavage enzyme, cleaving the exposed
5 phosphate backbone specifically at the abasic site and producing a set of nucleobase specific fragments indicative of the sequence, or by chemical means, such as alkaline solutions and or heat. The use of one combination of a DNA glycosylase and its targeted nucleotide would be sufficient to generate a base specific signature pattern of any given target region.

10 Numerous DNA glycosylases are known. For example, a DNA glycosylase can be uracil-DNA glycosylase (UDG), 3-methyladenine DNA glycosylase, 3-methyladenine DNA glycosylase II, pyrimidine hydrate-DNA glycosylase, FaPy-DNA glycosylase, thymine mismatch-DNA glycosylase, hypoxanthine-DNA glycosylase, 5-Hydroxymethyluracil DNA glycosylase (HmUDG), 5-
15 Hydroxymethylcytosine DNA glycosylase, or 1,N6-ethenoadenine DNA glycosylase (see, *e.g.*, U.S. Patent Nos. 5,536,649, 5,888, 795, 5,952,176 and 6,099,553, International PCT application Nos. WO 97/03210, WO 99/54501; see, also, Eftedal et al. (1993) Nucleic Acids Res 21:2095-2101, Bjelland and Seeberg (1987) Nucleic Acids Res. 15:2787-2801, Saparbaev et al.
20 (1995) Nucleic Acids Res. 23:3750-3755, Bessho (1999) Nucleic Acids Res. 27:979-983) corresponding to the enzyme's modified nucleotide or nucleotide analog target. A preferred glycosylase is uracil-DNA glycosylase (UDG).

Uracil, for example, can be incorporated into an amplified DNA molecule by amplifying the DNA in the presence of normal DNA precursor nucleotides
25 (e.g. dCTP, dATP, and dGTP) and dUTP. When the amplified product is treated with UDG, uracil residues are cleaved. Subsequent chemical treatment of the products from the UDG reaction results in the cleavage of the phosphate backbone and the generation of nucleobase specific fragments. Moreover, the separation of the complementary strands of the amplified product prior to
30 glycosylase treatment allows complementary patterns of fragmentation to be generated. Thus, the use of dUTP and Uracil DNA glycosylase allows the generation of T specific fragments for the complementary strands, thus providing

-26-

information on the T as well as the A positions within a given sequence. Similar to this, a C-specific reaction on both (complementary) strands (i.e. with a C-specific glycosylase) yields information on C as well as G positions within a given sequence if the fragmentation patterns of both amplification strands are
 5 analyzed separately. Thus, with the glycosylase method and mass spectrometry, a full series of A, C, G and T specific fragmentation patterns can be analyzed.

Nickase Fragmentation Method

A DNA nickase, or DNase, can be used recognize and cleave one strand
 10 of a DNA duplex. Numerous nickases are known. Among these, for example, are nickase NY2A nickase and NYS1 nickase (Megabase) with the following cleavage sites:

NY2A: 5'...R AG...3'

3'...Y TC...5' where R = A or G and Y = C or T

15 NYS1: 5'... CC[A/G/T]...3'

3'... GG[T/C/A]...5'.

Fen-Ligase Fragmentation Method

The Fen-ligase method involves two enzymes: Fen-1 enzyme and a ligase. The Fen-1 enzyme is a site-specific nuclease known as a "flap" endonuclease
 20 (US 5,843,669, 5,874,283, and 6,090,606). This enzymes recognizes and cleaves DNA "flaps" created by the overlap of two oligonucleotides hybridized to a target DNA strand. This cleavage is highly specific and can recognize single base pair mutations, permitting detection of a single homologue from an individual heterozygous at one SNP of interest and then genotyping that
 25 homologue at other SNPs occurring within the fragment. Fen-1 enzymes can be Fen-1 like nucleases e.g. human, murine, and *Xenopus* XPG enzymes and yeast RAD2 nucleases or Fen-1 endonucleases from, for example, *M. jannaschii*, *P. furiosus*, and *P. woesei*. Among preferred enzymes are the Fen-1 enzymes.

The ligase enzyme forms a phosphodiester bond between two double
 30 stranded nucleic acid fragments. The ligase can be DNA Ligase I or DNA Ligase III (see, e.g., U.S. Patent Nos. US 5,506,137, 5,700,672, 5,858,705 and 5,976,806; see, also, Waga, *et al.* (1994) J. Biol. Chem. 269:10923-10934, Li

-27-

et al. (1994) Nucleic Acids Res. 22:632-638, Arrand et al. (1986) J. Biol. Chem. 261:9079-9082, Lehman (1974) Science 186:790-797, Higgins and Cozzarelli (1979) Methods Enzymol. 68:50-71, Lasko et al. (1990) Mutation Res. 236:277-287, and Lindahl and Barnes (1992) Ann. Rev. Biochem. 61:251-281).

- 5 Thermostable ligase (Epicenter Technologies), where "thermostable" denotes that the ligase retains activity even after exposure to temperatures necessary to separate two strands of DNA, are among preferred ligases for use herein.

Type IIS Enzyme Fragmentation Method

- 10 Restriction enzymes bind specifically to and cleave double-stranded DNA at specific sites within or adjacent to a particular recognition sequence. These enzymes have been classified into three groups (e.g. Types I, II, and III) as known to those of skill in the art. Because of the properties of type I and type III enzymes, they have not been widely used in molecular biological applications.
- 15 Thus, for this invention type II enzymes are preferred. Of the thousands of restriction enzymes known in the arts, there are 179 different type II specificities. Of the 179 unique type II restriction endonucleases, 31 have a 4-base recognition sequence, 11 have a 5-base recognition sequence, 127 have a 6-base recognition sequence, and 10 have recognition sequences of greater than
- 20 six bases (US 5,604,098). Of category type II enzymes, type IIS is preferred.

 Type IIS enzymes can be *Alw* XI, *Bbv* I, *Bce* 83, *Bpm* I, *Bsg* I, *Bsm* AI, *Bsm* FI, *Bsa* I, *Bcc* I, *Bcg* I, *Ear* I, *Eco* 57I, *Esp* 3I, *Fau* I, *Fok* I, *Gsu* I, *Hga* I, *Mme* I, *Mbo* II, *Sap* I, and the like. The preferred type IIS enzyme is *Fok* I.

- The *Fok* I enzyme endonuclease is an exemplary well characterized
- 25 member of the Type IIS class (see, e.g., U.S. Patent Nos. 5,714,330, 5,604,098, 5,436,150, 6,054,276 and 5,871,911; see, also, Szybalski et al. (1991) Gene 100:13-26, Wilson and Murray (1991) Ann. Rev. Genet. 25:585-627, Sugisaki et al. (1981) Gene 16:73-78, Podhajski and Szalski (1985) Gene 40:175-182. *Fok* I recognizes the sequence 5'GGATG-3' and cleaves DNA
- 30 accordingly. Type IIS restriction sites can be introduced into DNA targets by incorporating the site into primers used to amplify such targets. Fragments produced by digestion with *Fok* I are site specific and can be analyzed by mass

-28-

spectrometry methods such as MALDI-TOF mass spectrometry, ESI-TOF mass spectrometry, and any other type of mass spectrometry well known to those of skill in the art.

- Once a polymorphism has been found to correlate with a parameter
- 5 such as age. The possibility of false results due to allelic dropout is examined by doing comparative PCR in an adjacent region of the genome.

Analyses

- In using the database, allelic frequencies can be determined across the population by analyzing each sample in the population individually, determining
- 10 the presence or absence of allele or marker of interest in each individual sample, and then determining the frequency of the marker in the population. The database can then be sorted (stratified) to identify any correlations between the allele and a selected parameter using standard statistical analysis. If a
- correlation is observed, such as a decrease in a particular marker with age or
- 15 correlation with sex or other parameter, then the marker is a candidate for further study, such as genetic mapping to identify a gene or pathway in which it is involved. The marker may then be correlated, for example, with a disease. Haplotyping can also be carried out. Genetic mapping can be effected using standard methods and may also require use of databases of others, such as
- 20 databases previously determined to be associated with a disorder.

Exemplary analyses have been performed and these are shown in the figures, and discussed herein.

Sample pooling

- It has been found that using the databases provided herein, or any other
- 25 database of such information, substantially the same frequencies that were obtained by examining each sample separately can be obtained by pooling samples, such as in batches of 10, 20, 50, 100, 200, 500, 1000 or any other number. A precise number may be determined empirically if necessary, and can be as low as 3.

-29-

In one embodiment, the frequency of genotypic and other markers can be obtained by pooling samples. To do this a target population and a genetic variation to be assessed is selected, a plurality of samples of biopolymers are obtained from members of the population, and the biopolymer from which the
5 marker or genotype can be inferred is determined or detected. A comparison of samples tested in pools and individually and the sorted results therefrom are shown in Figure 9, which shows frequency of the factor VII Allele 353Q. Figure 10 depicts the frequency of the CETP Allele CETP in pooled versus individual samples. Figure 15 shows ethnic diversity among various ethnic groups in the
10 database using pooled DNA samples to obtain the data. Figures 12-14 show mass spectra for these samples.

Pooling of test samples has application not only to the healthy databases provided herein, but also to use in gathering data for entry into any database of subjects and genotypic information, including typical databases derived from
15 diseased populations. What is demonstrated herein, is the finding that the results achieved are statistically the same as the results that would be achieved if each sample is analyzed separately. Analysis of pooled samples by a method, such as the mass spectrometric methods provided herein, permits resolution of such data and quantitation of the results.

20 For factor VII the R53Q acid polymorphism was assessed. In Figure 9, the "individual" data represent allelic frequency observed in 92 individuals reactions. The pooled data represent the allelic frequency of the same 92 individuals pooled into a single probe reaction. The concentration of DNA in the samples of individual donors is 250 nanograms. The total concentration of DNA
25 in the pooled samples is also 250 nanograms, where the concentration of any individual DNA is 2.7 nanograms.

It also was shown that it is possible to reduce the DNA concentration of individuals in a pooled samples from 2.7 nanograms to 0.27 nanograms without any change in the quality of the spectrum or the ability to quantitate the amount
30 of sample detected. Hence low concentrations of sample may be used in the pooling methods.

-30-

Use of the databases and markers identified thereby

The successful use of genomics requires a scientific hypothesis (*i.e.*, common genetic variation, such as a SNP), a study design (*i.e.*, complex disorders), samples and technology, such as the chip-based mass spectrometric analyses (see, *e.g.*, U.S. Patent No. 5,605,798, U.S. Patent No. 5,777,324, U.S. Patent No. 6,043,031, allowed copending U.S. application Serial No. 08/744,481, U.S. application Serial No. 08/990,851, International PCT application No. WO 98/20019, copending U.S. application Serial No. 09/285,481, which describes an automated process line for analyses; see, also, U.S. application Serial Nos. 08/617,256, 09/287,681, 09/287,682, 09/287,141 and 09/287,679, allowed copending U.S. application Serial No. 08/744,481, International PCT application No. PCT/US97/20444, published as International PCT application No. WO 98/20019, and based upon U.S. application Serial Nos. 08/744,481, 08/744,590, 08/746,036, 08/746,055, 08/786,988, 08/787,639, 08/933,792, 08/746,055, 09/266,409, 08/786,988 and 08/787,639; see, also U.S. application Serial No. 09/074,936). All of these aspects can be used in conjunction with the databases provided herein and samples in the collection.

The databases and markers identified thereby can be used, for example, for identification of previously unidentified or unknown genetic markers and to identify new uses for known markers. As markers are identified, these may be entered into the database to use as sorting parameters from which additional correlations may be determined.

Previously unidentified or unknown genetic markers

The samples in the healthy databases can be used to identify new polymorphisms and genetic markers, using any mapping, sequencing, amplification and other methodologies, and in looking for polymorphisms among the population in the database. The thus-identified polymorphism can then be entered into the database for each sample, and the database sorted (stratified) using that polymorphism as a sorting parameter to identify any patterns and correlations that emerge, such as age correlated changes in the frequency of the identified marker. If a correlation is identified, the locus of the marker can be mapped and its function or effect assessed or deduced.

-31-

Thus, the databases here provide means for:

identification of significantly different allelic frequencies of genetic factors by comparing the occurrence or disappearance of the markers with increasing age in population and then associating the markers with a disease or a
5 biochemical pathway;

identification of significantly different allelic frequencies of disease causing genetic factors by comparing the male with the female population or comparing other selected stratified populations and associating the markers with a disease or a biochemical pathway;

10 identification of significantly different allelic frequencies of disease causing genetic factors by comparing different ethnic groups and associating the markers with a disease or a biochemical pathway that is known to occur in high frequency in the ethnic group;

profiling potentially functional variants of genes through the general
15 panmixed population stratified according to age, sex, and ethnic origin and thereby demonstrating the contribution of the variant genes to the physical condition of the investigated population;

identification of functionally relevant gene variants by gene disequilibrium analysis performed within the general panmixed population stratified according
20 to age, sex, and ethnic origin and thereby demonstrating their contribution to the physical condition of investigated population;

identification of potentially functional variants of chromosomes or parts of chromosomes by linkage disequilibrium analysis performed within the general panmixed population stratified according to age, sex, and ethnic origin and
25 thereby demonstrating their contribution to the physical condition of investigated population.

Uses of the identified markers and known markers

The databases may also be used in conjunction with known markers and sorted to identify any correlations. For example, the databases can be used for:

30 determination and evaluation of the penetrance of medically relevant polymorphic markers;

-32-

determination and evaluation of the diagnostic specificity of medically relevant genetic factors;

determination and evaluation of the positive predictive value of medically relevant genetic factors;

- 5 determination and evaluation of the onset of complex diseases, such as, but are not limited to, diabetes, hypertension, autoimmune diseases, arteriosclerosis, cancer and other diseases within the general population with respect to their causative genetic factors;

delineation of the appropriate strategies for preventive disease treatment;

- 10 delineation of appropriate timelines for primary disease intervention;

validation of medically relevant genetic factors identified in isolated populations regarding their general applicability;

validation of disease pathways including all potential target structures identified in isolated populations regarding their general applicability; and

- 15 validation of appropriate drug targets identified in isolated populations regarding their general applicability.

Among the diseases and disorders for which polymorphisms may be linked include, those linked to inborn errors of metabolism, acquired metabolic disorders, intermediary metabolism, oncogenesis pathways, blood clotting

- 20 pathways, and DNA synthetic and repair pathways DNA repair/replication/transcription factors and activities, *e.g.*, such as genes related to oncogenesis, aging and genes involved in blood clotting and the related biochemical pathways that are related to thrombosis, embolism, stroke, myocardial infarction, angiogenesis and oncogenesis.

- 25 For example, a number of diseases are caused by or involve deficient or defective enzymes in intermediary metabolism (see, *e.g.*, Tables 1 and 2, below) that result, upon ingestion of the enzyme substrates, in accumulation of harmful metabolites that damage organs and tissues, particularly an infant's developing brain and other organs, resulting in mental retardation and other developmental
30 disorders.

-33-

Identification of markers and genes for such disorders is of great interest.

Model systems

Several gene systems, p21, p53 and Lipoprotein Lipase polymorphism (N291S), were selected. The p53 gene is a tumor suppressor gene that is
5 mutated in diverse tumor types. One common allelic variant occurs at codon 72. A polymorphism that has been identified in the p53 gene, i.e., the R72P allele, results in an amino acid exchange, arginine to proline, at codon 72 of the gene.

Using diseased populations, it has been shown that there are ethnic differences in the allelic distribution of these alleles among African-Americans
10 and Caucasians in the U.S. The results here support this finding and also demonstrate that the results obtained with a healthy database are meaningful (see, Figure 7B).

The 291S allele leads to reduced levels of high density lipoprotein cholesterol (HDL-C) that is associated with an increased risk of males for
15 arteriosclerosis and in particular myocardial infarction (see, Reymer *et al.* (1995) *Nature Genetics* 10:28-34).

Both genetic polymorphisms were profiled within a part of the Caucasian population-based sample bank. For the polymorphism located in the lipoprotein lipase gene a total of 1025 unselected individuals (436 males and 589 females)
20 were tested. Genomic DNA was isolated from blood samples obtained from the individuals.

As shown in the Examples and figures, an exemplary database containing about 5000 subjects, answers to the questionnaire (see Figure 3), and genotypic information has been stratified. A particular known allele has been selected, and
25 the samples tested for the marker using mass spectrometric analyses, particularly PROBE (see the EXAMPLES) to identify polymorphisms in each sample. The population in the database has been sorted according to various parameters and correlations have been observed. For example, FIGURES 2A-C, show sorting of the data by age and sex for the Lipoprotein Lipase gene in the
30 Caucasian population in the database. The results show a decrease in the frequency of the allele with age in males but no such decrease in females. Other

-34-

alleles that have been tested against the database, include, alleles of p53, p21 and factor VII. Results when sorted by age are shown in the figures.

These examples demonstrate an effect of altered frequency of disease causing genetic factors within the general population. The scientific

5 interpretation of those results allows prediction of medical relevance of polymorphic genetic alterations. In addition, conclusions can be drawn with regard to their penetrance, diagnostic specificity, positive predictive value, onset of disease, most appropriate onset of preventive strategies, and the general applicability of genetic alterations identified in isolated populations to panmixed
10 populations.

Therefore, an age- and sex-stratified population-based sample bank that is ethnically homogenous is a suitable tool for rapid identification and validation of genetic factors regarding their potential medical utility.

15 **Exemplary computer system for creating, storing and processing the databases Systems**

Systems, including computers, containing the databases are provided herein. The computers and databases can be used in conjunction, for example, with the APL system (see, copending U.S. application Serial No. 09/285,481),
20 which is an automated system for analyzing biopolymers, particularly nucleic acids. Results from the APL system can be entered into the database.

Any suitable computer system may be used. The computer system may be integrated into systems for sample analysis, such as the automated process line described herein (see, *e.g.*, copending U.S. application Serial No.
25 09/285,481).

Figure 17 is a block diagram of a computer constructed in to provide and process the databases described herein. The processing that maintains the database and performs the methods and procedures may be performed on multiple computers all having a similar construction, or may be performed by a
30 single, integrated computer. For example, the computer through which data is added to the database may be separate from the computer through which the database is sorted, or may be integrated with it. In either arrangement, the

-35-

computers performing the processing may have a construction as illustrated in Figure 17.

Figure 17 is a block diagram of an exemplary computer 1700 that maintains the database described above and performs the methods and

5 procedures. Each computer 1700 operates under control of a central processor unit (CPU) 1702, such as a "Pentium" microprocessor and associated integrated circuit chips, available from Intel Corporation of Santa Clara, California, USA. A computer user can input commands and data from a keyboard and display

10 mouse 1704 and can view inputs and computer output at a display 1706. The display is typically a video monitor or flat panel display device. The computer 1700 also includes a direct access storage device (DASD) 1707, such as a fixed hard disk drive. The memory 1708 typically comprises volatile semiconductor random access memory (RAM). Each computer preferably includes a program

15 product reader 1710 that accepts a program product storage device 1712, from which the program product reader can read data (and to which it can optionally write data). The program product reader can comprise, for example, a disk drive, and the program product storage device can comprise removable storage media such as a magnetic floppy disk, an optical CD-ROM disc, a CD-R disc, a CD-RW disc, or a DVD data disc. If desired, the computers can be connected so

20 they can communicate with each other, and with other connected computers, over a network 1713. Each computer 1700 can communicate with the other connected computers over the network 1713 through a network interface 1714 that enables communication over a connection 1716 between the network and the computer.

25 The computer 1700 operates under control of programming steps that are temporarily stored in the memory 1708 in accordance with conventional computer construction. When the programming steps are executed by the CPU 1702, the pertinent system components perform their respective functions. Thus, the programming steps implement the functionality of the system as

30 described above. The programming steps can be received from the DASD 1707, through the program product reader 1712, or through the network connection 1716. The storage drive 1710 can receive a program product, read

-36-

programming steps recorded thereon and transfer the programming steps into the memory 1708 for execution by the CPU 1702. As noted above, the program product storage device 1710 can comprise any one of multiple removable media having recorded computer-readable instructions, including
5 magnetic floppy disks and CD-ROM storage discs. Other suitable program product storage devices can include magnetic tape and semiconductor memory chips. In this way, the processing steps necessary for operation can be embodied on a program product.

Alternatively, the program steps can be received into the operating
10 memory 1708 over the network 1713. In the network method, the computer receives data including program steps into the memory 1708 through the network interface 1714 after network communication has been established over the network connection 1716 by well-known methods that will be understood by those skilled in the art without further explanation. The program steps are then
15 executed by the CPU 1702 to implement the processing of the Garment Database system.

It should be understood that all of the computers of the system preferably have a construction similar to that shown in Figure 17, so that details described with respect to the Figure 17 computer 1700 will be understood to apply to all
20 computers of the system 1700. This is indicated by multiple computers 1700 shown connected to the network 1713. Any one of the computers 1700 can have an alternative construction, so long as they can communicate with the other computers and support the functionality described herein.

Figure 18 is a flow diagram that illustrates the processing steps
25 performed using the computer illustrated in Figure 17, to maintain and provide access to the databases, such as for identifying polymorphic genetic markers. In particular, the information contained in the database is stored in computers having a construction similar to that illustrated in Figure 17. The first step for maintaining the database, as indicated in Figure 18, is to identify healthy
30 members of a population. As noted above, the population members are subjects that are selected only on the basis of being healthy, and where the subjects are mammals, such as humans, they are preferably selected based upon apparent

-37-

health and the absence of detectable infections. The step of identifying is represented by the flow diagram box numbered 1802.

The next step, represented by the flow diagram box numbered 1804, is to obtain identifying and historical information and data relating to the identified members of the population. The information and data comprise parameters for each of the population members, such as member age, ethnicity, sex, medical history, and ultimately genotypic information. Initially, the parameter information is obtained from a questionnaire answered by each member, from whom a body tissue or body fluid sample also is obtained. The step of entering and storing these parameters into the database of the computer is represented by the flow diagram box numbered 1806. As additional information about each population member and corresponding sample is obtained, this information can be inputted into the database and can serve as a sorting parameter.

In the next step, represented by the flow diagram box numbered 1808, the parameters of the members are associated with an indexer. This step may be executed as part of the database storage operation, such as when a new data record is stored according to the relational database structure and is automatically linked with other records according to that structure. The step 1806 also may be executed as part of a conventional data sorting or retrieval process, in which the database entries are searched according to an input search or indexing key value to determine attributes of the data. For example, such search and sort techniques may be used to follow the occurrence of known genetic markers and then determine if there is a correlation with diseases for which they have been implicated. Examples of this use are for assessing the frequencies of the p53 and Lipoprotein Lipase polymorphisms.

Such searching of the database also may be valuable for identifying one or more genetic markers whose frequency changes within the population as a function of age, ethnic group, sex, or some other criteria. This can allow the identification of previously unknown polymorphisms and, ultimately, identification of a gene or pathway involved in the onset and progression of disease.

-38-

In addition, the database can be used for taking an identified polymorphism and ascertaining whether it changes in frequency when the data is sorted according to a selected parameter.

In this way, the databases and methods provided herein permit, among
5 other things, identification of components, particularly key components, of a disease process by understanding its genetic underpinnings, and also an understanding of processes, such as individual drug responses. The databases and methods provided herein also can be used in methods involving elucidation of pathological pathways, in developing new diagnostic assays, identifying new
10 potential drug targets, and in identifying new drug candidates.

Morbidity and/or early mortality associated polymorphisms

A database containing information provided by a population of healthy blood donors who were not selected for any particular disease to can be used to identify polymorphisms and the alleles in which they are present, whose
15 frequency decreases with age. These may represent morbidity susceptibility markers and genes.

Polymorphisms of the genome can lead to altered gene function, protein function or genome instability. To identify those polymorphisms which have a clinical relevance/utility is the goal of a world-wide scientific effort. It can be
20 expected that the discovery of such polymorphisms will have a fundamental impact on the identification and development of novel drug compounds to cure diseases. However, the strategy to identify valuable polymorphisms is cumbersome and dependent upon the availability of many large patient and control cohorts to show disease association. In particular, genes that cause a
25 general risk of the population to suffer from any disease (morbidity susceptibility genes) will escape these case/control studies entirely.

Here described is a screening strategy to identify morbidity susceptibility genes underlying a variety of different diseases. The definition of a morbidity susceptibility gene is a gene that is expressed in many different cell types or
30 tissues (housekeeping gene) and its altered function can facilitate the expression of a clinical phenotype caused by disease-specific susceptibility genes that are involved in a pathway specific for this disorder. In other words, these morbidity

-39-

susceptibility genes predispose people to develop a distinct disease according to their genetic make-up for this disease.

Candidates for morbidity susceptibility genes can be found at the bottom level of pathways involving transcription, translation, heat-shock proteins, protein trafficking, DNA repair, assembly systems for subcellular structures (e.g. mitochondria, peroxysomes and other cellular microbodies), receptor signaling cascades, immunology, etc. Those pathways control the quality of life at the cellular level as well as for the entire organism. Mutations/polymorphisms located in genes encoding proteins for those pathways can reduce the fitness of cells and make the organism more susceptible to express the clinical phenotype caused by the action of a disease-specific susceptibility gene. Therefore, these morbidity susceptibility genes can be potentially involved in a whole variety of different complex diseases if not in all. Disease-specific susceptibility genes are involved in pathways that can be considered as disease-specific pathways like glucose-, lipid, hormone metabolism, etc.

The exemplified method permit, among other things, identification of genes and/or gene products involved in a man's general susceptibility to morbidity and/or mortality; use of these genes and/or gene products in studies to elucidate the genetic underpinnings of human diseases; use of these genes and/or gene products in combinatorial statistical analyses without or together with disease-specific susceptibility genes; use of these genes and/or gene products to predict penetrance of disease susceptibility genes; use of these genes and/or gene products in predisposition and/or acute medical diagnostics and use of these genes and/or gene products to develop drugs to cure diseases and/or to extend the life span of humans.

SCREENING PROCESS

The healthy population stratified by age, gender and ethnicity, etc. is a very efficient and a universal screening tool for morbidity associated genes. Changes of allelic frequencies in the young compared to the old population are expected to indicate putative morbidity susceptibility genes. Individual samples of this healthy population base can be pooled to further increase the throughput. In a proof of principle experiment pools of young and old Caucasian females and

-40-

males were applied to screen more than 400 randomly chosen single nucleotide polymorphisms located in many different genes. Candidate polymorphisms were identified if the allelic difference was greater than 8% between young and old for both or only one of the genders. The initial results were assayed again in at least one independent subsequent experiments. Repeated experiments are necessary to recognize unstable biochemical reactions, which occur with a frequency of about 2-3% and can mimic age-related allelic frequency differences. Average frequency differences and standard deviations are calculated after successful reproducibility of initial results. The final allelic frequency is then compared to a reference population of Caucasian CEPH sample pool. The result should show similar allelic frequencies in the young Caucasian population. Subsequently, the exact allele frequencies of candidates including genotype information were obtained by analyzing all individual samples. This procedure is straight forward with regard to time and cost. It enables the screening of an enormous number of SNPs. So far, several markers with a highly significant association to age were identified and described below.

In general at least 5 individual in a stratified population need to be screened to produce statistically significant results. The frequency of the allele is determined for an age stratified population. Chi square analysis is then performed on the allelic frequencies to determine if the difference between age groups is statistically significant. A p value less than of 0.1 is considered to represent a statistically significant difference. More preferably the p value should be less than 0.05.

Clinical Trials

The identification of markers whose frequency in a population decreases with age also allows for better designed and balanced clinical trials. Currently, if a clinical trial utilizes a marker as a significant endpoint in a study and the marker disappears with age, then the results of the study may be inaccurate. By using methods provided herein, it can be ascertained that if a marker decreases in frequency with age. This information considered and controlled when designing the study. For, example, an age independent marker could be substituted in its place.

-41-

The following examples are included for illustrative purposes only and are not intended to limit the scope of the invention.

EXAMPLE 1

This example describes the use of a database containing information
5 provided by a population of healthy blood donors who were not selected for any particular disease to determine the distribution of allelic frequencies of known genetic markers with age and by sex in a Caucasian subpopulation of the database. The results described in this example demonstrate that a disease-
related genetic marker or polymorphism can be identified by sorting a healthy
10 database by a parameter or parameters, such as age, sex and ethnicity.

Generating a database

Blood was obtained by venous puncture from human subjects who met
blood bank criteria for donating blood. The blood samples were preserved with
EDTA at pH 8.0 and labeled. Each donor provided information such as age, sex,
15 ethnicity, medical history and family medical history. Each sample was labeled with a barcode representing identifying information. A database was generated by entering, for each donor, the subject identifier and information corresponding to that subject into the memory of a computer storage medium using
commercially available software, e.g., Microsoft Access.

20 Model genetic markers

The frequencies of polymorphisms known to be associated at some level
with disease were determined in a subpopulation of the subjects represented in
the database. These known polymorphisms occur in the p21, p53 and
Lipoprotein Lipase genes. Specifically, the N291S polymorphism (N291S) of the
25 Lipoprotein Lipase gene, which results in a substitution of a serine for an asparagine at amino acid codon 291, leads to reduced levels of high density lipoprotein cholesterol (HDL-C) that is associated with an increased risk of males for arteriosclerosis and in particular myocardial infarction (see, Reymer *et al.* (1995) *Nature Genetics* 10:28-34).

30 The p53 gene encodes a cell cycle control protein that assesses DNA damage and acts as a transcription factor regulating genes that control cell growth, DNA repair and apoptosis (programmed cell death). Mutations in the

-42-

p53 gene have been found in a wide variety of different cancers, including different types of leukemia, with varying frequency. The loss of normal p53 function results in genomic instability and uncontrolled cell growth. A polymorphism that has been identified in the p53 gene, i.e., the R72P allele, results in the substitution of a proline for an arginine at amino acid codon 72 of the gene.

The p21 gene encodes a cyclin-dependent kinase inhibitor associated with G1 phase arrest of normal cells. Expression of the p21 gene triggers apoptosis. Polymorphisms of the p21 gene have been associated with Wilms' tumor, a pediatric kidney cancer. One polymorphism of the p21 gene, the S31R polymorphism, results in a substitution of an arginine for a serine at amino acid codon 31.

Database analysis

Sorting of subjects according to specific parameters

The genetic polymorphisms were profiled within segments of the Caucasian subpopulation of the sample bank. For p53 profiling, the genomic DNA isolated from blood from a total of 1277 Caucasian subjects age 18-59 years and 457 Caucasian subjects age 60-79 years was analyzed. For p21 profiling, the genomic DNA isolated from blood from a total of 910 Caucasian subjects age 18-49 years and 824 Caucasian subjects age 50-79 years was analyzed. For lipoprotein lipase gene profiling, the genomic DNA from a total of 1464 Caucasian females and 1470 Caucasian males under 60 years of age and a total of 478 Caucasian females and 560 Caucasian males over 60 years of age was analyzed.

Isolation and analysis of genomic DNA

Genomic DNA was isolated from blood samples obtained from the individuals. Ten milliliters of whole blood from each individual was centrifuged at 2000 x g. One milliliter of the buffy coat was added to 9 ml of 155 mM NH_4Cl , 10 mM KHCO_3 , and 0.1 mM Na_2EDTA , incubated 10 min at room temperature and centrifuged for 10 min at 2000 x g. The supernatant was removed, and the white cell pellet was washed in 155 mM NH_4Cl , 10 mM KHCO_3 and 0.1 mM Na_2EDTA and resuspended in 4.5 ml of 50 mM Tris, 5 mM

-43-

EDTA and 1% SDS. Proteins were precipitated from the cell lysate by 6 mM ammonium acetate, pH 7.3, and then separated from the nucleic acids by centrifugation at 3000 x g. The nucleic acid was recovered from the supernatant by the addition of an equal volume of 100% isopropanol and centrifugation at 2000 x g. The dried nucleic acid pellet was hydrated in 10 mM Tris, pH 7.6, and 1 mM Na₂EDTA and stored at 4° C.

Assays of the genomic DNA to determine the presence or absence of the known genetic markers were developed using the BiomassPROBE™ detection method (primer oligo base extension) reaction. This method uses a single detection primer followed by an oligonucleotide extension step to give products, which can be readily resolved by mass spectrometry, and, in particular, MALDI-TOF mass spectrometry. The products differ in length depending on the presence or absence of a polymorphism. In this method, a detection primer anneals adjacent to the site of a variable nucleotide or sequence of nucleotides and the primer is extended using a DNA polymerase in the presence of one or more dideoxynTPs and, optionally, one or more deoxyNTPs. The resulting products are resolved by MALDI-TOF mass spectrometry. The mass of the products as measured by MALDI-TOF mass spectrometry makes possible the determination of the nucleotide(s) present at the variable site.

First, each of the Caucasian genomic DNA samples was subjected to nucleic acid amplification using primers corresponding to sites 5' and 3' of the polymorphic sites of the p21 (S31R allele), p53 (R72P allele) and Lipoprotein Lipase (N291S allele) genes. One primer in each primer pair was biotinylated to permit immobilization of the amplification product to a solid support. Specifically, the polymerase chain reaction primers used for amplification of the relevant segments of the p21, p53 and lipoprotein lipase genes are shown below: US4p21c31-2F (SEQ ID NO: 9) and US5p21-2R (SEQ ID NO: 10) for p21 gene amplification; US4-p53-ex4-F (also shown as p53-ex4US4 (SEQ ID NO: 2)) and US5-p53/2-4R (also shown as US5P53/4R (SEQ ID NO: 3)) for p53 gene amplification; and US4-LPL-F2 (SEQ ID NO: 16) and US5-LPL-R2 (SEQ ID NO: 17) for lipoprotein lipase gene amplification.

-44-

Amplification of the respective DNA sequences was conducted according to standard protocols. For example, primers may be used in a concentration of 8 pmol. The reaction mixture (e.g., total volume 50 μ l) may contain Taq-polymerase including 10x buffer and dTNPs. Cycling conditions for
5 polymerase chain reaction amplification may typically be initially 5 min. at 95°C, followed by 1 min. at 94°C, 45 sec at 53°C, and 30 sec at 72°C for 40 cycles with a final extension time of 5 min at 72°C. Amplification products may be purified by using Qiagen's PCR purification kit (No. 28106) according to manufacturer's instructions. The elution of the purified products from the
10 column can be done in 50 μ l TE-buffer (10mM Tris, 1 mM EDTA, pH 7.5).

The purified amplification products were immobilized via a biotin-avidin linkage to streptavidin-coated beads and the double-stranded DNA was denatured. A detection primer was then annealed to the immobilized DNA using conditions such as, for example, the following: 50 μ l annealing buffer (20 mM
15 Tris, 10 mM KCl, 10 mM $(\text{NH}_4)_2\text{SO}_4$, 2 mM MgSO_4 , 1% Triton X-100, pH 8) at 50°C for 10 min, followed by washing of the beads three times with 200 μ l washing buffer (40 mM Tris, 1 mM EDTA, 50 mM NaCl, 0.1% Tween 20, pH 8.8) and once in 200 μ l TE buffer.

The PROBE extension reaction was performed, for example, by using
20 some components of the DNA sequencing kit from USB (No. 70770) and dNTPs or ddNTPs from Pharmacia. An exemplary protocol could include a total reaction volume of 45 μ l, containing of 21 μ l water, 6 μ l Sequenase-buffer, 3 μ l 10 mM DTT solution, 4.5 μ l, 0.5 mM of three dNTPs, 4.5 μ l, 2 mM the missing one ddNTP, 5.5 μ l glycerol enzyme dilution buffer, 0.25 μ l Sequenase 2.0, and 0.25
25 pyrophosphatase. The reaction can then be pipetted on ice and incubated for 15 min at room temperature and for 5 min at 37°C. The beads may be washed three times with 200 μ l washing buffer and once with 60 μ l of a 70 mM NH_4 -Citrate solution.

The DNA was denatured to release the extended primers from the
30 immobilized template. Each of the resulting extension products was separately analyzed by MALDI-TOF mass spectrometry using 3-hydroxypicolinic acid (3-HPA) as matrix and a UV laser.

-45-

Specifically, the primers used in the PROBE reactions are as shown below: P21/31-3 (SEQ ID NO: 12) for PROBE analysis of the p21 polymorphic site; P53/72 (SEQ ID NO: 4) for PROBE analysis of the p53 polymorphic site; and LPL-2 for PROBE analysis of the lipoprotein lipase gene polymorphic site. In the PROBE analysis of the p21 polymorphic site, the extension reaction was performed using dideoxy-C. The products resulting from the reaction conducted on a "wild-type" allele template (wherein codon 31 encodes a serine) and from the reaction conducted on a polymorphic S31R allele template (wherein codon 31 encodes an arginine) are shown below and designated as P21/31-3 Ser (wt) (SEQ ID NO: 13) and P21/31-3 Arg (SEQ ID NO: 14), respectively. The masses for each product as can be measured by MALDI-TOF mass spectrometry are also provided (i.e., 4900.2 Da for the wild-type product and 5213.4 Da for the polymorphic product).

In the PROBE analysis of the p53 polymorphic site, the extension reaction was performed using dideoxy-C. The products resulting from the reaction conducted on a "wild-type" allele template (wherein codon 72 encodes an arginine) and from the reaction conducted on a polymorphic R72P allele template (wherein codon 72 encodes a proline) are shown below and designated as Cod72 G Arg (wt) and Cod72 C Pro, respectively. The masses for each product as can be measured by MALDI-TOF mass spectrometry are also provided (i.e., 5734.8 Da for the wild-type product and 5405.6 Da for the polymorphic product).

In the PROBE analysis of the lipoprotein lipase gene polymorphic site, the extension reaction was performed using a mixture of ddA and ddT. The products resulting from the reaction conducted on a "wild-type" allele template (wherein codon 291 encodes an asparagine) and from the reaction conducted on a polymorphic N291S allele template (wherein codon 291 encodes a serine) are shown below and designated as 291Asn and 291Ser, respectively. The masses for each product as can be measured by MALDI-TOF mass spectrometry are also provided (i.e., 6438.2 Da for the wild-type product and 6758.4 Da for the polymorphic product).

P53-1 (R72P)

-46-

PCR Product length: 407 bp (SEQ ID NO: 1)

US4-p53-ex4-F
ctg aggaacctgggt cctctgactg
5 ctctttttcac ccatctacag tcccccttgc cgtccaagc aatggatgat ttgatgctgt
ccccggacga tattgaacaa tggttcactg aagacccagg tccagatgaa gctcccagaa
P53/72 72R
tgccagagggc tqctccccgc gtggccccctg caccagcagc tcctacaccg gcggccccctg
c 72P
10 caccagcccc ctcttgggccc ctgtcatctt ctgtcccttc ccagaaaacc taccaggggca
gctacgggtt ccgtctggggc ttctttgcatt ctggggacagc caagtctgtg acttgcacgg
tcagttgccc tgagggggctg gcttccatga gacttcaa
US5-p53/2-4R

Primers (SEQ ID NOs: 2-4)

15 p53-ex4FUS4 ccc agt cac gac gtt gta aaa cgc tga gga cct ggt cct ctg ac
US5P53/4R agc gga taa caa ttt cac aca ggt tga agt ctc atg gaa gcc
P53/72 gcc aga ggc tgc tcc cc

Masses

Allele	Product Termination: ddC	SEQ #	Length	Mass
P53/72	gccagaggctgctcccc	5	17	5132.4
Cod72 G Arg (wt)	gccagaggctgctccccgc	6	19	5734.8
Cod72 C Pro	gccagaggctgctccccc	7	18	5405.6

Biotinylated US5 primer is used in the PCR amplification.

LPL-1 (N291S)

25 Amino acid exchange asparagine to serine at codon 291 of the
lipoprotein lipase gene.

PCR Product length: 251 bp (SEQ ID NO: 15)

US4-LPL-F2 (SEQ ID NO: 16)

30 ggcgtccatt catctcttca tgcactctct gttgaatgaa gaaaatccaa gtaaggccta
caggtgcagt tccaaggaag cctttgagaa agggctctgc ttgagttgta gaaagaaccg
 LPL-2 291N
ctgcaacaat ctgggcttatg agatcaataa agtcagagcc aaaagaagca gcaaaatgta
 g 291S
35 cctgaagact cgttctcaga tgccc
 US4-LPL-R2

Primers (SEQ ID NOs: 16-18):

US4-LPL-F2 ccc agt cac gac gtt gta aaa cgg cgc tcc att cat ctc ttc

US5-LPL-R2 agc gga taa caa ttt cac aca ggg ggc atc tga gaa cga qtc

LPL-2 caa tct ggg cta tga gat ca

-47-

Masses

Allele	Product Termination: ddA, ddT	SEQ #	Length	Mass
LPL-2	caatctgggctatgagatca	19	20	6141
291 Asn	caatctgggctatgagatcaa	20	21	6438.2
5 291 Ser	caatctgggctatgagatcagt	21	22	6758.4

Biotinylated US5 primer is used in the PCR amplification.

P21-1 (S31R)

Amino acid exchange serine to arginine at codon 31 of the tumor

10 suppressor gene p21. Product length: 207 bp (SEQ ID NO: 8)

US4p21c31-2F

gtcc gtcagaaccc atgcggcagc
 p21/31-3 31S
 15 aaggcctgcc gccgcctctt cggcccagtg gacagcagc agctgagccg cgactgtgat
 gcgctaattgg cgggctgcat ccaggaggcc cgtgagcgat ggaacttcga ctttgtcacc
 gagacaccac tggaggg
 US5p21-2R

Primers (SEQ ID NOs: 9-11)

20 US4p21c31-2F ccc agt cac qac gtt qta aaa cgg tcc gtc aga acc cat gcg g

US5p21-2R agc gga taa caa ttt cac aca ggc tcc agt ggt gtc tcg gtg ac

P21/31-3 cag cga gca gct gag

Masses

Allele	Product Termination: ddC	SEQ #	Length	Mass
25 p21/31-3	cagcgagcagctgag	12	15	4627
P21/31-3 Ser (wt)	cagcgagcagctgagc	13	16	4900.2
P21/31-3 Arg	cagcgagcagctgagac	14	17	5213.4

Biotinylated US5 primer is used in the PCR amplification.

30 Each of the Caucasian subject DNA samples was individually analyzed by MALDI-TOF mass spectrometry to determine the identity of the nucleotide at the polymorphic sites. The genotypic results of each assay can be entered into the database. The results were then sorted according to age and/or sex to determine the distribution of allelic frequencies by age and/or sex. As depicted in the Figures showing

35

-48-

histograms of the results, in each case, there was a differential distribution of the allelic frequencies of the genetic markers for the p21, p53 and lipoprotein lipase gene polymorphisms.

Figure 8 shows the results of the p21 genetic marker assays
5 reveals a statistically significant decrease (from 13.3% to 9.2%) in the frequency of the heterozygous genotype (S31R) in Caucasians with age (18-49 years of age compared to 50-79 years of age). The frequencies of the homozygous (S31 and R31) genotypes for the two age groups are also shown, as are the overall frequencies of the S31 and R31 alleles in
10 the two age groups (designated as *S31 and *R31, respectively in the Figure).

Figures 7A-C shows the results of the p53 genetic marker assays and reveals a statistically significant decrease (from 6.7% to 3.7%) in the frequency of the homozygous polymorphic genotype (P72) in Caucasians
15 with age (18-59 years of age compared to 60-79 years of age). The frequencies of the homozygous "wild-type" genotype (R72) and the heterozygous genotype (R72P) for the two age groups are also shown, as are the overall frequencies of the R72 and P72 alleles in the two age groups (designated as *R72 and *P72, respectively in the Figure). These
20 results are consistent with the observation that allele is not benign, as p53 regulates expression of a second protein, p21, which inhibits cyclin-dependent kinases (CDKs) needed to drive cells through the cell-cycle (a mutation in either gene can disrupt the cell cycle leading to increased cell division).

25 Figure 2C shows the results of the lipoprotein lipase gene genetic marker assays reveals a statistically significant decrease (from 1.97% to 0.54%) in the frequency of the polymorphic allele (S291) in Caucasian males with age (see also Reymer *et al.* (1995) *Nature Genetics* 10:28-34).

-49-

The frequencies of this allele in Caucasian females of different age groups are also shown.

EXAMPLE 2

This example describes the use of MALDI-TOF mass spectrometry
5 to analyze DNA samples of a number of subjects as individual samples
and as pooled samples of multiple subjects to assess the presence or
absence of a polymorphic allele (the 353Q allele) of the Factor VII gene
and determine the frequency of the allele in the group of subjects. The
results of this study show that essentially the same allelic frequency can
10 be obtained by analyzing pooled DNA samples as by analyzing each
sample separately and thereby demonstrate the quantitative nature of
MALDI-TOF mass spectrometry in the analysis of nucleic acids.

Factor VII

Factor VII is a serine protease involved in the extrinsic blood
15 coagulation cascade. This factor is activated by thrombin and works with
tissue factor (Factor III) in the processing of Factor X to Factor Xa. There
is evidence that supports an association between polymorphisms in the
Factor VII gene and increased Factor VII activity which can result in an
elevated risk of ischemic cardiovascular disease, including myocardial
20 infarction. The polymorphism investigated in this study is R353Q (i.e., a
substitution of a glutamic acid residue for an arginine residue at codon
353 of the Factor VII gene) (see Table 5).

Analysis of DNA samples for the presence or absence of the 353Q allele of the Factor VII gene

25 Genomic DNA was isolated from separate blood samples obtained
from a large number of subjects divided into multiple groups of 92
subjects per group. Each sample of genomic DNA was analyzed using
the BiomassPROBE™ assay as described in Example 1 to determine th
30 presence or absence of the 353Q polymorphism of the Factor VII gene.

-50-

First, DNA from each sample was amplified in a polymerase chain reaction using primers F7-353FUS4 (SEQ ID NO: 24) and F7-353RUS5 (SEQ ID NO: 26) as shown below and using standard conditions, for example, as described in Example 1. One of the primers was biotinylated to permit immobilization of the amplification product to a solid support. The purified amplification products were immobilized via a biotin-avidin linkage to streptavidin-coated beads and the double-stranded DNA was denatured. A detection primer was then annealed to the immobilized DNA using conditions such as, for example, described in Example 1. The detection primer is shown as F7-353-P (SEQ ID NO: 27) below. The PROBE extension reaction was carried out using conditions, for example, such as those described in Example 1. The reaction was performed using ddG.

The DNA was denatured to release the extended primers from the immobilized template. Each of the resulting extension products was separately analyzed by MALDI-TOF mass spectrometry. A matrix such as 3-hydroxypicolinic acid (3-HPA) and a UV laser could be used in the MALDI-TOF mass spectrometric analysis. The products resulting from the reaction conducted on a "wild-type" allele template (wherein codon 353 encodes an arginine) and from the reaction conducted on a polymorphic 353Q allele template (wherein codon 353 encodes a glutamic acid) are shown below and designated as 353 CGG and 353 CAG, respectively. The masses for each product as can be measured by MALDI-TOF mass spectrometry are also provided (i.e., 5646.8 Da for the wild-type product and 5960 Da for the polymorphic product).

The MALDI-TOF mass spectrometric analyses of the PROBE reactions of each DNA sample were first conducted separately on each sample (250 nanograms total concentration of DNA per analysis). The allelic frequency of the 353Q polymorphism in the group of 92 subjects

-51-

was calculated based on the number of individual subjects in which it was detected.

Next, the samples from 92 subjects were pooled (250 nanograms total concentration of DNA in which the concentration of any individual DNA is 2.7 nanograms) and the pool of DNA was subjected to MALDI-TOF mass spectrometric analysis. The area under the signal corresponding to the mass of the 353Q polymorphism PROBE extension product in the resulting spectrum was integrated in order to quantitate the amount of DNA present. The ratio of this amount to total DNA was used to determine the allelic frequency of the 353Q polymorphism in the group of subjects. This type of individual sample vs. pooled sample analysis was repeated for numerous different groups of 92 different samples.

The frequencies calculated based on individual MALDI-TOF mass spectrometric analysis of the 92 separate samples of each group of 92 are compared to those calculated based on MALDI-TOF mass spectrometric analysis of pools of DNA from 92 samples in Figure 9. These comparisons are shown as "pairs" of bar graphs in the Figure, each pair being labeled as a separate "pool" number, e.g., P1, P16, P2, etc. Thus, for example, for P1, the allelic frequency of the polymorphism calculated by separate analysis of each of the 92 samples was 11.41% and the frequency calculated by analysis of a pool of all of the 92 DNA samples was 12.09%.

The similarity in frequencies calculated by analyzing separate DNA samples individually and by pooling the DNA samples demonstrates that it is possible, through the quantitative nature of MALDI-TOF mass spectrometry, to analyze pooled samples and obtain accurate frequency determinations. The ability to analyze pooled DNA samples significantly reduces the time and costs involved in the use of the non-selected, healthy databases as described herein. It has also been shown that it is

-52-

possible to decrease the DNA concentration of the individual samples in a pooled mixture from 2.7 nanograms to 0.27 nanograms without any change in the quality of the spectrum or the ability to quantitate the amount of sample detected.

5 Factor VII R353Q PROBE Assay

PROBE Assay for cod353 CGG>CAG (Arg>Gln), Exon 9 G>A.

PCR fragment: 134 bp (incl. US tags; SEQ ID Nos. 22 and 23)

Frequency of A allele: Europeans about 0.1, Japanese/Chinese about 0.03-0.05 (Thromb. Haemost. 1995, 73:617-22; Diabetologia 1998,

10 41:760-6):

F7-353FUS4>

1201 GTGCCGGGCTA CTCGGATGGC AGCAAGGACT CCTGCAAGGG GGACAGTGGG
GGCCACATG

F7-353-P> A <F7-353RUS5

15 1261 CCACCCACTA CCGGGGCACG TGGTACCTGA CGGGCATCGT CAGCTGGGGC
CAGGGCTGCG

Primers (SEQ ID NOS: 24-26)

Tm⁹⁸

F7-353FUS4 CCC AGT CAC GAC GTT GTA AAA CGA TGG CAG CAA GGA CTC CTG 64°C

F7-353-P CAC ATG CCA CCC ACT ACC

20 F7-353RUS5 AGC GGA TAA CAA TTT CAC ACA GGT GAC GAT GCC CGT CAG GTA C 64°C

Masses

Allele	Product Termination: ddG	SEQ #	Length	Mass
F7-353-P	atgccaccactacc	27	18	5333.6
353 CGG	cacatgccaccactaccg	28	19	5646.8
25 353 CAG	cacatgccaccactaccag	29	20	5960
US5-bio bio-	agcggataacaatttcacacagg	30	23	7648.6

Conclusion

The above examples demonstrate an effect of altered frequency of
30 disease causing genetic factors within the general population.

Interpretation of those results allows prediction of the medical relevance of polymorphic genetic alterations. In addition, conclusions can be drawn with regard to their penetrance, diagnostic specificity, positive predictive value, onset of disease, most appropriate onset of preventive strategies,

-53-

and the general applicability of genetic alterations identified in isolated populations to panmixed populations. Therefore, an age- and sex-stratified population-based sample bank that is ethnically homogenous is a suitable tool for rapid identification and validation of genetic factors regarding their potential medical utility.

EXAMPLE 3

MORBIDITY AND MORTALITY MARKERS

Sample Band and Initial Screening

Healthy samples were obtained through the blood bank of San Bernardino, CA. Donors signed prior to the blood collection a consent form and agreed that their blood will be used in genetic studies with regard to human aging. All samples were anonymized. Tracking back of samples is not possible.

Isolation of DNA from blood samples of a healthy donor population

Blood is obtained from a donor by venous puncture and preserved with 1mM EDTA pH 8.0. Ten milliliters of whole blood from each donor was centrifuged at 2000x g. One milliliter of the buffy coat was added to 9 milliliters of 155mM NH_4Cl , 10mM KHCO_3 , and 0.1mM Na_2EDTA , incubated 10 minutes at room temperature and centrifuged for 10 minutes at 2000x g. The supernatant was removed, and the white cell pellet was washed in 155mM NH_4Cl , 10mM KHCO_3 , and 0.1mM Na_2EDTA and resuspended in 4.5 milliliters of 50mM Tris, 5mM EDTA, and 1% SDS. Proteins were precipitated from the cell lysate by 6M Ammonium Acetate, pH 7.3, and separated from the nucleic acid by centrifugation 3000x g. The nucleic acid was recovered from the supernatant by the addition of an equal volume of 100% isopropanol and centrifugation at 2000x g. The dried nucleic acid pellet was hydrated in 10mM Tris pH 7.6 and 1mM Na_2EDTA and stored at 4C.

-54-

In this study, samples were pooled as shown in Table 1. Both parents of the blood donors were of Caucasian origin.

Table 1

Pool ID	Sex	Age-range	# individuals
SP1	Female	18-39 years	276
SP2	Males	18-39 years	276
SP3	Females	60-69 years	184
SP4	Males	60-79 years	368

- 10 More than 400 SNPs were tested using all four pools. After one test run 34 assays were selected to be re-assayed at least once. Finally, 10 assays showed repeatedly differences in allele frequencies of several percent and, therefore, fulfilled the criteria to be tested using the individual samples. Average allele frequency and standard deviation is
- 15 tabulated in Table 2.

Table 2

Assay ID	SP1	SP1-STD	SP2	SP2-STD	SP3	SP3-STD	SP4	SP4-STD
47861	0.457	0.028	0.433	0.042	0.384	0.034	0.380	0.015
47751	0.276	0.007	0.403	0.006	0.428	0.052	0.400	0.097
48319	0.676	0.013	0.627	0.018	0.755	0.009	0.686	0.034
48070	0.581	0.034	0.617	0.045	0.561	n.a.	0.539	0.032
49807	0.504	0.034	0.422	0.020	0.477	0.030	0.556	0.005
49534	0.537	0.017	0.503	n.a.	0.623	0.023	0.535	0.009
49733	0.560	0.006	0.527	0.059	0.546	0.032	0.436	0.016
49947	0.754	0.008	0.763	0.047	0.736	0.052	0.689	0.025
50128	0.401	0.022	0.363	0.001	0.294	0.059	0.345	0.013

-55-

63306	0.697	0.012	0.674	0.013	0.712	0.017	0.719	0.005
-------	-------	-------	-------	-------	-------	-------	-------	-------

So far, 7 out of the 10 potential morbidity markers were fully analyzed. Additional information about genes in which these SNPs are located was gathered through publicly databases like Genbank.

AKAPS

Candidate morbidity and mortality markers include housekeeping genes, such as genes involved in signal transduction. Among such genes are the A-kinase anchoring proteins (AKAPs) genes, which participate in signal transduction pathways involving protein phosphorylation. Protein phosphorylation is an important mechanism for enzyme regulation and the transduction of extracellular signals across the cell membrane in eukaryotic cells. A wide variety of cellular substrates, including enzymes, membrane receptors, ion channels and transcription factors, can be phosphorylated in response to extracellular signals that interact with cells. A key enzyme in the phosphorylation of cellular proteins in response to hormones and neurotransmitters is cyclic AMP (cAMP)-dependent protein kinase (PKA). Upon activation by cAMP, PKA thus mediates a variety of cellular responses to such extracellular signals. An array of PKA isozymes are expressed in mammalian cells. The PKAs usually exist as inactive tetramers containing a regulatory (R) subunit dimer and two catalytic (C) subunits. Genes encoding three C subunits ($C\alpha$, $C\beta$ and $C\gamma$) and four R subunits ($R1\alpha$, $R1\beta$, $R11\alpha$ and $R11\beta$) have been identified [see Takio *et al.* (1982) *Proc. Natl. Acad. Sci. U.S. A.* 79:2544-2548; Lee *et al.* (1983) *Proc. Natl. Acad. Sci. U.S. A.* 80:3608-3612; Jahnsen *et al.* (1996) *J. Biol. Chem.* 261:12352-12361; Clegg *et al.* (1988) *Proc. Natl. Acad. Sci. U.S. A.* 85:3703-3707; and Scott (1991) *Pharmacol. Ther.* 50:123-145]. The type I (RI) α and type II (RII) α subunits are distributed ubiquitously, whereas $R1\beta$ and $R11\beta$ are present mainly in brain [see. *e.g.*, Miki and Eddy

-56-

(1999) *J. Biol. Chem.* 274:29057-29062]. The type I PKA holoenzyme (RI α and RI β) is predominantly cytoplasmic, whereas the majority of type II PKA (RII α and RII β) associates with cellular structures and organelles [Scott (1991) *Pharmacol. Ther.* 50:123-145]. Many hormones and other
5 signals act through receptors to generate cAMP which binds to the R subunits of PKA and releases and activates the C subunits to phosphorylate proteins. Because protein kinases and their substrates are widely distributed throughout cells, there are mechanisms in place in cells to localize protein kinase-mediated responses to different signals. One
10 such mechanism involves subcellular targeting of PKAs through association with anchoring proteins, referred to as A-kinase anchoring proteins (AKAPs), that place PKAs in close proximity to specific organelles or cytoskeletal components and particular substrates thereby providing for more specific PKA interactions and localized responses [see,
15 *e.g.*, Scott *et al.* (1990) *J. Biol. Chem.* 265:21561-21566; Bregman *et al.* (1991) *J. Biol. Chem.* 266:7207-7213; and Miki and Eddy (1999) *J. Biol. Chem.* 274:29057-29062]. Anchoring not only places the kinase close to preferred substrates, but also positions the PKA holoenzyme at sites where it can optimally respond to fluctuations in the second messenger
20 cAMP [Mochly-Rosen (1995) *Science* 268:247-251; Faux and Scott (1996) *Trends Biochem. Sci.* 21:312-315; Hubbard and Cohen (1993) *Trends Biochem. Sci.* 18:172-177].

Up to 75% of type II PKA is localized to various intracellular sites through association of the regulatory subunit (RII) with AKAPs [see, *e.g.*,
25 Hausken *et al.* (1996) *J. Biol. Chem.* 271:29016-29022]. RII subunits of PKA bind to AKAPs with nanomolar affinity [Carr *et al.* (1992) *J. Biol. Chem.* 267:13376-13382], and many AKAP-RII complexes have been isolated from cell extracts. RI subunits of PKA bind to AKAPs with only micromolar affinity [Burton *et al.* (1997) *Proc. Natl. Acad. Sci. U.S.A.*

-57-

94:11067-11072]. Evidence of binding of a PKA RI subunit to an AKAP has been reported [Miki and Eddy (1998) *J. Biol. Chem* 273:34384-34390] in which RI α -specific and RI α /RII α dual specificity PKA anchoring domains were identified on FSC1/AKAP82. Additional dual specific

- 5 AKAPs, referred to as D-AKAP1 and D-AKAP2, which interact with the type I and type II regulatory subunits of PKA have also been reported [Huang *et al.* (1997) *J. Biol. Chem.* 272:8057-8064; Huang *et al.* (1997) *Proc. Natl. Acad. Sci. U.S.A.* 94:11184-11189].

- More than 20 AKAPs have been reported in different tissues and
10 species. Complementary DNAs (cDNAs) encoding AKAPs have been isolated from diverse species, ranging from *Caenorhabditis elegans* and *Drosophila* to human [see, *e.g.*, Colledge and Scott (1999) *Trends Cell Biol.* 9:216-221]. Regions within AKAPs that mediate association with RII subunits of PKA have been identified. These regions of approximately
15 10-18 amino acid residues vary substantially in primary sequence, but secondary structure predictions indicate that they are likely to form an amphipathic helix with hydrophobic residues aligned along one face of the helix and charged residues along the other [Carr *et al.* (1991) *J. Biol. Chem.* 266:14188-14192; Carr *et al.* (1992) *J. Biol. Chem.* 267:13376-
20 13382]. Hydrophobic amino acids with a long aliphatic side chain, *e.g.*, valine, leucine or isoleucine, may participate in binding to RII subunits [Glantz *et al.* (1993) *J. Biol. Chem.* 268:12796-12804].

- Many AKAPs also have the ability to bind to multiple proteins, including other signaling enzymes. For example, AKAP79 binds to PKA,
25 protein kinase C (PKC) and the protein phosphatase calcineurin (PP2B) [Coghlan *et al.* (1995) *Science* 267:108-112 and Klauck *et al.* (1996) *Science* 271:1589-1592]. Therefore, the targeting of AKAP79 to neuronal postsynaptic membranes brings together enzymes with opposite catalytic activities in a single complex.

-58-

AKAPs thus serve as potential regulatory mechanisms that increase the selectivity and intensity of a cAMP-mediated response. There is a need, therefore, to identify and elucidate the structural and functional properties of AKAPs in order to gain a complete understanding of the important role these proteins play in the basic functioning of cells.

AKAP10

The sequence of a human AKAP10 cDNA (also referred to as D-AKAP2) is available in the GenBank database, at accession numbers AF037439 (SEQ ID NO: 31) and NM 007202. The AKAP10 gene is located on chromosome 17.

The sequence of a mouse D-AKAP2 cDNA is also available in the GenBank database (see accession number AF021833). The mouse D-AKAP2 protein contains an RGS domain near the amino terminus that is characteristic of proteins that interact with $G\alpha$ subunits and possess GTPase activating protein-like activity [Huang *et al.* (1997) *Proc. Natl. Acad. Sci. U.S.A.* 94:11184-11189]. The human AKAP10 protein also has sequences homologous to RGS domains. The carboxy-terminal 40 residues of the mouse D-AKAP2 protein are responsible for the interaction with the regulatory subunits of PKA. This sequence is fairly well conserved between the mouse D-AKAP2 and human AKAP10 proteins.

Polymorphisms of the human AKAP10 gene and polymorphic AKAP10 proteins

Polymorphisms of AKAP genes that alter gene expression, regulation, protein structure and/or protein function are more likely to have a significant effect on the regulation of enzyme (particularly PKA) activity, cellular transduction of signals and responses thereto and on the basic functioning of cells than polymorphisms that do not alter gene and/or protein function. Included in the polymorphic AKAPs provided herein are human AKAP10 proteins containing differing amino acid residues at position number 646.

-59-

Amino acid 646 of the human AKAP10 protein is located in the carboxy-terminal region of the protein within a segment that participates in the binding of R-subunits of PKAs. This segment includes the carboxy-terminal 40 amino acids.

- 5 The amino acid residue reported for position 646 of the human AKAP10 protein is an isoleucine. Polymorphic human AKAP10 proteins provided herein have the amino acid sequence but contain residues other than isoleucine at amino acid position 646 of the protein. In particular embodiments of the polymorphic human AKAP10 proteins provided
- 10 herein, the amino acid at position 646 is a valine, leucine or phenylalanine residue.

An A to G transition at nucleotide 2073 of the human AKAP10 coding sequence

- As described herein, an allele of the human AKAP10 gene that
- 15 contains a specific polymorphism at position 2073 of the coding sequence and thereby encodes a valine at position 646 has been detected in varying frequencies in DNA samples from younger and older segments of the human population. In this allele, the A at position 2073 of the AKAP10 gene coding sequence is changed from an A to a G, giving rise
- 20 to an altered sequence in which the codon for amino acid 646 changes from ATT, coding for isoleucine, to GTT, coding for valine.

Morbidity marker 1: human protein kinase A anchoring protein (AKAP10-1)

- PCR Amplification and BiomassPROBE assay detection of AKAP10-1 in a
- 25 healthy donor population

PCR Amplification of donor population for AKAP 10

- PCR primers were synthesized by OPERON using phosphoramidite chemistry. Amplification of the AKAP10 target sequence was carried out in single 50 μ l PCR reaction with 100ng-1ug of pooled human genomic
- 30 DNAs in a 50 μ l PCR reaction. Individual DNA concentrations within the

-60-

- pooled samples were present in equal concentration with the final concentration ranging from 1-25ng. Each reaction containing IX PCR buffer (Qiagen, Valencia, CA), 200uM dNTPs, 1U Hotstar Taq polymerase (Qiagen, Valencia, CA), 4mM MgCl₂, and 25pmol of the
- 5 forward primer containing the universal primer sequence and the target specific sequence 5'-TCTCAATCATGTGCATTGAGG-3'(SEQ ID NO: 45), 2pmol of the reverse primer
- 5'-AGCGGATAACAATTTACACAGGGATCACACAGCCATCAGCAG-3' (SEQ ID NO: 46), and 10pmol of a biotinylated universal primer
- 10 complementary to the 5' end of the PCR amplicon
- 5'-AGCGGATAACAATTTACACAGG-3'(SEQ ID NO: 47). After an initial round of amplification with the target with the specific forward and reverse primer, the 5' biotinylated universal primer then hybridized and acted as a reverse primer thereby introducing a 3' biotin capture moiety
- 15 into the molecule. The amplification protocol results in a 5'-biotinylated double stranded DNA amplicon and dramatically reduces the cost of high throughput genotyping by eliminating the need to 5' biotin label each forward primer used in a genotyping. Thermal cycling was performed in 0.2mL tubes or 96 well plate using an MJ Research Thermal Cycler
- 20 (calculated temperature) with the following cycling parameters: 94° C for 5 min; 45 cycles: 94° C for 20 sec, 56° C for 30 sec, 72° C for 60 sec; 72° C 3min.

Immobilization of DNA

- The 50μl PCR reaction was added to 25ul of streptavidin coated magnetic
- 25 bead (Dyna) prewashed three times and resuspended in 1M NH₄Cl, 0.06M NH₄OH. The PCR amplicons were allowed to bind to the beads for 15 minutes at room temperature. The beads were then collected with a magnet and the supernatant containing unbound DNA was removed. The unbound strand was release from the double stranded amplicons by

-61-

incubation in 100mM NaOH and washing of the beads three times with 10mM Tris pH 8.0.

BiomassPROBE assay analysis of donor population for AKAP10-1 (clone 48319)

- 5 Genotyping using the BiomassPROBE assay methods was carried out by resuspending the DNA coated magnetic beads in 26mM Tris-HCl pH 9.5, 6.5 mM MgCl₂ and 50mM each of dTTP and 50mM each of ddCTP, ddATP, ddGTP, 2.5U of a thermostable DNA polymerase (Amersham) and 20pmol of a template specific oligonucleotide PROBE
- 10 primer 5'-CTGGCGCCCCACGTGGTCAA-3' (SEQ ID NO: 48) (Operon). Primer extension occurs with three cycles of oligonucleotide primer hybridization and extension. The extension products were analyzed after denaturation from the template with 50mM NH₄Cl and transfer of 150nL each sample to a silicon chip preloaded with 150nL of H3PA matrix
- 15 material. The sample material was allowed to crystallize and was analyzed by MALDI-TOF (Bruker, PerSeptive). The SNP that is present in AKAP10-1 is a T to C transversion at nucleotide number 156277 of the sequence of a genomic clone of the AKAP10 gene (GenBank Accession No. AC005730) (SEQ ID NO: 36). SEQ ID NO: 35: represents the
- 20 nucleotide sequence of human chromosome 17, which contains the genomic nucleotide sequence of the human AKAP10 gene, and SEQ ID NO: represents the nucleotide sequence of human chromosome 17, which contains the genomic nucleotide sequence of the human AKAP10-1 allele. The mass of the primer used in the BioMass probe reaction was
- 25 5500.6 daltons. In the presence of the SNP, the primer is extended by the addition of ddC, which has a mass of 5773.8. The wildtype gene results in the addition of dT and ddG to the primer to produce an extension product having a mass of 6101 daltons.

-62-

The frequency of the SNP was measured in a population of age selected healthy individuals. Five hundred fifty-two (552) individuals between the ages of 18-39 years (276 females, 276 males) and 552 individuals between the ages of 60-79 (184 females between the ages of 60-69, 368 males between the age of 60-79) were tested for the presence of the polymorphism localized in the non-translated 3' region of AKAP 10. Differences in the frequency of this polymorphism with increasing age groups were observed among healthy individuals. Statistical analysis showed that the significance level for differences in the allelic frequency for alleles between the "younger" and the "older" populations was $p = 0.0009$ and for genotypes was $p = 0.003$. Differences between age groups are significant. For the total population allele significance is $p = 0.0009$, and genotype significance is $p = 0.003$.

This marker led to the best significant result with regard to allele and genotype frequencies in the age-stratified population. Figure 19 shows the allele and genotype frequency in both genders as well as in the entire population. For latter the significance for alleles was $p = 0.0009$ and for genotypes was $p = 0.003$. The young and old populations were in Hardy-Weinberg equilibrium. A preferential change of one particular genotype was not seen.

The polymorphism is localized in the non-translated 3'-region of the gene encoding the human protein kinase A anchoring protein (AKAP10). The gene is located on chromosome 17. Its structure includes 15 exons and 14 intervening sequences (introns). The encoded protein is responsible for the sub-cellular localization of the cAMP-dependent protein kinase and, therefore, plays a key role in the G-protein mediated receptor-signaling pathway (Huang et al. PNAS (1007) 94:11184-11189). Since its localization is outside the coding region, this polymorphism is most likely in linkage disequilibrium (LD) with other non-synonymous

-63-

polymorphisms that could cause amino acid substitutions and subsequently alter the function of the protein. Sequence comparison of different Genbank database entries concerning this gene revealed further six potential polymorphisms of which two are supposed to change the

5 respective amino acid (see Table 3).

Table 3

Exon	Codon	Nucleotides	Amino acid
3	100	GCT>GCC	Ala>Ala
4	177	AGT>GTG	Met>Val
10 8	424	GGG>GGC	Gly>Gly
10 10	524	CCG>CTG	Pro>Leu
12	591	GTG>GTC	Val>Val
12	599	CGC>CGA	Arg>Arg

15 **Morbidity marker 2: human protein kinase A anchoring protein (AKAP10-5)**

Discovery of AKAP10-5 Allele (SEQ ID NO: 33)

Genomic DNA was isolated from blood (as described above) of seventeen (17) individuals with a genotype CC at the AKAP10-1 gene locus and a single heterozygous individual (CT) (as described). A target sequence in the AKAP10-1 gene which encodes the C-terminal PKA binding domain was amplified using the polymerase chain reaction. PCR primers were synthesized by OPERON using phosphoramidite chemistry. Amplification of the AKAP10-1 target sequence was carried out in individual 50 μ l PCR reaction with 25ng of human genomic DNA templates. Each reaction containing 1 X PCR buffer (Qiagen, Valencia, CA), 200 μ M dNTPs, 1U Hotstar Taq polymerase (Qiagen, Valencia, CA), 4mM MgCl₂, 25pmol of the forward primer (Ex13F) containing the universal primer sequence and the target specific sequence 5'-TCC CAA AGT GCT GGA ATT AC-3' (SEQ ID NO: 53), and 2pmol of the reverse

-64-

primer (Ex14R) 5'-GTC CAA TAT ATG CAA ACA GTT G-3' (SEQ ID NO: 54). Thermal cycling was performed in 0.2mL tubes or 96 well plate using an MJ Research Thermal Cycler (MJ Research, Waltham, MA) (calculated temperature) with the following cycling parameters: 94° C for 5 min; 45 cycles; 94° C for 20 sec, 56° C for 30 sec, 72° C for 60 sec; 72° C 3min. After amplification the amplicons were purified using a chromatography (Mo Bio Laboratories (Solana Beach, CA)).

The sequence of the 18 amplicons, representing the target region, was determined using a standard Sanger cycle sequencing method with 25nmol of the PCR amplicon, 3.2uM DNA sequencing primer 5'-CCC ACA GCA GTT AAT CCT TC-3'(SEQ ID NO: 55), and chain terminating dRhodamine labeled 2', 3' dideoxynucleotides (PE Biosystems, Foster City, CA) using the following cycling parameters: 96° C for 15 seconds; 25 cycles: 55° C for 15 seconds, 60° C for 4 minutes. The sequencing products precipitated by 0.3M NaOAc and ethanol. The precipitate was centrifuged and dried. The pellets were resuspended in deionized formamide and separated on a 5% polyacrylimide gel. The sequence was determined using the "Sequencher" software (Gene Codes, Ann Arbor, MI).

The sequence of all 17 of the amplicons, which are homozygous for the AKAP10-1 SNP of the amplicons, revealed a polymorphism at nucleotide position 152171 (numbering for GenBank Accession No. AC005730 for AKAP10 genomic clone (SEQ ID NO: 35)) with A replaced by G. This SNP can also be designated as located at nucleotide 2073 of a cDNA clone of the wildtype AKAP10 (GenBank Accession No. AF037439) (SEQ ID NO: 31). The amino acid sequence of the human AKAP10 protein is provided as SEQ ID NO: 32. This single nucleotide polymorphism was designated as AKAP10-5 (SEQ ID NO: 33) and resulted in a substitution of a valine for an isoleucine residue at amino

-65-

acid position 646 of the amino acid sequence of human AKAP10 (SEQ ID NO: 32).

PCR Amplification and BiomassPROBE assay detection of AKAP10-5 in a healthy donor population

5 The healthy population stratified by age is a very efficient and a universal screening tool for morbidity associated genes by allowing for the detection of changes of allelic frequencies in the young compared to the old population. Individual samples of this healthy population base can be pooled to further increase the throughput.

10 Healthy samples were obtained through the blood bank of San Bernardino, CA. Both parents of the blood donors were of Caucasian origin. Practically a healthy subject, when human, is defined as human donor who passes blood bank criteria to donate blood for eventual use in the general population. These criteria are as follows: free of detectable
15 viral, bacterial, mycoplasma, and parasitic infections; not anemic; and then further selected based upon a questionnaire regarding history (see Figure 3). Thus, a healthy population represents an unbiased population of sufficient health to donate blood according to blood bank criteria, and not further selected for any disease state. Typically such individuals are
20 not taking any medications.

 PCR primers were synthesized by OPERON using phosphoramidite chemistry. Amplification of the AKAP10 target sequence was carried out in a single 50 μ l PCR reaction with 100ng- 1 μ g of pooled human genomic DNAs in a 50 μ l PCR reaction. Individual DNA concentrations within the
25 pooled samples were present in equal concentration with the final concentration ranging from 1-25ng. Each reaction contained 1X PCR buffer (Qiagen, Valencia, CA), 200 μ M dNTPs, 1U Hotstar Taq polymerase (Qiagen, Valencia, CA), 4mM MgCl₂, and 25pmol of the forward primer containing the universal primer sequence and the target specific
30 sequence 5'-AGCGGATAACAATTTACACAGGGAGCTAGCTTGGAAGAT

-66-

TGC-3' (SEQ ID NO: 41), 2pmol of the reverse primer 5'-GTCCAATATATGCAAACAGTTG-3' (SEQ ID NO: 54), and 10pmol of a biotinylated universal primer complementary to the 5' end of the PCR amplicon BIO:5'-AGCGGATAACAATTTACACAGG-3' (SEQ ID NO: 43).

- 5 After an initial round of amplification with the target with the specific forward and reverse primer, the 5' biotinylated universal primer can then be hybridized and acted as a forward primer thereby introducing a 5' biotin capture moiety into the molecule. The amplification protocol resulted in a 5'-biotinylated double stranded DNA amplicon and
- 10 dramatically reduced the cost of high throughput genotyping by eliminating the need to 5' biotin label every forward primer used in a genotyping.

- Thermal cycling was performed in 0.2mL tubes or 96 well plate using an MJ Research Thermal Cycler (calculated temperature) with the
- 15 following cycling parameters: 94° C for 5 min; 45 cycles: 94° C for 20 sec, 56° C for 30 sec; 72° C for 60 sec; 72° C 3min.

Immobilization of DNA

- The 50 μ L PCR reaction was added to 25 μ L of streptavidin coated magnetic beads (Dynal, Oslo, Norway), which were prewashed three
- 20 times and resuspended in 1M NH₄Cl, 0.06M NH₄OH. The 5' end of one strand of the double stranded PCR amplicons were allowed to bind to the beads for 15 minutes at room temperature. The beads were then collected with a magnet and the supernatant containing unbound DNA was removed. The hybridized but unbound strand was released from the
- 25 double stranded amplicons by incubation in 100mM NaOH and washing of the beads three times with 10mM Tris pH 8.0.

Detection of AKAP10-5 using BiomassPROBE™ Assay

BiomassPROBE™ assay of primer extension analysis (see, U.S. Patent No. 6,043,031) of donor population for AKAP 10-5 (SEQ ID NO:

-67-

33) was performed. Genotyping using these methods was carried out by resuspending the DNA coated magnetic beads in 26mM Tris-HCL pH 9.5, 6.5 mM MgCl₂, 50mM dTTP, 50mM each of ddCTP, ddATP, ddGTP, 2.5U of a thermostable DNA polymerase (Amersham), and 20pmol of a
 5 template specific oligonucleotide PROBE primer
 5'-ACTGAGCCTGCTGCATAA-3' (SEQ ID NO: 44) (Operon). Primer extension occurs with three cycles of oligonucleotide primer with hybridization and extension. The extension products were analyzed after denaturation from the template with 50 mM NH₄Cl and transfer of 150 nL
 10 of each sample to a silicon chip preloaded with 150 nl of H3PA matrix material. The sample material was allowed to crystallize and analyzed by MALDI-TOF (Bruker, PerSeptive). The primer has a mass of 5483.6 daltons. The SNP results in the additional of a ddC to the primer, giving a mass of 5756.8 daltons for the extended product. The wild type results in
 15 the addition a T and ddG to the primer giving a mass of 6101 daltons.

The frequency of the SNP was measured in a population of age selected healthy individuals. Seven hundred thirteen (713) individuals under 40 years of age (360 females, 353 males) and 703 individuals over 60 years of age (322 females, 381 males) were tested for the presence of
 20 the SNP, AKAP10-5 (SEQ ID NO: 33). Results are presented below in Table 1.

TABLE 1					
AKAP10-5 (2073V) frequency comparison in 2 age groups					
			< 40	> 60	delta G allele
25	Female	Alleles	*G	38.6	34.6
			*A	61.4	65.4
		Genotypes	G	13.9	11.8
			GA	49.4	45.7
			A	36.7	42.5

-68-

5						
	Male	Alleles	*G	41.4	37.0	4.4
			*A	58.6	63.0	
		Genotypes	G	18.4	10.8	7.7
			GA	45.9	52.5	
			A	35.7	36.7	
10						
	Total	Alleles	*G	40.0	35.9	4.1
			*A	60.0	64.1	
		Genotypes	G	16.1	11.2	4.9
			GA	47.7	49.4	
		A	36.2	39.4		

Figure 20 graphically shows these results of allele and genotype distribution in the age and sex stratified Caucasian population.

Morbidity marker 3: human methionine sulfoxide reductase A (msrA)

The age-related allele and genotype frequency of this marker in both genders and the entire population is shown in Figure 21. The decrease of the homozygous CC genotype in the older male population is highly significant.

Methionine sulfoxide reductase A (#63306)

PCR Amplification and BiomassPROBE assay detection of the human methionine sulfoxide reductase A (h-msr-A) in a healthy donor population

PCR Amplification of donor population for h-msr-A

PCR primers were synthesized by OPERON using phosphoramidite chemistry. Amplification of the AKAP10 target sequence was carried out in single 50 μ l PCR reaction with 100ng-1 μ g of pooled human genomic DNA templates in a 50 μ l PCR reaction. Individual DNA concentrations within the pooled samples were present in an equal concentration with

-69-

- the final concentration ranging from 1-25ng. Each reaction containing 1 X PCR buffer (Qiagen, Valencia, CA), 200 μ M dNTPs, 1U Hotstar Taq polymerase (Qiagen, Valencia, CA), 4mM MgCl₂, 25pmol of the forward primer containing the universal primer sequence and the target specific sequence 5'-TTTCTCTGCACAGAGAGGC-3' (SEQ ID NO: 49), 2pmol of the reverse primer 5'-AGCGGATAACAATTTACACAGGGCTGAAATCCTTCGCTTTACC-3' (SEQ ID NO: 50), and 10pmol of a biotinylated universal primer complementary to the 5' end of the PCR amplicon
- 10 5'-AGCGGATAACAATTTACACAGG-3' (SEQ ID NO: 51). After an initial round of amplification of the target with the specific forward and reverse primers, the 5' biotinylated universal primer was then hybridized and acted as a reverse primer thereby introducing a 3' biotin capture moiety into the molecule. The amplification protocol results in a 5'-biotinylated
- 15 double stranded DNA amplicon and and dramatically reduces the cost of high throughput genotyping by eliminating the need to 5' biotin label each forward primer used in a genotyping. Thermal cycling was performed in 0.2mL tubes or 96 well plate using an MJ Research Thermal Cycler (calculated temperature) with the following cycling parameters: 94° C for
- 20 5 min; 45 cycles: 94° C for 20 sec, 56° C for 30 sec, 72° C for 60 sec; 72° C 3min.

Immobilization of DNA

- The 50 μ l PCR reaction was added to 25 μ l of streptavidin coated magnetic bead (Dynal) prewashed three times and resuspended in 1M
- 25 NH₄Cl, 0.06M NH₄OH. The PCR amplicons were allowed to bind to the beads for 15 minutes at room temperature. The beads were then collected with a magnet and the supernatant containing unbound DNA was removed. The unbound strand was release from the double stranded

-70-

amplicons by incubation in 100mM NaOH and washing of the beads three times with 10mM Tris pH 8.0.

BiomassPROBE assay analysis of donor population for h-msr A

- Genotyping using the BiomassPROBE assay methods was carried
- 5 out by resuspending the he DNA coated magnetic beads in 26mM Tris-HCl pH 9.5, 6.5 mM MgCl₂, 50mM of dTTPs and 50mM each of ddCTP, ddATP, ddGTP, 2.5U of a thermostable DNA polymerase (Amersham), and 20pmol of a template specific oligonucleotide PROBE primer 5'-CTGAAAAGGGAGAGAAAG-3' (Operon) (SEQ ID NO: 52).
- 10 Primer extension occurs with three cycles of oligonucleotide primer with hybridization and extension. The extension products were analyzed after denaturation from the template with 50mM NH₄Cl and transfer of 150nl each sample to a silicon chip preloaded with 150nl of H3PA matrix material. The sample material was allowed to crystallize and analyzed by
- 15 MALDI-TOF (Bruker, PerSeptive). The SNP is represented as a T to C transversion in the sequence of two ESTs. The wild type is represented by having a T at position 128 of GenBank Accession No. AW 195104, which represents the nucleotide sequence of an EST which is a portion of the wild type human msrA gene (SEQ ID NO: 39). The SNP is presented
- 20 as a C at position 129 of GenBank Accession No. AW 874187, which represents the nucleotide sequence of an EST which is a portion of an allele of the human msrA gene (SEQ ID NO: 40).

- In a genomic sequence the SNP is represented as an A to G transversion. The primer utilized in the BioMass probe reaction had a
- 25 mass of 5654.8 daltons. In the presence of the SNP the primer is extended by the incorporation of a ddC and has a mass of 5928. In the presence of the wildtype the primer is extended by adding a dT and a DDC to produce a mass of 6232.1 daltons.

-71-

The frequency of the SNP was measured in a population of age selected healthy individuals. Five hundred fifty-two (552) individuals between the ages of 18-39 years (276 females, 276 males and 552 individuals between the age of 60-79 (184 females between the ages of 5 60-69, 368 males between the age of 60-79) were tested for the presence of the polymorphism localized in the nontranslated 3' region of h-msr-A.

Genotype difference between male age group among healthy individuals is significant. For the male population allele significance is 10 $p = 0.0009$ and genotype significance is $p = 0.003$. The age-related allele and genotype frequency of this marker in both genders and the entire population is shown in Figure 21. The decrease of the homozygous CC genotype in the older male population is highly significant.

The polymorphism is localized in the non-translated 3'-region of the 15 gene encoding the human methionine sulfoxide reductase (h-msrA). The exact localization is 451 base pairs downstream the stop codon (TAA). It is very likely that this SNP is in linkage disequilibrium (LD) with another polymorphism more upstream in the coding or promoter region; thus, it is not directly cause morbidity. The enzyme methionine sulfoxide reductase 20 has been proposed to exhibit multiple biological functions. It may serve to repair oxidative protein damage but also play an important role in the regulation of proteins by activation or inactivation of their biological functions (Moskovitz et al. (1990) PNAS 95:14071-14075). It has also been shown that its activity is significantly reduced in brain tissues of 25 Alzheimer patients (Gabbita et al., (1999) J. Neurochem 73:1660-1666). It is scientifically conceivable that proteins involved in the metabolism of reactive oxygen species are associated to disease.

-72-

CONCLUSION

The use of the healthy population provides for the identification of morbidity markers. The identification of proteins involved in the G-protein coupled signaling transduction pathway or in the detoxification of oxidative stress can be considered as convincing results. Further confirmation and validation of other potential polymorphisms already identified in *silico* in the gene encoding the human protein kinase A anchoring protein could even provide stronger association to morbidity and demonstrate that this gene product is a suitable pharmaceutical or diagnostic target.

EXAMPLE 4

MALDI-TOF Mass Spectrometry Analysis

All of the products of the enzyme assays listed below were analyzed by MALDI-TOF mass spectrometry. A diluted matrix solution (0.15 μ L) containing of 10:1 3-hydroxypicolinic acid:ammonium citrate in 1:1 water:acetonitrile diluted 2.5-fold with water was pipetted onto a SpectroChip (Sequenom, Inc.) and was allowed to crystallize. Then, 0.15 μ L of sample was added. A linear PerSeptive Voyager DE mass spectrometer or Bruker Biflex MALDI-TOF mass spectrometer, operating in positive ion mode, was used for the measurements. The sample plates were kept at 18.2 kV for 400 nm after each UV laser shot (approximate 250 laser shots total), and then the target voltage was raised to 20 kV. The original spectra were digitized at 500 MHz.

EXAMPLE 5

Sample Conditioning

Where indicated in the examples below, the products of the enzymatic digestions were purified with ZipTips (Millipore, Bedford, MA). The ZipTips were pre-wetted with 10 μ L 50% acetonitrile and equilibrated 4 times with 10 μ L 0.1 M TEAAc. The oligonucleotide fragments were

-73-

bound to the C18 in the ZipTip material by continuous aspiration and dispensation of each sample into the ZipTip. Each digested oligonucleotide was conditioned by washing with 10 μ L 0.1 M TEAAc, followed by 4 washing steps with 10 μ L H₂O. DNA fragments were eluted from the

- 5 Ziptip with 7 μ L 50% acetonitrile.

Any method for condition the samples may be employed. Methods for conditioning, which generally is used to increase peak resolution, are well known (see, *e.g.*, International PCT application No. WO 98/20019).

EXAMPLE 6

10 DNA Glycosylase-Mediated Sequence Analysis

DNA Glycosylases modifies DNA at each position that a specific nucleobase resides in the DNA, thereby producing abasic sites. In a subsequent reaction with another enzyme, a chemical, or heat, the phosphate backbone at each abasic site can be cleaved.

- 15 The glycosylase utilized in the following procedures was uracil-DNA glycosylase (UDG). Uracil bases were incorporated into DNA fragments in each position that a thymine base would normally occupy by amplifying a DNA target sequence in the presence of uracil. Each uracil substituted DNA amplicon was incubated with UDG, which cleaved each uracil base
- 20 in the amplicon, and was then subjected to conditions that effected backbone cleavage at each abasic site, which produced DNA fragments. DNA fragments were subjected to MALDI-TOF mass spectrometry analysis. Genetic variability in the target DNA was then assessed by analyzing mass spectra.

- 25 Glycosylases specific for nucleotide analogs or modified nucleotides, as described herein, can be substituted for UDG in the following procedures. The glycosylase methods described hereafter, in conjunction with phosphate backbone cleavage and MALDI, can be used to analyze DNA fragments for the purposes of SNP scanning, bacteria

-74-

typing, methylation analysis, microsatellite analysis, genotyping, and nucleotide sequencing and re-sequencing.

A. Genotyping

A glycosylase procedure was used to genotype the DNA sequence encoding UCP-2 (Uncoupling Protein 2). The sequence for UCP-2 is deposited in GenBank under accession number AF096289. The sequence variation genotyped in the following procedure was a cytosine (C-allele) to thymine (T-allele) variation at nucleotide position 4790, which results in a alanine to valine mutation at position 55 in the UCP-2 polypeptide.

DNA was amplified using a PCR procedure with a 50 μ L reaction volume containing of 5 pmol biotinylated primer having the sequence 5'-TGCTTATCCCTGTAGCTACCCTGTCTTGGCCTTGCAGATCCAA-3' (SEQ ID NO: 91), 15 pmol non-biotinylated primer having the sequence 5'-AGCGGATAACAATTTACACAGGCCATCACACCGCGGTACTG-3' (SEQ ID NO: 92), 200 μ M dATP, 200 μ M dCTP, 200 μ M dGTP, 600 μ M dUTP (to fully replace dTTP), 1.5 mM to 3 mM $MgCl_2$, 1 U of HotStarTaq polymerase, and 25 ng of CEPH DNA. Amplification was effected with 45 cycles at an annealing temperature of 56°C.

The amplification product was then immobilized onto a solid support by incubating 50 μ L of the amplification reaction with 5 μ L of prewashed Dynabeads for 20 minutes at room temperature. The supernatant was removed, and the beads were incubated with 50 μ L of 0.1 M NaOH for 5 minutes at room temperature to denature the double-stranded PCR product in such a fashion that single-stranded DNA was linked to the beads. The beads were then neutralized by three washes with 50 μ L 10 mM TrisHCl (pH 8). The beads were resuspended in 10 μ L of a 60mM TrisHCl/1mM EDTA (pH 7.9) solution, and 1 U uracil DNA glycosylase was added to the solution for 45 minutes at 37°C to remove uracil nucleotides present in the single-stranded DNA linked to the beads.

-75-

The beads were then washed two times with 25 μ L of 10 mM TrisHCl (pH 8) and once with 10 μ L of water. The biotinylated strands were then eluted from the beads with 12 μ L of 2 M NH_4OH at 60°C for 10 minutes. The backbone of the DNA was cleaved by incubating the samples for 10 min at 95°C (with a closed lid), and ammonia was evaporated from the samples by incubating the samples for 11 min at 80°C.

The cleavage fragments were then analyzed by MALDI-TOF mass spectrometry as described in Example 4. The T-allele generated a unique fragment of 3254 Daltons. The C-allele generated a unique fragment of 4788 Daltons. These fragments were distinguishable in mass spectra. Thus, the above-identified procedure was successfully utilized to genotype individuals heterozygous for the C-allele and T-allele in UCP-2.

B. Glycosylase Analysis Utilizing Pooled DNA Samples

The glycosylase assay was conducted using pooled samples to detect genetic variability at the UCP-2 locus. DNA of known genotype was pooled from eleven individuals and was diluted to a fixed concentration of 5 ng/ μ L. The procedure provided in Example 3A was followed using 2 pmol of forward primer having a sequence of 5'-CCCAGTCACGACGTTGTAAAACGTCTTGGCCTTGCAGATCCAAG-3' (SEQ ID NO: 93) and 15 pmol of reverse primer having the sequence 5'-AGCGGATAACAATTTACACAGGCCATCACACCGCGGTACTG-3' (SEQ ID NO: 94). In addition, 5 pmol of biotinylated primer having the sequence 5'-bioCCCAGTCACGACGTTGTAAAACG 3' (SEQ ID NO: 97) may be introduced to the PCR reaction after about two cycles. The fragments were analyzed via MALDI-TOF mass spectroscopy (Example 4). As determined in Example 3A, the T-allele, which generated a unique fragment of 3254 Daltons, could be distinguished in mass spectra from the C-allele, which generated a unique fragment of 4788 Daltons. Allelic frequency in the pooled samples was quantified by integrating the area

-76-

under each signal corresponding to an allelic fragment. Integration was accomplished by hand calculations using equations well known to those skilled in the art. In the pool of eleven samples, this procedure suggested that 40.9% of the individuals harbored the T allele and 59.09% of the
5 individuals harbored the C allele.

C. Glycosylase-Mediated Microsatellite Analysis

A glycosylase procedure was utilized to identify microsatellites of the Bradykinin Receptor 2 (BKR-2) sequence. The sequence for BKR-2 is deposited in GenBank under accession number X86173. BKR-2 includes
10 a SNP in the promoter region, which is a C to T variation, as well as a SNP in a repeated unit, which is a G to T variation. The procedure provided in Example 3A was utilized to identify the SNP in the promoter region, the SNP in the microsatellite repeat region, and the number of repeated units in the microsatellite region of BKR-2. Specifically, a
15 forward PCR primer having the sequence 5'-CTCCAGCTGGGCAGGAGTGC-3' (SEQ ID NO: 95) and a reverse primer having the sequence 5'-CACTTCAGTCGCTCCCT-3' (SEQ ID NO: 96) were utilized to amplify BKR-2 DNA in the presence of uracil. The amplicon was fragmented by UDG followed by backbone cleavage. The
20 cleavage fragments were analyzed by MALDI-TOF mass spectrometry as described in Example 4.

With regard to the SNP in the BKR-2 promotor region having a C to T variation, the C-allele generated a unique fragment having a mass of 7342.4 Daltons and the T-allele generated a unique fragment having a
25 mass of 7053.2 Daltons. These fragments were distinguishable in mass spectra. Thus, the above-identified procedure was successfully utilized to genotype individuals heterozygous for the C-allele and T-allele in the promotor region of BKR-2.

-77-

With regard to the SNP in the BKR-2 repeat region having a G to T variation, the T-allele generated a unique fragment having a mass of 1784 Daltons, which was readily detected in a mass spectrum. Hence, the presence of the T-allele was indicative of the G to T sequence variation in
5 the repeat region of BKR-2.

In addition, the number of repeat regions was distinguished between individuals having two repeat sequences and individuals having three repeat sequences in BKR-2. The DNA of these individuals did not harbor the G to T sequence variation in the repeat sequence as each
10 repeat sequence contained a G at the SNP locus. The number of repeat regions was determined in individual samples by calculating the area under a signal corresponding to a unique DNA fragment having a mass of 2771.6 Daltons. This signal in spectra generated from individuals having two repeat regions had an area that was thirty-three percent less than the
15 area under the same signal in spectra generated from individuals having three repeat regions. Thus, the procedures discussed above can be utilized to genotype individuals for the number of repeat sequences present in BKR-2.

D. Bisulfite Treatment Coupled with Glycosylase Digestion

20 Bisulfite treatment of genomic DNA can be utilized to analyze positions of methylated cytosine residues within the DNA. Treating nucleic acids with bisulfite deaminates cytosine residues to uracil residues, while methylated cytosine remains unmodified. Thus, by comparing the sequence of a PCR product generated from genomic DNA
25 that is not treated with bisulfite with the sequence of a PCR product generated from genomic DNA that is treated with bisulfite, the degree of methylation in a nucleic acid as well as the positions where cytosine is methylated can be deduced.

-78-

Genomic DNA (2 μ g) was digested by incubation with 1 μ L of a restriction enzyme at 37°C for 2 hours. An aliquot of 3 M NaOH was added to yield a final concentration of 0.3M NaOH in the digestion solution. The reaction was incubated at 37°C for 15 minutes followed by
5 treatment with 5.35M urea, 4.44M bisulfite, and 10mM hydroquinone, where the final concentration of hydroquinone is 0.5 mM.

The sample that was treated with bisulfite (sample A) was compared to the same digestion sample that had not undergone bisulfite treatment (sample B). After sample A was treated with bisulfite as
10 described above, sample A and sample B were amplified by a standard PCR procedure. The PCR procedure included the step of overlaying each sample with mineral oil and then subjecting the sample to thermocycling (20 cycles of 15 minutes at 55°C followed by 30 seconds at 95°C). The PCR reaction contained four nucleotide bases, C, A, G, and U. The
15 mineral oil was removed from each sample, and the PCR products were purified with glassmilk. Sodium iodide (3 volumes) and glassmilk (5 μ L) were added to samples A and B. The samples were then placed on ice for 8 minutes, washed with 420 μ L cold buffer, centrifuged for 10 seconds, and the supernatant fractions were removed. This process was
20 repeated twice and then 25 μ L of water was added. Samples were incubated for 5 minutes at 37 °C, were centrifuged for 20 seconds, and the supernatant fraction was collected, and then this incubation/centrifugation/supernatant fraction collection procedure was repeated. 50 μ L 0.1 M NaOH was then added to the samples to denature
25 the DNA. The samples were incubated at room temperature for 5 minutes, washed three times with 50 μ L of 10 mM TrisHCl (pH 8), and resuspended in 10 μ L 60mM TrisHCl/1mM EDTA, pH 7.9.

The sequence of PCR products from sample A and sample B were then treated with 2U of UDG (MBI Fermentas) and then subjected to

-79-

backbone cleavage, as described herein. The resulting fragments from each of sample A and sample B were analyzed by MALDI-TOF mass spectroscopy as described in Example 4. Sample A gave rise to a greater number of fragments than the number of fragments arising from sample

5 B, indicative that the nucleic acid harbored at least one methylated cytosine moiety.

EXAMPLE 7

Fen-Ligase-Mediated Haplotyping

Haplotyping procedures permit the selection of a fragment from one of an

10 individual's two homologous chromosomes and to genotype linked SNPs on that fragment. The direct resolution of haplotypes can yield increased information content, improving the diagnosis of any linked disease genes or identifying linkages associated with those diseases. In previous studies, haplotypes were typically reconstructed indirectly through

15 pedigree analysis (in cases where pedigrees were available) through laborious and unreliable allele-specific PCR or through single-molecule dilution methods well known in the art.

A haplotyping procedure was used to determine the presence of two SNPs, referred to as SNP1 and SNP2, located on one strand in a DNA

20 sample. The haplotyping procedure used in this assay utilized Fen-1, a site-specific "flap" endonuclease that cleaves DNA "flaps" created by the overlap of two oligonucleotides hybridized to a target DNA strand. The two overlapping oligonucleotides in this example were short arm and long arm allele-specific adaptors. The target DNA was an amplified nucleic

25 acid that had been denatured and contained SNP1 and SNP2.

The short arm adaptor included a unique sequence not found in the target DNA. The 3' distal nucleotide of the short arm adaptor was identical to one of the SNP1 alleles. Moreover, the long arm adaptor included two regions: a 3' region complementary to the short arm and a

-80-

5' gene-specific region complementary to the fragment of interest adjacent to the SNP. If there was a match between the adaptor and one of the homologues, the Fen enzyme recognized and cleaved the overlapping flap. The short arm of the adaptor was then ligated to the remainder of the target fragment (minus the SNP site). This ligated fragment was used as the forward primer for a second PCR reaction in which only the ligated homologue was amplified. The second PCR product (PCR2) was then analyzed by mass spectrometry. If there was no match between the adaptors and the target DNA, there was no overlap, no cleavage by Fen-1, and thus no PCR2 product of interest.

If there was more than one SNP in the sequence of interest, the second SNP (SNP2) was found by using an adaptor that was specific for SNP2 and hybridizing the adaptor to the PCR2 product containing the first SNP. The Fen-ligase and amplification procedures were repeated for the PCR2 product containing the first SNP. If the amplified product yielded a second SNP, then SNP1 and SNP2 were on the same fragment.

If the SNP is unknown, then four allele-specific adaptors (e.g. C, G, A, and T) can be used to hybridize with the target DNA. The substrates are then treated with the Fen-ligase protocol, including amplification. The PCR2 products may be analyzed by PROBE, as described herein, to determine which adaptors were hybridized to the DNA target and thus identify the SNPs in the sequence.

A Fen-ligase assay was used to detect two SNPs present in Factor VII. These SNPs are located 814 base pairs apart from each other. SNP1 was located at position 8401 (C to T), and SNP2 was located at 9215 (G to A) (SEQ ID #).

A. First Amplification Step

A PCR product (PCR1) was generated for a known heterozygous individual at SNP1, a short distance from the 5' end of the SNP.

-81-

Specifically, a 10 μ L PCR reaction was performed by mixing 1.5 mM $MgCl_2$, 200 μ M of each dNTP, 0.5 U HotStar polymerase, 0.1 μ M of a forward primer having the sequence 5'-GCG CTC CTG TCG GTG CCA (SEQ ID NO: 56), 0.1 μ M of a reverse primer having the sequence 5'-GCC
5 TGA CTG GTG GGG CCC (SEQ ID NO: 57), and 1 ng of genomic DNA. The annealing temperature was 58°C, and the amplification process yielded fragments that were 861 bp in length.

The PCR1 reaction mixture was divided in half and was treated with an exonuclease 1/SAP mixture (0.22 μ L mixture/5 μ L PCR1 reaction)
10 which contained 1.0 μ L SAP and 0.1 μ L exon1. The exonuclease treatment was done for 30 minutes at 37°C and then 20 minutes at 85°C to denature the DNA.

B. Adaptor Oligonucleotides

A solution of allele-specific adaptors (C and T), containing of one
15 long and one short oligonucleotide per adaptor, was prepared. The long arm and short arm oligonucleotides of each adaptor (10 μ M) were mixed in a 1:1 ratio and heated for 30 seconds at 95°C. The temperature was reduced in 2°C increments to 37°C for annealing. The C-adaptor had a short arm sequence of 5'-CAT GCA TGC ACG GTC (SEQ ID NO: 58) and
20 a long arm sequence of 5'-CAG AGA GTA CCC CTC GAC CGT GCA TGC ATG (SEQ ID NO: 59). Hence, the long arm of the adaptor was 30 bp (15 bp gene-specific), and the short arm was 15bp. The T-adaptor had a short arm sequence of 5'-CAT GCA TGC ACG GTT (SEQ ID NO: 60) and a long arm sequence of 5'-GTA CGT ACG TGC CAA CTC CCC ATG AGA
25 GAC (SEQ ID NO: 61). The adaptor could also have a hairpin structure in which the short and long arm are separated by a loop containing of 3 to 10 nucleotides (SEQ ID NO: 118).

C. FEN-ligase reaction

-82-

In two tubes (one tube for each allele-specific adaptor per sample) was placed a solution (Solution A) containing of 3.5 μ l 10 mM 16%PEG/50 mM MOPS, 1.2 μ l 25 mM $MgCl_2$, 1.5 μ l 10X Ampligase Buffer, and 2.5 μ l PCR1. Each tube containing Solution A was incubated
5 at 95°C for 5 minutes to denature the PCR1 product. A second solution (Solution B) containing of 1.65 μ l Ampligase (Thermostable ligase, Epicentre Technologies), 1.65 μ l 200ng/ μ l MFEN (from *Methanococcus jannaschii*), and 3.0 μ l of an allele specific adaptor (C or T) was prepared. Thus, different variations of Solution B, each variation containing of
10 different allele-specific adaptors, were made. Solution B was added to Solution A at 95°C and incubated at 55°C for 3 hours. The total reaction volume was 15.0 μ l per adaptor-specific reaction. For a bi-allelic system, 2 x 15.0 μ l reactions were required.

The Fen-ligase reaction in each tube was then deactivated by
15 adding 8.0 μ l 10 mM EDTA. Then, 1.0 μ l exoIII/Buffer (70%/30%) solution was added to each sample and incubated 30 minutes at 37°C, 20 minutes at 70°C (to deactivate exoIII), and 5 minutes at 95°C (to denature the sample and dissociate unused adaptor from template). The samples were cooled in an ice slurry and purified on UltraClean PCR
20 Clean-up (MoBio) spin columns which removed all fragments less than 100 base pairs in length. The fragments were eluted with 50 μ l H_2O .

D. Second Amplification Step

A second amplification reaction (PCR2) was conducted in each sample tube using the short arm adaptor (C or T) sequence as the forward
25 primer (minus the SNP1 site). Only the ligated homologue was amplified. A standard PCR reaction was conducted with a total volume of 10.0 μ l containing of 1X Buffer (final concentration), 1.5 mM final concentration $MgCl_2$, 200 μ M final concentration dNTPs, 0.5 U HotStar polymerase, 0.1 μ M final concentration forward primer 5'-CAT GCA TGC ACG GT (SEQ ID

-83-

NO: 62), 0.1 μ M final concentration reverse primer 5'-GCC TGA CTG GTG GGG CCC (SEQ ID NO: 63), and 1.0 μ l of the purified FEN-ligase reaction solution. The annealing temperature was 58°C. The PCR2 product was analyzed by MALDI TOF mass spectroscopy as described in Example 4.

- 5 The mass spectrum of Fen SNP1 showed a mass of 6084.08 Daltons, representing the C allele.

E. Genotyping Additional SNPs

- The second SNP (SNP2) can be found by using an adaptor that is specific for SNP2 and hybridizing that adaptor to the PCR2 product
- 10 containing the first SNP. The Fen-ligase and amplification procedures are repeated for the PCR2 product containing the first SNP. If the amplified product yields a second SNP, then SN1 and SN2 are on the same fragment. The mass spectrum of SNP2, representing the T allele, showed a mass of 6359.88 Daltons.

- 15 This assay can also be performed upon pooled DNA to yield haplotype frequencies as described herein. The Fen-ligase assay can be used to analyze multiplexes as described herein.

EXAMPLE 8

Nickase-Mediated Sequence Analysis

- 20 A DNA nickase, or DNase, was used to recognize and cleave one strand of a DNA duplex. Two nickases used were NY2A nickase and NYS1 nickase (Megabase) which cleave DNA at the following sites:

NY2A: 5'...R AG...3'

3'...Y↓TC...5' where R = A or G and Y = C or T

- 25 NYS1: 5'...↓CC[A/G/T]...3'

3'... GG[T/C/A]...5'.

-84-

A. Nickase Digestion

Tris-HCl (10 mM), KCl (10 mM, pH 8.3), magnesium acetate (25 mM), BSA (1 mg/mL), and 6 U of Cvi NY2A or Cvi NYS1 Nickase (Megabase Research) were added to 25 pmol of double-stranded
5 oligonucleotide template having a sequence of 5'-CGC AGG GTT TCC
TCG TCG CAC TGG GCA TGT G-3' (SEQ ID NO: 90, Operon, Alameda, CA) synthesized using standard phosphoramidite chemistry. With a total volume of 20 μ L, the reaction mixture was incubated at 37°C for 5 hours, and the digestion products were purified using ZipTips (Millipore, Bedford,
10 MA) as described in Example 5. The samples were analyzed by MALTY-TOM mass spectroscopy as described in Example 1. The nickase Cvi NY2A yielded three fragments with masses 4049.76 Daltons, 5473.14 Daltons, and 9540.71 Daltons. The Cvi NYS1 nickase yielded fragments with masses 2063.18 Daltons, 3056.48 Daltons, 6492.81 Daltons, and
15 7450.14 Daltons.

B. Nickase Digestion of Pooled Samples

DQA (HLA ClassII-DQ Alpha, expected fragment size = 225bp) was amplified from the genomic DNA of 100 healthy individuals. DQA was amplified using standard PCR chemistry in a reaction having a total
20 volume of 50 μ L containing of 10 mM Tris-HCl, 10 mM KCl (pH 8.3), 2.5 mM MgCl₂, 200 μ M of each dNTP, 10 pmol of a forward primer having the sequence 5'-GTG CTG CAG GTG TAA ACT TGT ACC AG-3' (SEQ ID NO: 64), 10 pmol of a reverse primer having the sequence 5'-CAC GGA TCC GGT AGC AGC GGT AGA GTT G-3' (SEQ ID NO: 65), 1 U DNA
25 polymerase (Stoffel fragment, Perkin Elmer), and 200ng human genomic DNA (2ng DNA/individual). The template was denatured at 94°C for 5 minutes. Thermal cycling was continued with a touch-down program that included 45 cycles of 20 seconds at 94°C, 30 seconds at 56°C, 1

-85-

minute at 72°C, and a final extension of 3 minutes at 72°C. The crude PCR product was used in the subsequent nickase reaction.

The unpurified PCR product was subjected to nickase digestion. Tris-HCl (10 mM), KCl (10 mM, pH 8.3), magnesium acetate (25mM),
5 BSA (1 mg/mL), and 5 U of Cvi NY2A or Cvi NYS1 Nickase (Megabase Research) were added to 25 pmol of the amplified template with a total reaction volume of 20 μ L. The mixture was then incubated at 37°C for 5 hours. The digestion products were purified with either ZipTips (Millipore, Bedford, MA) as described in Example 5. The samples were analyzed by
10 MALDI-TOF mass spectroscopy as described in Example 4. This assay can also be used to do multiplexing and standardless genotyping as described herein.

To simplify the nickase mass spectrum, the two complementary strands can be separated after digestion by using a single-stranded
15 undigested PCR product as a capture probe. This probe (preparation shown below in Example 8C) can be hybridized to the nickase fragments in hybridization buffer containing 200 mM sodium citrate and 1% blocking reagent (Boehringer Mannheim). The reaction is heated to 95°C for 5 minutes and cooled to room temperature over 30 minutes by using a
20 thermal cycler (PTC-200 DNA engine, MJ Research, Waltham, MA). The capture probe-nickase fragment is immobilized on 140 μ g of streptavidin-coated magnetic beads. The beads are subsequently washed three times with 70 mM ammonium citrate. The captured single-stranded nickase fragments are eluted by heating to 80°C for 5 minutes in 5 μ L of 50 mM
25 ammonium hydroxide.

C. Preparation of Capture Probe

The capture probe is prepared by amplifying the human β -globin gene (3' end of intron 1 to 5' end of exon 2) via PCR methods in a total volume of 50 μ L containing of GeneAmp 1XPCR Buffer II, 10 mM Tris-

-86-

HCl, pH 8.3, 50 mM KCl, 2 mM MgCl₂, 0.2 mM dNTP mix, 10pmol of each primer (forward primer 5'-ACTGGGCATGTGGAGACAG-3'(SEQ ID NO: 66) and biotinylated reverse primer bio5'-GCACTTTCTTGCCATGAG-3'(SEQ ID: 67), 2 U of AmpliTaq Gold, and 200 ng of human genomic

5 DNA. The template is denatured at 94°C for 8 minutes. Thermal cycling is continued with a touch-down program that included 11 cycles of 20 seconds at 94°C, 30 seconds at 64°C, 1 minute at 72°C; and a final extension of 5 minutes at 72°C. The amplicon is purified using UltraClean™ PCR clean-up kit (MO Bio Laboratories, Solano Beach, CA).

10

EXAMPLE 9

Multiplex Type IIS SNP Assay

A Type IIS assay was used to identify human gene sequences with known SNPs. The Type IIS enzyme used in this assay was Fok I which

15 effected double-stranded cleavage of the target DNA. The assay involved the steps of amplification and Fok I treatment of the amplicon. In the amplification step, the primers were designed so that each PCR product of a designated gene target was less than 100 bases such that a Fok I recognition sequence was incorporated at the 5' and 3' end of the

20 amplicon. Therefore, the fragments that were cleaved by Fok I included a center fragment containing the SNP of interest.

Ten human gene targets with known SNPs were analyzed by this assay. Sequences of the ten gene targets, as well as the primers used to amplify the target regions, are found in Table 5. The ten targets were

25 lipoprotein lipase, prothrombin, factor V, cholesterol ester transfer protein (CETP), factor VII, factor XIII, HLA-H exon 2, HLA-H exon 4, methylenetetrahydrofolate reductase (MTHR), and P53 exon 4 codon 72.

Amplification of the ten human gene sequences were carried out in a single 50 µL volume PCR reaction with 20 ng of human genomic DNA

-87-

template in 5 PCR reaction tubes. Each reaction vial contained 1X PCR buffer (Qiagen), 200 μ M dNTPs, 1U Hotstar Taq polymerase (Qiagen), 4 mM MgCl₂, and 10pmol of each primer. US8, having sequence of 5'TCAGTCACGACGTT3'(SEQ ID NO: 68), and US9, having sequence of 5'CGGATAACAATTTTC3'(SEQ ID NO: 69), were used for the forward and reverse primers respectively. Moreover, the primers were designed such that a Fok I recognition site was incorporated at the 5' and 3' ends of the amplicon. Thermal cycling was performed in 0.2 mL tubes or a 96 well plate using a MJ Research Thermal Cycler (calculated temperature) with the following cycling parameters: 94°C for 5 minutes; 45 cycles: 94°C for 20 seconds, 56°C for 20 seconds, 72°C for 60 seconds; and 72°C for 3 minutes.

Following PCR, the sample was treated with 0.2 U Exonuclease I (Amersham Pharmacia) and S Alkaline Phosphatase (Amersham Pharmacia) to remove the unincorporated primers and dNTPs. Typically, 0.2 U of exonuclease I and SAP were added to 5 μ L of the PCR sample. The sample was then incubated at 37°C for 15 minutes. Exonuclease I and SAP were then inactivated by heating the sample up to 85°C for 15 minutes. Fok I digestion was performed by adding 2 U of Fok I (New England Biolab) to the 5 uL PCR sample and incubating at 37°C for 30 minutes. Since the Fok I restriction sites are located on both sides of the amplicon, the 5' and 3' cutoff fragments have higher masses than the center fragment containing the SNP. The sample was then purified by anion exchange and analyzed by MALDI-TOF mass spectrometry as described in Example 4. The masses of the gene fragments from this multiplexing experiment are listed in Table 6. These gene fragments were resolved in mass spectra thereby allowing multiplex analysis of sequence variability in these genes.

Table 5
G n s f r Multiplex Typ IIS Assay

-88-

5

10

15

Gene	Sequence	Seq. ID No.	Primers	Seq. ID No.
Lipoprotein Lipase (Asn291Ser)	cctttgagaa agggctctgc ttgatttga gaaagaaccg ctgcaacaat <u>ctgggctatg agatcaga> qitaa agtcagagcc</u> <u>aaaagaagca gcaaaatga</u>	98-99	5' caatttcacgctggatgcaatct gggctatgagatc 3'	70
			5' caatttcacacagcggatgcttct tttggctctgact 3'	71
Prothrombin	26731 gaattatttt tgtgtttcta aaactatggt tcccaataaa <u>agtgaactctc</u> 26781 <u>agc(g>a)agccctc aatgctccca</u> <u>gtgctattca tgggcagctc tctgggctca</u>	100-101	5' tcagtcacgacgttggatgccaa taaaagtgaactctcagc 3'	72
			5' cggataacaatttcggatgcaact gggagcattgaggc 3'	73
Factor V (Arg506Gln)	taataggact acttctaact tgaagagca <u>gatccctgga caggc(g>a)agga</u> <u>atacaggat tttgtccttg aagtaacctt tcag</u>	102-103	5' tcagtcacgacgttggatgagca gatccctggacaggc 3'	74
			5' cggataacaatttcggatggaca aaatacctgtattcc 3'	75
Cholesterol ester transfer protein (CETP) (I405V)	1261 ctaccatgg gcatttgatt <u>gcagagcagc</u> <u>tccaggtcc(g>a) tccagagctt</u> 1311 <u>cctgcagtcga atgacaccg ctgtgggcat</u> ccctgagggtc atgtctcgta	104-105	5' tcagtcacgacgttggatgcaga gcagctccgagtc 3'	76
			5' cagcgggtgatcattggatgcagg aagctctgg 3'	77
Factor VII (R353Q)	1221 agcaaggact cctgcaaggg ggacagtggg ggccacatg <u>ccaccacta</u> 1271 <u>cc(a>g)gggcacg tggtaacctga</u> <u>cgggcatcgt cagctggggc cagggtgcg</u>	106-107	5' tcagtcacgacgttggatgccca catgccaccactac 3'	78
			5' cggataacaatttcggatgcccg tcaggtaccacg 3'	79
Factor XIII (V34L)	111 caataactct aatgcagcgg aagatgacct <u>gcccacagtg agcttccag</u> 161 <u>gc(g>t)gggtgcc ccggggcgctc</u> <u>aacctgcaag gtatgagcat accccccttc</u>	108-109	5' tcagtcacgacgttggatgccca cagtggagcttcag 3'	80
			5' gctcataccttgcaggatgacg 3'	81
HLA-H exon 2 (His63Asp)	361 ttgaagcttt gggtacgtg <u>gatgaccagc</u> <u>gtttcgtgtt ctatgat(c>g)at</u> 411 <u>gagagtcgcc gtgtggagcc ccgaactcca</u> tgggtttcca gtagaatttc	110-111	5' tcagtcacgacgttggatgacca gctgttcgtttc 3'	82
			5' tccatggagttcggggatgcaca cggcgactctc 3'	83
HLA-H exon 4 (Cys282Tyr)	1021 ggataacctt ggctgtacc cctgggggag <u>agcagagata tacgt(g>a)ccag</u> 1071 <u>gtggagcacc caggcctgga tcagcccttc</u> attgtgatct gggagccctc	112-113	5' tcagtcacgacgttggatgggga agagcagagatatacgt 3'	84
			5' ggggggctgatccaggatgggt gctccac 3'	85

-89-

5

Gene	Sequence	Seq. ID No.	Primers	Seq. ID No.
Methylentetrahydrofolatereductase (MTHFR) (Ala222Val)	761 <u>tgaaacactt gaagga gaag gtgtctgcgg</u> gag(c>t) <u>cgattt catcatcacg</u>	114-115	5' <u>tcagtcacgacggtggatgggga</u> <u>agagcagagatatacgt</u> 3'	86
	811 <u>cagcttttct ttgaggctga cacattcttc</u>		5' <u>gaggggctgattccaggatgggt</u> <u>gctccac</u> 3'	87
P53 Exon4 Codon 72 (Arg72Pro)	12101 <u>tccagatgaa gctcccagaa</u> <u>tgccagaggc</u> tgctcccc(g>c)c gtggcccctg	116-117	5' <u>gatgaagctcccaggatgccag</u> <u>aggc</u> 3'	88
	12151 <u>caccagcagc tcctacaccg</u> <u>gcggcccctg</u>		5' <u>gccgccggtgtaggatgctgctg</u> <u>gtgc</u> 3'	89

-89/a-

Table 6
The mass of Center Fragments for Ten Different SNP Typing by
IIS Assay

Gene	LPL(^{Asn291Ser})		Prothrombin		FV(^{Arg506Gln})		CETP(^{405Val})		FVII(^{R353G})		FXIII(^{V34})	
Genotype	A	G	G	A	G	A	G	A	G	A	G	T
+ strand mass (Da)	6213	6229	5845	5829	5677	5661	3388	3372	6128	6112	5058	5033
- strand mass (Da)	6129	6114	5949	5964	5472	5487	3437	3452	6174	6189	4916	4940

Gene	H1ah2		H1ah4		MTHFR(^{Ala222Val})		P53exon4(^{Arg72Pro})	
Genotype	C	G	G	A	C	T	G	C
+ strand mass (Da)	5889	5929	4392	4376	4400	4415	4586	4546
- strand mass (Da)	5836	5796	4319	4334	4368	4352	4724	4764

-90-

EXAMPLE 10**Exemplary use of parental medical history parameter for stratification of healthy database**

A healthy database can be used to associate a disease state with a specific allele (SNP) that has been found to show a strong association between age and the allele, in particular the homozygous genotype. The method involves using the same healthy database used to identify the age dependent association, however stratification is by information given by the donors about common disorders from which their parents suffered (the donor's familial history of disease). There are three possible answers a donor could give about the health status of their parents: neither were affected, one was affected or both were affected. Only donors above a certain minimum age, depending on the disease, are utilized, as the donors parents must be old enough to to have exhibited clinical disease phenotypes. The genotype frequency in each of these groups is determined and compared with each other. If there is an association of the marker in the donor to a disease the frequency of the heterozygous genotype will be increased. The frequency of the homozygous genotype should not increase, as it should be significantly underrepresented in the healthy population.

-91-

EXAMPLE 11**Method and Device for Identifying a Biological Sample****Description**

In accordance with the present invention, a method and device for
5 identifying a biological sample is provided. Referring now to FIG. 24, an
apparatus 10 for identifying a biological sample is disclosed. The apparatus 10
for identifying a biological sample generally comprises a mass spectrometer 15
communicating with a computing device 20. In a preferred embodiment, the
mass spectrometer may be a MALDI-TOF mass spectrometer manufactured by
10 Bruker-Franzen Analytik GmbH; however, it will be appreciated that other mass
spectrometers can be substituted. The computing device 20 is preferably a
general purpose computing device. However, it will be appreciated that the
computing device could be alternatively configured, for example, it may be
integrated with the mass spectrometer or could be part of a computer in a larger
15 network system.

The apparatus 10 for identifying a biological sample may operate as an
automated identification system having a robot 25 with a robotic arm 27
configured to deliver a sample plate 29 into a receiving area 31 of the mass
spectrometer 15. In such a manner, the sample to be identified may be placed
20 on the plate 29 and automatically received into the mass spectrometer 15. The
biological sample is then processed in the mass spectrometer to generate data
indicative of the mass of DNA fragments in the biological sample. This data may
be sent directly to computing device 20, or may have some preprocessing or
filtering performed within the mass spectrometer. In a preferred embodiment,
25 the mass spectrometer 15 transmits unprocessed and unfiltered mass
spectrometry data to the computing device 20. However, it will be appreciated
that the analysis in the computing device may be adjusted to accommodate
preprocessing or filtering performed within the mass spectrometer.

Referring now to FIG. 25, a general method 35 for identifying a biological
30 sample is shown. In method 35, data is received into a computing device from a
test instrument in block 40. Preferably the data is received in a raw,
unprocessed and unfiltered form, but alternatively may have some form of

-92-

filtering or processing applied. The test instrument of a preferred embodiment is a mass spectrometer as described above. However, it will be appreciated that other test instruments could be substituted for the mass spectrometer.

The data generated by the test instrument, and in particular the mass
5 spectrometer, includes information indicative of the identification of the
biological sample. More specifically, the data is indicative of the DNA
composition of the biological sample. Typically, mass spectrometry data
gathered from DNA samples obtained from DNA amplification techniques are
noisier than, for example, those from typical protein samples. This is due in part
10 because protein samples are more readily prepared in more abundance, and
protein samples are more easily ionizable as compared to DNA samples.
Accordingly, conventional mass spectrometer data analysis techniques are
generally ineffective for DNA analysis of a biological sample. To improve the
analysis capability so that DNA composition data can be more readily discerned,
15 a preferred embodiment uses wavelet technology for analyzing the DNA mass
spectrometry data. Wavelets are an analytical tool for signal processing,
numerical analysis, and mathematical modeling. Wavelet technology provides a
basic expansion function which is applied to a data set. Using wavelet
decomposition, the data set can be simultaneously analyzed in the time and
20 frequency domains. Wavelet transformation is the technique of choice in the
analysis of data that exhibit complicated time (mass) and frequency domain
information, such as MALDI-TOF DNA data. Wavelet transforms as described
herein have superior denoising properties as compared to conventional Fourier
analysis techniques. Wavelet transformation has proven to be particularly
25 effective in interpreting the inherently noisy MALDI-TOF spectra of DNA
samples. In using wavelets, a "small wave" or "scaling function" is used to
transform a data set into stages, with each stage representing a frequency
component in the data set. Using wavelet transformation, mass spectrometry
data can be processed, filtered, and analyzed with sufficient discrimination to be
30 useful for identification of the DNA composition for a biological sample.

Referring again to FIG. 25, the data received in block 40 is denoised in
block 45. The denoised data then has a baseline correction applied in block 50.

-93-

A baseline correction is generally necessary as data coming from the test instrument, in particular a mass spectrometer instrument, has data arranged in a generally exponentially decaying manner. This generally exponential decaying arrangement is not due to the composition of the biological sample, but is a result of the physical properties and characteristics of the test instrument, and other chemicals involved in DNA sample preparation. Accordingly, baseline correction substantially corrects the data to remove a component of the data attributable to the test system, and sample preparation characteristics.

After denoising in block 45 and the baseline correction in block 50, a signal remains which is generally indicative of the composition of the biological sample. However, due to the extraordinary discrimination required for analyzing the DNA composition of the biological sample, the composition is not readily apparent from the denoised and corrected signal. For example, although the signal may include peak areas, it is not yet clear whether these "putative" peaks actually represent a DNA composition, or whether the putative peaks are result of a systemic or chemical aberration. Further, any call of the composition of the biological sample would have a probability of error which would be unacceptable for clinical or therapeutic purposes. In such critical situations, there needs to be a high degree of certainty that any call or identification of the sample is accurate. Therefore, additional data processing and interpretation is necessary before the sample can be accurately and confidently identified.

Since the quantity of data resulting from each mass spectrometry test is typically thousands of data points, and an automated system may be set to perform hundreds or even thousands of tests per hour, the quantity of mass spectrometry data generated is enormous. To facilitate efficient transmission and storage of the mass spectrometry data, block 55 shows that the denoised and baseline corrected data is compressed.

In a preferred embodiment, the biological sample is selected and processed to have only a limited range of possible compositions. Accordingly, it is therefore known where peaks indicating composition should be located, if present. Taking advantage of knowing the location of these expected peaks, in block 60 the method 35 matches putative peaks in the processed signal to the

-94-

location of the expected peaks. In such a manner, the probability of each putative peak in the data being an actual peak indicative of the composition of the biological sample can be determined. Once the probability of each peak is determined in block 60, then in block 65 the method 35 statistically determines the composition of the biological sample, and determines if confidence is high enough to calling a genotype.

Referring again to block 40, data is received from the test instrument, which is preferably a mass spectrometer. In a specific illustration, FIG. 26 shows an example of data from a mass spectrometer. The mass spectrometer data 70 generally comprises data points distributed along an x-axis 71 and a y-axis 72. The x-axis 71 represents the mass of particles detected, while the y-axis 72 represents a numerical concentration of the particles. As can be seen in FIG. 26, the mass spectrometry data 70 is generally exponentially decaying with data at the left end of the x-axis 73 generally decaying in an exponential manner toward data at the heavier end 74 of the x-axis 71. However, the general exponential presentation of the data is not indicative of the composition of the biological sample, but is more reflective of systematic error and characteristics. Further, as described above and illustrated in FIG. 26, considerable noise exists in the mass spectrometry DNA data 70.

Referring again to block 45, where the raw data received in block 40 is denoised, the denoising process will be described in more detail. As illustrated in FIG. 25, the denoising process generally entails 1) performing a wavelet transformation on the raw data to decompose the raw data into wavelet stage coefficients; 2) generating a noise profile from the highest stage of wavelet coefficients; and 3) applying a scaled noise profile to other stages in the wavelet transformation. Each step of the denoising process is further described below.

Referring now to FIG. 27, the wavelet transformation of the raw mass spectrometry data is generally diagramed. Using wavelet transformation techniques, the mass spectrometry data 70 is sequentially transformed into stages. In each stage the data is represented in a high stage and a low stage, with the low stage acting as the input to the next sequential stage. For example, the mass spectrometry data 70 is transformed into stage 0 high data

-95-

82 and stage 0 low data 83. The stage 0 low data 83 is then used as an input to the next level transformation to generate stage 1 high data 84 and stage 1 low data 85. In a similar manner, the stage 1 low data 85 is used as an input to be transformed into stage 2 high data 86 and stage 2 low data 87. The transformation is continued until no more useful information can be derived by further wavelet transformation. For example, in the preferred embodiment a 24-point wavelet is used. More particularly a wavelet commonly referred to as the Daubechies 24 is used to decompose the raw data. However, it will be appreciated that other wavelets can be used for the wavelet transformation.

10 Since each stage in a wavelet transformation has one-half the data points of the previous stage, the wavelet transformation can be continued until the stage n low data 89 has around 50 points. Accordingly, the stage n high 88 would contain about 100 data points. Since the preferred wavelet is 24 points long, little data or information can be derived by continuing the wavelet transformation on a data set of around 50 points.

FIG. 28 shows an example of stage 0 high data 95. Since stage 0 high data 95 is generally indicative of the highest frequencies in the mass spectrometry data, stage 0 high data 95 will closely relate to the quantity of high frequency noise in the mass spectrometry data. In FIG. 29, an exponential fitting formula has been applied to the stage 0 high data 95 to generate a stage 0 noise profile 97. In particular, the exponential fitting formula is in the format $A_0 + A_1 \text{EXP}(-A_2 m)$. It will be appreciated that other expediential fitting formulas or other types of curve fits may be used.

Referring now to FIG. 30, noise profiles for the other high stages are determined. Since the later data points in each stage will likely be representative of the level of noise in each stage, only the later data points in each stage are used to generate a standard deviation figure that is representative of the noise content in that particular stage. More particularly, in generating the noise profile for each remaining stage, only the last five percent of the data points in each stage are analyzed to determined a standard deviation number. It will be appreciated that other numbers of points, or alternative methods could be used to generate such a standard deviation figure.

-96-

The standard deviation number for each stage is used with the stage 0 noise profile (the exponential curve) 97 to generate a scaled noise profile for each stage. For example, FIG. 30 shows that stage 1 high data 98 has stage 1 high data 103 with the last five percent of the data points represented by area 99. The points in area 99 are evaluated to determine a standard deviation number indicative of the noise content in stage 1 high data 103. The standard deviation number is then used with the stage 0 noise profile 97 to generate a stage 1 noise profile.

In a similar manner, stage 2 high 100 has stage 2 high data 104 with the last five percent of points represented by area 101. The data points in area 101 are then used to calculate a standard deviation number which is then used to scale the stage 0 noise profile 97 to generate a noise profile for stage 2 data. This same process is continued for each of the stage high data as shown by the stage n high 105. For stage n high 105, stage n high data 108 has the last five percent of data points indicated in area 106. The data points in area 106 are used to determine a standard deviation number for stage n. The stage n standard deviation number is then used with the stage 0 noise profile 97 to generate a noise profile for stage n. Accordingly, each of the high data stages has a noise profile.

FIG. 31 shows how the noise profile is applied to the data in each stage. Generally, the noise profile is used to generate a threshold which is applied to the data in each stage. Since the noise profile is already scaled to adjust for the noise content of each stage, calculating a threshold permits further adjustment to tune the quantity of noise removed. Wavelet coefficients below the threshold are ignored while those above the threshold are retained. Accordingly, the remaining data has a substantial portion of the noise content removed.

Due to the characteristics of wavelet transformation, the lower stages, such as stage 0 and 1, will have more noise content than the later stages such as stage 2 or stage n. Indeed, stage n low data is likely to have little noise at all. Therefore, in a preferred embodiment the noise profiles are applied more aggressively in the lower stages and less aggressively in the later stages. For example, FIG. 31 shows that stage 0 high threshold is determined by multiplying

-97-

the stage 0 noise profile by a factor of four. In such a manner, significant numbers of data points in stage 0 high data 95 will be below the threshold and therefore eliminated. Stage 1 high threshold 112 is set at two times the noise profile for the stage 1 high data, and stage 2 high threshold 114 is set equal to the noise profile for stage 2 high. Following this geometric progression, stage n high threshold 116 is therefore determined by scaling the noise profile for each respective stage n high by a factor equal to $(1/2^{n-2})$. It will be appreciated that other factors may be applied to scale the noise profile for each stage. For example, the noise profile may be scaled more or less aggressively to accommodate specific systemic characteristics or sample compositions. As indicated above, stage n low data does not have a noise profile applied as stage n low data 118 is assumed to have little or no noise content. After the scaled noise profiles have been applied to each high data stage, the mass spectrometry data 70 has been denoised and is ready for further processing. A wavelet transformation of the denoised signal results in the sparse data set 120 as shown in FIG. 31.

Referring again to FIG. 25, the mass spectrometry data received in block 40 has been denoised in block 45 and is now passed to block 50 for baseline correction. Before performing baseline correction, the artifacts introduced by the wavelet transformation procedure are preferably removed. Wavelet transformation results vary slightly depending upon which point of the wavelet is used as a starting point. For example, the preferred embodiment uses the 24-point Daubechies-24 wavelet. By starting the transformation at the 0 point of the wavelet, a slightly different result will be obtained than if starting at points 1 or 2 of the wavelet. Therefore, the denoised data is transformed using every available possible starting point, with the results averaged to determine a final denoised and shifted signal. For example, FIG. 33 shows that the wavelet coefficient is applied 24 different times and then the results averaged to generate the final data set. It will be appreciated that other techniques may be used to accommodate the slight error introduced due to wavelet shifting.

The formula 125 is generally indicated in FIG. 33. Once the signal has been denoised and shifted, a denoised and shifted signal 130 is generated as

-98-

shown in FIG. 58. FIG. 34 shows an example of the wavelet coefficient 135 data set from the denoised and shifted signal 130.

FIG. 36 shows that putative peak areas 145, 147, and 149 are located in the denoised and shifted signal 150. The putative peak areas are systematically identified by taking a moving average along the signal 150 and identifying
5 sections of the signal 150 which exceed a threshold related to the moving average. It will be appreciated that other methods can be used to identify putative peak areas in the signal 150.

Putative peak areas 145, 147 and 149 are removed from the signal 150
10 to create a peak-free signal 155 as shown in FIG. 37. The peak-free signal 155 is further analyzed to identify remaining minimum values 157, and the remaining minimum values 157 are connected to generate the peak-free signal 155.

FIG. 38 shows a process of using the peak-free signal 155 to generate a baseline 170 as shown in FIG. 39. As shown in block 162, a wavelet
15 transformation is performed on the peak-free signal 155. All the stages from the wavelet transformation are eliminated in block 164 except for the n low stage. The n low stage will generally indicate the lowest frequency component of the peak-free signal 155 and therefore will generally indicate the system exponential characteristics. Block 166 shows that a signal is reconstructed from the n low
20 coefficients and the baseline signal 170 is generated in block 168.

FIG. 39 shows a denoised and shifted data signal 172 positioned adjacent a correction baseline 170. The baseline correction 170 is subtracted from the denoised and shifted signal 172 to generate a signal 175 having a baseline correction applied as shown in FIG. 40. Although such a denoised, shifted, and
25 corrected signal is sufficient for most identification purposes, the putative peaks in signal 175 are not identifiable with sufficient accuracy or confidence to call the DNA composition of a biological sample.

Referring again to FIG. 25, the data from the baseline correction 50 is now compressed in block 55, the compression technique used in a preferred
30 embodiment is detailed in FIG. 41. In FIG. 41 the data in the baseline corrected data is presented in an array format 182 with x-axis points 183 having an associated data value 184. The x-axis is indexed by the non-zero wavelet

-99-

coefficients, and the associated value is the value of the wavelet coefficient. In the illustrated data example in table 182, the maximum value 184 is indicated to be 1000. Although a particularly advantageous compression technique for mass spectrometry data is shown, it will be appreciated that other compression techniques can be used. Although not preferred, the data may also be stored without compression.

In compressing the data according to a preferred embodiment, an intermediate format 186 is generated. The intermediate format 186 generally comprises a real number having a whole number portion 188 and a decimal portion 190. The whole number portion is the x-axis point 183 while the decimal portion is the value data 184 divided by the maximum data value. For example, in the data 182 a data value "25" is indicated at x-axis point "100". The intermediate value for this data point would be "100.025".

From the intermediate compressed data 186 the final compressed data 195 is generated. The first point of the intermediate data file becomes the starting point for the compressed data. Thereafter each data point in the compressed data 195 is calculated as follows: the whole number portion (left of the decimal) is replaced by the difference between the current and the last whole number. The remainder (right of the decimal) remains intact. For example, the starting point of the compressed data 195 is shown to be the same as the intermediate data point which is "100.025". The comparison between the first intermediate data point "100.025" and the second intermediate data point "150.220" is "50.220". Therefore, "50.220" becomes the second point of the compressed data 195. In a similar manner, the second intermediate point is "150.220" and the third intermediate data point is "500.0001". Therefore, the third compressed data becomes "350.000". The calculation for determining compressed data points is continued until the entire array of data points is converted to a single array of real numbers.

FIG. 42 generally describes the method of compressing mass spectrometry data, showing that the data file in block 201 is presented as an array of coefficients in block 202. The data starting point and maximum is determined as shown in block 203, and the intermediate real numbers are

-100-

calculated in block 204 as described above. With the intermediate data points generated, the compressed data is generated in block 205. The described compression method is highly advantageous and efficient for compressing data sets such as a processed data set from a mass spectrometry instrument. The method is particularly useful for data, such as mass spectrometry data, that uses large numbers and has been processed to have occasional lengthy gaps in x-axis data. Accordingly, an x-y data array for processed mass spectrometry data may be stored with an effective compression rate of 10x or more. Although the compression technique is applied to mass spectrometry data, it will be appreciated that the method may also advantageously be applied to other data sets.

Referring again to FIG. 25, peak heights are now determined in block 60. The first step in determining peak height is illustrated in FIG. 43 where the signal 210 is shifted left or right to correspond with the position of expected peaks. As the set of possible compositions in the biological sample is known before the mass spectrometry data is generated, the possible positioning of expected peaks is already known. These possible peaks are referred to as expected peaks, such as expected peaks 212, 214, and 216. Due to calibration or other errors in the test instrument data, the entire signal may be shifted left or right from its actual position, therefore, putative peaks located in the signal, such as putative peaks 218, 222, and 224 may be compared to the expected peaks 212, 214, and 216, respectively. The entire signal is then shifted such that the putative peaks align more closely with the expected peaks.

Once the putative peaks have been shifted to match expected peaks, the strongest putative peak is identified in FIG. 44. In a preferred embodiment, the strongest peak is calculated as a combination of analyzing the overall peak height and area beneath the peak. For example, a moderately high but wide peak would be stronger than a very high peak that is extremely narrow. With the strongest putative peak identified, such as putative peak 225, a Gaussian curve is fit to the peak 225. Once the Gaussian is fit, the width (W) of the Gaussian is determined and will be used as the peak width for future calculations.

-101-

As generally addressed above, the denoised, shifted, and baseline-corrected signal is not sufficiently processed for confidently calling the DNA composition of the biological sample. For example, although the baseline has generally been removed, there are still residual baseline effects present. These residual baseline effects are therefore removed to increase the accuracy and confidence in making identifications.

To remove the residual baseline effects, FIG. 45 shows that the putative peaks 218, 222, and 224 are removed from the baseline corrected signal. The peaks are removed by identifying a center line 230, 232, and 234 of the putative peaks 218, 222, and 224, respectively and removing an area to the left and to the right of the identified center line. For each putative peak, an area equal to twice the width (W) of the Gaussian is removed from the left of the center line, while an area equivalent to 50 daltons is removed from the right of the center line. It has been found that the area representing 50 daltons is adequate to sufficiently remove the effect of salt adducts which may be associated with an actual peak. Such adducts appear to the right of an actual peak and are a natural effect from the chemistry involved in acquiring a mass spectrum. Although a 50 Dalton buffer has been selected, it will be appreciated that other ranges or methods can be used to reduce or eliminate adduct effects.

The peaks are removed and remaining minima 247 located as shown in FIG. 46 with the minima 247 connected to create signal 245. A quartic polynomial is applied to signal 245 to generate a residual baseline 250 as shown in FIG. 47. The residual baseline 250 is subtracted from the signal 225 to generate the final signal 255 as indicated in FIG. 48. Although the residual baseline is the result of a quartic fit to signal 245, it will be appreciated that other techniques can be used to smooth or fit the residual baseline.

To determine peak height, as shown in FIG. 49, a Gaussian such as Gaussian 266, 268, and 270 is fit to each of the peaks, such as peaks 260, 262, and 264, respectively. Accordingly, the height of the Gaussian is determined as height 272, 274, and 276. Once the height of each Gaussian peak is determined, then the method of identifying a biological compound can move into the genotyping phase 65 as shown in FIG. 25.

-102-

An indication of the confidence that each putative peak is an actual peak can be discerned by calculating a signal-to-noise ratio for each putative peak. Accordingly, putative peaks with a strong signal-to-noise ratio are generally more likely to be an actual peak than a putative peak with a lower signal-to-noise ratio. As described above and shown in FIG. 50, the height of each peak, such as height 272, 274, and 276, is determined for each peak, with the height being an indicator of signal strength for each peak. The noise profile, such as noise profile 97, is extrapolated into noise profile 280 across the identified peaks. At the center line of each of the peaks, a noise value is determined, such as noise value 282, 283, and 284. With a signal values and a noise values generated, signal-to-noise ratios can be calculated for each peak. For example, the signal-to-noise ratio for the first peak in FIG. 50 would be calculated as signal value 272 divided by noise value 282, and in a similar manner the signal-to-noise ratio of the middle peak in FIG. 50 would be determined as signal 274 divided by noise value 283.

Although the signal-to-noise ratio is generally a useful indicator of the presence of an actual peak, further processing has been found to increase the confidence by which a sample can be identified. For example, the signal-to-noise ratio for each peak in the preferred embodiment is preferably adjusted by the goodness of fit between a Gaussian and each putative peak. It is a characteristic of a mass spectrometer that sample material is detected in a manner that generally complies with a normal distribution. Accordingly, greater confidence will be associated with a putative signal having a Gaussian shape than a signal that has a less normal distribution. The error resulting from having a non-Gaussian shape can be referred to as a "residual error".

Referring to FIG. 51, a residual error is calculated by taking a root mean square calculation between the Gaussian 293 and the putative peak 290 in the data signal. The calculation is performed on data within one width on either side of a center line of the Gaussian. The residual error is calculated as:

where G is the Gaussian signal value, R is the putative peak value, and N is the number of points from $-W$ to $+W$. The calculated residual error r is used to generate an adjusted signal-to-noise ratio, as described below.

-103-

An adjusted signal noise ratio is calculated for each putative peak using the formula $(S/N) * \text{EXP}(-1 * R)$, where S/N is the signal-to-noise ratio, and R is the residual error determined above. Although the preferred embodiment calculates an adjusted signal-to-noise ratio using a residual error for each peak, it will be appreciated that other techniques can be used to account for the goodness of fit between the Gaussian and the actual signal.

Referring now to FIG. 52, a probability is determined that a putative peak is an actual peak. In making the determination of peak probability, a probability profile 300 is generated where the adjusted signal-to-noise ratio is the x-axis and the probability is the y-axis. Probability is necessarily in the range between a 0% probability and a 100% probability, which is indicated as 1. Generally, the higher the adjusted signal-to-noise ratio, the greater the confidence that a putative peak is an actual peak.

At some target value for the adjusted signal-to-noise, it has been found that the probability is 100% that the putative peak is an actual peak and can confidently be used to identify the DNA composition of a biological sample. However, the target value of adjusted signal-to-noise ratio where the probability is assumed to be 100% is a variable parameter which is to be set according to application specific criteria. For example, the target signal-to-noise ratio will be adjusted depending upon trial experience, sample characteristics, and the acceptable error tolerance in the overall system. More specifically, for situations requiring a conservative approach where error cannot be tolerated, the target adjusted signal-to-noise ratio can be set to, for example, 10 and higher. Accordingly, 100% probability will not be assigned to a peak unless the adjusted signal-to-noise ratio is 10 or over.

In other situations, a more aggressive approach may be taken as sample data is more pronounced or the risk of error may be reduced. In such a situation, the system may be set to assume a 100% probability with a 5 or greater target signal-to-noise ratio. Of course, an intermediate signal-to-noise ratio target figure can be selected, such as 7, when a moderate risk of error can be assumed. Once the target adjusted signal-to-noise ratio is set for the method,

-104-

then for any adjusted signal-to-noise ratio a probability can be determined that a putative peak is an actual peak.

Due to the chemistry involved in performing an identification test, especially a mass spectrometry test of a sample prepared by DNA amplifications, the allelic ratio between the signal strength of the highest peak and the signal strength of the second (or third and so on) highest peak should fall within an expected ratio. If the allelic ratio falls outside of normal guidelines, the preferred embodiment imposes an allelic ratio penalty to the probability. For example, FIG. 53 shows an allelic penalty 315 which has an x-axis 317 that is the ratio between the signal strength of the second highest peak divided by signal strength of the highest peak. The y-axis 319 assigns a penalty between 0 and 1 depending on the determined allelic ratio. In the preferred embodiment, it is assumed that allelic ratios over 30% are within the expected range and therefore no penalty is applied. Between a ratio of 10% and 30%, the penalty is linearly increased until at allelic ratios below 10% it is assumed the second-highest peak is not real. For allelic ratios between 10% and 30%, the allelic penalty chart 315 is used to determine a penalty 319, which is multiplied by the peak probability determined in FIG. 52 to determine a final peak probability. Although the preferred embodiment incorporates an allelic ratio penalty to account for a possible chemistry error, it will be appreciated that other techniques may be used. Similar treatment will be applied to the other peaks.

With the peak probability of each peak determined, the statistical probability for various composition components may be determined. As an example, in order to determine the probability of each of three possible combinations of two peaks, -- peak G, peak C and combinations GG, CC and GC. FIG. 54 shows an example where a most probable peak 325 is determined to have a final peak probability of 90%. Peak 325 is positioned such that it represents a G component in the biological sample. Accordingly, it can be maintained that there is a 90% probability that G exists in the biological sample. Also in the example shown in FIG. 54, the second highest probability is peak 330 which has a peak probability of 20%. Peak 330 is at a position associated

-105-

with a C composition. Accordingly, it can be maintained that there is a 20% probability that C exists in the biological sample.

With the probability of G existing (90%) and the probability of C existing (20%) as a starting point, the probability of combinations of G and C existing can be calculated. For example, FIG. 54 indicates that the probability of GG existing 329 is calculated as 72%. This is calculated as the probability of GG is equal to the probability of G existing (90%) multiplied by the probability of C not existing (100% - 20%). So if the probability of G existing is 90% and the probability of C not existing is 80%, the probability of GG is 72%.

In a similar manner, the probability of CC existing is equivalent to the probability of C existing (20%) multiplied by the probability of G not existing (100% - 90%). As shown in FIG. 54, the probability of C existing is 20% while the probability of G not existing is 10%, so therefore the probability of CC is only 2%. Finally, the probability of GC existing is equal to the probability of G existing (90%) multiplied by the probability of C existing (20%). So if the probability of G existing is 90% and the probability of C existing is 20%, the probability of GC existing is 18%. In summary form, then, the probability of the composition of the biological sample is:

probability of GG: 72%;
probability of GC: 18%; and
probability of CC: 2%.

Once the probabilities of each of the possible combinations has been determined, FIG. 55 is used to decide whether or not sufficient confidence exists to call the genotype. FIG. 55 shows a call chart 335 which has an x-axis 337 which is the ratio of the highest combination probability to the second highest combination probability. The y-axis 339 simply indicates whether the ratio is sufficiently high to justify calling the genotype. The value of the ratio may be indicated by M 340. The value of M is set depending upon trial data, sample composition, and the ability to accept error. For example, the value M may be set relatively high, such as to a value 4 so that the highest probability must be at least four times greater than the second highest probability before confidence is established to call a genotype. However, if a certain level of error may be

-106-

acceptable, the value of M may be set to a more aggressive value, such as to 3, so that the ratio between the highest and second highest probabilities needs to be only a ratio of 3 or higher. Of course, moderate value may be selected for M when a moderate risk can be accepted. Using the example of FIG. 54, where
5 the probability of GG was 72% and the probability of GC was 18%, the ratio between 72% and 18% is 4.0, therefore, whether M is set to 3, 3.5, or 4, the system would call the genotype as GG. Although the preferred embodiment uses a ratio between the two highest peak probabilities to determine if a genotype confidently can be called, it will be appreciated that other methods
10 may be substituted. It will also be appreciated that the above techniques may be used for calculating probabilities and choosing genotypes (or more general DNA patterns) containing of combinations of more than two peaks.

Referring now to FIG. 56, a flow chart is shown generally defining the process of statistically calling genotype described above. In FIG. 56 block 402
15 shows that the height of each peak is determined and that in block 404 a noise profile is extrapolated for each peak. The signal is determined from the height of each peak in block 406 and the noise for each peak is determined using the noise profile in block 408. In block 410, the signal-to-noise ratio is calculated for each peak. To account for a non-Gaussian peak shape, a residual error is
20 determined in block 412 and an adjusted signal-to-noise ratio is calculated in block 414. Block 416 shows that a probability profile is developed, with the probability of each peak existing found in block 418. An allelic penalty may be applied in block 420, with the allelic penalty applied to the adjusted peak probability in block 422. The probability of each combination of components is
25 calculated in block 424 with the ratio between the two highest probabilities being determined in block 426. If the ratio of probabilities exceeds a threshold value then the genotype is called in block 428.

In another embodiment of the invention, the computing device 20 (Fig.
30 24) supports "standardless" genotyping by identifying data peaks that contain putative SNPs. Standardless genotyping is used, for example, where insufficient information is known about the samples to determine a distribution of expect d

-107-

peak locations, against which an allelic penalty as described above can be reliably calculated. This permits the computing device to be used for identification of peaks that contain putative SNPs from data generated by any assay that fragments a targeted DNA molecule. For such standardless

5 genotyping, peaks that are associated with an area under the data curve that deviates significantly from the typical area of other peaks in the data spectrum are identified and their corresponding mass (location along the x-axis) is determined.

More particularly, peaks that deviate significantly from the average area
10 of other peaks in the data are identified, and the expected allelic ratio between data peaks is defined in terms of the ratio of the area under the data peaks. Theoretically, where each genetic loci has the same molar concentration of analyte, the area under each corresponding peak should be the same, thus producing a 1.0 ratio of the peak area between any two peaks. In accordance
15 with the invention, peaks having a smaller ratio relative to the other peaks in the data will not be recognized as peaks. More particularly, peaks having an area ratio smaller than 30% relative to a nominal value for peak area will be assigned an allelic penalty. The mass of the remaining peaks (their location along the x-axis of the data) will be determined based on oligonucleotide standards.

20 Fig. 57 shows a flow diagram representation of the processing by the computing device 20 (Fig. 24) when performing standardless genotyping. In the first operation, represented by the flow diagram box numbered 502, the computing device receives data from the mass spectrometer. Next, the height of each putative peak in the data sample is determined, as indicated by the block
25 504. After the height of each peak in the mass spectrometer data is determined, a de-noise process 505 is performed, beginning with an extrapolation of the noise profile (block 506), followed by finding the noise of each peak (block 508) and calculating the signal to noise ratio for each data sample (block 510). Each of these operations may be performed in accordance
30 with the description above for denoise operations 45 of Fig. 25. Other suitable denoise operations will occur to those skilled in the art.

-108-

The next operation is to find the residual error associated with each data point. This is represented by the block 512 in Figure 57. The next step, block 514, involves calculating an adjusted signal to noise ratio for each identified peak. A probability profile is developed next (block 516), followed by a
5 determination of the peak probabilities at block 518. In the preferred embodiment, the denoise operations of Fig. 57, comprising block 502 to block 518, comprise the corresponding operations described above in conjunction with Fig. 56 for block 402 through block 418, respectively.

The next action for the standardless genotype processing is to determine
10 an allelic penalty for each peak, indicated by the block 524. As noted above, the standardless genotype processing of Fig. 57 determines an allelic penalty by comparing area under the peaks. Therefore, rather than compare signal strength ratios to determine an allelic penalty, such as described above for Fig. 53, the standardless processing determines the area under each of the identified peaks
15 and compares the ratio of those areas. Determining the area under each peak may be computed using conventional numerical analysis techniques for calculating the area under a curve for experimental data.

Thus, the allelic penalty is assigned in accordance with Fig. 58, which shows that no penalty is assigned to peaks having a peak area relative to an
20 expected average area value that is greater than 0.30 (30%). The allelic penalty is applied to the peak probability value, which may be determined according to the process such as described in Fig. 52. It should be apparent from Fig. 58 that the allelic penalty imposed for peaks below a ratio of 30% is that such peaks will be removed from further measurement and processing. Other penalty
25 schemes, however, may be imposed in accordance with knowledge about the data being processed, as determined by those skilled in the art.

After the allelic penalty has been determined and applied, the standardless genotype processing compares the location of the remaining putative peaks to oligonucleotide standards to determine corresponding masses
30 in the processing for block 524. For standardless genotype data, the processing of the block 524 is performed to determine mass and genotype, rather than performing the operations corresponding to block 424, 426, and 428 of Fig. 33.

-109-

Techniques for performing such comparisons and determining mass will be known to those skilled in the art.

In another embodiment, the computing device 20 (Fig. 24) permits the detection and determination of the mass (location along the x-axis of the data) of the sense and antisense strand of fragments generated in the assay. If desired, the computing device may also detect and determine the quantity (area under each peak) of the respective sense and antisense strands, using a similar technique to that described above for standardless genotype processing. The data generated for each type of strand may then be combined to achieve a data redundancy and to thereby increase the confidence level of the determined genotype. This technique obviates primer peaks that are often observed in data from other diagnostic methods, thereby permitting a higher level of multiplexing. In addition, when quantitation is used in pooling experiments, the ratio of the measured peak areas is more reliably calculated than the peak identifying technique, due to data redundancy.

Fig. 23 is a flow diagram that illustrates the processing implemented by the computing device 20 to perform sense and antisense processing. In the first operation, represented by the flow diagram box numbered 602, the computing device receives data from the mass spectrometer. This data will include data for the sense strand and antisense strand of assay fragments. Next, the height of each putative peak in the data sample is determined, as indicated by the block 604. After the height of each peak in the mass spectrometer data is determined, a de-noise process 605 is performed, beginning with an operation that extrapolates the noise profile (block 606), followed by finding the noise of each peak (block 608) and calculating the signal to noise ratio for each data sample (block 610). Each of these operations may be performed in accordance with the description above for the denoise operations 45 of Fig. 25. Other suitable denoise operations will occur to those skilled in the art. The next operation is to find the residual error associated with each data point. This is represented by the block 612 in Figure 36.

After the residual error for the data of the sense strand and antisense strand has been performed, processing to identify the genotypes will be

-110-

performed for the sense strand and also for the antisense strand. Therefore, Fig. 23 shows that processing includes sense strand processing (block 630) and antisense strand processing (block 640). Each block 630, 640 includes processing that corresponds to adjusting the signal to noise ratio, developing a probability profile, determining an allelic penalty, adjusting the peak probability by the allelic penalty, calculating genotype probabilities, and testing genotype probability ratios, such as described above in conjunction with blocks 414 through 426 of Fig. 56. The processing of each block 630, 640 may, if desired, include standardless processing operations such as described above in conjunction with Fig. 57. The standardless processing may be included in place of or in addition to the processing operations of Fig. 56.

After the genotype probability processing is completed, the data from the sense strand and antisense strand processing is combined and compared to expected database values to obtain the benefits of data redundancy as between the sense strand and antisense strand. Those skilled in the art will understand techniques to take advantage of known data redundancies between a sense strand and antisense strand of assay fragments. This processing is represented by the block 650. After the data from the two strands is combined for processing, the genotype processing is performed (block 660) and the genotype is identified.

Since modifications will be apparent to those of skill in this art, it is intended that this invention be limited only by the scope of the appended claims.

-111-

WHAT IS CLAIMED IS:

1. A subcollection of samples from a target population, comprising:
a plurality of samples, wherein the samples are selected from the group
consisting of blood, tissue, body fluid, cell, seed, microbe, pathogen and
5 reproductive tissue samples; and
a symbology on the containers containing the samples, wherein the
symbology is representative of the source and/or history of each sample,
wherein:
the target population is a healthy population that has not been selected
10 for any disease state;
the collection comprises samples from the healthy population; and
the subcollection is obtained by sorting the collection according to
specified parameters.
2. The subcollection of claim 1, wherein the parameters are selected
15 from the group consisting of ethnicity, age, gender, height, weight, alcohol
intake, number of pregnancies, number of live births, vegetarians, type of
physical activity, state of residence and/or length of residence in a particular
state, educational level, age of parent at death, cause of parent death, former or
current smoker, length of time as a smoker, frequency of smoking, occurrence
20 of a disease in immediate family (parent, siblings, children), use of prescription
drugs and/or reason therefor, length and/or number of hospital stays and
exposure to environmental factors.
3. The subcollection of claim 1, wherein the symbology is a bar code.
4. A method of producing a database, comprising:
25 identifying healthy members of a population;
obtaining data comprising identifying information and obtaining historical
information and data relating to the identified members of the population and
their immediate family;
entering the data into a database for each member of the population and
30 associating the member and the data with an indexer.
5. The method of claim 4, further comprising:
obtaining a body tissue or body fluid sample;

-112-

analyzing the body tissue or body fluid in the sample; and
entering the results of the analysis for each member into the database
and associating each result with the indexer representative of each member.

6. A database produced by the method of claim 4.

5 7. A database produced by the method of claim 5.

8. A database, comprising:

datapoints representative of a plurality of healthy organisms from
whom biological samples are obtained,

10 wherein each datapoint is associated with data representative of
the organism type and other identifying information.

9. The database of claim 8, wherein the datapoints are answers to
questions regarding one or more of a parameters selected from the group
consisting of ethnicity, age, gender, height, weight, alcohol intake, number of
pregnancies, number of live births, vegetarians, type of physical activity, state of
15 residence and/or length of residence in a particular state, educational level, age
of parent at death, cause of parent death, former or current smoker, length of
time as a smoker, frequency of smoking, occurrence of a disease in immediate
family (parent, siblings, children), use of prescription drugs and/or reason
therefor, length and/or number of hospital stays and exposure to environmental
20 factors.

10. The database of claim 9, wherein the organisms are mammals and
the samples are body fluids or tissues.

11. The database of claim 9, wherein the samples are selected from
blood, blood fractions, cells and subcellular organelles.

25 12 The database of claim 8, further comprising,
phenotypic data from an organism.

13. The database of claim 12, wherein the data includes one of physical
characteristics, background data, medical data, and historical data.

30 14. The database of claim 8, further comprising,
genotypic data from nucleic acid obtained from an organism.

-113-

15. The database of claim 14, wherein genotypic data includes, genetic markers, non-coding regions, microsatellites, RFLPs, VNTRs, historical data of the organism, medical history, and phenotypic information.

16. The database of claim 8 that is a relational database.

5 17. The database of claim 16, wherein the data are related to an indexer datapoint representative of each organism from whom data is obtained.

18. A method of identifying polymorphisms that are candidate genetic markers, comprising:

identifying a polymorphism; and

10 identifying any pathway or gene linked to the locus of the polymorphism, wherein

the polymorphisms are identified in samples associated with a target population that comprises healthy subjects.

19. The method of claim 18, wherein the polymorphism is identified by
15 detecting the presence of target nucleic acids in a sample by a method, comprising the steps of:

a) hybridizing a first oligonucleotide to the target nucleic acid;

b) hybridizing a second oligonucleotide to an adjacent region of the target nucleic acid;

20 c) ligating the hybridized oligonucleotides; and

c) detecting hybridized first oligonucleotide by mass spectrometry as an indication of the presence of the target nucleic acid.

20. The method of claim 18, wherein the polymorphism is identified by detecting target nucleic acids in a sample by a method, comprising the steps of:

25 a) hybridizing a first oligonucleotide to the target nucleic acid and hybridizing a second oligonucleotide to an adjacent region of the target nucleic acid;

b) contacting the hybridized first and second oligonucleotides with a cleavage enzyme to form a cleavage product; and

30 c) detecting the cleavage product by mass spectrometry as an indication of the presence of the target nucleic acid.

-114-

21. The method of claim 20 wherein the samples are from subjects in a healthy database.

22. The method of claim 18, wherein the polymorphism is identified by identifying target nucleic acids in a sample by primer oligo base extension
5 (probe).

23. The method of 22, wherein primer oligo base extension, comprises:

- a) obtaining a nucleic acid molecule that contains a target nucleotide;
- b) optionally immobilizing the nucleic acid molecule onto a solid support,
10 to produce an immobilized nucleic acid molecule;
- c) hybridizing the nucleic acid molecule with a primer oligonucleotide that is complementary to the nucleic acid molecule at a site adjacent to the target nucleotide;
- d) contacting the product of step c) with a composition comprising a
15 dideoxynucleoside triphosphate or a 3'-deoxynucleoside triphosphates and a polymerase, so that only a dideoxynucleoside or 3'-deoxynucleoside triphosphate that is complementary to the target nucleotide is extended onto the primer; and
- e) detecting the extended primer, thereby identifying the target nucleotide.

20 24. The method of claim 23, wherein detection of the extended primer is effected by mass spectrometry, comprising:
ionizing and volatilizing the product of step d) ; and
detecting the extended primer by mass spectrometry, thereby identifying the target nucleotide.

25 25. The method of claim 24, wherein;
samples are presented to the mass spectrometer as arrays on chips; and
each sample occupies a volume that is about the size of the laser spot projected by the laser in a mass spectrometer used in matrix-assisted laser desorption/ionization (MALDI) spectrometry.

-115-

26. A combination, comprising:
a database containing parameters associated with a datapoint
representative of a subject from whom samples are obtained, wherein the
subjects are healthy; and

5 an indexed collection of the samples, wherein the index identifies the
subject from whom the sample was obtained.

27 The combination of claim 26, wherein the parameter is selected
from the group consisting of ethnicity, age, gender, height, weight, alcohol
intake, number of pregnancies, number of live births, vegetarians, type of
10 physical activity, state of residence and/or length of residence in a particular
state, educational level, age of parent at death, cause of parent death, former or
current smoker, length of time as a smoker, frequency of smoking, occurrence
of disease in immediate family (parent, siblings, children), use of prescription
drugs and/or reason therefor, length and/or number of hospital stays and
15 exposure to environmental factors.

28. The combination of claim 26, wherein the database further
contains genotypic data for each subject.

29. The combination of claim 26, wherein the samples are blood.

30 A data storage medium, comprising the database of claim 8.

20 31. A computer system, comprising the database of claim 8.

32. A system for high throughput processing of biological samples,
comprising:

a process line comprising a plurality of processing stations, each of which
performs a procedure on a biological sample contained in a
25 reaction vessel;

a robotic system that transports the reaction vessel from processing
station to processing station;

a data analysis system that receives test results of the process line and
automatically processes the test results to make a determination
30 regarding the biological sample in the reaction vessel;

a control system that determines when the test at each processing
station is complete and, in response, moves the reaction vessel to

-116-

the next test station, and continuously processes reaction vessels one after another until the control system receives a stop instruction; and

5 a database of claim 8, wherein the samples tested by the automated process line comprise samples from subjects in the database.

33. The system of claim 32, wherein one of the processing stations comprises a mass spectrometer.

34. The system of claim 32, wherein the data analysis system processes the test results by receiving test data from the mass spectrometer
10 such that the test data for a biological sample contains one or more signals, whereupon the data analysis system determines the area under the curve of each signal and normalizes the results thereof and obtains a substantially quantitative result representative of the relative amounts of components in the tested sample.

15 35. A method for high throughput processing of biological samples, the method comprising:

transporting a reaction vessel along a system of claim 32, comprising a process line having a plurality of processing stations, each of which performs a procedure on one or more biological samples
20 contained in the reaction vessel;

determining when the test procedure at each processing station is complete and, in response, moving the reaction vessel to the next processing station;

receiving test results of the process line and automatically processing the
25 test results to make a data analysis determination regarding the biological samples in the reaction vessel; and

processing reaction vessels continuously one after another until receiving a stop instruction, wherein the samples tested by the automated process line comprise samples from subjects in the database.

30 36. The method of 35, wherein one of the processing stations comprises a mass spectrometer.

-117-

37. The method of claim 36, wherein the samples are analyzed by a method comprising primer oligo base extension (probe).

38. The method of claim 37, further comprising:

processing the test results by receiving test data from the mass spectrometer such that the test data for a biological sample contains one or more signals or numerical values representative of signals, whereupon the data analysis system determines the area under the curve of each signal and normalizes the results thereof and obtains a substantially quantitative result representative of the relative amounts of components in the tested sample.

39. The method of claim 37, wherein primer oligo base extension, comprises:

a) obtaining a nucleic acid molecule that contains a target nucleotide;

b) optionally immobilizing the nucleic acid molecule onto a solid support, to produce an immobilized nucleic acid molecule;

c) hybridizing the nucleic acid molecule with a primer oligonucleotide that is complementary to the nucleic acid molecule at a site adjacent to the target nucleotide;

d) contacting the product of step c) with composition comprising a dideoxynucleoside triphosphate or a 3'-deoxynucleoside triphosphates and a polymerase, so that only a dideoxynucleoside or 3'-deoxynucleoside triphosphate that is complementary to the target nucleotide is extended onto the primer; and
e) detecting the primer, thereby identifying the target nucleotide.

40. The method of 39, wherein detection of the extended primer is effected by mass spectrometry, comprising:

ionizing and volatilizing the product of step d); and

detecting the extended primer by mass spectrometry, thereby identifying the target nucleotide.

41. The method of claim 36, wherein the target nucleic acids in the sample are detected and/or identified by a method, comprising the steps of:

a) hybridizing a first oligonucleotide to the target nucleic acid;

b) hybridizing a second oligonucleotide to an adjacent region of the target nucleic acid;

-118-

c) ligating then hybridized oligonucleotides; and
c) detecting hybridized first oligonucleotide by mass spectrometry as an indication of the presence of the target nucleic acid.

42. The method of claim 36, wherein the target nucleic acids in the
5 sample are detected and/or identified by a method, comprising the steps of:

a) hybridizing a first oligonucleotide to the target nucleic acid and hybridizing a second oligonucleotide to an adjacent region of the target nucleic acid;

b) contacting the hybridized first and second oligonucleotides with a
10 cleavage enzyme to form a cleavage product; and

c) detecting the cleavage product by mass spectrometry as an indication of the presence of the target nucleic acid.

43. A method of producing a database stored in a computer memory, comprising:

15 identifying healthy members of a population;

obtaining identifying and historical information and data relating to the identified members of the population;

entering the member-related data into the computer memory database for each identified member of the population and associating the member and the
20 data with an indexer.

44. The method of claim 43, further comprising:

obtaining a body tissue or body fluid sample of an identified member;

analyzing the body tissue or body fluid in the sample; and

entering the results of the analysis for each member into the computer
25 memory database and associating each result with the indexer representative of each member.

45. A database produced by the method of claim 43.

46. A database produced by the method of claim 44.

47. The database of claim 8, wherein:

30 the organisms are selected from among animals, bacteria, fungi, protozoans and parasites and

-119-

each datapoint is associated with parameters representative of the organism type and identifying information.

48. The database of claim 43, further comprising, phenotypic data regarding each subject.

5 49. The database of claim 47 that is a relational database and the parameters are the answers to the questions in the questionnaire.

50. The database of claim 8, further comprising, genotypic data of nucleic acid of the subject, wherein genotypic data includes, but is not limited to, genetic markers, non-coding regions,
10 microsatellites, restriction fragment length polymorphisms (RFLPs), variable number tandem repeats (VNTRs), historical day of the organism, the medical history of the subject, phenotypic information, and other information.

51. A database, comprising data records stored in computer memory, wherein the data records contain information that identifies healthy members of
15 a population, and also contain identifying and historical information and data relating to the identified members.

52. The database of claim 51, further comprising an index value for each identified member that associates each member of the population with the identifying and historical information and data.

20 53. A computer system, comprising the database of claim 51.

54. An automated process line, comprising the database of claim 51.

55. A method for determining a polymorphism that correlates with age, ethnicity or gender, comprising:

identifying a polymorphism; and
25 determining the frequency of the polymorphism with increasing age, with ethnicity or with gender in a healthy population.

56. A method for determining whether a polymorphism correlates with susceptibility to morbidity, early mortality, or morbidity and early mortality, comprising;

30 identifying a polymorphism; and
determining the frequency of the polymorphism with increasing age in a healthy population.

-120-

57. A high throughput method of determining frequencies of genetic variations, comprising:

selecting a healthy target population and a genetic variation to be assessed;

5 pooling a plurality of samples of biopolymers obtained from members of the population,

determining or detecting the biopolymer that comprises the variation by mass spectrometry;

obtaining a mass spectrum or a digital representation thereof; and

10 determining the frequency of the variation in the population.

58. The method of claim 57, wherein:

the variation is selected from the group consisting of an allelic variation, a post-translational modification, a nucleic modification, a label, a mass modification of a nucleic acid and methylation; and/or

15 the biopolymer is a nucleic acid, a protein, a polysaccharide, a lipid, a small organic metabolite or intermediate, wherein the concentration of biopolymer of interest is the same in each of the samples; and/or

the frequency is determined by assessing the method comprising determining the area under the peak in the mass spectrum or digital
20 representation thereof corresponding to the mass of the biopolymer comprising the genomic variation.

59. The method of claim 58, wherein the method for determining the frequency is effected by determining the ratio of the signal or the digital representation thereof to the total area of the entire mass spectrum, which is
25 corrected for background.

60. A method for discovery of a polymorphism in a population, comprising:

sorting the database of claim 8 according to a selected parameter to identify samples that match the selected parameter;

30 isolating a biopolymer from each identified sample;

optionally pooling each isolated biopolymer;

optionally amplifying the amount of biopolymer;

-121-

cleaving the pooled biopolymers to produce fragments thereof;
obtaining a mass spectrum of the resulting fragments and comparing the
mass spectrum with a control mass spectrum to identify differences between the
spectra and thereby identifying any polymorphisms; wherein:

5 the control mass spectrum is obtained from unsorted samples in the
collection or samples sorted according to a different parameter.

61. The method of claim 60, wherein cleaving is effected by contacting
the biopolymer with an enzyme.

62. The method of claim 61, wherein the enzyme is selected from the
10 group consisting of nucleotide glycosylase, a nickase and a type IIS restriction
enzyme.

63. The method of claim 60, wherein the biopolymer is a nucleic acid
or a protein.

64. The method of claim 60, wherein the the mass spectrometric
15 format is selected from among Matrix-Assisted Laser Desorption/Ionization,
Time-of-Flight (MALDI-TOF), Electrospray (ES), IR-MALDI, Ion Cyclotron
Resonance (ICR), Fourier Transform and combinations thereof.

65. A method for discovery of a polymorphism in a population,
comprising:
20 obtaining samples of body tissue or fluid from a plurality of organisms;
isolating a biopolymer from each sample;
pooling each isolated biopolymer;
optionally amplifying the amount of biopolymer;
cleaving the pooled biopolymers to produce fragments thereof;
25 obtaining a mass spectrum of the resulting fragments;
comparing the frequency of each fragment to identify fragments present
in amounts lower than the average frequency, thereby identifying any
polymorphisms.

66. The method of claim 65, wherein cleaving is effected by contacting
30 the biopolymer with an enzyme.

-122-

67. The method of claim 66, wherein the enzyme is selected from the group consisting of nucleotide glycosylase, a nickase and a type IIS restriction enzyme.

68. The method of claim 65, wherein the biopolymer is a nucleic acid
5 or a protein.

69. The method of claim 65, wherein the mass spectrometric format is selected from among Matrix-Assisted Laser Desorption/Ionization, Time-of-Flight (MALDI-TOF), Electrospray (ES), IR-MALDI, Ion Cyclotron Resonance (ICR), Fourier Transform and combinations thereof.

10 70. The method of claim 65, wherein the samples are obtained from healthy subjects.

71. A method of correlating a polymorphism with a parameter, comprising:

15 sorting the database of claim 8 according to a selected parameter to identify samples that match the selected parameter;

isolating a biopolymer from each identified sample;

pooling each isolated biopolymer;

optionally amplifying the amount of biopolymer;

20 determining the frequency of the polymorphism in the pooled biopolymers, wherein:

an alteration of the frequency of the polymorphism compared to a control, indicates a correlation of the polymorphism with the selected parameter; and

25 the control is the frequency of the polymorphism in pooled biopolymers obtained from samples identified from an unsorted database or from a database sorting according to a different parameter.

72. The method claim 71, wherein the parameter is selected from the group consisting of ethnicity, age, gender, height, weight, alcohol intake, number of pregnancies, number of live births, vegetarians, type of physical activity, state of residence and/or length of residence in a particular state,
30 educational level, age of parent at death, cause of parent death, former or current smoker, length of time as a smoker, frequency of smoking, occurrence of a disease in immediate family (parent, siblings, children), use of prescription

-123-

drugs and/or reason therefor, length and/or number of hospital stays and exposure to environmental factors.

73. The method claim 72, wherein the parameter is occurrence of disease or a particular disease in an immediate family member, thereby
5 correlating the polymorphism with the disease.

74. The method of claim 71, wherein the pooled biopolymers are pooled nucleic acid molecules.

75. The method of claim 74, wherein the polymorphism is detected by primer oligo base extension (PROBE).

10 76. The method of 75, wherein primer oligo base extension, comprises:

a) optionally immobilizing the nucleic acid molecules onto a solid support, to produce immobilized nucleic acid molecules;

b) hybridizing the nucleic acid molecules with a primer oligonucleotide
15 that is complementary to the nucleic acid molecule at a site adjacent to the polymorphism;

c) contacting the product of step c) with composition comprising a dideoxynucleoside triphosphate or a 3'-deoxynucleoside triphosphates and a polymerase, so that only a dideoxynucleoside or 3'-deoxynucleoside triphosphate
20 that is complementary to the polymorphism is extended onto the primer; and

d) detecting the extended primer, thereby detecting the polymorphism in nucleic acid molecules in the pooled nucleic acids.

77. The method of claim 76, wherein detecting is effected by mass spectrometry.

25 78. The method of claim 71, wherein the frequency is percentage of nucleic acid molecules in the pooled nucleic acids that contain the polymorphism.

79. The method of claim 78, wherein the ratio is determined by obtaining mass spectra of the pooled nucleic acids.

30 80. The method of claim 72, wherein the parameter is age, thereby correlating the polymorphism with suceptibility to morbidity, early mortality or morbidity and early mortality.

-124-

81. A method for haplotyping polymorphisms in a nucleic acid, comprising:

- (a) sorting the database of claim 8 according to a selected parameter to identify samples that match the selected parameter;
- 5 (b) isolating nucleic acid from each identified sample;
- (c) optionally pooling each isolated nucleic acid;
- (d) amplifying the amount of nucleic acid;
- (e) forming single-stranded nucleic acid and splitting each single-strand into a separate reaction vessel;
- 10 (f) contacting each single-stranded nucleic acid with an adaptor nucleic acid to form an adaptor complex;
- (g) contacting the adaptor complex with a nuclease and a ligase;
- (h) contacting the products of step (g) with a mixture that is capable of amplifying a ligated adaptor to produce an extended product;
- 15 (i) obtaining a mass spectrum of each nucleic acid resulting from step (h) and detecting a polymorphism by identifying a signal corresponding to the extended product;
- (j) repeating steps (f) through (i) utilizing an adaptor nucleic acid able to hybridize with another adapter nucleic acid that hybridizes to a different
20 sequence on the same strand; whereby
the polymorphisms are haplotyped by detecting more than one extended product.

82. The method of claim 1, wherein the nuclease is Fen-1.

83. A method for haplotyping polymorphisms in a population, comprising:

- sorting the database of claim 8 according to a selected parameter to identify samples that match the selected parameter;
- isolating a nucleic acid from each identified sample;
- pooling each isolated nucleic acid;
- 30 optionally amplifying the amount of nucleic acid;
- contacting the nucleic acid with at least one enzyme to produce fragments thereof;

-125-

obtaining a mass spectrum of the resulting fragments; whereby:
the polymorphisms are detected by detecting signals corresponding to the
polymorphisms; and

the polymorphisms are haplotyped by determining from the mass
5 spectrum that the polymorphisms are located on the same strand of the nucleic
acid.

84. The method of claim 83, wherein the enzyme is a nickase.

85. The method of claim 84, wherein the nickase is selected from the
group consisting of NY2A and NYS1.

10 86. A method for detecting methylated nucleotides within a nucleic
acid sample, comprising:

splitting a nucleic acid sample into separate reaction vessels;

contacting nucleic acid in one reaction vessel with bisulfite;

amplifying the nucleic acid in each reaction vessel;

15 cleaving the nucleic acids in each reaction vessel to produce fragments
thereof;

obtaining a mass spectrum of the resulting fragments from one reaction
vessel and another mass spectrum of the resulting fragments from another
reaction vessel; whereby:

20 cytosine methylation is detected by identifying a difference in signals
between the mass spectra.

87. The method of claim 86, wherein:

the step of amplifying is carried out in the presence of uracil; and

the step of cleaving is effected by a uracil glycosylase.

25 88. A method for identifying a biological sample, comprising:
generating a data set indicative of the composition of the biological
sample;

denoising the data set to generate denoised data;

deleting the baseline from the denoised data to generate an intermediate

30 data
set;

defining putative peaks for the biological sample;

-126-

using the putative peaks to generate a residual baseline;
removing the residual baseline from the intermediate data set to generate
a corrected data set;

5 locating, responsive to removing the residual baseline, a probable peak in
the
corrected data set; and

identifying, using the located probable peak, the biological sample;
wherein the generated biological sample data set comprises data from
sense

10 strands and antisense strands of assay fragments.

89. The method according to claim 88, wherein identifying includes
combining
data from the sense strands and the antisense strands, and comparing the data
against expected sense strand and antisense strand values, to identify the
15 biological
sample.

90. The method according to claim 88, wherein identifying includes
deriving a peak probability for the probable peak, in accordance with whether the
probable peak is from sense strand data or from antisense strand data.

20 91. The method according to claim 88, wherein identifying includes
deriving a peak probability for the probable peak and applying an allelic penalty in
response to a
ratio between a calculated area under the probable peak and a calculated
expected average area under all peaks in the data set.

25 92. A method for identifying a biological sample, comprising:
generating a data set indicative of the composition of the biological
sample;

denoising the data set to generate denoised data;
deleting the baseline from the denoised data to generate an intermediate
30 data
set;

-127-

- defining putative peaks for the biological sample; using the
putative peaks to generate a residual baseline;
removing the residual baseline from the intermediate data set to generate
a
5 corrected data set;
locating, responsive to removing the residual baseline, a probable peak in
the corrected data set; and
identifying, using the located probable peak, the biological sample;
wherein identifying includes deriving a peak probability for the probable
10 peak and
applying an allelic penalty in response to a ratio between a calculated
area under the
probable peak and a calculated expected average area under all peaks in the data
set.
- 15 93. The method according to claim 92, wherein identifying includes
comparing
data from probable peaks that did not receive an applied allelic penalty to
determine their mass in accordance with oligonucleotide biological data.
- 20 94. The method according to claim 92, wherein the allelic penalty is
not applied to probable peaks whose ratio of area under the peak to the
expected area value is greater than 30%.
95. A method for detecting a polymorphism in a nucleic acid,
comprising:
25 amplifying a region of the nucleic acid to produce an amplicon, wherein
the resulting amplicon comprises one or more enzyme restriction sites;
contacting the amplicon with a restriction enzyme to produce fragments;
obtaining a mass spectrum of the resulting fragments and analyzing
signals in the mass spectrum by the method of claim 88; whereby:
the polymorphism is detected from the pattern of the signals.
- 30 96. A subcollection of samples from a target population, comprising:
a plurality of samples, wherein the samples are selected from the group
consisting of nucleic acids, fetal tissue, protein samples; and

-128-

a symbology on the containers containing the samples, wherein the symbology is representative of the source and/or history of each sample, wherein:

the target population is a healthy population that has not been selected
5 for any disease state;

the collection comprises samples from the healthy population; and

the subcollection is obtained by sorting the collection according to specified parameters.

97. The combination of claim 26, wherein the samples are selected
10 selected from the group consisting of nucleic acids, fetal tissue, protein, tissue, body fluid, cell, seed, microbe, pathogen and reproductive tissue samples.

98. A combination, comprising the database of claim 8 and a mass spectrometer.

99. The combination of claim 98 that is an automated process line for
15 analyzing biological samples.

100. A system for high throughput processing of biological samples, comprising:

a database of claim 8, wherein the samples tested by the automated process line comprise samples from subjects in the database; and

20 a mass spectrometry for analysis of biopolymers in the samples.

DNA Bank




FIG. 1A

SUBSTITUTE SHEET (RULE 26)

2 / 51

Caucasians

Number of Samples	2801
-------------------	------




FIG. 1B

SUBSTITUTE SHEET (RULE 26)

3 / 51

Hispanics

Number of Samples	495
-------------------	-----






FIG. 1C

SUBSTITUTE SHEET (RULE 26)

4/51




age- and sex-distribution of the 291S allele of the lipoprotein lipase gene. A total of 436 males and 586 females were investigated.

FIG. 2A

Age- related distribution of the 291S allele of the lipoprotein lipase gene within the male Caucasian population. A total of 436 males were tested.

FIG. 2B

5/ 51



Significance: Allele frequency of Ser291 drops from 1.97% to 0.54% in males; $p=0.009$

FIG. 2C

6/51

Questionnaire for
Population-Based
Sample Banking

Data Collection Form

Collection Information

Consent Form Signed Yes No
Date of Collection (MM/DD/YY)___/___/98
Time of Sample Collection(nearest hour in 24 hour clock format)_____
Initials of Data Collector_____Collecting Agency_____
(DO NOT COMPLETE: (For Date Entry Only)Sample_____intact_____lost_____broken



Affix Barcode Here

Donor information

Sex: ☐ Male ☐ Female Date of Birth (MM/YY)___/___
In which state do you live? _____ How long have you lived there ? _____ Years
What is your highest grade you completed in school?
☐ less than 8th grade ☐ 8th,9th,10th or 11th grade ☐ high school graduate or equivalency
☐ some college 2 yr degree ☐ college graduate 4 yr degree ☐ post graduate education or degree

To the best of your knowledge what is the Ethnic Origin of your:

Father	Mother	
<input type="checkbox"/>	<input type="checkbox"/>	Caucasian (please check specific geographic area below if known)
<input type="checkbox"/>	<input type="checkbox"/>	Northern Europe (Austria,Denmark,Finland,France,Germany,Netherlands,Norway,Sweden,Switzerland,U.K.)
<input type="checkbox"/>	<input type="checkbox"/>	Southern Europe (Greece,Italy,Spain)
<input type="checkbox"/>	<input type="checkbox"/>	Eastern Europe (Czechoslovakia,Hungary,Poland,Russia,Yugoslavia)
<input type="checkbox"/>	<input type="checkbox"/>	Middle Eastern (Israel,Egypt,Iran,Iraq,Jordan,Syria, other Arab States)
<input type="checkbox"/>	<input type="checkbox"/>	African-American
<input type="checkbox"/>	<input type="checkbox"/>	Hispanic (please check specific geographic area below if known)
<input type="checkbox"/>	<input type="checkbox"/>	Mexico
<input type="checkbox"/>	<input type="checkbox"/>	Central America,South American
<input type="checkbox"/>	<input type="checkbox"/>	Cuba,Puerto Rico, other Caribbean
<input type="checkbox"/>	<input type="checkbox"/>	Asian (please check specific geographic area below if known)
<input type="checkbox"/>	<input type="checkbox"/>	Japanese
<input type="checkbox"/>	<input type="checkbox"/>	Chinese
<input type="checkbox"/>	<input type="checkbox"/>	Korean
<input type="checkbox"/>	<input type="checkbox"/>	Vietnamese
<input type="checkbox"/>	<input type="checkbox"/>	other Asian
<input type="checkbox"/>	<input type="checkbox"/>	Other _____
<input type="checkbox"/>	<input type="checkbox"/>	Don't know

Health information: Have you or has anyone in your immediate family(parents,brothers,sisters, or your children) had the following? Check all that apply

Disease: You Mother Father Sister Brother Child

Heart Disease Stroke or Arteriosclerosis
Cancer (Specify type if known)
Alzheimer's Disease or Dementia
Chronic inflammatory or Autoimmune Disease
Nervous System Disease like Multiple Sclerosis
Other (please specify)

Additional health information details you would like to provide:

FIG. 3

SUBSTITUTE SHEET (RULE 26)

7/51

Sample Banks




FIG. 4

8/51

Age-Related Distribution of "Sick" and "Healthy" Alleles in a "Healthy" Population




FIG. 5

9/ 51




FIG. 6

10/51




FIG. 7A





FIG. 7B

12/51

FIG. 7C
P53 PP vs. PR/RR Genotype Distribution
By Age cut point = 59



Sample Size : 1735
 χ^2 : 5.2 (1 d.f.), P = 0.02

Genomic Organization of the p53 Gene




FIG. 7D

14/51




FIG. 8

15/51




FIG. 9

16/51




FIG. 10

17/51




FIG. 11




FIG. 12A

SUBSTITUTE SHEET (RULE 26)




FIG. 12B




FIG. 12C






FIG. 12D




African Ile 43.6% Val 56.4%

FIG. 13A




Caucasian Ile 63.0% Val 37.0%

FIG. 13C



Asian Ile 60.7% Val 39.3%

FIG. 13B



Hispanic Ile 70.1% Val 29.9%

FIG. 13D

20/51




FIG. 14B




FIG. 14D




FIG. 14A




FIG. 14C

21/51




FIG. 15

22/ 51




FIG. 16

23/51




FIG. 17

24/51




FIG. 18

25/51




FIG. 19

SUBSTITUTE SHEET (RULE 26)

26/51




FIG. 20

27/51




FIG. 21

Collection Information

Consent Form Signed

☐ Yes
☐ No

Date of Collection

Month

Day

Year

JAN

FEB

MAR

APR

MAY

JUN

JUL

AUG

SEP

OCT

NOV

DEC

Time of Sample Collection

(nearest hour, in 24 hour clock format)

Hour

Minute

Initials

First

Last

Initials of Data Collector

(DO NOT COMPLETE: for data entry only)

Sample:

☐ Intact
☐ Lost
☐ Broken

Volume (ml)

ml

ml

BAR CODE

Donor Information

Date of Birth

Month

Year

JAN

FEB

MAR

APR

MAY

JUN

JUL

AUG

SEP

OCT

NOV

DEC

Sex:

☐ Male
☐ Female

Height

Feet

Inches

Weight

(lb)

What Physical activity do you do on a regular basis?

☐ Running
☐ Swimming
☐ Biking
☐ Gymnastics
☐ Other
☐ None

Are you a vegetarian?

☐ Yes
☐ No

If Female:

How many times have you been pregnant?

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

How many times did you give birth?

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

To the best of your knowledge, what is the Ethnic Origin of your:

Father

Mother

☐ Caucasian (please mark specific geographic area below if known)
☐ Northern Europe (Austria, Denmark, Finland, France, Germany, Netherlands, Norway, Sweden, Switzerland, UK)
☐ Southern Europe (Greece, Italy, Spain, Turkey)
☐ Eastern Europe (Czechoslovakia, Hungary, Poland, Russia, Yugoslavia)
☐ Middle Eastern (Israel, Egypt, Iran, Iraq, Jordan, Syria, Other Arab States)

☐ African-American

☐ Hispanic (please mark specific geographic area below if known)
☐ Mexico
☐ Central America, South America
☐ Cuba, Puerto Rico, other Caribbean

☐ Asian (please mark specific geographic area below if known)
☐ Japanese
☐ Chinese
☐ Korean
☐ Vietnamese
☐ Filipino

☐ Native American

☐ Other _____
☐ Don't know

How long have you lived there?

Years

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

What is your highest grade you completed in school?

☐ less than 8th grade
☐ 8th,9th,10th,or11th grade
☐ high school graduate or equivalency
☐ some college, 2yr degree
☐ college graduate,4yr degree
☐ post graduate education or degree

Mother Deceased? Cause of Death

☐ Yes
☐ No

If Yes at what age?

< 29

30-39

40-49

50-59

60-69

70-79

80-89

> 90

Father Deceased? Cause of Death

☐ Yes
☐ No

If Yes at what age?

< 29

30-39

40-49

50-59

60-69

70-79

80-89

> 90

Heart Disease

Cancer

Stroke

Accident

Suicide

Other, _____

29/ 51

Have you ever smoked? ☐ Yes ☐ No

If yes, for how long?

Years

Have you been hospitalized
in the past 5 years for more
than 6 days at a time?
☐ Yes ☐ No

If yes, how many times?

For each hospitalization
(if not the same)
how long did you stay
and for what reason?

1) Weeks: _____
☐ Acute disorder, including infection and thrombosis
☐ Chronic Disorder
☐ Accident
☐ Other: _____

2) Weeks: _____
☐ Acute disorder, including infection and thrombosis
☐ Chronic Disorder
☐ Accident
☐ Other: _____

3) Weeks: _____
☐ Acute disorder, including infection and thrombosis
☐ Chronic Disorder
☐ Accident
☐ Other: _____

Have you or has anyone in your immediate family (parents, brothers, sisters, or your children) had the following?

Mark all that apply!

Disease

[illegible]

Do you take prescription drugs on a regular basis?

☐ Yes ☐ No

If yes, please specify below:

Have you ever donated blood before? ☐ Yes ☐ No

Additional health information details you would like to provide:

If yes, how many times: Number of Times

0	0	0
1	1	1
2	2	2
3	3	3
4	4	4
5	5	5
6	6	6
7	7	7
8	8	8
9	9	9

Do you drink any kind of alcoholic beverage?

☐ Never ☐ Hardly ever
☐ Less than 3 times per week ☐ 3 or more times per week
☐ Daily

FOR
OFFICE
USE ONLY











	
	
	
	
	

FIG. 22B

SUBSTITUTE SHEET (RULE 26)

Collection Information

Consent Form Signed

☐ Yes
☐ No

Date of Collection

Month

Day

Year

Time of Sample Collection

(nearest hour in 24-hour clock format)

Initials

Initials of Data Collector

(DO NOT COMPLETE for data entry only)

Sample:

☐ Intact
☐ Lost
☐ Broken

Volume (ml)

Donor Information

Date of Birth

Month

Year

Sex:

☐ Male
☐ Female

Height

FL

Inches

Weight

(lb)

What physical activity do you do on a regular basis?

☐ Running
☐ Swimming
☐ Biking
☐ Gymnastics
☐ Other
☐ None

Are you a vegetarian?

☐ Yes
☐ No

If female:

How many times have you been pregnant?

How many times did you give birth?

In which state do you live?

To the best of your knowledge, what is the Ethnic Origin of your:

Father

Mother

☐ Caucasian (please mark specific geographic area below if known)
☐ Northern Europe (Austria, Denmark, Finland, France, Germany, Netherlands, Norway, Sweden, Switzerland, UK)
☐ Southern Europe (Greece, Italy, Spain, Turkey)
☐ Eastern Europe (Czechoslovakia, Hungary, Poland, Russia, Yugoslavia)
☐ Middle Eastern (Israel, Egypt, Iran, Iraq, Jordan, Syria, Other Arab States)
☐ Other
☐ Don't know

How many years have you been smoking?

Years

Did you quit smoking?

☐ Yes
☐ No

If yes, how many years ago?

Years

How many cigarettes do/did you smoke per day?

Years

Do you have lung Emphysema?

☐ Yes
☐ No

If yes, for how long?

Years

How long have you lived there?

Years

Continue on back

FIG. 22C

SUBSTITUTE SHEET (RULE 26)

31 / 51

What is your highest grade you completed in school?
☐ less than 8th grade
☐ 8th,9th,10th,or11th grade
☐ high school graduate or equivalency
☐ some college, 2yr degree
☐ college graduate,4yr degree
☐ post graduate education or degree

Maternal Deceased? Cause of Death Mother: ☐ Yes ☐ No
 If Yes at what age?
☐ < 29 ☐ Heart Disease
☐ 30-39 ☐ Cancer
☐ 40-49 ☐ Stroke
☐ 50-59 ☐ Accident
☐ 60-69 ☐ Suicide
☐ 70-79 ☐ Other, _____
☐ 80-89
☐ ≥ 90

Father Deceased? Cause of Death Father: ☐ Yes ☐ No
 If Yes at what age?
☐ < 29 ☐ Heart Disease
☐ 30-39 ☐ Cancer
☐ 40-49 ☐ Stroke
☐ 50-59 ☐ Accident
☐ 60-69 ☐ Suicide
☐ 70-79 ☐ Other, _____
☐ 80-89
☐ > 90

Health Information

Have you or has anyone in your immediate family (parents, brothers, sisters, or your children) had the following?
 Mark all that apply

Disease	You	Mother	Father	Sister	Brother	Child
Heart Disease	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Stroke	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hypertension	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Blood clots	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Diabetes, insulin dependent	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Diabetes, not insulin-dependent	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cancer:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lung&Bronchus	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Breasts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Prostate	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Colon&Rectum	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Skin	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lymphoma&Leukemia	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other, please specify below:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Alzheimer's Disease	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Epilepsy	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Schizophrenia	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Bipolar disorder (manic depression)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Major depression	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Chronic Inflammatory or Autoimmune Disease including Multiple Sclerosis and Rheumatoid Arthritis	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Emphysema	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Asthma	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other, please specify below:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Do you take prescription drugs on a regular basis?
☐ Yes ☐ No
 If yes, please specify below:

Have you been hospitalized in the past 5 years for more than 6 days at a time?
☐ Yes ☐ No
 If yes, how many times?
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 10 ☐ 11 ☐ 12 ☐ 13 ☐ 14 ☐ 15 ☐ 16 ☐ 17 ☐ 18 ☐ 19 ☐ 20 ☐ 21 ☐ 22 ☐ 23 ☐ 24 ☐ 25 ☐ 26 ☐ 27 ☐ 28 ☐ 29 ☐ 30 ☐ 31 ☐ 32 ☐ 33 ☐ 34 ☐ 35 ☐ 36 ☐ 37 ☐ 38 ☐ 39 ☐ 40 ☐ 41 ☐ 42 ☐ 43 ☐ 44 ☐ 45 ☐ 46 ☐ 47 ☐ 48 ☐ 49 ☐ 50 ☐ 51 ☐ 52 ☐ 53 ☐ 54 ☐ 55 ☐ 56 ☐ 57 ☐ 58 ☐ 59 ☐ 60 ☐ 61 ☐ 62 ☐ 63 ☐ 64 ☐ 65 ☐ 66 ☐ 67 ☐ 68 ☐ 69 ☐ 70 ☐ 71 ☐ 72 ☐ 73 ☐ 74 ☐ 75 ☐ 76 ☐ 77 ☐ 78 ☐ 79 ☐ 80 ☐ 81 ☐ 82 ☐ 83 ☐ 84 ☐ 85 ☐ 86 ☐ 87 ☐ 88 ☐ 89 ☐ 90 ☐ 91 ☐ 92 ☐ 93 ☐ 94 ☐ 95 ☐ 96 ☐ 97 ☐ 98 ☐ 99 ☐ 100

For each hospitalization (if not the same) how long did you stay and for what reason?
 1) Weeks: ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6
☐ Acute disorder, including infection and thrombosis
☐ Chronic Disorder
☐ Accident
☐ Other: _____
 2) Weeks: ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6
☐ Acute disorder, including infection and thrombosis
☐ Chronic Disorder
☐ Accident
☐ Other: _____
 3) Weeks: ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6
☐ Acute disorder, including infection and thrombosis
☐ Chronic Disorder
☐ Accident
☐ Other: _____

Do you drink any kind of alcoholic beverage?
☐ Never ☐ Hardly ever
☐ Less than 3 times per week ☐ 3 or more times per week
☐ Daily

Additional health information details you would like to provide:

FOR OFFICE USE ONLY

FIG. 22D

SUBSTITUTE SHEET (RULE 26)

32/51




FIG. 23

33/51




FIG. 24

34 / 51




FIG. 25

SUBSTITUTE SHEET (RULE 26)

35/51




FIG. 26




FIG. 27

36/51




FIG. 28




FIG. 29

Exp fitting
 $a_0 + a_1 \exp^{-a_2 m}$




FIG. 30

37/ 51




FIG. 3I

38/51




FIG. 32

$$\text{Signal } (t) = \frac{(\text{Start } 0(t) + \text{Start } 1(t) + \text{Start } 2(t) \dots + \text{Start } 23(t))}{24}$$

SHIFT SIGNAL TO ACCOUNT FOR
VARIATIONS DUE TO STARTING POINT

FIG. 33




FIG. 34

SUBSTITUTE SHEET (RULE 26)

39/51




FIG. 35




FIG. 13—TAKE A MOVING AVERAGE, REMOVE SECTIONS EXCEEDING A THRESHOLD

FIG. 36

SUBSTITUTE SHEET (RULE 26)

40/51




FIG. 37

FIND MINIMA IN REMAINING SIGNALS AND CONNECT TO
FORM A PEAK FREE SIGNAL




FIG. 38

GENERATE BASELINE CORRECTION




FIG. 39

SUBSTITUTE SHEET (RULE 26)

41/51




FIG. 40

NON-O		COEFFICIENTS		INTERMEDIATE		RELATIVE	
COEFFICIENTS		COEFFICIENTS		INTERMEDIATE		RELATIVE	
183	100	25	100.025	186	100.025	180	100.025
	150	220	150.220	188	150.220	195	50.220
	500	800	500.0001	190	500.0001		350.0001
	10,050	890	10,050.8				9550.8
	10,075	910	10,075.89				25.89
	11,125	1000 (MAX)	11,125.91				150.91
	12,100	940	12,100.99999				975.99999
	13,250		13,250.94				1150.94

FIG. 41

42 / 51




FIG. 42

43/51




FIG. 43




FIG. 44

44/51




FIG. 45




FIG. 46




FIG. 47

SUBSTITUTE SHEET (RULE 26)

45/51




FIG. 48




FIG. 49

SUBSTITUTE SHEET (RULE 26)

46/51




FIG. 50




FIG. 51

47/51




FIG. 52




FIG. 53

SUBSTITUTE SHEET (RULE 26)

48/51




FIG. 54




FIG. 55

49/51




FIG. 56

50/ 51




FIG. 57

51/51




FIG. 58

SUBSTITUTE SHEET (RULE 26)

SEQUENCE LISTING

<110> SEQUENOM
Braun et al.

<120> METHODS FOR GENERATING DATABASES AND DATABASES FOR IDENTIFYING
POLYMORPHIC GENETIC MARKERS

<130> 24736-2033PC

<140> Not Yet Assigned

<141> 2000-10-13

<150> 60/217,658

<151> 2000-07-10

<150> 60/159,176

<151> 1999-10-13

<150> 60/217,251

<151> 2000-07-10

<150> 09/663,968

<151> 2000-09-19

<160> 118

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 361

<212> DNA

<213> Homo Sapien

<400> 1

ctgaggacct	ggctcctctga	ctgctctttt	cacccatcta	cagtcctccct	tgccgtccca	60
agcaatggat	gatttgatgc	tgtccccgga	cgatattgaa	caatgggtca	ctgaagaccc	120
agggtccagat	gaagtcacca	gaatgccaga	ggctgctccc	cgcgtggccc	ctgcaccagc	180
agctcctaca	ccggcggccc	ctgcaccagc	ccccctcctgg	cccctgtcat	cttctgtccc	240
ttcccagaaa	acctaccagg	gcagctacgg	tttccgctctg	ggcttcttgc	attctgggac	300
agccaagtct	gtgacttgca	cggtcagttg	ccctgagggg	ctggcttcca	tgagacttca	360
a						361

<210> 2

<211> 44

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide Primer

<400> 2

cccagtcacg	acgttgtaaa	acgctgagga	cctggctctc	tgac	44
------------	------------	------------	------------	------	----

<210> 3

<211> 42

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide Primer

<400> 3

agcggataac	aatttcacac	agggtgaagt	ctcatggaag	cc	42
------------	------------	------------	------------	----	----

<210> 4

<211> 17

<212> DNA

2/122

<213> Artificial Sequence

<220>
<223> Probe

<400> 4
gccagaggct gctcccc 17

<210> 5
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Probe

<400> 5
gccagaggct gctcccc 17

<210> 6
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Probe

<400> 6
gccagaggct gctccccgc 19

<210> 7
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Probe

<400> 7
gccagaggct gctcccc 18

<210> 8
<211> 161
<212> DNA
<213> Homo Sapien

<400> 8
gtccgtcaga acccatgccc cagcaaggcc tgccgcgcgc tcttcggccc agtggacagc 60
gagcagctga gccgcgactg tgatgcgcta atggcgggct gcatccagga ggcccgtgag 120
cgatggaact tcgactttgt caccgagaca cactggagg g 161

<210> 9
<211> 43
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide Primer

<400> 9

3/122

cccagtcacg acgttgtaaa acggtccgtc agaaccatg cgg 43
 <210> 10
 <211> 44
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Oligonucleotide Primer
 <400> 10
 agcggatjac aatttcacac aggctccagt ggtgtctcgg tgac 44
 <210> 11
 <211> 15
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Oligonucleotide Primer
 <400> 11
 cagcgagcag ctgag 15
 <210> 12
 <211> 15
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Probe
 <400> 12
 cagcgagcag ctgag 15
 <210> 13
 <211> 16
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Probe
 <400> 13
 cagcgagcag ctgagc 16
 <210> 14
 <211> 17
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Probe
 <400> 14
 cagcgagcag ctgagac 17
 <210> 15
 <211> 205
 <212> DNA

4/122

<213> Homo Sapien

<400> 15

gcgctccatt	catctcttca	tcgactctct	gttgaatgaa	gaaaatccaa	gtaaggccta	60
caggtgcagt	tccaagggaag	cctttgagaa	agggtctgct	ttgagttgta	gaaagaaccg	120
ctgcaacaat	ctgggctatg	agatcaataa	agtcagagcc	aaaagaagca	gcaaaatgta	180
cctgaagact	cgttctcaga	tgccc				205

<210> 16

<211> 42

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide Primers

<400> 16

cccagtcacg	acgttgtaaa	acggcgctcc	attcatctct	tc	42
------------	------------	------------	------------	----	----

<210> 17

<211> 42

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide Primer

<400> 17

agcgggtaac	aatttcacac	agggggcatc	tgagaacgag	tc	42
------------	------------	------------	------------	----	----

<210> 18

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide Primer

<400> 18

caatctgggc	tatgagatca	20
------------	------------	----

<210> 19

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Probe

<400> 19

caatctgggc	tatgagatca	20
------------	------------	----

<210> 20

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Probe

5/122

<400> 20
 caatctgggc tatgagatca a 21
 <210> 21
 <211> 22
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Probe
 <400> 21
 caatctgggc tatgagatca gt 20
 <210> 22
 <211> 60
 <212> DNA
 <213> Homo Sapien
 <220>
 <223> Probe
 <400> 22
 gtgccggcta ctcggatggc agcaaggact cctgcaaggg ggacagtgga ggcccacatg 60
 <210> 23
 <211> 60
 <212> DNA
 <213> Homo sapien
 <400> 23
 ccaccacta ccggggcacg tggtacctga cgggcatcgt cagctggggc cagggtgcg 60
 <210> 24
 <211> 42
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Oligonucleotide primer
 <400> 24
 cccagtcacg acgttgtaaa acgatggcag caaggactcc tg 42
 <210> 25
 <211> 18
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Oligonucleotide primer
 <400> 25
 cacatgccac ccactacc 18
 <210> 26
 <211> 43
 <212> DNA
 <213> Artificial Sequence

6/122

<220>
 <223> Oligonucleotide primer

 <400> 26
 agcggataac aatttcacac aggtgacgat gcccgtcagg tac 43

 <210> 27
 <211> 15
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Probe

 <400> 27
 atgccaccca ctacc 15

 <210> 28
 <211> 19
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Probe

 <400> 28
 cacatgccac ccactaccg 19

 <210> 29
 <211> 20
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Probe

 <400> 29
 cacatgccac ccactaccag 20

 <210> 30
 <211> 23
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Probe

 <400> 30
 agcggataac aatttcacac agg 23

 <210> 31
 <211> 2363
 <212> DNA
 <213> Homo Sapien

 <220>
 <221> CDS
 <222> (138) ... (2126)
 <223> AKAP-10

7/122

<300>

<308> GenBank AF037439

<309> 1997-12-21

<400> 31

```

gcggttgggt gataatatgg cggctggagc tgcctgggca tcccagaggag gcggtggggc      60
ccactcccgg aagaagggtc ccttttcgcg ctagtgcagc ggccccctctg gacccggaag      120
tccgggcccgg ttgctga atg agg gga gcc ggg ccc tcc ccg cgc cag tcc      170
          Met Arg Gly Ala Gly Pro Ser Pro Arg Gln Ser
          1          5          10

ccc cgc acc ctc cgt ccc gac ccg ggc ccc gcc atg tcc ttc ttc cgg      218
Pro Arg Thr Leu Arg Pro Asp Pro Gly Pro Ala Met Ser Phe Phe Arg
          15          20          25

cgg aaa gtg aaa ggc aaa gaa caa gag aag acc tca gat gtg aag tcc      266
Arg Lys Val Lys Gly Lys Glu Gln Glu Lys Thr Ser Asp Val Lys Ser
          30          35          40

att aaa gct tca ata tcc gta cat tcc cca caa aaa agc act aaa aat      314
Ile Lys Ala Ser Ile Ser Val His Ser Pro Gln Lys Ser Thr Lys Asn
          45          50          55

cat gcc ttg ctg gag gct gca gga cca agt cat gtt gca atc aat gcc      362
His Ala Leu Leu Glu Ala Ala Gly Pro Ser His Val Ala Ile Asn Ala
          60          65          70          75

att tct gcc aac atg gac tcc ttt tca agt agc agg aca gcc aca ctt      410
Ile Ser Ala Asn Met Asp Ser Phe Ser Ser Ser Arg Thr Ala Thr Leu
          80          85          90

aag aag cag cca agc cac atg gag gct gct cat ttt ggt gac ctg ggc      458
Lys Lys Gln Pro Ser His Met Glu Ala Ala His Phe Gly Asp Leu Gly
          95          100          105

aga tct tgt ctg gac tac cag act caa gag acc aaa tca agc ctt tct      506
Arg Ser Cys Leu Asp Tyr Gln Thr Gln Glu Thr Lys Ser Ser Leu Ser
          110          115          120

aag acc ctt gaa caa gtc ttg cac gac act att gtc ctc cct tac ttc      554
Lys Thr Leu Glu Gln Val Leu His Asp Thr Ile Val Leu Pro Tyr Phe
          125          130          135

att caa ttc atg gaa ctt cgg cga atg gag cat ttg gtg aaa ttt tgg      602
Ile Gln Phe Met Glu Leu Arg Arg Met Glu His Leu Val Lys Phe Trp
          140          145          150          155

tta gag gct gaa agt ttt cat tca aca act tgg tgc cga ata aga gca      650
Leu Glu Ala Glu Ser Phe His Ser Thr Thr Trp Ser Arg Ile Arg Ala
          160          165          170

cac agt cta aac aca atg aag cag agc tca ctg gct gag cct gtc tct      698
His Ser Leu Asn Thr Met Lys Gln Ser Ser Ser Leu Ala Glu Pro Val Ser
          175          180          185

cca tct aaa aag cat gaa act aca gcg tct ttt tta act gat tct ctt      746
Pro Ser Lys Lys His Glu Thr Thr Ala Ser Phe Leu Thr Asp Ser Leu
          190          195          200

gat aag aga ttg gag gat tct ggc tca gca cag ttg ttt atg act cat      794

```

8/122

Asp	Lys	Arg	Leu	Glu	Asp	Ser	Gly	Ser	Ala	Gln	Leu	Phe	Met	Thr	His	
205						210					215					
tca	gaa	gga	att	gac	ctg	aat	aat	aga	act	aac	agc	act	cag	aat	cac	842
Ser	Glu	Gly	Ile	Asp	Leu	Asn	Asn	Arg	Thr	Asn	Ser	Thr	Gln	Asn	His	
220					225					230					235	
ttg	ctg	ctt	tcc	cag	gaa	tgt	gac	agt	gcc	cat	tct	ctc	cgt	ctt	gaa	890
Leu	Leu	Leu	Ser	Gln	Glu	Cys	Asp	Ser	Ala	His	Ser	Leu	Arg	Leu	Glu	
				240					245					250		
atg	gcc	aga	gca	gga	act	cac	caa	gtt	tcc	atg	gaa	acc	caa	gaa	tct	938
Met	Ala	Arg	Ala	Gly	Thr	His	Gln	Val	Ser	Met	Glu	Thr	Gln	Glu	Ser	
			255					260					265			
tcc	tct	aca	ctt	aca	gta	gcc	agt	aga	aat	agt	ccc	gct	tct	cca	cta	986
Ser	Ser	Thr	Leu	Thr	Val	Ala	Ser	Arg	Asn	Ser	Pro	Ala	Ser	Pro	Leu	
		270					275					280				
aaa	gaa	ttg	tca	gga	aaa	cta	atg	aaa	agt	ata	gaa	caa	gat	gca	gtg	1034
Lys	Glu	Leu	Ser	Gly	Lys	Leu	Met	Lys	Ser	Ile	Glu	Gln	Asp	Ala	Val	
	285					290					295					
aat	act	ttt	acc	aaa	tat	ata	tct	cca	gat	gct	gct	aaa	cca	ata	cca	1082
Asn	Thr	Phe	Thr	Lys	Tyr	Ile	Ser	Pro	Asp	Ala	Ala	Lys	Pro	Ile	Pro	
300					305					310					315	
att	aca	gaa	gca	atg	aga	aat	gac	atc	ata	gca	agg	att	tgt	gga	gaa	1130
Ile	Thr	Glu	Ala	Met	Arg	Asn	Asp	Ile	Ile	Ala	Arg	Ile	Cys	Gly	Glu	
				320					325					330		
gat	gga	cag	gtg	gat	ccc	aac	tgt	ttc	gtt	ttg	gca	cag	tcc	ata	gtc	1178
Asp	Gly	Gln	Val	Asp	Pro	Asn	Cys	Phe	Val	Leu	Ala	Gln	Ser	Ile	Val	
			335					340					345			
ttt	agt	gca	atg	gag	caa	gag	cac	ttt	agt	gag	ttt	ctg	cga	agt	cac	1226
Phe	Ser	Ala	Met	Glu	Gln	Glu	His	Phe	Ser	Glu	Phe	Leu	Arg	Ser	His	
		350					355					360				
cat	ttc	tgt	aaa	tac	cag	att	gaa	gtg	ctg	acc	agt	gga	act	gtt	tac	1274
His	Phe	Cys	Lys	Tyr	Gln	Ile	Glu	Val	Leu	Thr	Ser	Gly	Thr	Val	Tyr	
		365				370					375					
ctg	gct	gac	att	ctc	ttc	tgt	gag	tca	gcc	ctc	ttt	tat	ttc	tct	gag	1322
Leu	Ala	Asp	Ile	Leu	Phe	Cys	Glu	Ser	Ala	Leu	Phe	Tyr	Phe	Ser	Glu	
380					385					390					395	
tac	atg	gaa	aaa	gag	gat	gca	gtg	aat	atc	tta	caa	ttc	tgg	ttg	gca	1370
Tyr	Met	Glu	Lys	Glu	Asp	Ala	Val	Asn	Ile	Leu	Gln	Phe	Trp	Leu	Ala	
				400					405					410		
gca	gat	aac	ttc	cag	tct	cag	ctt	gct	gcc	aaa	aag	ggg	caa	tat	gat	1418
Ala	Asp	Asn	Phe	Gln	Ser	Gln	Leu	Ala	Ala	Lys	Lys	Gly	Gln	Tyr	Asp	
			415					420					425			
gga	cag	gag	gca	cag	aat	gat	gcc	atg	att	tta	tat	gac	aag	tac	ttc	1466
Gly	Gln	Glu	Ala	Gln	Asn	Asp	Ala	Met	Ile	Leu	Tyr	Asp	Lys	Tyr	Phe	
		430					435					440				
tcc	ctc	caa	gcc	aca	cat	cct	ctt	gga	ttt	gat	gat	gtt	gta	cga	tta	1514

9/122

Ser	Leu	Gln	Ala	Thr	His	Pro	Leu	Gly	Phe	Asp	Asp	Val	Val	Arg	Leu	
445						450				455						
gaa	att	gaa	tcc	aat	atc	tgc	agg	gaa	ggt	ggg	cca	ctc	ccc	aac	tgt	1562
Glu	Ile	Glu	Ser	Asn	Ile	Cys	Arg	Glu	Gly	Gly	Pro	Leu	Pro	Asn	Cys	
460					465					470					475	
ttc	aca	act	cca	tta	cgt	cag	gcc	tgg	aca	acc	atg	gag	aag	gtc	ttt	1610
Phe	Thr	Thr	Pro	Leu	Arg	Gln	Ala	Trp	Thr	Thr	Met	Glu	Lys	Val	Phe	
				480					485					490		
ttg	cct	ggc	ttt	ctg	tcc	agc	aat	ctt	tat	tat	aaa	tat	ttg	aat	gat	1658
Leu	Pro	Gly	Phe	Leu	Ser	Ser	Asn	Leu	Tyr	Tyr	Lys	Tyr	Leu	Asn	Asp	
			495					500					505			
ctc	atc	cat	tcg	ggt	cga	gga	gat	gaa	ttt	ctg	ggc	ggg	aac	gtg	tcg	1706
Leu	Ile	His	Ser	Val	Arg	Gly	Asp	Glu	Phe	Leu	Gly	Gly	Asn	Val	Ser	
		510					515					520				
ccg	act	gct	cct	ggc	tct	ggt	ggc	cct	cct	gat	gag	tct	cac	cca	ggg	1754
Pro	Thr	Ala	Pro	Gly	Ser	Val	Gly	Pro	Pro	Asp	Glu	Ser	His	Pro	Gly	
	525					530					535					
agt	tct	gac	agc	tct	gcg	tct	cag	tcc	agt	gtg	aaa	aaa	gcc	agt	att	1802
Ser	Ser	Asp	Ser	Ser	Ala	Ser	Gln	Ser	Ser	Val	Lys	Lys	Ala	Ser	Ile	
540					545					550					555	
aaa	ata	ctg	aaa	aat	ttt	gat	gaa	gcg	ata	att	gtg	gat	gcg	gca	agt	1850
Lys	Ile	Leu	Lys	Asn	Phe	Asp	Glu	Ala	Ile	Ile	Val	Asp	Ala	Ala	Ser	
				560					565					570		
ctg	gat	cca	gaa	tct	tta	tat	caa	cgg	aca	tat	gcc	ggg	aag	atg	aca	1898
Leu	Asp	Pro	Glu	Ser	Leu	Tyr	Gln	Arg	Thr	Tyr	Ala	Gly	Lys	Met	Thr	
			575					580					585			
ttt	gga	aga	gtg	agt	gac	ttg	ggg	caa	ttc	atc	cgg	gaa	tct	gag	cct	1946
Phe	Gly	Arg	Val	Ser	Asp	Leu	Gly	Gln	Phe	Ile	Arg	Glu	Ser	Glu	Pro	
		590					595					600				
gaa	cct	gat	gta	agg	aaa	tca	aaa	gga	tcc	atg	ttc	tca	caa	gct	atg	1994
Glu	Pro	Asp	Val	Arg	Lys	Ser	Lys	Gly	Ser	Met	Phe	Ser	Gln	Ala	Met	
	605					610					615					
aag	aaa	tgg	gtg	caa	gga	aat	act	gat	gag	gcc	cag	gaa	gag	cta	gct	2042
Lys	Lys	Trp	Val	Gln	Gly	Asn	Thr	Asp	Glu	Ala	Gln	Glu	Glu	Leu	Ala	
620					625					630					635	
tgg	aag	att	gct	aaa	atg	ata	gtc	agt	gac	att	atg	cag	cag	gct	cag	2090
Trp	Lys	Ile	Ala	Lys	Met	Ile	Val	Ser	Asp	Ile	Met	Gln	Gln	Ala	Gln	
				640					645					650		
tat	gat	caa	ccg	tta	gag	aaa	tct	aca	aag	tta	tga	ctcaaaaactt				2136
Tyr	Asp	Gln	Pro	Leu	Glu	Lys	Ser	Thr	Lys	Leu	*					
			655					660								
gagataaagg	aaatctgctt	gtgaaaaata	agagaacttt	tttcccttgg	ttggattctt											2196
caacacagcc	aatgaaaaaca	gcactatatt	tctgatctgt	cactgttgtt	tccagggaga											2256
gaatggggag	acaatcctag	gacttccacc	ctaattgcagt	tacctgtagg	gcataattgg											2316
atggcacatg	atgtttcaca	cagtgaggag	tctttaaagg	ttaccaa												2363

10/122

<210> 32
 <211> 662
 <212> PRT
 <213> Homo Sapien

<400> 32

Met	Arg	Gly	Ala	Gly	Pro	Ser	Pro	Arg	Gln	Ser	Pro	Arg	Thr	Leu	Arg
1				5					10					15	
Pro	Asp	Pro	Gly	Pro	Ala	Met	Ser	Phe	Phe	Arg	Arg	Lys	Val	Lys	Gly
			20					25					30		
Lys	Glu	Gln	Glu	Lys	Thr	Ser	Asp	Val	Lys	Ser	Ile	Lys	Ala	Ser	Ile
		35					40					45			
Ser	Val	His	Ser	Pro	Gln	Lys	Ser	Thr	Lys	Asn	His	Ala	Leu	Leu	Glu
	50					55				60					
Ala	Ala	Gly	Pro	Ser	His	Val	Ala	Ile	Asn	Ala	Ile	Ser	Ala	Asn	Met
65					70				75					80	
Asp	Ser	Phe	Ser	Ser	Ser	Arg	Thr	Ala	Thr	Leu	Lys	Lys	Gln	Pro	Ser
			85						90					95	
His	Met	Glu	Ala	Ala	His	Phe	Gly	Asp	Leu	Gly	Arg	Ser	Cys	Leu	Asp
			100					105					110		
Tyr	Gln	Thr	Gln	Glu	Thr	Lys	Ser	Ser	Leu	Ser	Lys	Thr	Leu	Glu	Gln
		115					120					125			
Val	Leu	His	Asp	Thr	Ile	Val	Leu	Pro	Tyr	Phe	Ile	Gln	Phe	Met	Glu
	130					135					140				
Leu	Arg	Arg	Met	Glu	His	Leu	Val	Lys	Phe	Trp	Leu	Glu	Ala	Glu	Ser
145					150				155						160
Phe	His	Ser	Thr	Thr	Trp	Ser	Arg	Ile	Arg	Ala	His	Ser	Leu	Asn	Thr
				165				170						175	
Met	Lys	Gln	Ser	Ser	Leu	Ala	Glu	Pro	Val	Ser	Pro	Ser	Lys	Lys	His
		180						185					190		
Glu	Thr	Thr	Ala	Ser	Phe	Leu	Thr	Asp	Ser	Leu	Asp	Lys	Arg	Leu	Glu
		195					200					205			
Asp	Ser	Gly	Ser	Ala	Gln	Leu	Phe	Met	Thr	His	Ser	Glu	Gly	Ile	Asp
	210					215					220				
Leu	Asn	Asn	Arg	Thr	Asn	Ser	Thr	Gln	Asn	His	Leu	Leu	Leu	Ser	Gln
225					230				235						240
Glu	Cys	Asp	Ser	Ala	His	Ser	Leu	Arg	Leu	Glu	Met	Ala	Arg	Ala	Gly
				245					250					255	
Thr	His	Gln	Val	Ser	Met	Glu	Thr	Gln	Glu	Ser	Ser	Ser	Thr	Leu	Thr
			260					265					270		
Val	Ala	Ser	Arg	Asn	Ser	Pro	Ala	Ser	Pro	Leu	Lys	Glu	Leu	Ser	Gly
		275					280					285			
Lys	Leu	Met	Lys	Ser	Ile	Glu	Gln	Asp	Ala	Val	Asn	Thr	Phe	Thr	Lys
	290					295					300				
Tyr	Ile	Ser	Pro	Asp	Ala	Ala	Lys	Pro	Ile	Pro	Ile	Thr	Glu	Ala	Met
305					310				315						320
Arg	Asn	Asp	Ile	Ile	Ala	Arg	Ile	Cys	Gly	Glu	Asp	Gly	Gln	Val	Asp
				325					330					335	
Pro	Asn	Cys	Phe	Val	Leu	Ala	Gln	Ser	Ile	Val	Phe	Ser	Ala	Met	Glu
			340					345					350		
Gln	Glu	His	Phe	Ser	Glu	Phe	Leu	Arg	Ser	His	His	Phe	Cys	Lys	Tyr
		355					360					365			
Gln	Ile	Glu	Val	Leu	Thr	Ser	Gly	Thr	Val	Tyr	Leu	Ala	Asp	Ile	Leu
	370					375					380				
Phe	Cys	Glu	Ser	Ala	Leu	Phe	Tyr	Phe	Ser	Glu	Tyr	Met	Glu	Lys	Glu
385					390					395					400
Asp	Ala	Val	Asn	Ile	Leu	Gln	Phe	Trp	Leu	Ala	Ala	Asp	Asn	Phe	Gln
				405					410					415	
Ser	Gln	Leu	Ala	Ala	Lys	Lys	Gly	Gln	Tyr	Asp	Gly	Gln	Glu	Ala	Gln
			420					425					430		

11/122

Asn Asp Ala Met Ile Leu Tyr Asp Lys Tyr Phe Ser Leu Gln Ala Thr
 435 440 445
 His Pro Leu Gly Phe Asp Asp Val Val Arg Leu Glu Ile Glu Ser Asn
 450 455 460
 Ile Cys Arg Glu Gly Gly Pro Leu Pro Asn Cys Phe Thr Thr Pro Leu
 465 470 475 480
 Arg Gln Ala Trp Thr Thr Met Glu Lys Val Phe Leu Pro Gly Phe Leu
 485 490 495
 Ser Ser Asn Leu Tyr Tyr Lys Tyr Leu Asn Asp Leu Ile His Ser Val
 500 505 510
 Arg Gly Asp Glu Phe Leu Gly Gly Asn Val Ser Pro Thr Ala Pro Gly
 515 520 525
 Ser Val Gly Pro Pro Asp Glu Ser His Pro Gly Ser Ser Asp Ser Ser
 530 535 540
 Ala Ser Gln Ser Ser Val Lys Lys Ala Ser Ile Lys Ile Leu Lys Asn
 545 550 555 560
 Phe Asp Glu Ala Ile Val Asp Ala Ala Ser Leu Asp Pro Glu Ser
 565 570 575
 Leu Tyr Gln Arg Thr Tyr Ala Gly Lys Met Thr Phe Gly Arg Val Ser
 580 585 590
 Asp Leu Gly Gln Phe Ile Arg Glu Ser Glu Pro Glu Pro Asp Val Arg
 595 600 605
 Lys Ser Lys Gly Ser Met Phe Ser Gln Ala Met Lys Lys Trp Val Gln
 610 615 620
 Gly Asn Thr Asp Glu Ala Gln Glu Glu Leu Ala Trp Lys Ile Ala Lys
 625 630 635 640
 Met Ile Val Ser Asp Ile Met Gln Gln Ala Gln Tyr Asp Gln Pro Leu
 645 650 655
 Glu Lys Ser Thr Lys Leu
 660

<210> 33
 <211> 2363
 <212> DNA
 <213> Homo Sapien

<220>
 <221> CDS
 <222> (138)...(2126)
 <223> AKAP-10-5

<221> allele
 <222> 2073
 <223> Single Nucleotide Polymorphism: A to G

<400> 33
 gcggcttggt gataatatgg cggctggagc tgccctgggca tcccaggagg gcggtggggc 60
 ccactcccgg aagaagggtc ccttttcgcg ctagtgcagc ggcccctctg gacccggaag 120
 tccgggcccgg ttgctga atg agg gga gcc ggg ccc tcc ccg cgc cag tcc 170
 Met Arg Gly Ala Gly Pro Ser Pro Arg Gln Ser
 1 5 10
 ccc cgc acc ctc cgt ccc gac ccg ggc ccc gcc atg tcc ttc ttc cgg 218
 Pro Arg Thr Leu Arg Pro Asp Pro Gly Pro Ala Met Ser Phe Phe Arg
 15 20 25
 cgg aaa gtg aaa ggc aaa gaa caa gag aag acc tca gat gtg aag tcc 266
 Arg Lys Val Lys Gly Lys Glu Gln Glu Lys Thr Ser Asp Val Lys Ser
 30 35 40

12/122

att aaa gct tca ata tcc gta cat tcc cca caa aaa agc act aaa aat	314
Ile Lys Ala Ser Ile Ser Val His Ser Pro Gln Lys Ser Thr Lys Asn	
45 50 55	
cat gcc ttg ctg gag gct gca gga cca agt cat gtt gca atc aat gcc	362
His Ala Leu Leu Glu Ala Ala Gly Pro Ser His Val Ala Ile Asn Ala	
60 65 70 75	
att tct gcc aac atg gac tcc ttt tca agt agc agg aca gcc aca ctt	410
Ile Ser Ala Asn Met Asp Ser Phe Ser Ser Ser Arg Thr Ala Thr Leu	
80 85 90	
aag aag cag cca agc cac atg gag gct gct cat ttt ggt gac ctg ggc	458
Lys Lys Gln Pro Ser His Met Glu Ala Ala His Phe Gly Asp Leu Gly	
95 100 105	
aga tct tgt ctg gac tac cag act caa gag acc aaa tca agc ctt tct	506
Arg Ser Cys Leu Asp Tyr Gln Thr Gln Glu Thr Lys Ser Ser Leu Ser	
110 115 120	
aag aat ctt gaa caa gtc ttg cac gac act att gtc ctc cct tac ttc	554
Lys Thr Leu Glu Gln Val Leu His Asp Thr Ile Val Leu Pro Tyr Phe	
125 130 135	
att caa ttc atg gaa ctt cgg cga atg gag cat ttg gtg aaa ttt tgg	602
Ile Gln Phe Met Glu Leu Arg Arg Met Glu His Leu Val Lys Phe Trp	
140 145 150 155	
tta gag gct gaa agt ttt cat tca aca act tgg tgg cga ata aga gca	650
Leu Glu Ala Glu Ser Phe His Ser Thr Trp Ser Arg Ile Arg Ala	
160 165 170	
cac agt cta aac aca atg aag cag agc tca ctg gct gag cct gtc tct	698
His Ser Leu Asn Thr Met Lys Gln Ser Ser Leu Ala Glu Pro Val Ser	
175 180 185	
cca tct aaa aag cat gaa act aca gcg tct ttt tta act gat tct ctt	746
Pro Ser Lys Lys His Glu Thr Thr Ala Ser Phe Leu Thr Asp Ser Leu	
190 195 200	
gat aag aga ttg gag gat tct ggc tca gca cag ttg ttt atg act cat	794
Asp Lys Arg Leu Glu Asp Ser Gly Ser Ala Gln Leu Phe Met Thr His	
205 210 215	
tca gaa gga att gac ctg aat aat aga act aac agc act cag aat cac	842
Ser Glu Gly Ile Asp Leu Asn Asn Arg Thr Asn Ser Thr Gln Asn His	
220 225 230 235	
ttg ctg ctt tcc cag gaa tgt gac agt gcc cat tct ctc cgt ctt gaa	890
Leu Leu Leu Ser Gln Glu Cys Asp Ser Ala His Ser Leu Arg Leu Glu	
240 245 250	
atg gcc aga gca gga act cac caa gtt tcc atg gaa acc caa gaa tct	938
Met Ala Arg Ala Gly Thr His Gln Val Ser Met Glu Thr Gln Glu Ser	
255 260 265	
tcc tct aca ctt aca gta gcc agt aga aat agt ccc gct tct cca cta	986
Ser Ser Thr Leu Thr Val Ala Ser Arg Asn Ser Pro Ala Ser Pro Leu	
270 275 280	

13/122

aaa gaa ttg tca gga aaa cta atg aaa agt ata gaa caa gat gca gtg Lys Glu Leu Ser Gly Lys Leu Met Lys Ser Ile Glu Gln Asp Ala Val 285 290 295	1034
aat act ttt acc aaa tat ata tct cca gat gct gct aaa cca ata cca Asn Thr Phe Thr Lys Tyr Ile Ser Pro Asp Ala Ala Lys Pro Ile Pro 300 305 310 315	1082
att aca gaa gca atg aga aat gac atc ata gca agg att tgt gga gaa Ile Thr Glu Ala Met Arg Asn Asp Ile Ile Ala Arg Ile Cys Gly Glu 320 325 330	1130
gat gga cag gtg gat ccc aac tgt ttc gtt ttg gca cag tcc ata gtc Asp Gly Gln Val Asp Pro Asn Cys Phe Val Leu Ala Gln Ser Ile Val 335 340 345	1178
ttt agt gca atg gag caa gag cac ttt agt gag ttt ctg cga agt cac Phe Ser Ala Met Glu Gln Glu His Phe Ser Glu Phe Leu Arg Ser His 350 355 360	1226
cat ttc tgt aaa tac cag att gaa gtg ctg acc agt gga act gtt tac His Phe Cys Lys Tyr Gln Ile Glu Val Leu Thr Ser Gly Thr Val Tyr 365 370 375	1274
ctg gct gac att ctc ttc tgt gag tca gcc ctc ttt tat ttc tct gag Leu Ala Asp Ile Leu Phe Cys Glu Ser Ala Leu Phe Tyr Phe Ser Glu 380 385 390 395	1322
tac atg gaa aaa gag gat gca gtg aat atc tta caa ttc tgg ttg gca Tyr Met Glu Lys Glu Asp Ala Val Asn Ile Leu Gln Phe Trp Leu Ala 400 405 410	1370
gca gat aac ttc cag tct cag ctt gct gcc aaa aag ggg caa tat gat Ala Asp Asn Phe Gln Ser Gln Leu Ala Ala Lys Lys Gly Gln Tyr Asp 415 420 425	1418
gga cag gag gca cag aat gat gcc atg att tta tat gac aag tac ttc Gly Gln Glu Ala Gln Asn Asp Ala Met Ile Leu Tyr Asp Lys Tyr Phe 430 435 440	1466
tcc ctc caa gcc aca cat cct ctt gga ttt gat gat gtt gta cga tta Ser Leu Gln Ala Thr His Pro Leu Gly Phe Asp Asp Val Val Arg Leu 445 450 455	1514
gaa att gaa tcc aat atc tgc agg gaa ggt ggg cca ctc ccc aac tgt Glu Ile Glu Ser Asn Ile Cys Arg Glu Gly Gly Pro Leu Pro Asn Cys 460 465 470 475	1562
ttc aca act cca tta cgt cag gcc tgg aca acc atg gag aag gtc ttt Phe Thr Thr Pro Leu Arg Gln Ala Trp Thr Thr Met Glu Lys Val Phe 480 485 490	1610
ttg cct ggc ttt ctg tcc agc aat ctt tat tat aaa tat ttg aat gat Leu Pro Gly Phe Leu Ser Ser Asn Leu Tyr Tyr Lys Tyr Leu Asn Asp 495 500 505	1658
ctc atc cat tcg gtt cga gga gat gaa ttt ctg ggc ggg aac gtg tcg Leu Ile His Ser Val Arg Gly Asp Glu Phe Leu Gly Gly Asn Val Ser 510 515 520	1706

14/122

```

ccg act gct cct ggc tct gtt ggc cct cct gat gag tct cac cca ggg      1754
Pro Thr Ala Pro Gly Ser Val Gly Pro Pro Asp Glu Ser His Pro Gly
525                               530                               535

agt tct gac agc tct gcg tct cag tcc agt gtg aaa aaa gcc agt att      1802
Ser Ser Asp Ser Ser Ala Ser Gln Ser Ser Val Lys Lys Ala Ser Ile
540                               545                               550                               555

aaa ata ctg aaa aat ttt gat gaa gcg ata att gtg gat gcg gca agt      1850
Lys Ile Leu Lys Asn Phe Asp Glu Ala Ile Ile Val Asp Ala Ala Ser
560                               565                               570

ctg gat cca gaa tct tta tat caa cgg aca tat gcc ggg aag atg aca      1898
Leu Asp Pro Glu Ser Leu Tyr Gln Arg Thr Tyr Ala Gly Lys Met Thr
575                               580                               585

ttt gga aga gtg agt gac ttg ggg caa ttc atc cgg gaa tct gag cct      1946
Phe Gly Arg Val Ser Asp Leu Gly Gln Phe Ile Arg Glu Ser Glu Pro
590                               595                               600

gaa cct gat gta agg aaa tca aaa gga tcc atg ttc tca caa gct atg      1994
Glu Pro Asp Val Arg Lys Ser Lys Gly Ser Met Phe Ser Gln Ala Met
605                               610                               615

aag aaa tgg gtg caa gga aat act gat gag gcc cag gaa gag cta gct      2042
Lys Lys Trp Val Gln Gly Asn Thr Asp Glu Ala Gln Glu Glu Leu Ala
620                               625                               630                               635

tgg aag att gct aaa atg ata gtc agt gac gtt atg cag cag gct cag      2090
Trp Lys Ile Ala Lys Met Ile Val Ser Asp Val Met Gln Gln Ala Gln
640                               645                               650

tat gat caa ccg tta gag aaa tct aca aag tta tga ctcaaaactt      2136
Tyr Asp Gln Pro Leu Glu Lys Ser Thr Lys Leu *
655                               660

gagataaagg aaatctgctt gtgaaaaata agagaacttt tttcccttgg ttggattctt      2196
caacacagcc aatgaaaaca gcactatatt tctgatctgt cactgttggt tccagggaga      2256
gaatggggag acaatcctag gacttccacc ctaatgcagt tacctgtagg gcataattgg      2316
atggcacatg atgtttcaca cagtgaggag tcttttaaagg ttaccaa                2363

<210> 34
<211> 662
<212> PRT
<213> Homo Sapien

<400> 34
Met Arg Gly Ala Gly Pro Ser Pro Arg Gln Ser Pro Arg Thr Leu Arg
1 5 10 15
Pro Asp Pro Gly Pro Ala Met Ser Phe Phe Arg Arg Lys Val Lys Gly
20 25 30
Lys Glu Gln Glu Lys Thr Ser Asp Val Lys Ser Ile Lys Ala Ser Ile
35 40 45
Ser Val His Ser Pro Gln Lys Ser Thr Lys Asn His Ala Leu Leu Glu
50 55 60
Ala Ala Gly Pro Ser His Val Ala Ile Asn Ala Ile Ser Ala Asn Met
65 70 75 80
Asp Ser Phe Ser Ser Ser Arg Thr Ala Thr Leu Lys Lys Gln Pro Ser
85 90 95
His Met Glu Ala Ala His Phe Gly Asp Leu Gly Arg Ser Cys Leu Asp

```


				100						105					110		
Tyr	Gln	Thr	Gln	Glu	Thr	Lys	Ser	Ser	Leu	Ser	Lys	Thr	Leu	Glu	Gln		
		115					120					125					
Val	Leu	His	Asp	Thr	Ile	Val	Leu	Pro	Tyr	Phe	Ile	Gln	Phe	Met	Glu		
	130					135					140						
Leu	Arg	Arg	Met	Glu	His	Leu	Val	Lys	Phe	Trp	Leu	Glu	Ala	Glu	Ser		
145				150					155						160		
Phe	His	Ser	Thr	Thr	Trp	Ser	Arg	Ile	Arg	Ala	His	Ser	Leu	Asn	Thr		
				165					170					175			
Met	Lys	Gln	Ser	Ser	Leu	Ala	Glu	Pro	Val	Ser	Pro	Ser	Lys	Lys	His		
			180				185					190					
Glu	Thr	Thr	Ala	Ser	Phe	Leu	Thr	Asp	Ser	Leu	Asp	Lys	Arg	Leu	Glu		
		195					200					205					
Asp	Ser	Gly	Ser	Ala	Gln	Leu	Phe	Met	Thr	His	Ser	Glu	Gly	Ile	Asp		
	210				215						220						
Leu	Asn	Asn	Arg	Thr	Asn	Ser	Thr	Gln	Asn	His	Leu	Leu	Leu	Ser	Gln		
225				230					235						240		
Glu	Cys	Asp	Ser	Ala	His	Ser	Leu	Arg	Leu	Glu	Met	Ala	Arg	Ala	Gly		
				245					250					255			
Thr	His	Gln	Val	Ser	Met	Glu	Thr	Gln	Glu	Ser	Ser	Ser	Thr	Leu	Thr		
			260					265					270				
Val	Ala	Ser	Arg	Asn	Ser	Pro	Ala	Ser	Pro	Leu	Lys	Glu	Leu	Ser	Gly		
		275					280					285					
Lys	Leu	Met	Lys	Ser	Ile	Glu	Gln	Asp	Ala	Val	Asn	Thr	Phe	Thr	Lys		
	290				295						300						
Tyr	Ile	Ser	Pro	Asp	Ala	Ala	Lys	Pro	Ile	Pro	Ile	Thr	Glu	Ala	Met		
305				310						315					320		
Arg	Asn	Asp	Ile	Ile	Ala	Arg	Ile	Cys	Gly	Glu	Asp	Gly	Gln	Val	Asp		
				325					330					335			
Pro	Asn	Cys	Phe	Val	Leu	Ala	Gln	Ser	Ile	Val	Phe	Ser	Ala	Met	Glu		
			340					345					350				
Gln	Glu	His	Phe	Ser	Glu	Phe	Leu	Arg	Ser	His	His	Phe	Cys	Lys	Tyr		
		355					360					365					
Gln	Ile	Glu	Val	Leu	Thr	Ser	Gly	Thr	Val	Tyr	Leu	Ala	Asp	Ile	Leu		
	370					375					380						
Phe	Cys	Glu	Ser	Ala	Leu	Phe	Tyr	Phe	Ser	Glu	Tyr	Met	Glu	Lys	Glu		
385				390						395					400		
Asp	Ala	Val	Asn	Ile	Leu	Gln	Phe	Trp	Leu	Ala	Ala	Asp	Asn	Phe	Gln		
				405					410					415			
Ser	Gln	Leu	Ala	Ala	Lys	Lys	Gly	Gln	Tyr	Asp	Gly	Gln	Glu	Ala	Gln		
			420					425					430	</			

16/122

	580		585		590										
Asp	Leu	Gly	Gln	Phe	Ile	Arg	Glu	Ser	Glu	Pro	Glu	Pro	Asp	Val	Arg
	595		600		605										
Lys	Ser	Lys	Gly	Ser	Met	Phe	Ser	Gln	Ala	Met	Lys	Lys	Trp	Val	Gln
	610		615		620										
Gly	Asn	Thr	Asp	Glu	Ala	Gln	Glu	Glu	Leu	Ala	Trp	Lys	Ile	Ala	Lys
	625		630		635										
Met	Ile	Val	Ser	Asp	Val	Met	Gln	Gln	Ala	Gln	Tyr	Asp	Gln	Pro	Leu
			645		650									655	
Glu	Lys	Ser	Thr	Lys	Leu										
			660												

<210> 35
 <211> 162025
 <212> DNA
 <213> Homo Sapien

<300>
 <308> GenBank AC005730
 <309> 1998-10-22

<400> 35

gaattcctat	ttcaaaagaa	acaaatgggc	caagtatggt	ggctcatacc	tgtaatccca	60
gcacttttggg	aggccgaggt	gagtgggtca	cttgaggtca	ggagtccag	gccagtctgg	120
ccacatggt	gaaacactgt	ctctactaaa	aatacaaaaa	ttagccgggc	gtggtggcgg	180
gcacctgtaa	ccccagctac	tcaggaggct	gaggcaggag	aattgcttga	acctgggaga	240
tggagggtgc	agttagccga	gatcgcgcca	ctgctctcca	gcctgggtgg	cagagtggga	300
ctctgtctca	aaaagaaaca	aagaaataaa	tgaaacaatt	ttgttcacat	atatttcaca	360
aatttgaaat	gttaaaggta	ttatgggtcac	tgatatcctg	tttcattctt	tatataatca	420
ttaagtgtga	aatgtatact	tgactacta	acacagtagt	taatcttagt	cctacaagtt	480
actgtcttta	cacaatatat	tttcgtaata	tgtatgcact	ggtgtttatg	tacgtgttta	540
tgtttatatc	tgttaaaatt	agcagtttcc	atctttttct	attttgtacc	atcacatcag	600
ttcagaagga	ttgacagagc	aaaatgattt	gatgaagtat	aaaagtcaca	tggtgagtgg	660
cataaataca	actctgaaca	attaggaggg	tcactattga	ctggaactaa	actgcaagcc	720
agaaagacac	atatactata	tgtcaagaga	tgtaccaccc	aggcagttaa	agaagggaag	780
tacacataga	aagcacaatg	gtgaataatt	aaaaaattgg	aatttatcag	acactggatt	840
cattttgtccc	taaagtcaga	gtcctctatt	gtttttttgt	ttttgtgggt	ttctttttta	900
atttttttat	ttttgttga	gtcggagtct	cactgtgta	cccgggctgg	tctagaactc	960
ctggcctcaa	acaaacctcc	tgccctcagct	tcccaagca	ttgggattac	agacatgagc	1020
cactgagccc	agcccagacg	cttttagcatt	tatgaagctt	ctgaaatagt	tgtagaaacc	1080
gcataagctt	tccatgtcac	tttcaaagtt	tgatgggtctc	tttagtaaac	caaccaagtt	1140
attcctcaag	ggcaaaataa	cattttctcag	tgcaaaactg	atgcacttca	ttaccaaaaag	1200
gaaaagacca	caactataga	ggcgtcattg	aaagctgcac	tcttcagagg	ccaaaaaaaa	1260
aggtacaaac	acatactaata	ggaacattct	ttagaagagc	cccaaagtta	atgataaaca	1320
ttttcatcaa	agagaaaaga	gaacaagggtg	ttagcaaat	cctctatcaa	ataacactaa	1380
acatcaagga	acatcaatgg	catgccatgt	ggaagaggaa	gtgctagctc	atgtacaaac	1440
cagtagataa	tttcaacttg	ctgccgaatg	aaacctcttt	gcaaggtagt	aatcagcact	1500
tctcatgttt	gttttgcttt	gttttgcttt	gttttttagag	acaggccctt	gctctgtcac	1560
acaggctgga	gtgcagtggc	acgatcagag	ctcactgcaa	cctgaaactc	ctgggctcaa	1620
gggatcctcc	tgcccttagcc	tcccaagtag	ctgggactac	aggccaccca	tgcccagcta	1680
attttttaaa	ttttctatag	agatgggac	tcactagcac	ctttcatgtt	tgatgttcat	1740
atacaacgac	caaggtacaa	tgtggaaaaag	ggtctcaggg	atctaaagtg	aaggaggacc	1800
agaaagaaaa	gggggttgcta	catagagtag	aagaagttgc	acttcatgcc	agtctacaac	1860
actgctgttt	tcctcagagc	agagttgatg	atctaaatca	gggggtcccca	acccccagtt	1920
catagcttgt	taggaaccgg	gccacacagc	aggaggtgag	caataggcaa	gcgagcatta	1980
ccacctgggc	ttcacctccc	gtcagatcag	tgatgtcatt	agattctcat	aggaccatga	2040
accctattgt	gaactgagca	tgcaagggat	gtagggtttc	cgctctttat	gagactctaa	2100
tgcgggaaga	tctgtcactg	tcttccatca	ccctgagatg	ggaacatcta	gttgaggagaa	2160
aacaacctca	gggctcccat	tgattctata	ttacagttag	ttgtatcatt	atttcattct	2220
atattacaat	gtaataataa	tagaaataaa	ggcacaaatg	gccaggcgtg	gtgggtcaca	2280

17/122

cctgtaatcc	cagcacttcg	ggaggccaag	gcaggcggat	cacgaggtca	ggagatcgag	2340
accatcctgg	ctaaaacggg	gaaaccccg	ctactaaaaa	ttcaaaaaaa	aattagccgg	2400
gtgtggtggt	gggcacctgt	agtcccagct	actcgagagg	ctgaggcagg	agaatggtgt	2460
gaacctggga	ggcagagctt	gaggtaagcc	gagatcacgc	caactgcactc	cagcctgggc	2520
gacagagcga	tactctgtct	caaaaaaaaa	aaaaaaaaaaa	aaagaaataa	agtgaacaat	2580
aaatgtaatg	tggctgaatc	attccaaaaa	aatcccccca	ccccagttca	cggaaaaatt	2640
ctcccacaaa	accagtcctt	ggtgccaaaa	agggtgggga	ccgctaattct	aaataatcta	2700
atcttcattc	aatgctaaaa	aatgaataaa	ctttttttta	aatacacggg	ctcactttgt	2760
tgcccagggt	ggagtacggg	ggcatgatca	cagctcactg	tagcctcaat	caccaggcc	2820
ccagcgatcc	tcccaccta	acttcctgag	tagctgggag	tacaggcagc	caccaccatg	2880
cccagcta	ttttaaaatt	tttatagaga	tgggggtctc	accatggtgc	ccagactggt	2940
ctcaaacctt	gggctcaagt	gatcctccct	caaactcctg	gactcaagt	atcctccttc	3000
cttggcctcc	caaagtgtcg	ggattacaag	catgagccac	tgtaccagc	tggataaaca	3060
ttttaagtcg	cactacagtc	atggacaatc	aggcttttca	acatgcagta	tggacagtga	3120
gtcccagggt	ctgcttttcc	atactgaaat	acatgtgata	ctaaggagaa	agggtgctgc	3180
aaggatattt	aaaatgaaga	atattttaaaa	tgaggaaaaa	actgtttcct	catgactttg	3240
ataaggctga	taaagaccat	ttctgtgatc	tcagggtgatt	cactcaagta	gtatatttca	3300
gtaatcatta	tctggaacag	cctgaatctt	aaccaaaata	ccatgatatt	ttaatgttgt	3360
tatgatacct	tgatgatatg	accaaactgc	aatgtaggca	gctaaatctc	cacgagtttg	3420
acttccccga	gagttgacag	ttttcttcac	aaattaaaga	aatatatatt	ttgatacatg	3480
attggcatat	ttaaaaacta	cactgaaatg	ctgcaaaatg	atataaagaa	acattttcca	3540
gaatcaaatg	caatcaaaga	gtggattagg	aatctatcaa	ccattatcaa	ctaaatagaa	3600
acacttggag	tgggtgtggt	ggctcacatc	tgtaatctca	gcactttggg	aggccaaggc	3660
agggtggattg	cttgaggcca	ggagctcaag	accagcctga	gcaacatagc	aaaactctgt	3720
ctctacaaaa	aaaaaaaaaaa	attaaccagg	catggtggca	gatgcttgta	atcccagcta	3780
ctctggaagc	tgaagtagga	ggactgcttg	agcccaggag	atcaagactg	cagtgaagccg	3840
tggtcatgtc	gcgcacagc	ctgagtgaac	gagagagacc	ctgtctcaaa	aacaaaaaca	3900
aacaaaaaac	acttaacctt	cctgtttttt	gctgttggtg	ttgttggttg	tttggtttga	3960
gatggagtg	cactctgttg	cccaggctgg	agtgcagtg	cgtgatcttg	gctcactgca	4020
agctctgcct	cccgggttca	cgccattctc	ctgcctcagc	ctcccagata	gctgggacta	4080
taggcgcccc	ccaccagccc	cggctacttt	tttgcatttt	tagtagagat	ggggtttcac	4140
cgtgttagcc	aggatggtct	tgatctcctg	acctcgtgat	ccacctgcct	cggcctccca	4200
aagtgtctgg	attacaggca	tgagccaccg	caccgggcca	acctttctgt	tttttagttt	4260
gatattgttg	ttactcagc	agctgaaaag	atgctgaaag	tggccttcag	taaaaaaatt	4320
tcactagaat	ctctacatcc	atatttaatc	tgaatgcata	tccagattga	tcagttagag	4380
caaaaacact	catcatcatt	cctgatgacc	tctaattctg	gtttcggcct	tctatttcaa	4440
tggaaacaga	ataaggaaag	aaatggaagg	gctctggaaa	tttgtcctgg	gctatagata	4500
ctatcaaaga	tcaccaacaa	taagatctct	cctataaata	taaaacaagt	ataattaatt	4560
ttttaattat	ttttttctct	tcagaggatt	ttatttcaag	ataaaacata	actttctacc	4620
atactattga	ttccaaagg	tagaaaaagt	gtttttcctc	atcttatcct	tcaaagaggt	4680
cacagcaatg	caaacatcta	taaaatgcct	ctgcataatt	gtcagaagct	atagtccaga	4740
aatcattgaa	aatgcttttc	catttttaag	ttaggtgagg	tgtcttagga	aacctctatg	4800
acaacttact	ctattttatt	ggaggtaaac	tcccagactc	tcccagggtc	tcctgtattg	4860
atctcatttt	ttaggcttcc	taatcccttg	aagcacatc	gaaaaagccc	tggatctctt	4920
ttctgcacat	atcatcgagg	aattcattcg	gcttccagca	agctgacact	ccatgataca	4980
agcggcctcg	cccttctccg	gacgccagtc	cttgtctcgg	ttagcttagga	tgaggggttt	5040
gctgggcttc	agtgcaggct	tctgcgggtt	cccaagccgc	accagggtgg	ctcacaggct	5100
ggatgtcacc	attgcacact	gagctcctgg	caggctgtac	caatttttta	attatttaatt	5160
atttattttt	aaaatttatg	tgaatatatt	ggtattctgc	tctaaaatag	gcccataaat	5220
gcacagcaga	tatctcttgg	aaccacagc	tttccactgg	aagaactaag	tatttttctt	5280
ttaaagatgc	tactaagtct	ctgaaaagtc	catagctctc	acctctttcc	atcccaaact	5340
aagacttgga	atttttgaga	gatctagcta	acagaaatcc	cagacacatc	attgggtctt	5400
cccagagtgc	agtcctccta	aagaggctca	gccctaagca	ggcccttgca	ccaggagggt	5460
gggtctgaga	cccacatagc	acttcccaag	gtgcatgtct	cagagaggca	ctgaaacagc	5520
tgagcacaag	cctgcaagcc	tggagaactc	tcacagtcag	aacggagggg	gcccagtggt	5580
actaacataa	agagaaaagg	gaacacagc	aaatggaatg	caccaacaac	cagcaagccc	5640
ttcatggcca	atgaaagcat	cagtgaaggg	gccgaacccc	tcatcccaaa	agactcttca	5700
ctgcctttag	tgaaaaacaa	tggctagaga	gtgaagttat	gatcatgtat	agagaggtaa	5760
agttacattt	ttatattctg	actctgctaa	tgtgaaattc	cctatctgct	agactaaaag	5820
tttcagacac	cctgttcaaa	tatcccatca	gttgctagag	acttaaaatg	aacagaacgc	5880

18/122

acattgtcag	gatgactatt	acaaaaaaat	caaaagacag	caagtattgg	tgaggatgta	5940
gagaaactgg	aactttttgtg	cactgtttat	gagaatgtaa	aatggagcag	ctgctgtgga	6000
aaagagtatg	cagggttcctc	aaagaggtaaa	accaagatgt	ggaaacaact	aaatgcccac	6060
cagtggatga	aggggtagac	aatatgtggt	atatacatat	catggagtac	tattcagcct	6120
ctaaaaaaa	aaaaggaaaat	tctataacat	gcaacagcat	ggatgaatct	tgaggacatt	6180
ttgctaata	aataaggcag	tcatagaaa	acaaatactg	cacgactcca	cttatatgag	6240
ataccaaaaa	tagacaaatt	catagaatca	aagagtacaa	tggagggttac	ctggagctgc	6300
agggcgggaa	acgaggaggt	actaatcaac	gaacataacg	ttgcagttaa	gtaagatgaa	6360
taagctctca	agatcagctg	tacaacactg	tacctagagt	caacaataat	gtattgtaca	6420
cttaaaaaat	tgtaagggt	agattaacaa	atgtagtaga	tccacaaatg	tggttaagt	6480
ttcttaccac	agtaaaaata	aaaaagaata	tcaagcccag	gagttcgaga	ctagcctggg	6540
taacatgggt	aaaccctgtc	tctacagaaa	atacaaaaaat	tagccagctg	tggaagtgca	6600
tccttagggg	ggctgaggga	ggaggcttgc	ttgagcccag	gaggtcaagg	ctgcagttag	6660
ccatgatgtg	accactgttac	tccagcccag	atgacagagc	aagacaccac	ccccccaaa	6720
aaaagajjjj	gaatatcaaa	catttttaaaa	gatcagatac	gcaagaacaa	caacaaaaaa	6780
gagatgajca	gagcatcgac	cctcatctag	tgggattctt	ggtctaactg	aaaaacagac	6840
attgagagac	aaacaatgac	agtgatgtga	tcacagcaat	tacacaggta	tcccctgggg	6900
actgcagajg	aaaggaggaa	tgccctaact	tcagaaaaata	gagaaaagcg	caaacagttg	6960
gtgaaagcct	tccaaaacta	gagagaactg	cacacaccaa	atcacagaaa	gaagaaaagc	7020
cgtgggajgt	tctgggaccc	accggctatt	tttgatggct	gaacaccctg	ctgcaggaga	7080
gacaggajgt	ygaaagcatt	gtgggatgaa	acctaacaac	gctttgcctg	cattgcttaa	7140
gatgactggg	cttgattaac	tctagtcaat	ggggacaatt	caatcaaaaga	agaaagatgc	7200
tcaaatctac	attttagaat	gattttttat	ggcagtatgg	ggaatagatt	aaaagagagt	7260
gaagctggag	gcaugaaact	tggttaagagg	caactgaaac	agtctagatg	ataaataata	7320
aactgacaga	gtgactagaa	aaatcagaac	aggctgaatc	aacagatacc	tagatgaaaa	7380
taacaggact	tgtaccagag	ttgtatcttg	gagagaaagg	agttgtttcc	ttgctttccc	7440
tacgactggg	aatacgggaag	gtttgccgtg	tgtattgggt	atatactggg	gtgtagccaa	7500
tcactgacaa	ccatttagca	gcttaaaaaca	caaaggctta	tctcccagtt	tctgtgggcc	7560
aggaatctaa	gtagggctta	gctggctggg	tctggctcag	agtttctcaa	gaggttgcaa	7620
tcaagatgtc	agggataagg	gcacatctg	agggctcaac	tggggccgga	gggtccactt	7680
ccaaggaggt	cactcacctg	cctgacaagg	cagtgtcggg	tggtggcagg	agatctcaat	7740
tcattgccaa	gtgagcctct	ctatagcatt	gctggaacat	cctccccatc	tggcagttgg	7800
cttctctcag	catgagtgat	ctgagagaga	gagcaaggag	gaagccacag	tgttcttcc	7860
actcctactc	ctgactactc	ggacctactc	ctaacactgt	cacttctgcc	ttattccatt	7920
agttagaaa	ggaactaagc	tccacctctt	gaaataagaa	gtgtcaaaaga	atttgtggat	7980
atattttaaaj	atcatcacac	tgtggaagt	gatagggggg	tcaattaatg	ctgaacttga	8040
aatgcctgag	acattcaaat	gtccaacagg	caatgaacat	acccatagat	ggatcatgact	8100
ttagcaagaa	tagagaaaga	tcacagaatt	aaggaggaaat	tgaaggttaa	aagaagtgga	8160
gtcagattcc	ccctgaaaag	tgagccatga	aaggaaactt	aactattgag	ttagaggtca	8220
gagtaggaaa	tttcgggtgga	attctttttt	aaagaaagga	accatataag	catgttttga	8280
ggttagagggg	gaataaatca	gtagacaggg	agaggtaaaa	aacataaatg	ataggggata	8340
ggtgacaaa	gtcttggcag	aatcccttac	ccattgactt	ggggccaaga	gagggacact	8400
tctagggcaa	agggataagg	aaaataagaa	agaatgggtg	ctatttagtg	tggtcctgtc	8460
ttgagattct	acgcataagg	aacaaactgt	gtgtgttagg	aatatagatg	tgacctcaca	8520
gctacatgca	cacctcaaat	ccattttgtt	gttacctgta	ccttcctacc	ttctcttttt	8580
atctgctacc	gactgctgtt	ttgtcttctt	ggcctgttcc	aggtttcagc	attctggcat	8640
attggggccac	ctgttcccaa	acctctctag	agtcagatgt	ccttccttgg	atagtgtttg	8700
aatctccatc	gtatctaaga	agtgatgcct	tcagttaggc	ctgagaacct	cctctatgga	8760
tggtctagga	agtgaccctg	acagacttgg	tatcttggag	atgtcactgc	tcccagcctg	8820
tgaaccagag	gaatctcagc	ctgggcctct	agtagtatgg	ataaggcggt	aagggtatctt	8880
ttctctgagct	tctgtcatat	tcctcaatgt	gggacagata	aaacagtggg	agtgtctggg	8940
attaaaaattt	agaactctgg	tttttggtct	agattctttg	atgtatgacc	tttcagaggt	9000
caacaaaaca	gttctaatac	aatgttcaat	acaaatgtag	ttccttttct	gttaggacct	9060
cagtaataacc	tgaccaactg	tagatgaaca	ttaaactatg	acaattcatg	gaaatgaata	9120
ctattttaagg	tgcggttccc	ccatttttagc	agtcactatg	gtgacatttg	gcacaaatgg	9180
atgaaataat	gtgcttttgt	taaaacctac	catcttacta	ggcacatgat	attgaaacta	9240
tttttagctgc	ggagaaactt	cttaaaaaact	tttaatgaat	aaagtgatga	agtgataata	9300
ttgaagttgt	tatttataaaa	gtgactatta	caggtcaaac	attcttctag	gggtttttttg	9360
tttggacagt	cacatttaaat	ccttaataaac	ccactatgag	tcaggtattc	ttctctcccc	9420
	tggggaaatg	ggggtcagag	aggttaggtg	atttgctcag	ggccacacaa	9480

19/122

cctgcatgta	gaaaatctga	gatttgtaca	ggaacgtatc	aaactctgaa	gtccatgctt	9540
ctatttttccc	atgctgcctt	tctaataaaaa	ggtaactaat	gctactggat	gctgccccca	9600
aagtgaagtca	ctttcacccc	accctacttg	attttctcca	taaaactaat	cacatcctga	9660
caacttattt	attgctgatc	tccccacta	gattataaac	tcaataaaaag	caagatcctt	9720
gtctgctgaa	tatcagtagc	taaaacgctg	tctagcacag	agcaagtaat	taatatttgt	9780
tgaatgaaca	aataaaggaa	aaaaattcaa	aggaagaaaa	agccctaaaa	cagatgttta	9840
cctaaacata	catttttaaaa	gaaagcatat	aacaaattca	ggacagaatt	taaatttgat	9900
tttttaaaaga	aataaccaag	tgctagctgg	gcacagtggc	tcacacctgt	aatcctagca	9960
ctctggggagg	ccgaggcagg	cagatcactt	gaggtcaaga	gttcaagacc	agcctggcca	10020
acatgggtgaa	acctgttctt	actaaaaata	cagaaattat	ccaggcatgg	tggcaggctc	10080
ctgtaacccc	agctactcag	gaggctgagt	caggagaatt	gcttgaaccc	aggaggcaga	10140
ggttgcagtg	ggccaagatt	gcaccactgc	actccagcct	gagtaacaaa	gcaagactct	10200
gtctgaagga	gaaggaaaga	aagaaggaaa	gaaggaaaga	aggaagaaag	gaaagaagga	10260
aagaaagaaa	aagaaagaaa	aagaaagaaa	aagaaagaaa	aagaaagaaa	gaaagaagga	10320
aagaaagaaa	aagaaagaaa	gaaagaagaa	accaagtgtc	tatttgggac	ctactatgct	10380
atgtttttcc	atgcacgcta	ttttcagtaa	agcagtttagc	aaacttgcaa	gatcataaca	10440
acaaatatat	gcttctataa	ctctaaaatt	gtgctttaag	aagtctctct	ttaccagctc	10500
atgtatgcat	tagttttcta	agagtactta	gtaacttttt	ccctggagaa	tatccagctc	10560
cagtgttttt	aaccaaagga	ggatgcttac	taacatgaag	ttatcaaagt	tgagcctaag	10620
ttggggccagt	tcagtgttaat	atactccaga	acaaaaacca	tcctactgtc	ctctgacaat	10680
tttacctgaa	aatttcatttt	ccacattacc	aaggagccag	ggtaggagaa	tatagaaaga	10740
ccaccaaga	atccttactt	ctttcagcaa	aatcaattca	aagtaggtaa	ctaaacacat	10800
gccctaacaa	tgaatagcag	attgtgtcta	gaagaatgat	ctacaacatc	ttactgtgaa	10860
ggactactg	aaatattcca	ataagacttc	tctccaaaat	gattttattg	aatttgcat	10920
tttaaaaaata	ttttaagcct	aaatttttaa	aggtttgata	ttggtacatg	aatagacaaa	10980
cagacatgga	ctagaccaag	aattagggtc	aaacatatat	aggaatttaa	tatacgataa	11040
atctagtatt	ccaaaggaaac	caacaaatgg	ttctcagaca	gcaggatagg	catcaggaia	11100
aacacagttg	ggcaccctac	cttactccta	acaccaggag	taactgaagg	agcaccacaa	11160
atttatattat	tttaattata	gtttttaagtt	ctagggtacg	tgtgcacaa	atgcaggttt	11220
attacatagg	tatacatgtg	ccatgttggt	gaggagcacc	aaatatttaa	aagaaaaaaa	11280
ttggccatggg	gcgggtggctc	acacctgtaa	tcccagcact	ttgggaggcc	aagggtggga	11340
gatcacctga	ggctcgggagt	tcgagaccag	cctgagcaac	atggagaaac	cccattctcta	11400
ctaaaaatac	aaaattagcc	aggcatgggtg	gcacatgcct	gtaatcccag	ctacttggga	11460
ggctcaggga	ggagaatagc	tttaactctgg	gaggcacagg	ttgcgggtgag	ctgagatatt	11520
gcactccagc	ctggggcaaca	agagcaaaaac	ttcaactcaa	aaaaattaat	aaataaataa	11580
aaataaagaa	agaaaaagaaa	aaaatgaaaa	tagtataatt	agcagaagaa	aacaccgtag	11640
aatcctcgga	ctcttaggat	gggggaatgcc	tataatataa	aaaccctgaa	gttataaaaag	11700
agaaaaatc	ctacatacaa	accaaattctt	tctacatgcc	taaaacatag	cacaaacaca	11760
gctaaataat	tgaactggaa	gagtagccta	ataaacccaa	tgactcatat	ccagacagag	11820
tttaattttcc	tacacataaa	gagtagccta	ataaacccaa	caaaaaaacc	accactaacc	11880
caaaaataaaa	atgtgacagg	taatgaacag	gtagttcaca	gagaatacaa	atggctcttc	11940
ggcacataag	atgctcagac	tgactttttac	ttattttatt	tttgagagac	agggtctcac	12000
gatgttgccc	agggttaggct	caaactcctg	ggctcaaatg	atagtaccag	gactacaggt	12060
gtgccccacc	gcacctgggt	cctcaaccac	ctgtattaac	aggaaatgca	aaataaaact	12120
ttcaaatcta	ttttacctat	tagaatggca	aaaatttgaa	aaacttcaaa	catcatcatg	12180
ttggtgagaa	tgtgaggaga	ctggcactct	catttttttg	tgatagcata	tataactga	12240
tggcttctat	ggaaagcaat	ctggcagcgt	ctatcaaatg	tacaagtgca	tatatccttt	12300
gacaaatgca	ttccactcta	ggaatgtgtt	ctatatgggt	gtgcttcctg	gggctgggaa	12360
ctgggagcta	agggacaggg	gcagaagata	atcttctttt	ccctccttcc	ccgttaaaca	12420
tgttgaattt	tataactgtt	aatatattat	ttttcacaaa	agataatttt	taagcgatat	12480
gtctgggaat	tttttttttt	cttttctgag	acagggtctc	actctgtcat	ccaggctgga	12540
atgccatggg	atgatctcag	ctgactgcag	cctcgacctc	ctgggttcaa	gcaatcctcc	12600
cacctcagcc	tcttgagtag	ctgggactac	aggcacgtgc	catcatgcta	atttttgtat	12660
atacagggtc	tcactatgtt	gcccaggcta	atgtcaaaact	cctagggtca	agcaatccac	12720
ccacctcagg	ctccaaagtg	ctgggattac	aggcgtgagc	caccgcgcct	ggccctggga	12780
attctctaca	aagaaaaaat	atctactctc	cccttctatt	aaagtcaaaa	cagagaagga	12840
aattcaacct	ataatgaaag	tagagaaggg	cctcaacctc	gagcaacaaa	cacaaaggct	12900
atttctgaga	caggaatttg	ctgaacaaaa	tcgagggaag	atgacaagaa	tcaagactca	12960
cttctcggt	gggcgcagtg	gctcacacct	gtaatcccag	cactttggga	ggccgaggcg	13020
gacagatcac	gaggtcagga	gattgagacc	atactggcta	acacagtga	accaggtctc	13080

20/122

tactaaaaat	acaaaaaatt	agccgggct	ggtggcaggt	gcctgtagtc	ccagctactt	13140
gggaagctga	ggcaggagaa	tggcgtgaac	ccaggaagcg	gagcttgtag	tgagccgaga	13200
tcacgccact	gcactccagc	ctgggtgaca	gagcaagact	ctgtctcaaa	aaaaaaaaaa	13260
aagactcatt	tctctagatc	ttgagccgta	ttcaaattta	tctcagctta	gtgagaggtt	13320
aaagcaagga	atatccttcc	ctgtgggccc	tgctccttac	tgaaggaagg	taacggatga	13380
gtcaaggaca	ccaatggaga	aaagcactaa	caccattatc	tgatgaacat	tacgtgaaga	13440
agggtaaaga	gtgaagtggg	attgctgaag	aagtcagtg	aagcggacat	tcatttgggg	13500
aaatggaata	taggaaatcc	ataaaagtga	ttaaaaagat	gttagaggct	gaggcggggg	13560
gaccacaggg	tcaggagatc	gagaccatcc	tggctaacac	ggtgaaaccc	catctctact	13620
aaaaatacaa	aaaattagcc	aggcgtggtg	gcaggcacct	gtagtcccaa	ctactcggga	13680
gactgaggca	ggagaatggc	atgaacctgg	gagacggagc	ttgcagttag	ccgagatcac	13740
gccactgcac	tccagcctgg	gtgacagagt	gagactccat	ctcaaaaaaa	aaagtttagat	13800
acgagagata	aagatccaac	agacacacaa	ctgctaattc	tgaacagaac	aaaacaaatg	13860
gcacaggaaa	agaaaattta	agatataaca	ccggaaaact	ttcctgaaat	tgagtaactg	13920
aatctatagc	ttgaaagggg	ttagcatatg	ccaagaaaaa	tcagttagagt	ccaaccagca	13980
caagacacat	ctagcaaggc	tggtgattct	accaacacag	agaaaagaagt	gggtgaccca	14040
taatgcggaa	aaaggcagac	catctgcagt	cttctccaga	acactggagt	ctgaagacaa	14100
aagaatgctg	cctactgagc	cagaaggagg	agaaagttag	ccaacacatc	tttaccagt	14160
tagaatgtca	cgcattatct	aaaggctgca	aaagccatga	aagacatgaa	agaacacaag	14220
catttacaac	atgaaagaac	acaagcattc	tcatactcaa	gaatccttaa	gaaaaatgta	14280
gtcctaatac	agcccactga	aagttaaatg	tacttaatgt	gctcattaat	gggaacttca	14340
tagcttcaaa	tcagttcctt	cccattctacc	aacatctctc	gcccggcttt	cctgcaatag	14400
tcagcacctt	tcctctctcc	cagtcttgct	ccctggagtc	tgctctcagc	atagcagagt	14460
gaccacatca	acacccaagt	cagagccctc	cagtgcgcac	tggtctacaa	agcccttccc	14520
acccccacc	ccacgtgccc	tccggatcct	tgtgacgtgt	ctcctgcata	ccctagcagc	14580
cctggcctcc	tactgcccc	tcctgtacat	caggaaaggc	actccttgag	tcttgctct	14640
ggcgcgctcc	tccactgcca	gtgagttaac	tcccttacct	actctaggct	attgctcaaa	14700
tgctcagcat	tcaatggggc	cctccctgac	taccctatct	aaattctaca	tactcccctt	14760
gaccccatgg	acctcactca	ccctattcca	cttttattct	tacaatttag	cacttggtct	14820
cttctaactg	attctaagac	ttactcattt	attactatgt	ttgccacccc	ctctagtaca	14880
taaaactccag	aggggcaggg	atttctgtct	atttatctat	ttctttatcc	ctaggacata	14940
gaacaggggca	tagttcagag	tattcaatgt	tatcaatgaa	tgaactagca	gtagtaccag	15000
ttccagtttag	gcacagaatt	aaatctaaat	agaattaaat	ctcatgggtct	gggttaacta	15060
tggatagaaa	attagatata	attttaagaa	gcctagaaa	aaaaaattaa	taatgtaaaa	15120
ataaatattaa	tttgataata	ataacaaaaa	ctctgcccag	cactgtgggt	caaactctga	15180
atcccagcta	ctcaggaggc	tgagggtggaa	ggatcacttg	agaccagagt	tcaagactca	15240
gcctaggcaa	cacggcaaga	aactgtctct	aaaaaaaatt	aaacttaaat	ttttaaaaaa	15300
gaattctcaa	agcgtcacaa	aaactggaga	ttaagggtaca	ggaagtgtga	agtaatatga	15360
ctatgtcta	gggttttttt	tttttttagaa	aggtataaac	aaaagatttc	tttctcaagt	15420
cgataaaactg	agaaaagata	gcataatctt	caattaacag	aggggggagga	aaagccagat	15480
acaacaaaat	aagatataaa	ttagtttcca	gttgaaaaca	agagttaggag	ttattttgca	15540
tcacctcacc	tgtgacctcc	cccagcccaa	aaaacactac	tgataaaacag	ggtagaaaag	15600
catcatctca	gataaagcag	gaaaaactgc	cacagtctca	aaccacaaac	tataagcaca	15660
cacctggcca	accctgccaa	gtctgggctc	agtaggagga	acgtgctgag	agctaggatg	15720
taccaactta	gacattctgt	gggatacaga	tgtccctgga	agggtcacac	catctcaaa	15780
gcacctgtaa	tgcccactga	ttacagccac	catatgtgag	agagaaaact	agggcactta	15840
gagagtataa	caagaacctt	atgtcatctg	agatgaggaa	tcctcagccc	tgcaaattaa	15900
ccaactcttt	agaacaactg	gcaaaaacata	aatataccaca	actttttgtt	cagtaattcc	15960
actcttagat	atcaatccaa	agtacatgag	acagcagata	cacacacaaa	atgggtattta	16020
ctgcagcatt	gtttataata	gcaaaaaaca	agaaataatc	catatgtctc	aataggatag	16080
tgggtacatg	agggtatgta	cccatcattc	aacctcaaaa	aagagtgata	tggatgtcca	16140
cagatggaca	taaaaagctg	tgtgttacgt	gaaaaacaa	tcaagcagca	gcaggatggg	16200
cttatgatag	tcagtatgag	ctaatttctg	gaaaaaaaaa	tctagtgtgt	gcacagaaaa	16260
catctgaaa	aacagaaaaca	aaactatcag	cagaataattg	agatgtttta	ctaagtgtga	16320
tatctatact	gcttgaattt	tttaccctaa	gcaagaatta	ctttttggaa	aaagaaaatt	16380
caggaaaataa	agcatttctt	taactttcat	gtttaaaaca	atgggtgatg	aataaaaagag	16440
ttcttattca	tcataaacac	acacagcaca	catgcacgca	tggtgcgtgag	cacacccttt	16500
acttgataaa	taccatgttg	aatatttttag	tctttccttt	taggttctat	cccttcaact	16560
aaaatgcggt	tataaataaa	tgtacttttc	atgtgccttc	tgccataaac	cactttaata	16620
taactttaca	gtcccatat	cattatagtc	tcaaagctag	actcagcctg	aaactaccct	16680

21/122

ttcatttggga	acccttatta	aaatgccaca	tacagctcct	tcaaataaaa	acaaacccta	16740
ggacctgaca	ctaggcttcc	tttgttgcta	ctcataatgg	ccaagttctg	tgcttataat	16800
acatcttctt	tcattttatt	gctacatata	caagggtttt	atatgttttt	cttattatat	16860
cttaattcaa	aacaccatca	cgctcttttc	cagatgaaaa	taaggaaaaag	aaattgagca	16920
actgactgac	ctaaagggtca	taaaactata	tagtagcaga	gtcagcaaaa	gaagaaacac	16980
acatctccca	agtagagggt	gaaaaccagt	accattcacc	tccagggtga	gctatatata	17040
gattacaaag	tcaccttctc	taaatgttca	aactgaatcc	cataccata	ctttaccact	17100
acctcgtaag	aacagcctca	gatcttggtta	tagccttttt	tttagcatgc	tgaagccaat	17160
aaaatgcttc	ccattcagca	agagaaacaa	gttctgaaac	actgaataat	ctgcccaggg	17220
cctatgaaca	tttccactgt	gagaaatgtt	ctccactgtg	tggagaagat	ccttactctt	17280
ctccacacag	gcagaacatt	agaaaaattc	ttggattcta	tgatgcacag	cttaggagtc	17340
tgttttagcac	aattttaagtc	caaatagtta	ttaaactctc	ctctgttcca	gaaacagtgc	17400
taaatactgt	gaatataaaa	attgaaaaga	tactctcctg	gctcccaaga	aagtcagcca	17460
gatagaggag	acacaggcac	acaaatcact	gtcactatga	gctctacctc	cctaacttca	17520
aacgagggcc	taagtcacca	agaatacagt	agcagttgtg	actacgagta	actactataa	17580
ttcaatactt	tatcttccct	tagaaaaactc	ttctcccttg	gaaatttatt	tgcatcttcta	17640
aataccattc	cttactaaaa	ggaagcaggg	ctccttgggg	aaatagctga	ttctaggtgt	17700
ggactatgaa	atgaaaatgg	tgagtctggg	acatccctag	ttgcccagaa	atcaaggaac	17760
tgcccaaga	ttaacagagt	catgtttaat	ggacctaaga	gtgaaccaga	aggagctcac	17820
tttgccccgc	gtggaacaat	ttcaagaaaa	acatgacagt	aatgaattat	aaaacatgaa	17880
ttaaaataca	tatttggtact	aaaaagagaa	caaaaggatg	tggctttgga	taaagctctt	17940
cttcatggaa	gaataccagc	taataaatgt	aaaggaaaatg	agagaattag	aaaaatttat	18000
attttgtaaa	ccttaatata	ttcacctaga	catgctaaaa	ccactgagta	aaaggctgct	18060
tgggaagagg	atgctcacat	gatctcagag	tttcacacca	cagataattt	attagatata	18120
ggaaggaaga	tgtgatcaag	cttcctgtga	ccccagcca	ggccccacaa	cactatgtgc	18180
ctcttgtga	tgtgggagct	acacagcatc	gccccacag	cttctcgcca	aaactgtttg	18240
aagctaattc	caagggaaga	actggacagc	ttctgacctt	gagacgctcc	accagacaac	18300
ttgcttggcc	tctccaaaga	aacttgcttg	gcctctccaa	agaaaactca	gtttcattta	18360
aaaacaaaac	taattatttta	aaaacaaaacg	aaaagcaagt	tgtggacttg	agctccaggg	18420
acagagcaga	catacttttc	cctgttcttc	ccagtaagtg	gtaataaaaa	ccctcaacac	18480
tagataaaa	acaaatataa	gaagggtctg	gaagggggaag	aggaggcaga	ctatccaggt	18540
gccttgaggc	ccacagaaca	acccagtgat	gggttccactg	ggtcttcttt	ttgcttcatt	18600
atctcagact	tggagctgaa	gcagcaggca	acttcaaaac	accaaggggg	acagattgaa	18660
aagccccaag	aaaagcctgc	cctctctagc	caaaggacca	ggaaggagac	agtctaata	18720
gatggaaacac	atttagacag	taactgcccc	tttaccagca	ataactgagc	agggagccta	18780
gacttccagt	cttgtgagga	cgtaccaagg	tacccaacac	ccccaccaag	gctgagtaag	18840
gactgcgact	tttatccctg	catggcagta	gtaaggagcc	catccctcac	ccgccagcag	18900
tgtcagggga	acctggactt	ccactcccc	ccaggagtga	tgaggccctc	cctgctgggg	18960
tcattgtcaga	ggaggcctag	tggagattca	gtgacttaac	cttttcccag	agataatgag	19020
gccacctttc	ctccctcttc	ccccatggtg	acagtgaag	cactgtggca	agcagtaggc	19080
actcctaccc	ctcctagcca	gggagggtatc	agggaaggcca	agtagggaac	cagaataccc	19140
acaaccaccc	agcagcaaca	gggggtcccc	accccatagg	gtgtcaatgg	aagcagagcg	19200
gaaagcctgg	atattttacc	ccatctagaa	gtaacaagct	gatgtcccc	ttcttctact	19260
acaatggtgt	tcaaaacagg	tttaataaag	gtctagagtc	tgataacgta	atacccaaat	19320
cgttgaagtt	ttcattgagg	atcattttata	ccaagagtca	ggaagatccc	aaactgaaag	19380
agagaaaaaga	caattgacag	acactagcac	taagagagca	cagatattag	aactacctga	19440
aaggatgtta	aagcacatat	cataagcctc	aacaggctgg	gcgcggtggc	tcacgcctgt	19500
aaccccagca	ctttgggagg	ccgaggcagg	tggatcacaa	gatcaggaga	tcgagaccat	19560
cctggctaac	acgggtgaaac	cccgtctcta	ctaaaaatac	aaaaaaaaat	agcaaggcat	19620
ggtgggtgggc	acctgtagtc	ccagctactc	gggagcctga	ggcaggagaa	tggcatgaac	19680
ctgggaagag	gagcagtgag	ccgagatcgc	accaccgcac	tccagcctgg	gcaacagagc	19740
aagacttcgt	ccccaaaaaa	aaaaaaaaaa	aaaaaaaaagc	ctcaacaaac	aactacaaac	19800
gtgcttgaaa	caaatgaaaa	aaaaatcttg	gcaaagaaat	aaaagatata	tatttttgcc	19860
aggtgcagtg	gctcacagcc	tgtaatccct	gcactttggg	aggctgaggc	aggcggatca	19920
cctgaggtca	ggagtttgag	accagcctga	ccaacatgga	gaaaccccgt	ctctactaaa	19980
aatacaaaa	tagcttgcta	tgggtggcaga	tgccctgata	cctagctact	caggaggccg	20040
aggcaggaga	atcgcttgaa	ctcaggaggt	ggagggttgcg	gtgagccgag	atccccccat	20100
tgcacattgc	actccagcct	gggcaacaag	agcaaaaactc	catctcaaaa	aaatagatac	20160
atattttaat	ggaaatttta	gaattgaaaa	atacagtaac	caaattgaat	ggaaagacaa	20220
catagaatgg	agggggcaga	caaaataatc	agtgaacttc	aacagaaaaat	aatagaaatt	20280

22/122

acccaatatg	aagaacagaa	agaaaataga	ctggccaaaa	aataaagaag	aaaaaagagg	20340
agcagcagga	ggaatgatgg	aaaaagagaa	aggaaggaag	gaagggaagg	agggagggaa	20400
ggagtggagg	agaaagtctc	aaagacctct	gagactaaaa	taaaagatct	aacacttgct	20460
atcagggtcc	aggaagagaa	caaagatggc	acagctggaa	acgtattcaa	aaaataatag	20520
ctgaaaactt	cccaaatttg	gcaagagaca	taaacctata	gattcgaaat	gctgaacccc	20580
aaataaaaaa	cccaataaaa	tccacaccaa	aatacatcat	agtcaaactt	ctgaaaagac	20640
gaaaagagaa	aacgtcttga	aagcagtgag	tgaaacaaca	cttcatgtat	aagggaaaaa	20700
caattcaagt	aacagatttc	ttacagaaat	taaggaagcc	agaaggaaat	gacacaatgg	20760
ttttcaagt	ctgaaagaaa	agaagtgtca	acacaaaatt	ctagattcag	taaaaatatt	20820
cttcaagaat	caatgggaaa	tcaagcagtg	ctcagataaa	gcaaaaataag	agaatatgtt	20880
gccagcagat	ctcccctaaa	ggaatggcaa	aaggaagatc	atgcaacaga	ccaaaaaatg	20940
atgaaagaag	gaatccagaa	acatcaagaa	gaaagaaata	acatagtaag	caaaaaatata	21000
tgtaattaca	ataaaatttc	tatctcctct	taagacttct	aaattatatt	gatgggtgaa	21060
gcaaaaatta	taaccctgtc	tgaagtgtct	ctactaaatg	tatgcagaga	attataaatg	21120
gggaaagtat	aggtttctat	acctcattga	agtggtaaaa	tgacaacact	gtgaaaagtt	21180
acatacacac	acacacgtaa	gtatatataa	atatatgtgt	gtatatgtgt	gtgtatatat	21240
atatctacat	ataatgtaat	acagcaacca	ctaacaacac	tatacaaaga	gataataacc	21300
aaaaacaatt	tagataaaat	gaaatggaa	tctaaaaaat	attcaaatac	tctacaggaa	21360
gacaagacaa	aaagagaaaa	aaagaggagg	acaaactaaa	tttttttaaaa	acataaataa	21420
aatggtagac	ttaagcccta	acttatcaat	aattacataa	atgtaaatga	tctaattata	21480
tcaattaaaa	gacagagata	gcagagttaa	tttaaaaaaca	tagctataag	aaacctgctt	21540
tgggtcgagt	gcagtgactc	acacttgtaa	tcccagcact	tggggaggcc	aaggcggtg	21600
gatcacctga	gggtcaggagt	tccagaccag	cctggacaac	atggtaatac	cccatctcta	21660
ctaaaaatc	aaaaaaaatt	gccaggcatg	gtggcacacg	cctgtagtcc	caactactca	21720
ggaggctg	acacaagaac	tgcttgaacc	cgggcagcag	aggtagcagt	gggccaagat	21780
tgcgccact	gcagctgaac	gacagagtga	gactccacct	cagttgaaaa	acaaaaaaga	21840
aacctgcttt	aaatatacca	acatatgttg	gttgaaatta	aaagaataaa	atatatcatg	21900
aaaacattaa	tcaaaagaaa	ggagtggcta	tattaataac	ataaaataga	cttcagagaa	21960
aagaaaattt	caagagacag	gaataaaaag	atcaagaaaa	gatcctgaaa	gaaaagcagg	22020
caaatcaatc	attctgcttg	gagattcaac	acctctctt	aacaactgat	agaacaacta	22080
gacaaaaaaa	tcagcttgga	gttgagaaga	acttaacacc	actgaacaac	aggatcta	22140
agacattttac	ggaacactct	acccaacaat	agcaaaataa	acattctttt	caagtattca	22200
ctgaacatat	ccttagaccc	taccctgggc	cataaaacaa	agctcactag	tgattgccga	22260
aggcttggtg	ggcagctgga	agagctgcag	ggggaggagg	aagggtgacag	ttaaagagt	22320
taggattttct	ttttgggata	atgaaaatgt	tccaaaattg	attgtgggtga	tggtggcgca	22380
actctacaaa	tataaaaaag	gccattgaa	tgtacgtttt	aagtgggtga	aacatatggt	22440
atgtggatta	tatctaacgc	tttttaaaaa	cttaacacat	ttcaaagaat	agaagtcata	22500
cagagtgtgc	tctaatgaa	tcaaaactaga	aagaggtaac	tggaggataa	cgagaaaagc	22560
ctccaaatc	ttgaaaactg	gacagcacat	ttctaataatc	atccgtgggt	caaagatatt	22620
catttctgat	attcattttt	attgtttaat	gtatttttaa	aaatttctta	agggaaataa	22680
actgactaaa	aatgaatatg	gctgggtg	gtggctcacg	cctgtgatcc	cagcactttg	22740
ggaggccgag	gctggtggat	cacaagatca	ggagttcgag	accagcctgg	ccaagatggt	22800
gaaacccgt	ctcaactaaa	aaactacaaa	aagttagccaa	gcgcagtggc	gggagcctgt	22860
ggtcccagct	acttgggagg	ctgaggtagg	agaatcgctt	gaacacaggc	agcagaggtt	22920
gcagtgaagg	aagattgtgc	cactgcacgc	cagcctgggc	gacagagact	gcctcaaaaa	22980
aaaaaaaaaa	aaaaagaata	tcaaaatttg	tgggacatag	ttaaagcaat	gctgagaggg	23040
aaattttata	cactaaatgt	ttacattaga	aaagagaaaa	agtttcaaat	caatagtctc	23100
cactcccatc	tcaagaacac	agaagatgaa	gagcaaaata	aacccaaagc	aagcaaaaga	23160
aagaaaatat	aaaaataaat	cagtaaaaat	gaaaaacagaa	acacaataaa	gaaaatcagt	23220
gaaacaaagt	actgattctt	cgaaaagatta	ataaaattga	caaacctcta	gcaaggctaa	23280
caaacaaaaa	agaaagaaga	cacggattac	cagttattag	aatgaaagca	taattagaaa	23340
caactctaca	cattataaat	ttgacaatgt	agatgaaatg	gactaattac	tgaaaaaaca	23400
caaattacca	caactcacc	aatatgaaat	agataattgg	gatagcctga	taactactga	23460
gaaaattgaa	tttgtaattt	taacactctt	aaaacagaaa	cattaaactt	aatattttat	23520
aaattattaga	ttaaggtaatt	atacccttcc	ttaacaaata	aaaacgacaa	attattttgc	23580
agctaaagag	atgtatgtac	tgtgaaaaat	atcttcagaa	aaatagaact	ttgtttgaag	23640
aataaggatt	taaaaaatgt	ttttaactct	caagaagcaa	atatctgggc	ccagatggtt	23700
tcactgaaga	attctaccaa	atgttttaatg	aagaattacc	accaactcta	catagcatct	23760
ttgagaaaa	tgaagagaag	ggaacatctc	ccagttcatt	ttatgaagt	ggtgttactc	23820
tgataactaga	actgtataag	gacagctact	cttgacacac	tgcctatggg	tagctctgct	23880

23/122

ctgcaggaac	agtcagaaaa	aaaaaaaaaa	gaagcactgg	acaagggcag	tataaaaaaa	23940
gaaaactggg	ccaggtgcag	tggctcacac	ctgtaatctc	agcactttgg	gaggctgacg	24000
ctgggtggatc	acctgaggtc	aggagtttga	gactagcctg	gccaacatgg	taaaaccctg	24060
tctctactaa	aatacaaaaa	ttagccaggc	agggtggtgg	ggaaaaataa	aaggaaaaaa	24120
aaacaaaaat	aaactgcaga	ccaatatcct	tcatgagtat	agacacaaaa	ctccttaaac	24180
tccttaacaa	aatattagca	agtagaagca	atataataaa	ataattatac	accatgatca	24240
agtgggactt	attccagaaa	cgcaagtctg	gttcaacatt	tgaaaaaca	gtaacccact	24300
atatgaacgt	actaaagagg	aaaactacat	aatcacatca	atcaatgcag	aaaaaagcat	24360
ttgccaaaaat	ccaatatcca	ttcatgatac	tctaataaga	aaaataagaa	taaaggggaa	24420
attccttgac	ttgataaagc	ttacaaaaa	ctacaaaagc	ttacagctaa	cctatactta	24480
atggtgaaaa	actaaatgct	ttcccctacg	atcaggaaca	aagcaaggat	gttcactctc	24540
attgctctta	tttaacatag	ccctgaagtt	ctaacttggtg	caaaacgata	agaaaaggaa	24600
atgaaagacc	tgcagattgg	caaagaagaa	ataaaactgt	tcctgtttgc	agatgacatg	24660
attgtctcat	agaaaactga	aagcaactag	gggtaggggg	gcagtggaga	cacgtgtgtc	24720
aaaggatacc	aaatttcagt	taggaggagt	aagttcaaga	tacctattgc	acaacatggt	24780
aactatactt	aatatattgt	attcttgaag	atactaaaag	agtgggtgtt	aagcgttctc	24840
accacaaaaa	tgataactat	gtgaagtaat	gcatacgtaa	attagcacia	cgtatattac	24900
tccaaaaacat	catgttgtac	atgataaata	cacacaaatt	tatctgtcag	tttaaaaaa	24960
catgattttg	gccaggcaca	gtggctcata	cctgtaatcc	cagcatttta	ggaggctgag	25020
gcgagcagaa	aacttgagggt	cgggagtttg	agaccagaat	ggtcaacata	gtgaaatccc	25080
gtctccacta	ataatacaaa	aatttagcagg	atgtgggtgg	gtgcacctgt	agaccagct	25140
acttgggagg	ctgagggcag	agaattgctt	gaacaaggga	ggcagaggtt	gcagtgaagt	25200
gggtgccact	gcattccagc	ctgggtgacg	agtgcagctc	catctcaaaa	aaaataaaat	25260
aaagcatgac	ttttcttaaa	tgcaaagcag	ccaagcgcag	tggctcatgc	ctgtaatccc	25320
accactttgg	gaggccgagg	caggcagatc	acaaggctcag	gagtttgaga	ccagcctgac	25380
caacatggtg	aaaccccatc	tctactaaaa	aatatataaa	ttagccaggc	atgtgtagtc	25440
tcagctactc	aggaggtgta	ggcaggagaa	tcacttgaa	ccggaggcag	aggttgcagt	25500
gttgagccac	cgcactccag	cctgggtgag	agaacgagac	tccgtctcaa	aaaaaaaaag	25560
caaaataacc	taatttttaa	aacactaaaa	ctactaagtg	aattcagtaa	gtcttttagga	25620
ttcaggatat	atgatgaaca	tacaaaaatc	aattgagctg	gacaaaggag	gattgtttta	25680
ggctagcagt	ttgaggctgt	aatgacacat	gattgtgctt	gtgaatagct	gctgtgctcc	25740
agcctgagca	gcataatgag	accacatctc	tatttataaa	aaaaaaaatt	gtatctctat	25800
gtactagcaa	taagcacatg	ggtactaaaa	ttaaaaacat	aataaatact	gttttttaatt	25860
gcctgaaaaa	aatgaaatag	ttacatatata	atctaacaaa	atgtgcagga	cttgtgtgct	25920
gaaaactaca	aaacgctgat	aaaagaaatc	aaagaagact	taaatagcgt	gaaatatata	25980
atgcttatag	gttggaatac	ttaatatagt	aaagatgcca	attttatcca	aattattaca	26040
caggataaca	ttattactac	caaaatccca	gaaaaatttt	acatagatat	agacaagatc	26100
atacaaaaaa	gtatacgga	atatgcaaa	gaactagagt	agctaaaaca	aatttgaaaa	26160
agaaaaataa	agtgggaaga	atcagctcat	ccagtttcaa	gacttacata	gctacagtaa	26220
tcaagactgt	gatattgaca	gagggacagc	tatagatcaa	tgcaaccaaa	tagagaacta	26280
agaaagaagc	acacacaaat	atgccccaat	gatttctgac	aaagggtgta	aaacacttca	26340
acgggggaag	atatgtctct	cattaaagggt	tgtagagtca	ttgcacatct	ataggcaaaa	26400
agatgaacct	gaacctcaca	ccctacagaa	aaattaactc	aaaatgactc	aaggactaaa	26460
cataagatat	acatctataa	aacattttaga	aaaaggccac	gcacgggtgg	tcacgctcgt	26520
aatcccagca	ctttgggagg	ccaaggcagg	tggatcacct	aaggtcagga	gtttgagacc	26580
agccggatca	acatggagaa	gccccatctc	tactaaaaat	acaaaattag	ctggacgtgg	26640
tggcacatgc	ctgtaatccc	agctacttgg	gaggttgagg	catgagaatc	gcttgaaccc	26700
ggggggcaga	ggttgcgggtg	agccaagatc	acaccattgg	actccagcct	gggcaacaag	26760
agcaaaactc	caactcaaaa	aaaaaaaaaa	aaaggaaaaa	tagaaaaatc	ttgggatgta	26820
aggcgaggta	agaatttctt	acacttgatg	ccaaactaag	atctataagg	ccagtcgtgg	26880
tggctcatgc	ctgtaattcc	agcactttgg	tcaactagat	gaaagggtata	tgggaattca	26940
ctgtattatt	ctttcaactt	ttctgtaggt	ttgacatttt	tttagtaaaa	aattggggga	27000
aagacctgac	gcagtggctc	acacctgtaa	tcccagcact	ttgggaggcc	ggggcagggtg	27060
gatcacacgg	tcaggagtcc	gagaccagcc	tggccaacat	ggtgaaaccc	cgtctctacc	27120
aaaaatataa	aaaattagcc	gggtgtcatg	gtgcatgcct	gtaatcccag	ctactgagga	27180
ggctgaggca	ggagaactcac	ttgaacctgg	gaggtggaag	ttgcagtgg	ccgagattgt	27240
gccactgcac	tccagccttg	ggtgacagag	cgagactccg	tctcaaaaaga	aaaaaaaaaa	27300
aaagaatatc	aaacgcttac	tttagaaact	atttaaaggga	gccagaattt	aattgtatta	27360
gtatttagag	caatttttat	gctccatggc	attgttaaat	agagcaacca	gctaacaatt	27420
agtggagttc	aacagctggt	aaatttgcta	actgttttag	aagagagccc	tatcaatatc	27480

24/122

actgtcattt	gaggctgaca	ataagcacac	ccaaagctgt	acctccttga	ggagcaacat	27540
aaggggttta	accctgttag	ggtgttaatg	gtttggatat	ggtttgtttg	gccccaccga	27600
gtctcatgtt	gaaatttgtt	ccccagtact	ggaggtgggg	ccttatttga	aggtgtctga	27660
gtcatggggg	tggcatatcc	ctcctgaatg	gtttggtgcc	attcttgag	gaatgagtga	27720
gttcttactc	ttagttccca	caacaactgg	ttattaaaaa	cagcctggca	ctttccccc	27780
tctctcgctt	cctctctcac	catgtgatct	cactgggtcc	ccttcccttt	atgcaatgag	27840
tggaaagcagc	ctgaagccct	cgccagaagc	agatagtgat	gccatgcttc	ttgtacagcc	27900
tacaaaacca	tgagcccaat	aaaccttttt	tctttataaa	ttatccagcc	tcaggtattc	27960
cttttatagca	agacaaatga	accaagacag	ggggaaatca	acttcattaa	aataatctat	28020
gcagtcacta	aacaaataag	aacaagaggc	gccagagtgt	ggaagccaat	acccagagtt	28080
cctacaatac	agtatctgaa	aagtccagtt	tccaacccaa	aaatatatat	atacaggccg	28140
gacatggtag	cttatgtctg	taatcccagc	actttgggat	gctgaggcgg	gcagatcacc	28200
ctaggtcagg	agttcgagac	cagcctggcc	aatatggcaa	aaccccgtct	ctactaaaaa	28260
tacaaaaatt	agccaggcat	ggtgggtggg	gccgtgaatc	ccagctactc	gggaggctga	28320
ggcagggaat	cacttgaacc	caggaggcag	aggttgcagt	gagccgagat	cacgccactg	28380
aactccagcc	tgggcaacaa	agtgaagactc	cacctcaaaa	aaaaaaaaaa	tatacatata	28440
tatatgtgtg	tgtgtgtgtg	tgcgcgcgtg	tgtgtatata	cacatacaca	tatacatata	28500
tatacagaca	atcatatata	tatgaagcat	gaaaagaaac	aaggaagtat	gaaccatagt	28560
ttctgtgggt	atgataggat	gggggtatcac	gggggaaagta	gacaagggaa	actgcaagtgt	28620
agagcaaaca	gttatcagat	ttaacagaaa	aagacttttg	agtaaccatt	ataaatatgt	28680
ccacagaatt	aaagaaaagc	gtgattaaaa	aaggaaagga	aagtatcata	acaatattac	28740
tccaaataga	gaatatcaat	aaaggcatag	aaattataaa	atataatata	atggaaattc	28800
cggagttgaa	aggtagaata	actaaaattt	aaaatttctact	agagaagggt	caacactata	28860
tttgaactgg	cagaagaaaa	atttagtgag	acaaatatac	ttcaatagac	attattcaaa	28920
tgaaaaataa	aaagaaaaaa	gaatgaagaa	aaataaacag	aatctcagca	aaatgtggca	28980
caccattaat	cacattaaca	tatgcatact	gagagtaccg	gaagcagatg	agaaagagga	29040
agaaaaataa	ttcacaattgat	ggccagtaac	tatgaattgat	tttgttttaa	agcaataaac	29100
tatacaatca	agaaactcaa	tgaattccaa	gtaggataaa	tacaaaaaga	accacaaaaca	29160
gatacaccat	ggtaaaaaatg	ctgtaagtca	aaaacagaga	aaatattgaa	agcagctaga	29220
tgaaaaactta	taagagaacc	tcacttacaa	aagaacatca	cttataaaaag	aaccacaata	29280
atagaaacag	ttgacctctc	atcagaaaca	aatgaattga	acataatttga	agtgtcctaaa	29340
gaaaaaaaat	aaagattcct	atatacgaca	aagctgtctt	tcaaaaaatat	acatccaaaa	29400
ggattgaaac	caggggtcttg	aagagttatt	tgtacatcca	tgttcatagc	agcattattc	29460
acaatagcca	aaaggtagaa	gcaacccaag	ggtccatcga	caaataaata	aaatgtggta	29520
tatgtataca	caatgggaatt	tattcagtat	taaaaaggaa	tgaatttctg	acacatgcta	29580
caacatggct	aaaccttgag	aacactatgc	taagtgaat	aagccagcca	caaaaggaca	29640
aataccatat	tacttcactt	gtatgaaata	cctagggtag	tcaaattcag	agatagaaag	29700
taaaacagtg	ggttgccaagg	gctgagggag	ggagtaacgt	ggagttattg	ttgaatgggt	29760
acagaatttc	agttttgcaa	gataaaaaga	gtcttgagac	cagatgggtg	tgaggggtgt	29820
acaacaatac	aaatataactt	tatactactg	aacagatata	ttaaaaatga	ttaacatgggt	29880
gaaaccccg	ctctactaaa	aatacaaaaa	aattagctgg	gtgtgggtggc	gggcacctgt	29940
aatcccagct	acttggggagg	ctgaggcagc	agaattgctt	gaaaccagaa	ggcggagggt	30000
gcagtgaagt	gagattgccc	caccgcactc	tagcctgggc	aataagagca	aaactccgtc	30060
tcaaaaaata	aaaaataaaa	aaaattttaa	aatgattaa	caggaggcca	ggcacgggtg	30120
ctcacacct	taatgccagc	actttggggag	gccgaggcag	gcgatcactt	gagaccagga	30180
gtttgagacc	agcctggcca	acatggcaaa	accctgtctc	tgctaaaaat	acaaaaatta	30240
gccaggcatg	gtggcatata	cttataatcc	cagctactgg	tgagactgag	acacgagaat	30300
tgcttgaacc	caggaggcag	agattgcagt	gagtcgagat	cgcgccactg	aattccagcc	30360
tgggcgacag	agcaagattc	tgtctcgaaa	aaacaaaaac	aaaaacaaaa	agcaaaacca	30420
aaaaataatt	aagcaggaaa	cgagattgct	gctgagggag	agaaagatgt	gcaggaccaa	30480
ggctcatgag	agcacaaaaa	ttttcaaaaa	atgtttaa	attaaaaatg	taaattttat	30540
atgtatctta	ccacaaaaaa	aagggtggg	gggcaggaaa	tgaagggtgaa	ataaagacat	30600
cccagagaaa	caaaagtaga	gaatttggtg	ccttagaaga	aacaccacag	gaagttcttc	30660
aggctgaaaa	caagtgaccc	cagagggtaa	tctgaattct	cacagaaaat	tgaagcatag	30720
cagtaaagg	tattctgtaa	ctatgacact	aacaatgc	atttttctct	ttcttctctg	30780
aaatgattta	aaaagcaatt	gcataaaaa	tatatataa	agcctattgt	tgaacctata	30840
acatatatag	aaatatactt	gtaatatatt	tgcaataaac	agcctattgt	tgaacctata	30900
caaagctgtt	actaggctaa	agaaattact	acagatagta	aagtaataata	acagggaact	30960
taaaaataaa	atttttaaaa	attttaaaaat	aataattaca	acaataatat	gggtgggttt	31020
gtaatatata	tagacataat	acaaaaatac	cacaaaaagg	gaagaagaca	atagaactac	31080

25/122

ataggaataa	catttttggt	tctaactaga	attcaattat	aaatatgaag	tatatctctg	31140
taagttaaga	cacacatgtt	aaaccctaga	tactaaaaag	taactcacat	aaatacagta	31200
aaaaaataaa	taaaataatt	aaaatgtttg	tattagtttc	ctcagggtac	agtaacaaac	31260
taccacaaat	tgagtggctt	aacacaactt	aaatgtattt	tctcccagtt	ctggaggcta	31320
aacacctgca	atcaaggtga	gtacagggcc	atgctccctg	tgaaggctct	aggaaagaat	31380
cctcccttgt	ctcttcagc	ttccagtggt	tctcagtaac	cctaagtgct	ccttggttg	31440
tagctatatc	attcctagca	accagaaaaga	agaaaataat	aaagattatg	gcaaaaaata	31500
atgaaatcaa	aaggagaaaa	atggaaaaaa	ataaataaaa	ccaaaagcta	gttctttgaa	31560
aagatcaacc	aagttaacaa	accttttaac	tagactgaca	aaaaggaggt	aagactcaaa	31620
ttactagaat	cagaaataaa	agagggggaca	ttactaatga	gggattagaa	aagaataacta	31680
cgaacaaatg	tgtgccaaaca	aattagaaaa	cttagatgaa	atggacaggt	tcctaggaca	31740
acatcaacta	ccaaaattta	ctcaagaaga	aagagacaat	ttgaatgagc	tataacaagg	31800
gaagagactg	aattgcaaac	caagaaacta	tccacaaaga	aaatcccagg	cccagaagat	31860
ttcactgtga	aattccttca	aacttataaa	tataaattaa	catcagttct	tcacaaactc	31920
ctccaaaaaa	aagaacagat	ctctattttac	aggcgatacg	atcttttagaa	aatcctaagg	31980
gaactactaa	gacactatga	taactgataa	acaagttcag	caaggctgca	ggatagaaaa	32040
ccaataatac	aaaatctatt	atattttctat	acacttgcat	tgaacaaccc	aaaaatgaga	32100
tttaagaaaat	aattcaattt	acaataacat	caaaaagact	aaaaacactc	aaaaataaat	32160
ttattcaagt	aagtgcacaaa	cttatactct	agaagctaca	aaacactggt	aaaagaaatt	32220
aaaggtttac	ataaatgaaa	aactatccca	tgttcatgga	tcaaaagact	tattactggc	32280
aatgctcttc	aaattgatct	ataaattcaa	caaaatcctt	atcaaaatcc	cagatgaggc	32340
tgggggtggc	gggttcatgcc	tgtaatccca	gcactttggg	aggctgaggc	acgcagatta	32400
cctgaggtcg	ggagctcgag	atcagcctga	ccaacatgga	gaaaccctat	ctcttctaaa	32460
aatacaaaat	tagtcaggcg	tgggtggcaca	tgcctataat	cccagctact	cgggaagctg	32520
aggcaggaga	atcgcttgaa	cccaggaggc	agaggttgca	gtgagccaag	atcgtgccat	32580
tgcactccag	cctgggcaac	aagagcaaaa	ttccacttca	aaaaaaaaaa	aaaaaaaaatc	32640
ccagatgact	tactgttgga	aattgaaaaag	attatttctaa	aattcacatg	gaattgcaag	32700
accttgagaa	tagccaaaac	aaacttgaaa	aacacgaaca	aaatatagga	tgactcactt	32760
gccaattgca	aatgttacga	cacagcaaca	gtaatcaaga	ctgtgtggta	ctggcaaaaag	32820
acacatacat	caatggaata	caatggaata	ttaattgagag	tacagaaaca	agcctaaaca	32880
tctatggtaa	gtgcttttct	atttttttct	tttttttttt	ctttttttgta	gagatagaat	32940
ctcaccatgt	tgtcccaggct	gggtcttcaac	ttctgggctc	aagcaatcct	cccactgtgg	33000
cctcccaaaag	tgtctgggata	actggcatga	gccaccacat	ccagcccaga	tgattttcaa	33060
aaaagtcaaa	aagacattc	ttttcaacaa	ataggtctgg	gatgatcaga	tagtcacatg	33120
aaaaaaaaaaa	tgaagttgga	ccctccatca	cactaaagtg	ctgcgattat	aggcatcagc	33180
caccacatcc	agcccaaatg	attttcaaaa	agggtcaacaa	gaccattctt	ttcaacaaat	33240
aggctctggga	taatcagata	gtcacatgaa	aaaaaaaaatg	aagttggacc	ctccatcaca	33300
ccatatgcaa	aaattaatc	aaaaatgaat	tgtacttcta	aacgtaagag	ttacgactgt	33360
aaaactctta	gaagggaaca	tacgggtaaa	tcttaaaagac	gttaggtttg	acaaagaatt	33420
cttagacatg	acacccaaaag	catgaccaac	taaggtaaaa	tagggtaaat	tgtacctacc	33480
aaaatgaaaa	acctttgtgc	tggaaaaggac	accatcaaga	aatggaaaagc	caaaatagcc	33540
aaggcaatat	taagcaaaaa	gaacaaaagct	ggaggcatca	tactacctga	cttcaaaagca	33600
acagtaacca	aaacagcatg	gtactagttag	aaaaacagac	acatagacca	atggaacaga	33660
ataaagaacc	caaaaaataaa	tccacatatt	tatagtcaac	tgatttttga	caatgacacc	33720
ccttcaataa	atgatactag	gaaaactgga	tatcgatatg	cagaagaata	aaactagacc	33780
cctatctctc	accatataga	aaaatcaact	cagactgaat	taaagacttg	aatgtaagac	33840
ccaaaactat	aaaactactg	gtagaaaaca	taaggaaaaa	cgcttcagga	cattggtcca	33900
ggcaaagatc	ttatggctaa	aacctcaaaa	acacaggcaa	caaaaacaaa	aatggaaaaa	33960
tagcacttta	ttaaactaaa	aagctcctgc	acagcaaagg	aaacaacaga	atgaaaagac	34020
aacctgtaga	atgggagaaa	atatttgcaa	actatccatc	catcaaggga	ctagtatcca	34080
gaacacacaa	gtgactaaaa	caactcaaaa	gcaaaaaagc	aaataatctg	gtttttatat	34140
gggcaaaaga	tctgaataaa	cattctcaaa	ggaagacata	caaattgtcac	tatcattctg	34200
ccagtaccac	actgtcttga	ttacttggtta	gtgtataaat	ttttaaattg	ggaagtgtga	34260
gtcatcctac	actttgttct	tgtttttcaa	gtttgttttg	gctattcttg	gagccttgca	34320
agtataaaa	agccaacaag	tatgaaaaaa	tgctcaccat	cactaatcat	cagagaaata	34380
aaaatcaaga	ccactatgag	atatcctctc	actccagttt	gaatggctac	tatcaaaaag	34440
acaaaatata	atggatgctg	gcaaagattt	ggagaaaggg	gaactcctat	acactgtggg	34500
tagggatgca	aattggtaat	ggccattatg	gaaaataata	ctgaggtttt	tcaaaaaact	34560
gaaaatagaa	ctaccatatg	atccagcaac	cctactactg	ggtattttatc	caaaggaaag	34620
aagtcagtat	actgaagaaa	tatatgcact	ctcatgttaa	ttgcaacact	gttcacaaca	34680

26/122

gccaaagacag	ggaataaaatc	taaatgtgca	tcaacagatg	aatggataaa	gaaaatgtgg	34740
catatacact	caatagaata	ctattcagcc	attaaagaag	aatgaaatcc	tgtcatccca	34800
gcaacatgga	tgaacctgga	ggacattata	tttaatgaaa	taagtaaagc	acaaaaagat	34860
aaacagtaca	tgttctcact	cagacatggg	tgctaaaaag	aaaatggggg	cacagaatta	34920
gaaggggagg	cttgggaaaa	gttaatggat	aaaaatttac	agctatgtaa	gaagaataag	34980
ttttagtgtt	ctatagaact	gtagggcgag	tatagttacc	aataacttat	tgtacatgtt	35040
caaaaagcta	gaagagatgt	tggatgttcc	cagcacaaag	gaatgataaa	tgtttgtgat	35100
gatggatatc	ctaattaccc	tgattcaatc	attacacatt	gcatacatgt	atcaaattat	35160
cactctgtac	ctcataaata	tgtataatta	ttacgtcaac	aaaaaaagga	aaaaaaagaa	35220
aattaagaca	acccacataa	tggaagaaat	aaaatatctg	caaattatat	atatctgata	35280
aatatattaat	atttataata	tataaagaac	tcctacaact	caagaacaac	aacaaaacaa	35340
cccaattcaa	aaatgggtaa	aagccttgaa	tatacactta	tctaaagact	atatacaatt	35400
ggccaataaa	gacacgaaaa	gatgctcaac	atcagggaaa	tataaatcaa	tataaatcaa	35460
aaccacaatg	tagaatgtag	acaccacttc	atatgcacta	ggatggctag	aataaaaaag	35520
taataacaaa	tgttggttaag	gatgtgaaaa	aatcagaaac	ctcattcgct	gctgttgagg	35580
atgtaaagtg	atgcagccac	tttggaaaaa	agtctggcag	ctcctcaaat	tattaaatac	35640
agagttaccg	tatgaccac	gaatattcct	cctgggtcta	taaccaaata	aatgaaaaaa	35700
tatatccaca	taaaaaactg	tacatgggca	tttatagcaa	cattattcat	aacagcaaa	35760
gtggtaagaa	cccatatgcc	catcatctga	tgaacaggta	aataacatgc	ggtattatcc	35820
atacactaga	atattatctg	cccatacaag	gagtgacatc	cagctacatg	ctacaaggat	35880
gaatctcgga	aaccttatgc	taagtgaag	aagccagtca	caaatgacca	cagattatga	35940
ttccatgcat	cggaaatgac	cagaataggg	aaatctatag	agacagaaa	tagattagtg	36000
gttgggtggg	gctgggagga	caggtagtac	actactttcc	cagaactact	ggaacaaagt	36060
accacaaact	ggggagctta	aacatagaaa	ttgatttcc	cacagttctg	gagactagga	36120
ctctgagatc	aaggtgtcag	cagagctggg	tctttctgag	ggccctgagg	caaggctctg	36180
ttccaggcct	ctctccttgg	ctggcagggt	gccattctag	ccctgcgtct	tcacatcatc	36240
ttttctctgt	gtgtgccc	gtccaaattt	tgattggctc	attctgggtc	atggccaatt	36300
gctatgcaca	aagtgaagtc	tacttccaaa	agaagggaag	agggaaact	gactaggcta	36360
aacttatagt	cattttaatg	tccgcttttc	ctatgagatt	gtgaacacac	agaagtaggg	36420
tttttatcta	cattgtgcaa	agtttaataa	gaaaaatag	attcaagaga	agcagttcaa	36480
tagcaggaat	ttaatatggg	aactaattac	aagggttagg	gcaggactaa	aaagccagtt	36540
gggatgggga	gccaacccag	agattagcaa	cagtgggacc	ccatctacct	accacccatg	36600
aagctggaag	gataaaggag	gggctattat	cagagtccac	aagccagtg	cagagtcctt	36660
ggctggagct	gggaccaccc	tagagacact	gtgcaagca	gaaaacaagg	gggaaaaacc	36720
ctgacttctc	ccttctctcc	acctttcaat	ctcccactag	tgcttctctc	tagccatact	36780
tggccagaga	cagtgcacaag	gaacactgca	aaatgaagtt	tgtaggaatc	atctccctct	36840
gagacagaga	aatatggaag	ggtagaaaa	gaatcagagg	ataaagagaa	aaaaccctga	36900
gtactactct	attatctctt	gtactctcag	tgctaatct	gtctctcaaa	aaaggaaagc	36960
aattgagaga	aactgaaaac	tccaattgaa	atgaaagaat	ggagaattac	tggactagaa	37020
gagaagagaa	aaatttatct	cgcataagat	aaacaagaat	ggattcacaa	aggacgtgat	37080
gaatgaaaag	ctataatcag	caaagatttg	ccagagaaat	taaaaaagtgg	taaaactcagc	37140
cacgctgtac	aacctgaagg	cacaatgcat	gaaaacgttt	caagaaatga	caagatttga	37200
agtcaaattc	taagtgcttt	tccagaatct	ctcaagacga	ttatatagct	accccatctt	37260
attaaataaa	atggaaactt	actaaacttt	ccccttgat	taaaactaaca	tatgtcctaa	37320
tagcaaacga	ttctggaatt	cctagagtaa	aatataattc	gtcaaagtgt	attgctcttt	37380
taatatcttg	ctgacctcct	tttgctattt	aggatatttg	tatacacatc	acacgtaa	37440
ttgggtctata	gtttacatct	acgggcttat	actgttcttt	ttttcatttt	tttaaaattt	37500
ccaaccccca	gtatccatat	actgctctct	atcagggtta	ttttaacttt	gtaaaatcag	37560
ctgagatgct	ttccatgttt	ttttttttta	ttttctgcca	catttgaaata	gcataggagt	37620
taccaccattc	aaccttggat	tatttaagca	ttcacgattc	cacgtgtgga	ttttttattc	37680
agagtctttc	ttgtcattcc	tgctatcagc	acagaattca	atctcagctt	tccagctata	37740
ctctcaccctc	atggaatttg	cagatgaagt	tcaaaaggac	ctttgcatta	tccgtcctcg	37800
ccctcttccc	ccttcattta	gacatcacct	tcttctagaa	cgtcttacct	gacatgccct	37860
gtccccaacc	cctgctgccc	aattgtgtgc	tctcccgtgt	cctggcctgc	catcctcttt	37920
agtaattggc	tctgctctca	tctgtctccc	acccagaca	ttaagctgaa	tagactggat	37980
ttgtgtcttg	tccatcacta	taattctcagc	acctagtacc	tagtaggtac	ttaccatgta	38040
ttcattagca	aaatgttatg	tataaccttg	caccttaaaa	acaagagaag	gaagacaaaa	38100
ttaagtctta	agactatggg	ttagaacatg	gatcagaaac	tacagtctgc	agcccaaatc	38160
cagaccaa	gaagagacca	tgttcattta	catacaacct	atagcagctt	tcacactaca	38220
ggagcagagc	taagtagttc	caagggaaca	cacggccctg	caaagcctaa	aatattttact	38280

27/122

ctatagctct	tcacagaaaa	agttttcaga	tccctcgttt	agaactcttg	ttcatatgca	38340
atttcactaa	accatagttt	tttgggtttg	tttgggtttt	tttggcaaaa	aggaatgagc	38400
cgatccagaa	aagggttgaaa	agaatgaatc	attactgctg	aaagaatgtg	cacacagtcc	38460
gtcagtatcc	tgctgccatg	ctgacaccca	tccaatagtg	tcatgagatg	cagcagctac	38520
tactgtgttc	tcaatgccga	gtccacccac	aatctggatt	tgtccaagca	atcttgggaa	38580
catcatcacc	atgcttgttt	atccttaagg	tattgcctca	catacagcag	tggctgggtca	38640
taaaagtcaaa	tgacactagt	ggccaggagg	tcaagagaat	gagtgaggac	aggtgggtag	38700
gcagcccagg	ccctagcaac	agcaggagct	cacccctcag	tcaactctagc	caggactgaa	38760
atacttttca	ccctttcaag	agagactagg	aatctggatt	tttatgtgaa	atatcttgat	38820
tactaaatgt	tgtcaacaga	catgtcaaaa	ggtaaaacta	agtaagttca	tggggcagat	38880
tgactuttca	ggttatagaa	ttaaggattc	ttatccaaca	cagataccaa	ccaaaaagct	38940
gacgtataac	atattaggag	aaactatgtg	cactgtcgaa	acatcaacaa	gggggctaag	39000
tctaaatag	tctatattgg	attccagttg	aaacatgggg	aaaggacatg	aacaggcaac	39060
ttatgtcaat	ggaaaactcaa	aaagataaca	agcatatata	aaagcattct	caaattcagt	39120
agttaacaga	cagatgcaaa	taaaaagagg	gaaactgctg	ccgggcacag	tggctcacac	39180
ctntaatccc	agcacttttg	gaggccgagg	cgggcggtatc	atgaagtcag	gagatcgaga	39240
ccatctggc	taacatgggtg	aaaccccgctc	tctactgaaa	acacaaaaaa	ttagccaggc	39300
gtatgtgtgg	gcaccagtag	tcccagctac	tcaggagggt	gaggcaggag	aatggcatga	39360
acccagtagg	cggagattgc	agtgaagccga	gaccatgcca	ctgcactcca	gcctgggcca	39420
ctgagttaaa	ctccatctca	aaaaatataa	taataattat	aattataata	ataataaata	39480
gtaaataaat	aaaaagagag	agactgctaa	agtctagaaa	gttgaatgat	gccaaagcga	39540
tgcataatc	agggccttgg	gatggccggg	tgcagtggct	cacgcctgta	atcccaccac	39600
tttggggggc	caaggcgggg	ggatcatggg	gtcaagagat	caagaccatc	ctggccgaca	39660
cagtgaacc	cggctctctac	taaaagtaca	aaaaaatata	tatatatata	tatattatta	39720
tatttatat	atatatatca	gagccttggg	aatccttgtg	tgctgctggg	gaaggtagtg	39780
gtgcacacac	ccttgagcag	aatctggcag	tacttggtta	tattaagtat	aggcacacac	39840
cacgaccagg	cagtcctact	cctgggtcta	aatcccaaag	aattctcaca	caagtccata	39900
aggagacatg	tacgaggctc	attcagcatt	actgggagtg	ggaatcaacc	tgggtgtcca	39960
tctacaggag	acgagatgga	caaaatgtgg	tggatattaa	gaccagaatc	accaagtaac	40020
agagatggg	ggtagtgag	aatcctaaga	tacagaataa	aggctagaac	atgatgccat	40080
tcatgtaat	taaaaataga	tgcacacaaa	cgatataacg	cgtgaccctt	gaatagcaca	40140
ggtttgaact	gcctgtgtcc	acttacatgt	ggattttctt	ccacttctgc	tacccccaaag	40200
acagcaugac	caacccctct	tcttctctct	ccccctcagc	ctactcaaca	tgaagatgac	40260
aaggatgaag	acttttatga	taatccaatt	ccaaggaact	aatgaaaagt	atattttctc	40320
ttccttatga	ttttctttat	ctctagctta	cattattcta	agaatatggt	acataataca	40380
catcacacgc	aaaataaatg	ttaattgact	gtttatatta	tgggttaaggc	ttccactcaa	40440
cagtaggctg	tcagtagtta	agttttggga	gtcaaaagtt	atacacagat	tttcaactgt	40500
gcaggcaatc	agttccccctg	acccccctcat	tgttcacggg	tcaactgtat	atacacaaaa	40560
gtattatag	aacctcatta	gaatagctgt	ctataggag	aagagaatga	gagtgggata	40620
aaacggaatg	aacaaataaa	ccaacaaatg	cattaacaag	caaaaacaaca	gaggggcttg	40680
catggggcag	tgatgataaa	gggctaagaa	tgagaatata	attaattcaa	ttcctcacac	40740
ctgagggtcta	aaaccaagga	aagggaggggc	caggcgtgga	ggctcacgcc	tgtaatccca	40800
gcactttggg	aggctgaggc	gggcggatca	caagattagg	agtttgagat	cagcctggcc	40860
aacacagtga	aagcccatct	ctacaaaaaa	tacaagaatt	acccagggtg	ggtggcacat	40920
gcctgtagtt	agctactctg	gaggctgagg	caggagaatc	acttgaaccc	aggaggcgga	40980
ggttgcaggg	agccgagatc	acaccattgc	actccagcct	gggtgacaga	gtaagactct	41040
gtctcaaaaa	aataaaaaaa	ataaaaaaac	agagaaaagg	aggaaaactag	atccaggctg	41100
actagataca	gccttttagag	ttagaaaaaga	tgatttgaca	atctaagccc	acactcagat	41160
tgaatgaaat	tgaaaagcct	ttcaaaactaa	aacatttaat	tacaccatct	gctgcagaca	41220
gaactcagac	aactcaaaca	ggtaatgtca	gcgtgggtgt	ttatatcacc	accctcaaca	41280
cagaataaaa	atcagatgca	tgtgaagcag	tgactagaat	gaagaaaagg	ctgcttctta	41340
cttctctcta	gtggttcttt	ccgaaaacat	taataggcac	cagctctatg	catgtcaccc	41400
tgcagggaga	catgggggat	ataactatga	cttactgttc	attcctcaag	gaattcccaa	41460
tcttgtggaa	gattatacac	aatgaggcaa	caaaaactat	ccaataaaac	cacggaaaag	41520
aagccagtga	caaagaagcc	agtgatgaaa	ggccctgtga	gcagagctga	tggccatttg	41580
gggaagaaag	accaacatgg	atgggggtga	tcagggtggc	tccgtgggaa	agctggaaga	41640
gaagtggcag	atctctgagc	tggatgatgg	gccactacca	tctgtatatg	gctaattaaa	41700
gaccatgtgt	ggatttttta	ttcagctctt	tcgtgtcatt	cctgctatca	gcacagaacc	41760
caatctcaac	tttccagcta	tattgagcta	aacttctcac	ctcatggaat	ttgcagataa	41820
agttcaaaaag	gatccttgcc	ttttcaaaat	aattttgaat	ggttgagtag	tccctctgtg	41880

28/122

ctctctcact	gacaccctct	caaggctgct	gagcacgtgc	catgctatgg	ctttctccaa	41940
catcaggaaa	tgttctccac	tcagtttcac	cttaatacaa	atgtgtttct	tcttcagaga	42000
aggcaaaaaa	attcatgacc	atctgactgg	gagaagtcac	ttctaggtaa	agtgtccatc	42060
ttttcttgag	gaacacagga	ggaaaatctt	acagaaaaga	gttaacacag	caggcctaag	42120
actgcttttt	aaaataaata	aataaataaa	taaataaata	aataaataaa	taaataaata	42180
aataaatgaa	tgataggggtc	ttctgtattg	gccagggtag	tctcaaattc	ctggcttcaa	42240
gagatcctcc	caccttggtc	tcccacagt	ttgggattat	agacatgagc	cattgtgctt	42300
ggcccaagac	tgttattctt	aaaaagtctc	ataaaaagca	tggtaaatcc	ttggctggca	42360
cctgggaact	tagatttcag	aagggttccc	accatccaac	ctggaaagag	ggactcactg	42420
tgccataaatt	atttgtgtggt	ttatgctgaa	ctcctgcttt	tcttcaggta	gcgtggaatg	42480
tgggtatgtgc	tgggcaaagg	gggcctgcat	gaccagcccc	caataaaaaac	cctgggtggt	42540
gggtctctag	tgagtttccc	tggtagacag	catttcacat	gcgttgctac	agctccttcc	42600
tggggagatg	aagcacatc	atcctgtgtg	actgactgg	gagaggatgc	ttggaagctt	42660
gtgcttgggt	tcccttggac	ttggcccat	gcacctttcc	ctttgctgat	tgtgctttgt	42720
atcctttcac	tgtaataaat	tacagccgtg	agtacaccac	atgctgagtc	ttccaagtga	42780
accaccagat	ctgagcatgg	tccctgggggc	ccccaacaca	gaaataaatt	ataaaaagacc	42840
aaqgactggg	catggtggcc	catgccggta	atctcagcgc	tttgggaggc	cgaggcagga	42900
ggaccagtta	agcccaaaaag	ttcaaagtta	cagtgacctt	tgactgcgcc	aatgcactct	42960
aaactgggag	acagagcaag	accctgtccc	caaaaacaata	aactaaacac	atacttctgc	43020
cttccaagtg	tcttaaaatt	caatggaatg	gtagaaacat	ttttaaaaaca	ctaaatcaaa	43080
agaaacctgg	aaaacaagag	tgccgatggc	caactaaaaat	gtctaggaaa	tttctgaaaa	43140
gtaaaagta	ctcagaacca	gattacctga	gcaaaccata	gccaataaca	agcttgggag	43200
gaqgctgtta	tgcagaagga	aatggtaaca	gggtttccagg	aacagacttg	taacagcaga	43260
taaaacagca	gaggtagaac	ctgacaagg	gattacctgg	ggaactgcag	tctgaatgac	43320
cagjactggt	ggacccttcc	cctcacatgg	aatacacacg	ccactcagca	gcacaccaca	43380
gctcttcaac	aatcacagga	ggcacgctac	gcctagtaag	acaggaaaaa	aggaattctc	43440
aaacttcgaa	gatgaacaca	taaagaatca	ccaagttttt	attcagtatg	atgaaacagg	43500
gacactgaat	caacagaaca	caaaccacaag	caaagataat	tactagagca	catagaagaa	43560
attattagat	attcttggga	agacctaaag	ggacattata	aagagcaagc	agtgtggtatg	43620
tgcagatctt	ttgtgcaaaa	aaggagaaat	aaacacagga	tgaagaccag	atagagaata	43680
atgctactat	tgtgtgcaaaa	aaggagaaat	gagagaatctg	attcatattt	gcttgtattt	43740
gcataagaa	actttggaag	gtacataagt	aactaacaac	aatggttacc	tacttgtaag	43800
gcgagagaag	taagaggaca	ggaatggtgg	gaacaccttt	tgtgtccgga	attgggtgggt	43860
tcttgggtctg	acttggagaa	tgaagccgtg	gacctctcgc	gtgagcgtaa	cagttcttaa	43920
aggcggtgtg	tctggagttt	gttcttctctg	atggttggat	gtgttcggag	tttcttccct	43980
ctgggtgggtt	cgtagtctcg	ctgactcagg	agtgaagctg	cagaccttcg	cggcgagtgt	44040
tacagctctt	aagggggcgc	atctagagtt	gttctgttct	cctggtgagt	tctgtgtctc	44100
gctagcttca	ggagtgaagc	tgacagacct	cgaggtgtgt	gttgcagctc	atatagacag	44160
tgcagaccca	aagagtgagc	agtaataaga	acgcatttca	aacatcaaaa	ggacaaaacct	44220
tcagcagcgc	ggaatgcgac	cgcagcacgt	taccactctt	ggctcgggca	gcctgctttt	44280
attctcttat	ctggccacac	ccatattcctg	ctgattgggtc	catttttacag	agagccgact	44340
gctccatttt	acagagaacc	gatttggtcca	tttttcagag	agctgattgg	tccattttga	44400
cagagtgtctg	attggtgcgt	ttacaatccc	tgagctagac	acagggtgct	gactggtgta	44460
tttacaatcc	cttagctaga	cataaagggtt	ctcaagtcce	caccagactc	aggagccag	44520
ctggcttcac	ccagtggatc	cggcatcagt	gccacagggtg	gagctgcctg	ccagtcccgc	44580
gccttgccgc	cgcactcctc	agccctctgg	tggctgatgg	gactgggccc	cgtggagcag	44640
ggggtggtgc	tgtcaggagg	gctcgggccg	cacaggagcc	caggaggtgg	gggtggctca	44700
ggcatggcgg	gccgcaggtc	atgagcgtg	ccccgcagg	aggcagctaa	ggcccagcga	44760
gaaatcgggc	acagcagctg	ctggcccagg	tgctaagccc	ctcactgcct	ggggccgttg	44820
gggcccgtg	gccggccgct	cccagtgcgg	ggcccgcaca	gcccacgccc	accgggaact	44880
cacgctggcc	cgcaagcacc	gcgtacagcc	ccggttccgc	cccgccgctc	tccctccaca	44940
cctccctgca	aagctgagg	agctggctcc	agccttgccc	agcccagaaa	ggggctccca	45000
cagtgcagcg	gtgggtgaa	gggtcctcca	agcgcggcca	gagtgggcac	taaggctgag	45060
gaggcaccga	gagcgagcga	ggactgccag	cacgctgtca	cctctcactt	tcatattatgc	45120
cttttaata	cagtctggtt	ttgaacactg	attatcttac	ctattttttt	tttttttttt	45180
tgagatggag	tgcgtctctg	tcgcccagac	tggagtgcag	tggtgccatc	ctggctcact	45240
gcaagctccg	cctcccgggt	tcacaccatt	ctcctgcctc	aacctcctga	gtagctggga	45300
ctacaggcaa	tcgcccaccac	gcccagctaa	ttttttat	tatttttttt	ttagtagaag	45360
cggagtttca	ccatgttagc	cagatggctc	caatctcctg	acctcgtgat	ccatccgct	45420
cggcctccca	aagtgcgtgg	attacagacg	tgagccactg	cgcctgcct	atcttaccta	45480

29/122

tttcaaaaagt	taaacttttaa	gaagtagaaa	cccgtggcca	ggcgtgggtgg	ctcacgcctg	45540
taaccccagc	actttggggag	gccgagggcg	gcggatcacg	aggtcaggag	atcgagatca	45600
tcctgggttaa	cacagtga	ccccgtcgct	actaaaaata	caaaaaatta	gccgggctg	45660
gtgggtgggca	ccggcagtc	tcgctactgg	ggaggctgag	gcaggagaat	ggcgtgaacc	45720
tgggaaggcag	agcttgcagt	gagccgagat	agtgccattg	ccttccagcc	tgggcgacag	45780
agcgagactc	cacctcaaaa	aaaaaaaaaa	aaaaatagaga	cccggaaaagt	taaaaatatg	45840
ataatcaata	tttaaaaaca	ctcaagagat	gggctaaaga	gttgacggaa	caaatctaaa	45900
tattagattg	gtgacctgca	aaaccagccc	aagggaacatc	ccagaatgca	gccccataaag	45960
ataaagagag	catttccgct	gggcacagt	gtatggcagg	ggaattgcct	gagtcacaaga	46020
gttgagggc	acattgaacc	acaccattgc	actccaggcc	tgggcaacac	agcaatactc	46080
tgtctcaaaa	aaaaaaaaaa	ttaaattaaa	aaagacagaa	tatttgagag	aaaaaaatgc	46140
ttattttcaag	aaacatgaaa	gataaatcaa	gataattctaa	ttcccaagta	agaataattc	46200
cagaagcaga	aaatagaata	gaggcaagga	aacctcaaaa	acttctccag	tgccatagaa	46260
atgtgtatta	atcttttagaa	tgaacaggac	taccaaatgc	tgagcaggaa	gaacaaaaga	46320
gacccactct	taagccagt	tgggtcccaa	gcgcagtggc	tcatgcctgt	aatcccagca	46380
ctttggggagg	ccgagggcagg	tggatcacct	gaggctcagga	gtttgagatc	agtcaggcca	46440
acatgggtgaa	accctgtctg	tactaaaaat	acaaacatta	gctgggtatg	gtgggtgcaca	46500
tctgtaatcc	caactacttg	ggaggctaag	gcaggagaat	cacttgaaac	caggagggtg	46560
agggtttagt	gagccgagat	catgccacac	tcccagcctg	ggtgacagag	caagattcca	46620
tctcaaaaaa	aaaatccact	cctagacaaa	taatagttaa	attttagaac	accaaggaga	46680
aagaaaaaaa	attgtaaagc	ttcagagaaa	ataaacatta	actacaaaga	aacgagagtc	46740
agacgcgtg	acttcttcc	agataccagc	agataaagca	atatctccaa	aattcagaag	46800
gttttaacgt	agaatccctat	accagtc	gaatatctac	atggaaaagt	gaaataaaaa	46860
acattgttta	aacatgcaag	ggttcagaaa	gtttaccatt	cacagaatcc	ctgaaaacaa	46920
aaccaaataa	tcaactaagg	actcattaag	aaaacaaatg	aaataaaaagc	accaatgatg	46980
agtaataatc	cagaaaaaatt	tacagtttct	ctaaataact	gtttatgcat	aatgtatgaa	47040
aacccaaaaa	tttaatatgg	gacagaatta	ttctggggta	aagattcttt	tttgctttac	47100
tcattggagag	ttcacataaa	cagattatct	tttaatatgca	agagaaaaaa	atgttttagat	47160
atgtgtgaaa	aactaagggt	accaaaccag	tgcaaatcca	tttatcatca	ggaaaatcca	47220
aattaaaacc	acagtatcca	ccagaataac	taaaaggtaa	aagacagaaa	ttaccaagag	47280
ttggcaagaa	tgtggagcaa	ccacatatat	ttctggggta	aataagttgg	tgcaaccggt	47340
actgaaaact	gtttgctagt	atctactaaa	accgagcaca	tgacacagact	acaaccaagc	47400
agttccactc	ccagatacac	actcaacaga	aatgcacaca	ctcactcaac	aaaagacgtg	47460
tactagattg	ttcatgtact	tactattcat	aatagtccaa	aaatgcaaac	aaccaactgc	47520
caatcaaagt	caaatgtata	tctatattag	ggatatattac	aatggcatat	acacagcaat	47580
gagaatgaaa	tgaaccagct	cggcacagt	gttcatgcct	gtaatctcag	cactttgggc	47640
gggtaaaggca	ggcagatcac	ttgaggtcag	aaatttgaga	ctagcctggc	caacacgggt	47700
aaaacctgtc	cccactaaaa	acacaaaaat	tagccgggga	tagtgggtgc	aggcctgtaa	47760
ttccagctac	tcgggaggct	gggttgggag	aatcgtttga	accgaaaagc	cggagggtcgc	47820
agtgagcggga	gatcgtgccca	ctgcactcca	gcctggacga	tagagcaaga	ctccgtctca	47880
aaaaaggaaa	tcaaaaatat	aaaataagat	gacaggaata	atccgcaaaa	gatcagtaat	47940
caaaaataat	ataaatgggc	taaagctacc	tattaaaaga	caaagatttc	acaccataa	48000
ggatagctac	tatcaaaaaa	agagagagaa	taacagatgt	tagcaaggat	gtatggaaac	48060
tgaaattctc	acgcattgct	ggtgagaata	taaaatgggt	cagcctctgc	ggaaaacact	48120
atgctgggtc	atcaaaaaat	taaaaataga	agtactactt	gatccaacaa	ttctacttct	48180
gggtatatac	ccaaataact	gaaagcaggg	tcttgaagag	atatttgtac	acccatgatc	48240
atggcagcat	tattcataat	agctatgat	tggaaaccaac	ataaatatcc	tttgataaat	48300
atatggataa	gcaaaatgtg	gtgtatacat	tcaatggat	attaattagc	aataaaaaatg	48360
aagaaaattc	tgacacatgc	tacaacatgg	atgaaccttg	agggcattac	attaaatgaa	48420
ataagccagt	tataaaaaaga	caaatactat	atgaggtact	atattagata	ctcatgcaag	48480
gtacctaata	taggcaaat	catagagaca	aaaagcagaa	tgggtggtgc	caggggctgc	48540
ggtaattggat	acagagcttc	aattttgtaa	gatgaaaaaa	ttctggagat	tgggtgcata	48600
acaatgtgca	cacacttaac	actggggaac	tgtaaaactta	aaagtagtaa	atggtaaaaa	48660
taaaaataat	aaataataaa	ttttatgtta	ttttaccaca	atattttatta	aaagacaaaag	48720
attaactaat	taaacaaaaat	ccagccataa	gctaattggta	agagtaacaa	ttaaagaaga	48780
cacagaaaaat	tgaaaaatcag	tgactagaaa	aagatatcc	atataaatgc	taacaaaaaag	48840
caagtacagc	aatataaaga	gaatgaacaa	aaaaaaaatt	aaataagatg	gctcgtttat	48900
tcccaaaaagg	tacaattcac	caagaagata	caagaattgt	gaacctttta	gcacataaaa	48960
cagcttcaaa	aatacaacat	ttaaagaaaa	atataatatta	aacatagaaa	tagtacaaaa	49020
accctacaa	gaatcataat	gggagctctc	aatacaactc	tccatatcaa	caggtcaaac	49080

30/122

agagaaaaaa	aataagttaa	ggatgcagaa	aacctgaatt	accatcaata	aacttgagat	49140
taatatagaa	ctgtataccc	aataatactaa	gagttcaggg	aacagtcgtg	actgacagt	49200
gactgcaaat	taatctgttc	ttaatctttg	tttttctttc	agcactgtgg	cagaatagag	49260
atcctaaaaa	ccttccagct	acaaaacatc	tttttaaaaa	tataaaaaaa	tacaaaaata	49320
actctgaaat	caatagaaga	cacatggtga	aaccaaaatt	ctagaataca	gggagaataa	49380
aggcattttc	agatattaca	aaaacagaaa	attgatcatt	gctgaagtaa	tttctaagaa	49440
atgtacttga	gggagaagaa	aaatgttcca	aagaaaagta	tctgtgatac	aagaaggaat	49500
ggaaaagtga	gaaatggtaa	acaggttagat	aaagctaata	aatgttgacc	tagaaaataa	49560
caaaaacaat	agcaataatg	tctcgttgga	agggttgaag	taaaaaatac	attaaggcca	49620
aatgtgaggt	aagtggaaatg	aaagaattag	aagtccttgc	cttgttcaca	ggactgatta	49680
aataaatgag	ccaggttttc	cattcaaaaca	gttaaaactt	gaacaaaata	aactcaaatt	49740
aagtgaagaa	ataaaaaaca	gaaattaatg	tcatagaaaa	ataaaaaatc	aatagaatta	49800
atcaataaat	cctggttaat	aaaagctggg	tctttgaaag	gattaataaa	ataatcatta	49860
agcaagtctg	atcagaaaaa	aagagaaaaag	gtaccaaaaa	aagtaactgt	tcagaaagag	49920
aacatacaga	tacatacaga	tatgtaagag	tctgttttct	tacaccagaa	tactatatac	49980
aacattatgc	tagcatatat	taaatttcaa	taatgttaat	gatttttctag	gaaaacagaa	50040
aataattaaat	ttactttgaa	gaaacagaaa	aactgagaaa	aataaatgat	catgaaaaaa	50100
atgaaaaggt	aattaaatag	tgatattaac	tgccataaaca	acaccagcag	cagcccaagg	50160
agtctgcagt	caagttctgc	caaacttgag	ggaacagata	attcttctat	tccagagcat	50220
agaaaatgat	ggaaaagttc	ccaattttaat	cagagaggac	agcctgatcc	ttgttatgaa	50280
cacagataaa	aatggggtaa	actatatgcc	aaactcagat	accaaaccac	taataaagat	50340
gctagcttat	tgatgtgaac	aatccaaaag	atgattttaa	attagcccag	ggtttttagag	50400
aaagaaaaatc	tagcaatgtg	accaccactt	atgttaacaa	ttttaagacg	aaaatctaca	50460
tgatcatatc	aatgcattgt	acacaaaagc	atttggggca	aaaaccacaac	acccaccctt	50520
gacttttttaa	actcttagta	attaggcata	aacagaaaatg	tacttaattgt	gatagaatac	50580
actcggtgaa	gatacagagg	gaatgctccc	taaaaccaaag	ccaagacaa	agattcctat	50640
ttaacctcaa	tagtcaaacac	tgacgagaga	gtaattctat	gaagacaagg	aaaaaagtaa	50700
aaacatgaga	gacatctgtt	gtttaacaga	caataagatc	acctacttgg	aagaggcaaa	50760
cgaatcaagc	gaaaaactat	taaaaactgag	acaggcttta	gtatggaggc	tcagcttcag	50820
ctgtagcttg	ggtagtgaac	ttcaactcgc	tgtcttgagg	agttaatcct	gcaaagctaa	50880
tttctgttga	ggtagtagga	ttgacaagcc	tgtcttcttc	cctcctcccc	catcttcaac	50940
actgaaataa	cacgggtgtt	ggaactggat	aacagaatct	tccaaaaaca	aaaattgtcc	51000
tgaagggctg	acttgtgccc	ttactcaaaa	aacactttat	ctgctgcctg	cagctcctac	51060
agtgtgtggt	ggataagcct	gccaaccagc	tggcgtaat	tcttcctgca	gagggcaagg	51120
aagtagcatt	tcacaggaaa	atttttttcc	gcgcttattg	ccgcttatta	cataaactta	51180
cgtgctggca	aatggagctc	cagcaaaata	agatattcag	agtcaaactt	ccttaggaaa	51240
aaaaaaaaaa	aaaagcaagc	acataaacat	aatttccttg	catgggcact	ggggaaggag	51300
gtcggttact	ccgcacgccc	gcaggtccgc	accaccggga	aaccacggg	caccgcgcgc	51360
tgcctccggg	ccttccagct	gcactgcgcc	gcggcgcccc	agctgaccgc	ggatgcgcag	51420
ccctagccct	tccctgtca	ccccggccag	gaaggggagg	gagcgcgagg	gacgcccagg	51480
gcgaagggct	tctcggctct	ctgcaccacg	cagcaccccc	aaggcacaac	agggagggtg	51540
cgggagggtc	ccgagaccca	ggagccgggg	ccgggcgtgc	ccgcgcacct	gtcccaactgc	51600
ggcgagggtc	gggggtcgcc	ccagggccgc	agctgtcggg	agccacctgg	ctctcagtcc	51660
cggggtccctg	cgacaaccct	cgggcccgga	ggggaggagg	cgggccacctg	ccgctgccac	51720
ctgcggcacc	gggtcccaccg	ctccggggccg	ggcaggacag	gccaggacgt	ccctcctggg	51780
ctgggggacag	gacacgcgac	gaggggaccg	gggccccgcg	ggcgaagacg	cagcacgcct	51840
tcccagaaaag	gcagtcctcg	gccccacga	cggactccgc	gacccccgcg	ctcgcccgcg	51900
catcccttca	gaccacgcgg	ctgaggcgca	aagagccggc	cgggcgggcg	gctggcgggc	51960
cggttagtac	tcaccggccc	cgctggctca	gcgcgcgcgc	aacccccagc	ggccacggct	52020
ccgggcgctc	actgatgctc	aggagagggga	cccgcgctcc	gcccggcgct	ccagccatcg	52080
ccgccagggg	gcgagcgcca	gccgcgcggg	gctcgctggg	agatgtagta	cccggaccgc	52140
cgctgcgccc	gtctctcttc	agccggcgcc	cgggggcccc	ctctctcccc	gctctcagt	52200
tctcatctcc	ctatctgctc	atcctctggt	cgcacataat	cgatgtttgg	gcgtcccaag	52260
ccagatgtgg	accccatctc	cgcactctac	actggagggt	ttctaagggg	gggtgcccgga	52320
ccagcagctt	cagcctctac	tgggaacttg	agaaaatgca	gattctccgt	cccacccagc	52380
ctattcgggt	tttctgcac	taaaaccatg	aaggtggggc	ccagcagctc	acattctcgc	52440
aagcccgctca	agtgatctctg	aggcgccctc	cagtttgaga	gctatgctca	cgccctcacc	52500
tccgccccgc	aaggagcccc	gtcttgccctg	tggcgctagc	cgcacacgga	cacctcatcc	52560
tgcggggccc	gccccccgcg	tgacccctca	ccgcccacag	cctcctccgg	gatgcagcgg	52620
aggcgccctgg	aagtcggcaa	ggtcaacatc	cccctcagca	tcttccctac	cctcacggct	52680

31/122

cctcctccag	gggtgcctca	tggccagggg	ttagaaagag	ccactgtgtt	tcttgacatg	52740
gaagtggcct	aagaccttaa	tgaaaactgc	aggagtggaa	tgacagaacc	tttgggtcata	52800
cttgagggcg	tgaagctcaa	atgaggagga	aggaaaggat	ccagggagaa	taaccaaccc	52860
tggcaagtgt	tggcgccag	gtagaggggc	gagcctaggg	tagcggttct	cgaccagggc	52920
cgggtgtgcc	cctcctcgcc	gccccgcgta	catttgggga	ggtctggaga	catttttggg	52980
tgtcatgatg	cgggagtgtg	tactgttgcc	taagtgggta	gacacgaggg	tgctcctcaa	53040
catcctacct	gaaggacagg	actgccccac	aaggaagaat	gatccggccc	caaataagaa	53100
accctgggct	ggtcagcaac	aacccttttg	ttctgagaag	agaggaggaa	agaataaaaag	53160
aagtgggggt	aagtttttgg	ttggtagagg	aaacttgaag	acattttcac	tggaaaggaa	53220
gagaggaaga	ggagggagat	gtctgtaagg	acgagcaaac	cgggtgacag	ctgatttcct	53280
catattgaag	taatgagtc	tagttataat	aaattcctaa	taaaaaacca	gtttatccct	53340
gcaataaact	tgtctttttt	ttttaaatat	actgcttgat	tctgtttgct	aatatatttat	53400
ttacaggctt	tgcatgtata	tgcaaaaatg	agatgggcaa	taattttcct	tttgaatgtc	53460
taatgttgtt	tgggttcaga	atcaatgtta	tgctcacatc	ataaaaaatt	tggaaacgag	53520
gcaggaggag	tgcttgaggg	cagaagttcg	agaccagtct	aggaaacaca	gtgagacccc	53580
cccatctcta	caaaaaaaaa	aaaagaaaaa	aaaatgggca	tgtttgcttt	ttccttttac	53640
tctgaacaat	ttaaggagca	ttaaaattat	ctattctttg	aggtttgatc	atttcccagt	53700
taaaaatgtt	cctcccagcc	tgatgctttc	tttggggagg	gtaaatcttt	taaggctaga	53760
aaagtctctt	ctgtggcaat	tttattatct	acatttttaa	aattattcta	gagttaatct	53820
tgataaagca	tgtatttctt	aaaacaaatt	atcctttttt	tccagatgtt	caagtgtatt	53880
tgataaagca	tgaggaaagt	agtcttttgt	gaatctttta	acttctccca	aatatcttat	53940
ttgtgttatt	ttgtcttctt	tattttgtta	acttttaaaa	gtgtattttt	ttttcaaaga	54000
atcagctctt	aggtttatgt	ttttggttat	actggagctt	ttttcttctt	ctttttaaaa	54060
tattttttct	cctttatttt	ttagacgtat	tttgatctaa	cgtaatcgga	agaaggtaaa	54120
ttagaatctt	ttgttactat	tgtgttttta	tttctcctta	tttctctgaa	gtcctgcttt	54180
ataaatagta	ccatgttatt	tgtgcataaa	tattcatttg	tcttatattc	ttgggaattt	54240
tcccacttca	tcataaaaatg	accttccctg	tattctttta	tggtgttcaa	ctttgcctctg	54300
aatttaactt	tgtctgatat	tttaccatcc	tgctgaattt	tgtttgttac	cccaaacaac	54360
ctttgctgtt	ttcgtctttt	ctgaaccctt	tatttttaggt	aatcccttga	attagagcac	54420
taagltttgc	tttgtgatta	aatctgaaaa	tctttatctt	gccatagatg	agttgagccc	54480
tattcatgtg	acagctatat	tatgctgttt	catagccctt	ttggtccttt	tttactctt	54540
gcattgcata	ttttgtgttt	attgtgtttt	gtgtttcttc	tgataatttg	gaaggtttgt	54600
attttttatt	agggagttgc	cttataatca	tactccgcaa	tacacatcgt	cctcagtttc	54660
ttcagactgt	ctgttaactc	cctattctga	ataaaaaatga	cattgtaatt	tccctctttt	54720
ttctttaccc	tttttcttct	cctcacctaa	tgtaaatgat	tttatccttc	tttagtattt	54780
gcttttttaa	tttaactacat	ttataaatat	ctttatcact	tgatttttaa	atcagctttg	54840
aatgagatat	ttggattcct	agatataaaa	gatgttaatt	ataccatttc	cacgttagta	54900
ggtttataaa	atcatacatt	ctgctgtgta	accataatcc	cacgtttgtt	ttagttccac	54960
tccacagtt	aaaagattca	gaagtattat	taacagttat	tttgccatag	ttttttcccc	55020
aacccttttt	gtggtaagtt	atgatcctgc	tttagtttct	taagaataat	ttatagagca	55080
gagtgtgggt	gctcacgttt	gtaatcccag	cactttggga	gacaagaggt	agaaggatcg	55140
cttgaagcca	gcagttcaag	accaccctga	gcaacatagt	gagacctgt	ctctacaaaa	55200
aattttaaaa	tttagccaga	cgtagtggcg	tgtgcctata	gtcccagcta	ctcaggaggc	55260
tgaggcaaga	ggattgctag	agcccagaag	tttgaggctg	cagtgcctc	tgattgtgcc	55320
actgcacccc	agtctgggca	agaaagtgag	aacctatctc	tttaaaataa	caataataac	55380
ttatgaaaaa	tatattccct	gagtttttca	tgtttaaaaa	tatttggtgc	ctttatcctg	55440
taaaaagttt	agtataaatt	cttgggttat	actttattta	ttgaagaatg	tataagtatt	55500
gtcttctaga	attgagtgtt	gctgtaatga	aaccagaagt	cagcctgggt	tatttttctt	55560
cagaaatgag	gtaattgccg	gccggacacc	gtggctcatg	cctgtaatcc	caacactttg	55620
ggaggcccgag	acaggtggat	cacgaggtca	ggagattgag	accatcctgg	ctaacatggt	55680
gaaaccccgg	ctctactaaa	agtacaaaaa	gtaatggcgtg	catggtgggt	gacgcctgta	55740
atcccagcta	cccgggaggg	tgaggcagga	gaatggcgtg	aacctgggag	gaggagcttg	55800
cagagagctg	agatcgcgcc	actgcactcc	agcctgggcg	acagagtgag	actccgtctc	55860
aaaaaaaaca	aaaaaaaaca	aagaagtgaa	gtaattgccca	tgatgctcca	agaattatct	55920
ctttgtctat	gaaatccaga	aatctcactg	ttatacatct	tgggaattatt	attctgggcc	55980
aatttttctt	gggacacaat	agattgactc	tatagattta	attttttttt	tttttttgag	56040
acagagtctc	actgcaatct	cagcttactg	caacctctgc	ctcacgggtt	caagcaattc	56100
tcttgctcca	gcctcccaag	tagctgggac	tacaggcgcg	tggcaccatg	cctgggctaat	56160
ttttgtcttt	ttagtagaga	cagggtttca	ccatgttggc	caggctgggt	ttgaacgcct	56220
aacctcaagt	gatccacctg	cctcagcctc	ccaaagtgct	gggattacag	gcgtgagcca	56280

32/122

ccatgcccag	cctcaattcc	tcttttctatc	tggtaatttt	tctgaagttg	aaaacatttg	56340
ttctaatacg	ttattttcagt	gttctttctaa	gatgtgtaaa	gcaccctatt	cccagggtcag	56400
cccccatctt	gctagtggagc	tcggctgggtt	cttcacaaga	gctctgggtt	tctcctgctt	56460
aatctcaagt	acctctgtca	gcctccacct	ggtttatgat	ttggagtttt	ttgggtttttg	56520
ttttttgttt	ttgacagagt	cttactctgt	caccagggct	ggagagcagt	ggcataatct	56580
cagctcactg	caacctctgt	ctcccagggt	tgagcgattc	tcctgcctca	gcctactgag	56640
tagctgggat	tacaggcgcg	tgccaccaca	cccggcta	ttttgtattt	ttagtagaga	56700
tggggtttca	ccatgttggc	caggggtggc	ttgaactcct	gacctcaggt	aatccacctg	56760
cctcagcctc	ccaaagtgtc	gagattacag	gcgtgagcca	ccgcgcctgg	catgggttgg	56820
agttttaatc	tgtagtttta	ataaagatag	tgcttatgtt	tgtgtttctt	atatttcttg	56880
gtactcttgg	gtaatttgta	agatcccat	atctacacaa	gaagtccatt	ttcaattctt	56940
ttcttcagac	tggttatattt	attttatattt	attttatattt	tatgtttgag	atggagtctc	57000
gctgtgtcac	tcttgaggc	tggaagtgcag	tgggcgcatc	tcagggtcact	gcaacctccg	57060
tctccggggt	tcaaggcaatt	ctcctgcctc	agcctcccga	gtagctggga	ttacaggcac	57120
ctgccacttt	ttaatTTTTT	tagagacaga	gtctcgcttt	gttgaccagg	ctggagtgcg	57180
gtgggtgcaat	catggctgac	tataacctcc	aaatcctggg	ctcaagtgat	cctcctgcct	57240
cagcctcctg	agtagctggg	actacaggca	catgccacca	tgcccagtta	attttaattt	57300
ttttgtagag	acagggtctc	catatgttgc	ctcaggctggc	ctcctactcc	tggcctcaag	57360
taatcctcct	acctcagcct	cccaaattac	taggattata	agcatgagcc	accatgccc	57420
gccttggttct	actactttta	tttcatatgt	taggtgacca	tgtaattgat	catccaaacc	57480
aggatactgt	aagaatgaaa	gaggctgaca	gtagtatgat	gctgggacta	gcatttgtga	57540
ctgagattat	tcttgggaaa	gcaggagata	gggtcacct	acttatagt	tgcttgtctt	57600
tggaattgtt	aatTTggagt	ttctatTTgc	aggcttattt	caactgggca	gccttgatcc	57660
gccctgcccc	gcaatgctac	cgttctctcc	accgggtctc	tgggacccct	tcagtacta	57720
tacttagctc	agttccccac	cctccacctc	cctaaaagcg	taaccaggaa	tcctgcctca	57780
gggtctactg	cgtcttccgt	gggtgttctt	agttcctatt	acccagagtc	aaactcccag	57840
cattccctac	ctgattccag	acttggagtc	cagagcttta	acctcttcag	gccaactccc	57900
cactttgcat	ttctgtccct	atatcttagt	ccatggagat	acatttcatg	tctttgagtc	57960
tacttacaaa	gtaaattttt	ctgttttttt	attttttttt	tgagatggag	tcttgccctg	58020
tcaccagagg	tgtggtgaaa	tgacgccatc	ctggctcact	gcaacctccg	cctcctgggt	58080
tcaagcgatt	catctgcctc	agcctcccaa	tgagctgtga	ttacagacag	gcaccaccac	58140
gcccagctaa	ttttttttat	cttttagtag	agacagggtt	tcaccatgtt	ggccaggctg	58200
gtcttgaaat	cctgacctcg	tgatctgccc	atctcggcct	cccaaagtgc	tgagattaca	58260
ggcgtgagcc	actgtgcccc	gccaatTTtg	ctttttttat	atTTcattgc	tatatgttta	58320
gaggataagt	ttacagtgct	atatgcattc	ccaaatatta	gaccaaataa	atctccaaaa	58380
aattagaaag	aaaatccaaa	aaatctcaaa	aaataccaaa	aagcaacaat	ctcacagacc	58440
atactcactg	acccccata	aaataaaaatt	agaaattaac	cacaacttaa	caaaataaag	58500
tactcaagtc	agagaggaaa	gaggaaataa	acatacaaaa	tacaaaagtct	aggcggtggc	58560
tcacgcctgt	aatccccgca	ctttgggagg	ccaaggcggg	cagatcacaa	ggtcagggaat	58620
tcgagaccag	cctggccaat	atgggtgaaac	cccgtttcca	ctaaaaatac	aaaaattagc	58680
caggcatagt	gatgtgtgcc	tgtaatccag	ccacttggga	ggctgaggca	ggagaatcac	58740
tgaaccagg	gagacgaaga	ttgcagttag	ccaaaatcgt	gccactgcac	ttcggcctgg	58800
gtgacaaaag	gagactccat	ctcaaaaaaa	aaaaaattac	aaactcttta	gatagaaatt	58860
ttgggtgttt	tttttgagac	ggagtctcac	tctgtcgcag	aggctggagt	gcagtgggac	58920
tatgtcagct	caccgcaacc	tccatctcct	ggattcaagc	aattctcctg	tctcagcctc	58980
ccaagtagct	aggattacag	gcgcccacca	ccagaccag	ctagttttta	tatttttagt	59040
agagatgggt	tttcaccatg	ttggccaggc	tggtctcaaa	ctcctgacct	caagtgatcc	59100
acctgcttca	gcctcccaaa	gtgctcagat	tacaggcgtg	agccaccgca	ccccacctag	59160
atagaaattt	caacatgagg	ccgggcacaa	tggtcacgc	ctgtaatctc	agcacttcag	59220
gaggctgagg	cgtgggagga	tcacttgggc	ccaggagttc	aggaccagca	tgggtgacag	59280
agacagaccc	tgtctctatt	tatttgaaaa	aaaaaaaaa	aaagagagag	agaaagaaat	59340
ttcaacatga	aaagtatctc	tcaaaccctt	cgagatgttg	gcaaaaagcg	actcaaagga	59400
aaatgtatta	ctgtgtgtga	atTTgcttga	aaataagaaa	gaggccgggt	gtgggtggcta	59460
acacctgtaa	tcccaacact	ctgggagtc	gaatcaagt	gatcatgagg	tcaggagatc	59520
gagaccatcc	tggctaacat	ggtgaaaccc	tgtctctact	aaaaatacaa	aaaattagct	59580
aggcgcggtg	gctcatgcct	gtaatccag	cactttggga	ggctgaggca	ggtggatcac	59640
ctgaggtcag	gggtttgaga	ccagcctggc	ctacatgggt	aaacctcgtc	tcttctacaa	59700
atacaaaaat	tagctgggag	tggtgggtgg	tgcctgtaat	cccagctact	cagaggctga	59760
ggcaggagaa	tcgcttgaac	ccgggaggcg	gagggtgcgg	tgagccgaga	tcgcaccact	59820
acactccagc	ctgggcaaca	gcctgggtga	cacagtgaga	ctccatctca	aaaaatacaa	59880

33/122

aaaattagct	gggtgtggtg	gcctgcgcc	gtagtcccag	ctaccgga	ggctgaggca	59940
ggagaatgga	gtgaacctgg	gaggaggagc	ttgcagttag	ccgagatccc	accactgcac	60000
tccagcctgg	gcgacagagc	aagactcttg	tctcaaaaaa	aagaaaaaaa	aaggaaaaaa	60060
gaaccctgat	aataaagaaa	ccaaatgttc	aactctcaaa	gctcggacac	tttaaagaaa	60120
taattaataa	aggcagaagt	taaagggagg	atgataaagc	aatttttttt	gttggttttt	60180
ttgagatgga	gtcttgctct	gtcaccaggg	ctggagtgc	gtgatgcgat	cttggtctac	60240
tgcaacctct	gcctcccggg	ttcaagcaat	tctcctgcct	cagcctcctg	agtagctgg	60300
actacaggtg	cgcgccacct	ggcccagcta	atttttgtat	ttttattaga	gacggggttt	60360
caccatattt	gttaggctgg	tctcaaaact	ctgatctcag	gtaatctgcc	cacctcgcc	60420
tctcaaagtg	ctgggattac	aggcaggcgc	caccgcgcgc	ggcctaaagc	aaaatattgg	60480
ttctgtgcaa	aaggtcaata	aaaagagcaa	acgtttacaa	actggagcca	gcacccattc	60540
agctcagtg	gtctggagaa	aaaacaatct	cgcttcagaa	ttcatgatta	cgcagccctt	60600
tttgcttctt	aaaaatccta	ctatgttgct	gttgaccatt	ctctctcttt	ctctctctct	60660
tgctttctct	ccagaaaagc	tattcagaca	ttctcctctt	tcctcaaacc	tccaaccttt	60720
cctcctccat	ccttagcctc	agctgctgac	ctcacttcta	atcattgaga	aaccaggaga	60780
agcatttaag	agtgaacctc	cgctccccgc	cacgggcaaa	accaccacc	cacagaattg	60840
tgccccaatt	ctgcgtcctc	tctctcacc	atggatggac	gggtccaggct	ccgagccaaa	60900
gccaggcctc	ccctggagct	ctggatccac	cactgcgcgc	ttctcaggca	gggccccagc	60960
agctccccctg	ctcccttgta	ccatcaatcc	ctccccctac	tggttcactc	ccaacaatat	61020
atatatttag	tgatgtttct	cccatgtggt	aaaatcactt	agcctctctc	ctccccagc	61080
tactatctta	tttggtttctt	tccattctct	gcaaaacttc	tcaaagcatt	gtgtctatgt	61140
gctgactcca	tttatcttct	ccgttctct	gctgagtctt	tcccacagac	tctcacccta	61200
gttactccat	gaaatgacct	ctgcactgcc	acatccaatg	gtgaatgttc	agttcttaat	61260
tttattcagt	ctttcagcag	catttgacct	ggccgatcac	tccctcttct	taaaaatact	61320
tttctcagcc	aggcgtgatg	gctcacacct	gtaatcccaa	cactttggga	ggccaaggcg	61380
ggaggatcat	gagagcccag	gagttcaaga	tcagcctggg	caacatggca	agaccctatc	61440
tctacaaaaa	ctaaaaagta	gccagtgtga	tggcatgcac	ctgtagtccc	atctcttag	61500
gaggctgagg	cagtaggatg	acttgagcct	gggaaatcaa	ggctgcagtg	agccatgatt	61560
gcaccactgc	actccagcct	gagtgacagc	gagaccctgt	ctcaaaaaga	caaaatagga	61620
aaactttctc	agcatattcc	tctgattctc	ctgctgcttc	tgtctgcaca	gattcagctc	61680
cctttgccc	ttcttctcca	tcttctgat	tcttctgact	tgaagtgcc	cagagtacag	61740
tctttttttt	tttttttgag	acgcagtctc	gtctgtcacc	caagctggag	tgcaatggcg	61800
aggtctcagc	tcatgcaacc	tctgcctcct	gggttcaagc	gattctcctg	cctcagcctc	61860
ccaagtatgc	aggactacag	gcacatgcca	ccatgcccag	caaattgttg	tatttttagt	61920
agagacaggg	ttttactata	ttggccacgc	tggctcaca	ctcctgaact	cgtgaaccac	61980
ccgcctcggc	ctcccaaagt	gctgagatta	caggcatgag	ccaccacacc	cggcccagag	62040
tacagtcttt	agacggcctc	tctacctata	cttgctcccc	tcataaactc	ctcctgcctc	62100
atggctttta	ataccatcgg	tagactgatg	actcccatat	ttctcttttt	tttttgga	62160
cggagtctcg	cctgactccc	caggctggag	tgcagtggcg	cgatctcggc	tactgcaag	62220
ctccacctgc	caagttcaca	ccattctcct	acctcagcct	ctccagttag	tgggactaca	62280
ggcaccgcgc	accacgcctg	gctaattttt	ttgtattttt	agtagagatg	gggtttcacc	62340
atggttagcca	ggatggtctc	gatctcctga	cctcgtgatc	cgcccatctc	ggcctcccaa	62400
agtgctggga	ttatagggtg	gagccaccgt	gcccagccga	tgactcccat	atttctatct	62460
cttgctgtgt	gggagttctc	ctcagaactc	catactcata	aatccaactc	tcataaatag	62520
tatctcaaat	gggcaatatg	ctcaaaaagc	aattcctact	tttctcccta	aacttgcttt	62580
cctgcagtct	ccaccatctt	aatgtccaat	ctaacattag	gaggcaaaaa	ctttgaagtc	62640
attcttgact	cttctctatt	acacacccta	tccaatcttt	ctgcagatcc	agtcgacccc	62700
caaatccagt	tagctctcat	catctccctt	gttaccctct	gggtccaggcc	atcttctctt	62760
ctcacctgaa	tactgcagc	attctcctca	ctggctctct	tggttctgtt	ttcactccac	62820
cttagcatag	tctccacaga	gcagttagag	ggatcctttt	aaagtgtaat	tcccatcctg	62880
tcctgtctct	gtcctcaaac	ctgtcgtgat	tcccggtttt	atctgtcaga	ttaaaagcca	62940
gagtcctttc	agtgaacctac	atgatctgcc	tattatcacc	tcccacttct	tcccccttgc	63000
tactccact	ccagctctgc	agctgtcctt	tctgtttcct	gaacagccca	gattttgctt	63060
ctttagaacc	tttgattttg	ctgtcccttc	tgtctggaat	gtttttccag	gaagtacact	63120
ggctctctcc	tgacttctct	tcttgaccac	catgtttaaa	aatcactcaa	acacacttca	63180
ggccggacat	gggtgctcac	gcctgtaate	ccagcacttt	gggaggccaa	gggtgggtgga	63240
tcacctgagg	tcaggagtct	gagaccagcc	tggccaacct	ggtgaaactt	cgtctctact	63300
acaaatacaa	atagtagcca	ggtgtagtgg	cacacacctg	taatctcagc	tactcaggag	63360
gctgaggcag	gagaatcgct	tgaaccaga	aggcagagga	ggtgcagtga	gccaagatca	63420
cgccacaaca	ccccagcctg	ggtgacagag	caagacccca	tctcaaaaaa	aaaaaaagaa	63480

34/122

aaaaaaatca	cacaaacaca	cttctcttca	tattcctttt	ccaagtttta	ttttcttcca	63540
gaatacttta	cattgtttta	atggaagttc	tccgtttccc	cccaactaga	atggatactt	63600
cctgcaggta	ggcactctag	tcctcccatc	caagtactaa	ccaggctcaa	ccctgcttag	63660
cttctgagag	caggggagat	caggcctggt	caggggtgga	tggcccagga	attttgattc	63720
tgtttttatt	attgctgttc	tggtgattct	cttttgttcc	tcctcctagt	gctgagaaca	63780
ctacttgtac	ataataagca	ttcaataaat	atttgttgaa	tgaatgactt	gttgaatgaa	63840
ttaatctcag	aaatgcagga	ctggttctac	attagaaaat	ttttcaaggt	cattctctgt	63900
tgctgtaaca	cattaagaga	ggaaaaat	gtactctaaa	tcatttgata	aaatacatac	63960
tgattttctg	tttcaaaaac	tcttagtggt	tgggcgaggt	ggctcacatc	tataatccca	64020
gcattttggg	aggacagagt	gggcggatca	cttgaggtca	ggagtgtgag	accagcctgg	64080
ccatcatggt	gaaaccctat	ctctactgaa	aatagaaaaa	ttagccgggt	gtggtggcgc	64140
atgcctgtag	tcccagctac	ctgggagggt	gaggcaggag	aatggcttga	acccgggagg	64200
cggagggtgc	agtgcagcaa	gatcatgcca	ttgcactcca	gcctgggtaa	cagagtga	64260
ctccatctca	aaagaaaact	cttagtgagt	ttagggaatcc	aaggaagacc	ctcaaactaa	64320
atagataatc	tagctaccag	aagccttcag	taaaccctaa	cactccatgg	tgaacatta	64380
gaaacattcc	tactaaaaga	caggctaaga	atgcctgcaa	tcttcacggc	tagtccaaga	64440
agtcaaaaag	aagaaatgag	cgctgattta	aaaaaataaa	caaacaaaaa	actaccgatg	64500
cagaggctgg	cagcaaggac	tgaaggactg	tacagtactt	gcctggagca	ggcggatggc	64560
cacacccctg	cgaagcctgc	tcagctgggt	gggggacgct	ccagtgtgtg	agtggcagga	64620
tgcaggggtac	ttcctctgcc	agggagttgc	actggggaga	tcctcccca	ctcacacttt	64680
ggcagctggg	gctttggaat	gtgacttagc	ttctgtcaaa	gggtcaatcc	accctttgat	64740
atatgatgca	aaggcgaaca	tatgatgcaa	agggtgagaga	acagcccaaa	ttaggacttt	64800
taccacagct	gtggaggtgg	acagcgacag	tgggtggccc	tggccagact	tttcatgtct	64860
aaaggtgggt	gttgttcttc	ctacttcttg	tcctccagg	gcttcccttg	cctgtgtgct	64920
gaacctgctt	cttttaattt	tttttaactt	ttttaaattt	tttaattgtt	taattaaaac	64980
aaattttgaa	aactgtctga	acctgctttt	gaaccctgct	atgatttgaa	tgtttgtccc	65040
ctgccaaact	gattttgaaa	cttaattctc	aaagtggcaa	tattgagatg	gggctttaag	65100
cagtgcactgg	atcatgagag	ctctgacctc	atgagtggat	taatggatta	atgagttgtc	65160
atgggagtg	catcagtggt	tttataagag	gaagaattaa	gacctgagct	agcatggctg	65220
ccccctcacc	atttgatata	ttacactgcc	tgggggctct	gcagagagtc	cccaccaaca	65280
agaaggctct	caccagatata	agctcctcaa	ctcagcctct	gttaactgtaa	65340	
gaaataaatg	ccttttcttt	atgaattacc	cagtttcaga	tattctgtta	taaacaaatag	65400
aaaacgaact	aaggcaaat	ctcatgattc	tactgccatg	ccattccaat	aaactccctt	65460
tatgcttaag	agagccagag	ttggccaggc	gtggtgactc	acgcctgtaa	ttccagcact	65520
ttgggaggcc	gaggcaggtg	gatacacaag	tcaggtgactc	gagaccatcc	tggtctaacac	65580
ggtgaaaccc	cgtctctact	aaaaatacaa	aaaaattagc	tgggcgtggt	agtgggtgcc	65640
tgtagtccca	gctactcggg	aggctgaagc	aggaggagaa	tggcgtggac	ccaggaggcg	65700
gagcttgacg	tgagtcgaga	tcgtgccact	gcactccagc	ctgggtgaca	gaatgagact	65760
ccgtctcaaa	aaaaaagaga	gccagagttt	atttctgttg	cttgcaacca	agaaatctgg	65820
ctgggtgcact	gaagtttcca	taaataatag	caattttaag	actctttcca	agccaggcaa	65880
tgccctagcct	tgtgtagtc	ttgtggtaat	acattcattc	attcatttgt	tcaaccaact	65940
gtgctccaga	gactaagaat	acaaaaatgg	gggcggggtg	tgggtggctca	cacctataat	66000
cctagcactt	tgggaggccg	aggcaggtag	atcacctgag	gtcaggaggt	cgagaccaac	66060
ctggccaaaa	tgggtgaaacc	cctactctac	taaaaaataca	aaaaattagc	tgggggtgggt	66120
ggcggacacc	tgtaatccca	gctactcgtg	agactgaggc	aggagaatca	cttgaacccg	66180
ggaggcagag	gttgcagtg	gccgagatcg	caccactgca	ctccagcctg	ggcaacaaga	66240
gcgaaaactcc	acctcgaaaa	aaaaaaaaaa	aaaaaaaagag	ggccgggggt	gggcgcagtg	66300
gctcacgcct	gtaatcccag	cactctggga	ggccaaggca	ggagaattac	gagggtcagca	66360
gatcgagacc	agcctgacca	acatgggtgaa	accccatctc	tactaaaaat	acaaaaatta	66420
tccgggctg	gtggcgacac	cctctagtcc	cagctacttg	ggaggctgag	gcaggagaat	66480
cgcttgaaac	cgggaggcag	agggtgcagt	gagccgaaat	catgccactg	cactccagcc	66540
tgggtgacag	agtgcagctc	cgtctcaaaa	aaaaaataaa	aaaaaaaaaa	gaattcaaaa	66600
attgtagagt	tatagtgtgc	ttctagttaa	gttgagagga	catctgtcct	tcaaggagg	66660
ctagaatcta	taccctgagt	ccttactgaa	atcaatccag	cagtcaaaac	atgggaccaa	66720
cgatcacagc	agtaagatag	gaagagcacc	tttgtacatt	tagctcatgt	tgagataagc	66780
cactgacaga	gctgaaggaa	gctcacagtt	ctgggttcca	tcctttggga	tttaaaaaga	66840
aaagtgcata	gaaaattcgg	ttggtcacgg	tgggtcacgc	ctgtaatccc	aacactttga	66900
gaggccaagg	caggcagatc	acgaggtcag	gagttcgaaa	ccagcctggc	caacatgggtg	66960
aaaccccgct	tctactaaaa	acagaaaaat	tagccgggca	tgggtggcgca	tgccctataat	67020
cccagctact	caggaggctg	aggcaggaga	attgcttgaa	cccgggaggg	ggagggtgca	67080

35/122

gcgagtgaga	gcaggccact	gcactccagc	ctgggagaca	gagcaagact	ctgtctcaaa	67140
aaaaaaaaag	aaaaaaaaagaa	agaaaggaaa	aaaagaaaga	aaaaaaaaaga	aaaaagaaaa	67200
ttcaggccag	gccaggccctg	gtggctcaca	cctgtaatcc	caacactttg	ggaggctgaa	67260
gcgagacggt	gccttagccc	aggagtttga	gaccagcctg	agcaacatag	cgagaccctg	67320
tctctataaa	aaaaaatttt	tttttggcca	gacgcagtgg	ctcacgcctg	taatcccagc	67380
acttttgggag	gccgaggcag	gtggatcacg	aggtcaggag	atggagacca	tcctggctaa	67440
cacggtgaaa	ccccatctct	actaaaaaat	acaaaaaat	aaccgggcgt	ggtggcgggc	67500
gcctgtagtc	ccagctactc	gggaggctga	ggcaggagaa	tggcgtgaac	ccgggaggcg	67560
gagcttgacg	tgagccgaga	ttgcgccact	gcactccaga	ctgggagaga	gtgagactcc	67620
gtctcaaaaa	aaaaaaaaaa	aaaaaaaaaat	taattttcag	gtgtgctggc	atgcagctgt	67680
agtcctagct	actcgggagg	ctgaggtaa	aagatcgctt	gagcccagga	gttcaaggct	67740
gcagtaatag	tgccctctcac	tctaccctgg	gtgacaatga	gaccctctct	caaaaagaaa	67800
gaaaaaagg	aaagaagaaa	agaaagaaa	aaagagaaga	aaggaaggaa	gaaagaaaga	67860
aaaagaaaa	gaaggaaagga	agaagaaaa	aaaagaaaaga	aagaaaaagag	agagaagtcc	67920
aaagaccaaa	gggtcaggat	cccaaaatag	tttttatgtt	ttattttatt	atttacttat	67980
ttatttttga	gacagtatgg	ctctgtcgcc	caggctggag	tgcagtgatg	cgattgcggc	68040
tcactgcagc	ctccaaactg	ggctcagggt	gccctcccac	ctcagcctcc	cgagtagctg	68100
ggaccacagg	cgctgcccag	catgcccagc	taatttttta	attctttgtg	gagatgaggt	68160
ctctatatgc	tgcccaggct	ggctctcagc	tcctgggctt	aagccatcca	cccgcctggg	68220
cctcccaaag	tgctgggatt	acagaagtga	gccaccgcgc	ctaactcgggt	ggtttgtttg	68280
tttattgacg	gggtctcgct	gctgcccagg	ctggagtggc	agtggctggt	cacagggtgca	68340
gtcctggagc	attgcatcag	ctcttggggt	ctagcgatcc	tccagagttag	ctgcagctgg	68400
gattccagc	gcgcccacgc	gcggggctca	gaatgggttt	ttatatagag	ggttatgctg	68460
ccacctagag	gatatatgta	gtaccgaact	gtgtgcgcag	ggaggctgag	ggtgcagtga	68520
gccaaagatga	tgccagggca	ctccagcgtg	ggtgacagag	caagatttca	tctcaaaaaa	68580
aaaaaaaaaa	aaaaaaaaaa	aagaattgaa	agtaaggctc	tgaagagata	tttgtgcctg	68640
tatgggtcata	gcagtattaa	ctttgaccga	ctaagctaaaa	cacaaaagca	acatgctgct	68700
gtcagcaggt	gaacggataa	acaaaatgtg	gtatatatgt	acaattgaat	attatttcagc	68760
ctttaaaaag	gaataaaaag	ctggatgcgg	gggctcacgc	ctgtaatcct	aacacttttg	68820
gagactgagg	tggttggtac	acccgagggt	aggagtttga	gaacagcctg	gccaacatgg	68880
tgaaacttca	tctctactaa	aaataactaaa	attagccggg	catggtggca	cttgtctgta	68940
atccaagcta	ctggggaggc	taaggcagga	gaattgcttg	aactcaggag	ccggagggtg	69000
cagtggagcta	agatggcacc	actgcactcc	agcctgggca	acagagttag	actccatctc	69060
aaaacaaaca	aacaaaaaat	tattatttcc	aaagaaacaa	gaccctgggt	ccattttcca	69120
gcccacacct	gagtgtgact	cacaacacac	agcctgggtt	gctatgagcc	tgcttatttc	69180
aattgtcacc	ttaacttcac	atcacccctca	agtcctggaa	taactctttg	ctgacctttg	69240
tgtgctgagc	catctccatg	tcgctcaacg	tgcagtccct	ctcactgcac	tgagtcaata	69300
gccagcagtg	gtctgactgc	agggtcatcc	ttgggtggct	aggctgactc	gggcatagca	69360
gggtgctctg	gcactatagg	gcataatggc	tttggcccca	ataaactcta	tataatttcc	69420
atattatgtg	gtctgggtgt	gtgtagcttt	gcactgtctt	ctcgtgacag	tgccctcaac	69480
ctctttccca	ggatttcctc	ctctaccctcc	tcaagtccca	ctgctctgca	aagaccaaaa	69540
gctgcagagt	cccagctccc	tccttttacac	cccacgacgc	agcctcctct	ctcagaacct	69600
tttaaacaga	gtcttttact	gcagatccca	agaacagcca	caccctctct	tcccaccac	69660
tccagacaca	cccaggtaat	tatagcacc	agggtaacta	tgtagatgga	gtccctggaa	69720
catgtggata	gtgccccctg	ggagtatgca	aaagcaacat	tgctggcacc	tgcagagaac	69780
agggtgacat	ccaggaatca	gagcatgggc	ctctgggagg	tagggatgtg	gccaggcagg	69840
ctgccaaaa	ttggtagagc	aaggccacag	gactctttctg	accttccttc	caaacagagg	69900
ctcctgtact	gggtgatccct	gtgttgattg	accactccct	tcctgggggt	cgtggtctct	69960
gtcccagttg	cccggaacttc	tgtgagtgtc	ctactgaggt	ccttttcatg	agaagcatgc	70020
tgtccttcca	cctgctggga	gcaagagtga	caacttcaat	actataatag	cagtggcata	70080
cagagaagaa	gaaagatgaa	gtggcaagaa	aaacaggctt	ccaagcagga	gtttttctat	70140
aaaaacaaaa	acgtttacaa	gcaaaactttt	tataaagggt	tagatagtaa	atattttagg	70200
ctttgagagc	cacatagact	tgtttgcagg	gactcaatgt	cgctattgta	gtttgaaagc	70260
agccatcagg	gttatgtaaa	tgagttagtc	tgattttgtt	tcagcaaaaat	tttatttacc	70320
aaaacagaca	atgagtgggc	tggattttggc	ccatgatcct	tagtttgcca	actcctgctt	70380
tgggtctcacc	cagatctgat	tttgaattct	ggctctgcta	ctgggttagct	gcaggagctt	70440
ggaaggctct	ctgagcctgt	ttcctcatct	gtaaaattaa	agcaataatt	tctaactctc	70500
aagagtgtta	cctcacgcct	gtaatcccag	cactttggag	gctgaggcag	gcggatcacc	70560
tgaggtcaga	agttcaagac	cagcgtggcc	aacgtggcaa	aaccctgtct	ctactaaaaa	70620
atacaaaaa	tagccgggca	tgggtggcgcg	catctgtaat	cccagctact	tgggaggctg	70680

36/122

aggcagggat	actgctagaa	cctgggaggt	ggagcgtgca	gtgagtggag	atcacacctc	70740
cacactccag	cctggccgac	agagcgagac	tccatctcaa	aaaaaaaaaa	aaaaagagt	70800
ttagaagggt	ttgagataat	gaataaaaaga	tgcttgtgt	atactaagta	ttcaacaact	70860
gtagctgca	ttgggtcta	tataacagtt	tagaagcgat	tgagtcaaca	aatgctggat	70920
ttgtcagggg	ggacttccta	tcaggaggta	gatcttgggc	tgagtcctga	agcaaagata	70980
ggcattggat	agaggagtgt	agagaacacc	ctaggactgt	tattattatt	attcgacacg	71040
gagtcctctg	ctctgtcacc	caggctggag	tgagtgggcg	cgatctcggc	tactgcaac	71100
ctctgcctcc	caggttcaag	cgattctcct	gcctcctaag	tagctgagac	tacaggtgtg	71160
tgccaccaca	cccggcta	ttttatattt	ttagtagaga	cagagtttca	ccatgttggc	71220
catgctggtc	tcgaactcct	gacttcaggt	gatccaccgc	cctcagcctc	ccaaagtgt	71280
ggaataacag	atgtgagcca	ccgcaccacg	cccagaacca	tttttcaatc	cttggctctg	71340
ccttttatta	gctgcaagat	ctcaggcaat	ttattttaacc	tctccaaaga	ctcattttct	71400
cattcacaaa	atgaggcaaa	taataatatc	tactatccca	ggttgtcatg	agaattaaat	71460
gcaacatgac	atttaattgaa	atgagaagtc	ccttggacat	taactggcta	aagtatgtgc	71520
tcgacaagga	tatcatttta	ggtggatact	tagcatctca	gaactgatgc	tcacaatgga	71580
atatcattga	aacgcattaa	aattcatttt	aaatgattgt	aggtagtgtg	gcaattgaaa	71640
gaagaagaca	agaggactga	ttataatgct	tcaggctcac	tagtctcctt	ttaggaggga	71700
aaaacaattt	caagttaaat	tttaggctct	agattctttac	ccctgctgct	cattagatct	71760
acccagattg	atgaaatcag	agcccatctg	aggctgtgtt	tttcatctcc	agaatgagag	71820
ctgttgtggg	gattaaagttt	ttgaaaaagt	acatctaaca	ggtgatcgaa	aatgatagt	71880
atattattgc	agtgtgggtc	attattgtgt	ttattattat	actgaaagag	gcttcagttt	71940
tctgatccat	aaagtggagg	aattgcatga	gaccattgct	aagattcctt	ctagctctgt	72000
ttttttgttt	ttgtttttta	gacagagtct	ctgtcgccca	ggctggagt	caatggcatg	72060
atcttgggtc	actgcaacct	ccgcctcccg	ggttcaaagt	atcctcctgt	ctcagcctcc	72120
gaagtagctg	ggactacagg	cacacaccac	catgccacgc	taacttttat	atttttaata	72180
gaggtgggtg	ttcaccatat	tggtcaggct	ggctccaac	tcctgacctc	aggtgatcca	72240
cccgcctcgg	cctcccaaca	tgctgggatt	acaggcatga	gccactgtgc	ccaacccctt	72300
ctagctttct	tgatcactga	ttctagggtt	ctctgctgaa	atatatttga	gacatcctgg	72360
ataaaagatc	atgcaagagc	tcccaatatg	gtattaataa	ttgattctgg	aggcttagct	72420
actcctgatg	gattagacat	gactcaactg	ctctctttat	gtgtacaaca	caacaacaca	72480
accaagaaa	gtatttctgg	cattccattt	attcagttta	tttacagccc	ttacttccag	72540
cagcacgtta	aagatatggc	cagggccggg	tgagtggtg	caagtctgta	atcccaggac	72600
tttggggagg	caaggtgggc	ggatcacaca	gtcaggagtt	tgagaatctg	gcaattcttc	72660
agacttagaa	gcaaccagct	cgataacaca	gtcttgtgtg	ggctctccct	ctgtccctcc	72720
ctcgcttccc	tcattttctca	tccctgcccc	tgagactgtg	caccttcaca	tagccctgcc	72780
atgagacctt	catctcaggc	tttgctttct	gggtaactg	aggctaaaca	ctgagtggcc	72840
ctaaaagagg	attgggattt	ggaagttaga	ttattcacca	gagaacagac	tttgctgatg	72900
atcaggccca	ggttgtaatt	gttgaaaaaa	agagaggatg	catagtctta	tctcatctcc	72960
tagtcaaaat	caacaccatg	ataaataaga	gtcaaatcct	gagatgtgaa	ttggggacat	73020
ttgagtgggt	aaccctgaga	agcttgacc	ttcagacccc	tcaatacccc	tgctccccag	73080
agaaggctgg	acattgacct	cagcacaggc	aggagccctg	caagatgcca	tttgctctac	73140
taaagatgga	cccctccact	ctgtttctag	gtaataaacc	aaagtcaagt	ctccacacag	73200
cctgagcaag	aaagtcagag	cctgctacag	gagaaaatac	cacactggcc	aaaggattca	73260
ctagccctgg	ccactgtgtg	tgggaggaac	cagggaatca	tgtgtgggag	tcaatgttga	73320
agctgttggg	ctgggggtgg	ggtggaatat	aagcctggcc	ctggggagt	tttcccgttt	73380
gagggccttt	acccacaact	caagatccag	tgctatagca	ggagatccca	gagctagtcc	73440
taacagatgg	tcaggattga	acttggccta	gagtaaaatg	aggaggatag	tgccagaact	73500
ttctcaacat	actattgagg	aagaggtcag	aaggcttaag	gaggtagtgt	aactggaaaag	73560
gggtcctgat	ccagacccca	ggagagggtt	cttggacctt	gcataagaaa	gagttcgaga	73620
cgagtccacc	cagtaaagt	aaagcaattt	tattaaagaa	gaaacagaaa	aatggctact	73680
ccatagagca	gcgacatggg	ctgcttaact	gagtgttctt	atgattattt	cttgattcta	73740
tgctaaacaa	aggggtgatt	atttgtgagg	tttccaggaa	aggggcaggg	atttcccaga	73800
actgatggat	ccccccactt	ttagaccata	tagagtaact	tcctgacgtt	gccatggcgt	73860
ttgtaaactg	tcatggccct	ggaggggaatg	tcttttagca	tggtaatgta	ttataatgtg	73920
tataatgagc	agtgaggacg	gccagaggct	gctttcatca	ccatcttggg	tttgggtggg	73980
tttggccggc	ttctttatca	catcctgttt	gatcagcagg	gtctttatga	cctataaact	74040
ctcctgccga	cctcctatct	cctcctgtga	ctaagaatgc	agcctagcag	gtctcagcct	74100
cattttacca	tggagtcgct	ctgattccaa	tgccctctgac	agcaggaatg	ttggaattga	74160
attactatgc	aagacctgag	aagccattgg	aggacacagc	cttcattagg	acactggcat	74220
ctgtgacagg	ctgggtgggtg	gtaattgtct	gttggccagt	gtggactgtg	ggagatgcta	74280

37/122

ctactgtaag	atatgacaag	gtttctcttc	aaacaggctg	atccgcttct	tattctctaa	74340
ttccaagtac	cacccccgc	ctttctcttc	ctttctcttc	tttctgattt	tactacatgc	74400
ccaggcatgc	tacggcccca	gctcacattc	ctttctcttc	ttaaaaatgg	actggggctg	74460
ggcgcggtgg	ctcatgcctg	taatcccagc	actttgggag	gccgaggcgg	gcggatcatg	74520
aggtcaggag	atcgagacca	tcttggctaa	cacggtgaaa	ccccgtctct	actaaaaatg	74580
caaaaacatt	agccaggcgt	gggtgaggtg	gcctgcagtc	ccagcggctc	aggaggctga	74640
ggcaggagaa	tggcgtgaac	ctgggaggtg	gaggttgcaa	tgagccgaga	ttgtgccact	74700
gcactccagc	ctgggtgaca	gagcgagact	ccgtctcaaa	aaaaaaaaaa	aaaaaaaaaa	74760
tagctgggca	tgggtggcgc	tgctgtaat	accagctact	ctggaggctg	aggcaagaga	74820
atcgcttgaa	cccgttaggc	gggaagtgtga	gtgagccgag	atcttgacac	tgactccag	74880
cctggtgaca	gagtgcagct	ctgtctcaaa	aaaaaaaaaa	agaaaaaaaa	agacagaaag	74940
aaagagcaca	gacagagtca	cagggtatttg	cagtaggaag	ctgtcagggt	agagtgcacg	75000
gaaatagaaa	gtatatatta	cacttacagc	acatcttcgt	ttgattagcc	acatttaaaa	75060
tactgaatag	caacgtgtgg	ctatttagta	ttcactaaaa	tcttggacag	tgcaagctca	75120
aagaatcctt	gatccgtccg	gcatggtggc	tcacgccttt	aatcccagca	ctttgggagg	75180
ccaagggtga	aggatcactt	aagggtcagga	gttcgagacc	agcctggcca	acatgggtgaa	75240
acctcgtctc	tactaataat	acaaaaaaaa	ttagccgggg	atggtgggtg	atgcctgtaa	75300
tcccaggatc	ttgggaggct	gaggcaggag	aatagcttga	atccaggagg	cgctgcagtg	75360
agccgagatc	atgccatgcc	actactgcac	tccagcctgg	gcaacagagt	gagactgtct	75420
caaaaaaana	aaaaaaaaat	ttgggcgtgg	tggtcacgc	ctgtaatccc	agcacttttg	75480
gaggctgagg	gggggtggatc	acctgggttc	tggaatttga	gaccagcctg	gccaacatgg	75540
tgaaacccca	tctctactaa	aaatacaaaa	attagctggg	cgtgggtggg	ggcacctgaa	75600
atctcagcta	ctcaggaggc	tgaggcagga	gaatttcttg	aaaccaggag	gcagagggtg	75660
cagtgcagca	agatcgcgcc	tctgcactcc	atcctgggtg	gcagagcaag	actatgtctc	75720
aaaaaaaaaa	aaaaaaaaat	ttgattgtct	ggacattctg	cagaacatca	tatggagaca	75780
ctatgttgac	gacatcatgc	tgattgtga	caagaaatgg	caagtgttcc	agaaacacag	75840
tcaagacaca	tacatgccag	aagggtgagat	ataaactcta	ctaagattca	gtggcctgcc	75900
acactggtga	cattttttaa	cctgctagat	gtttgtgtag	aaaaggattt	aaccttgccc	75960
aaagaggggt	ctggcctttg	tccccagcta	ctggacataa	tctctttaa	ctcttgaat	76020
atcatctctg	atagaagtat	ttttgttttg	actaggggccc	ttgggccagc	cagatagcaa	76080
caatgtgac	tggtgtgggg	gctttggatc	aggtgtgac	agtgtgacct	cctgagtgcc	76140
tagagactag	aatcaaccac	atgggcagac	aaaccagctt	acatgatgga	attccaataa	76200
agactttgga	cacaagggct	tgggtgaagct	ttcctggttg	gcaatgctct	atactgggaa	76260
accatctctg	actccatagg	gagaggacaa	ctggatatct	tcatttggtg	cctccctggg	76320
ctttgcccta	tgcatttttc	ccttgtctga	ttattattat	tattatgaga	tggaatctcg	76380
ctctgtcacc	caggctggag	tgcatgtgaa	tgatctcaac	tcactgcaac	ctctgcctcc	76440
ccggttcaag	cgattttctc	gtctcggcct	cccagtagac	tgggactaca	gatgcatacc	76500
accacacccg	gctaattttt	ttgtattttt	agtagagacg	gggttttcacg	ttagccagga	76560
tggtctcgat	catgttcacc	catgttcacc	gtcctcggc	ctctcaaatg	gctaggaata	76620
catgtgtgag	ccaccgcgcc	cagccccctt	ggctgattat	taaagtgtat	ccttgagctg	76680
tagtaaat	taaccgtgaa	tataacagct	tttagtgagt	tttgtaggca	cttctagcaa	76740
attatcaaac	ctaaggatag	ccttggggac	ccctgaactt	gcagtgtgtg	tcagaaataa	76800
gggtgtcat	gtgtgtacca	tgccctctaa	ttttgtagtt	aattaacttt	cacaacttta	76860
ttattaccgc	ttacactcaa	tggttattca	catttatcca	cataccactt	attctagtgc	76920
cttgcataca	agactttcta	tctcatgtac	tttattctgc	ttgaagttaa	tccttttagga	76980
tattcttttt	tttttttaaa	ctttgcacat	acatactttt	attttttatt	tatttttaaa	77040
tttggtattt	ttgtgggtac	gtagtagata	tatgtattta	tggagtacat	gagatgtttt	77100
gatacaggca	tgcaatgtga	aataagcaca	tcatggagaa	tgggggtatcc	atcctctcaa	77160
gcaattttat	cttcaagtta	caaacaatcc	aattacactc	tttaagtatt	tttaaaatgt	77220
acattttaatt	ttgtattgac	tagagtcaat	ctgttgtgct	atcaaatata	attttttttt	77280
ttttttgagac	agagtctcac	tcagtggccc	agactgaaag	tgcagtggca	caagctcggc	77340
teacttcaat	ctctgcctcc	ctgggttcaag	cgaatctcct	gcctcagcct	cccacatagc	77400
tgggattaca	ggcacacacc	accatgcccc	gctaattttt	atattttttt	agtagagacg	77460
gggttttcgcc	atgttggcca	ggctgggtct	gaactcctgg	cctcaaatga	tctgaccacc	77520
tcagcctccc	aaagtgtcat	gattacaggg	atgagccacc	acacctggcc	aaaatagaat	77580
attctttagt	gaggtctgct	gggtgacaat	tttttctttt	ttttgagact	gagtcctgct	77640
gttgtcagct	tgggctggag	tgcaatagca	cgatctcagc	tcactgcaac	ctccacctcc	77700
cggattccag	caattctcct	gcctcagcct	cccaagtagc	tgagagatta	caggcaccca	77760
ccaccacacg	cggctaattt	ttgtattttt	agtagaaatg	gggggttcacc	gtgttggcca	77820
ggctggtctc	gaactcctga	cctcagggtga	tccaccacc	ttggcctccc	aaagtgtctg	77880

38/122

gattacaagc	atgagccacc	acgcacagcc	aattttttcc	gtttttgtct	gaaatcttat	77940
tttgtgtcat	ctttgaaata	tattttttgat	ggatataaaa	ttgtttgggtg	atagttatta	78000
tcaattattat	tattatttttg	agacaggggtc	tcactctgtt	gcctatgctg	gggtgtagta	78060
atgtgacttc	ggttcactgc	agacttgacc	tcctagggtc	cagggtgatct	tcccacctca	78120
gcctccctag	tagctgggac	tacagatgca	tgccaccata	cccaactaat	ttttctattt	78180
tttgtagaga	tgaggctttg	ccacatttcc	caggctgggtc	tctaactcct	gagctctagc	78240
aatccaccca	ccttggcctt	acaaagtgtc	gggccatgac	tagccagcag	ttacttttta	78300
tagcatattg	aatatttaat	atgaatcttc	tggcatccac	tgttaactgtt	taaaaaatca	78360
gctgtttact	tggcactctt	tttttttttt	tttttttttg	gacagagtct	tgccctgtcg	78420
cccgggtggtg	agtgcagtg	cgtgatcttg	gctcactgca	agctctgcct	cccgggttca	78480
cgccattctc	ctgcctcagc	ctccggagta	gctgggacta	aaggcgcccg	ccaccacgcc	78540
cgggtgattt	ttttgtattt	ttcgtagagt	tgggggtttca	ccgtgttagc	caggatgggtc	78600
tcgatctctc	gacctcgtga	tctgtccgcg	tcggcctccc	aaagtgtctg	gatttataggc	78660
gtgaggccac	gcgcccagcc	tctttttttt	tttttttttag	acggagtctt	actctgtcat	78720
ctagggtggt	gtacagtggc	gtgatctcag	ctcagtgcac	cctccacctc	ctgcctcagc	78780
ctgccaataa	gctgggatta	cagggtgcgt	ccatcacgcc	cggctaattt	ttgtattttc	78840
agtgaatgtg	gggtttcacc	atgttagaca	ggctgggtctc	gaactcctgg	cctcaagtga	78900
tctgctgtgc	ccagcctccc	aaagattaca	ggcatgagcc	accgcaccgc	gccaagtagc	78960
actcctttga	aggtaatctg	cttcccctac	ccctagcaat	ttttaacaat	ttttcttcat	79020
ttttatttcc	tgaagttttg	ttattaataa	tctgtgtgca	gatttctttg	tatttctttt	79080
gtttggaatt	catagtgttt	cttgaattag	tgtgttggtt	tctgttatca	ccacaggaaa	79140
attgtcagcc	gttagctttt	caaatatttc	tctgtcctct	tctctcttct	cccccttcgg	79200
tacatttcat	ttgattaaaa	ctaaaaccag	ggccgggtgc	agtgtactcat	gcctgtaatc	79260
ccacaccttt	gagagggtga	ggcaggtgga	tcacctaaagc	tcaggagtgc	aagaccagcc	79320
tggccatatt	ggtgaaaccc	cgtctctact	aaaaatacaa	aaattaccag	gcatgggtggc	79380
acacatttgt	agtcaggagg	ctgaggcagg	agaattgtct	gaatccagga	ggtggagggtt	79440
gcagttaagt	gagatcccac	cactgcagtc	tggcctgggc	gacagagtga	gatgagaatc	79500
tgtctcgaat	aaaaaaagta	tgaatgtttg	ataaactata	tttgttagaa	tgtttgttgt	79560
agaatactat	tcattgtattt	ttaaacaatg	ttagattaaa	ccattcactg	gatttgtgtat	79620
aattaaacta	ctgatttttac	ctcactgatt	tgttgttaatt	aatacaactg	gtataaaaaag	79680
actgtgcaga	gggagggcat	ggctgtctccc	gcctataaatc	ccagcacttt	gggaggctga	79740
ggcaggcgga	tcacctgagg	tcaggagtgc	aagaccagcc	tgaccaacat	ggtgaaaccc	79800
catctttact	aaaaatacaa	aattagccgg	tcgtgggtgt	gcatgcctgt	aatcccagct	79860
cttcggggagg	ctgtggcagg	agaatcactt	gaacccggga	ggtggagggtt	gcagttagacc	79920
gatatcggtc	cagcctgggc	cagaatttct	aaacaagagc	aaactccgtc	taaaaaaaaa	79980
aaagaaaaaa	aacacataaa	acaaaaaac	actgtgacgg	ttcccaaaaa	ttaggagcat	80040
aattaaaggga	actcctgata	aaaatttaatt	ttatcttaca	tgtaaactaa	aatgacttta	80100
tgaagttaaa	tcagaaatac	aatgcagggt	attagtttgc	cacagctgcg	tattcagcct	80160
aatgttaaat	tcttggtatt	tttaaatctt	ttttttaact	ttactcatat	gtggatcatc	80220
aaatttcuaa	agattaaatg	acaatactct	tagcagcaag	cttccctaag	catataaaca	80280
ttttaatggg	tgatgattca	gaaggtagcc	gaagaatatg	tactgccaga	tatcattcac	80340
ccccatatac	ctgcccagca	gacatcccat	tttgggaccc	tggataaatg	tgtgggtgga	80400
gagaaagata	gtataagcaa	atggctttgg	tgatcctaca	agtctgattg	acagcgattg	80460
aaatcctgtc	tctacctctt	aacagcctca	tgatcctaca	taagttagcc	cgatcctcag	80520
ggccacatct	gtaaattggg	ggttgcgatg	gcagccatct	cacagggtct	cttttcgggg	80580
aagggcagga	attatggatt	aagtgtgcta	gtaattgtaa	agcacttaat	acaaggaggg	80640
cgcataataa	gtacttcata	cagaatttct	gccattatca	tgactgaggt	gtatgcagct	80700
gtcggggatt	acggcgactt	actgcttctg	ggtgggcagg	gctcaaaggc	agcaaatcac	80760
actggaagtc	gaggtgaggc	gtcctccgcc	cacagactgc	ttagctggag	agaatgagga	80820
aggcttagag	gagatttaga	gggaacttaga	gtcctccgcc	tccaactctg	tgggatctgc	80880
ccccgtgcca	gagacattca	ggggattttct	cgcactctcc	cctcccctac	gtcccctccc	80940
tcccatccaa	ctaaccacac	aacacataca	aaatagcccc	tgcgaggttc	tgcagctggg	81000
aagggaacag	gagaagggcg	ctgcgctttc	ttgctgatgc	cctgtacttg	ggccccgtgt	81060
agacacagcc	acttgtcccc	tcagcctgca	gagaaatccc	acgtagaccg	cgcccgggtc	81120
cttggtttca	gccaattctcc	ctttgggtggg	ggtgggatgc	acgatccaag	gttttatttg	81180
ctacagacag	cgggggtgtg	tccgccaaga	acacagattg	gctcccagag	gcatctcgga	81240
tccctgggtg	ggcgccgctc	agcctcccgg	tgcaggcccc	gccgaggcca	ggaggaagcg	81300
gccagaccgc	gtccattcgg	cgccagctca	ctccggacgt	ccggagcctc	tgccagcgct	81360
gcttcggtcc	agtgcgcctg	gacgcgctgt	ccttaactgg	agaaaggctt	caccttgaaa	81420
tccaggcttc	atccctagtt	agcgtgtgac	cttgagcagt	tgactttatt	tttcagtgcc	81480

39/122

tagttttcca	gataccagga	ctgactccaa	ggactattac	tcatctggag	ggtttagcac	81540
agtaccgtcg	catagtaaat	ttccatgtca	gttttggtta	cctttcatgc	acttgcaaac	81600
atgccatgct	ctgaaacgaa	ataggcacat	cttttttttt	ttttttttta	aggagtcttc	81660
ctctcgccca	ggctggagtg	cagtggcgcg	atcttggttc	actgcaacct	ccacctcccc	81720
tgttcgagat	tctctgcct	cagcctcctg	attagctggg	actacaggca	tgccacgacg	81780
cccagttaat	ttttgtatgt	ttagtagaga	cggggttcg	ccatcttggc	caggctggct	81840
taactcctga	cctcaggtga	tctgactgcc	tcagcctctc	aaagtgttgg	gattacaggc	81900
ataagccact	gcctctggcc	agaaatgaaa	taagtaaatc	ttttaacctg	ctctaacaat	81960
atagtgaata	gaccatatta	ttattagagc	agggttaagg	atttgccctat	ttcgggttct	82020
agttatagtc	ttaaacttgg	acattcttgt	agaaagttaa	aagtttcttc	ttcaaagttc	82080
cccttcttgt	ttaaagaatac	atcataagtg	ttagaagtaa	tagtttattt	taaagactaa	82140
ctttcttcaa	gcctccttgc	tttgtgtctaa	taactctttg	ttaaagcccta	tcctatgtaa	82200
ctgttggaca	tgctcacagg	cacgttccag	ttcacagcct	atgccccctc	cttatttgga	82260
aatgttattg	ccttctttaa	cctttcggta	agcaagttcc	tctccttctt	cggtcttctt	82320
tgcacttacc	tatttagaaa	gttttaggct	attagcaaat	cggctatcag	tttaagagtg	82380
tgaggtcccg	ctccagccaa	tggatgcagg	acatagcagt	gaggacgacc	caaatgcgta	82440
agggataaat	atgtttgctt	ttcctttgtt	caggtgtgct	ctcgacatcg	ttccatctgc	82500
gattgagcac	cctttctgca	gaaagtaaa	attgccttgc	tggagatctt	ttgtctccgt	82560
gctgactttt	cttcgtggca	ccgattatct	atttttaaca	attttgggtat	ttctaactatt	82620
ctgaacaatc	ttgggctagt	tgtctcttct	gggcctgttt	ccccatccgt	cacatgataa	82680
acttcatttg	tttaaaaacc	ccagcgaaca	tttattgagt	tactattacc	ttcctgccct	82740
ccccaaaccc	aacccagggg	agcagttaca	acctcagccg	ctgagcgcac	tcgccgggtg	82800
ttagaagca	ccaaagacag	ggaggcttga	ttgattttgc	tttgggagta	gagggtcaga	82860
agattcacag	gaaaatggca	tttgagcaag	gatgattcac	tggagctagc	ttttaaatat	82920
tggcgaggct	tttatgttgc	agtcccttac	aaagttagac	attcgagagg	actgcactcc	82980
gaaataagcc	cgcttcccc	tttcattcgc	taatgatcca	gggagctgct	ggttccgcct	83040
gcggcaggtt	gtcgttttct	ctaactcagg	ttctgcatcg	cctcgaaccc	gcaggccgtg	83100
gcgggttctc	ctgaggaagc	agggactggg	gtgcagggtg	aagctgctcg	tgccggccag	83160
cgctgtgag	caaaactcaa	acggaggagc	aggaggggtc	gagctggagc	gtggcagggt	83220
tgacctgcc	ttttagaagg	gcacaatttg	aagggtaacc	agggggccga	agccggggac	83280
ctaaggcccg	ccccgttcca	gctgtggga	gggtctccgc	cccaggaggt	tagttttgca	83340
gagactgggt	ctgcagcgct	ccaccggggg	ccggcgacag	acgccacaaa	acagctgcag	83400
gaacggtggc	tcgctccagg	caccaggggc	ccgggaaaga	ggcgcggtta	gcacgcgcgg	83460
gtcacgtggg	cgatgcgggc	gtgcgcccct	gcaccgcggg	gaggggggatg	gggaaaaggg	83520
gcggggcggt	cgcttgacct	cccgtgaagc	ctagcgggg	gaaggaccgg	aactccgggc	83580
gggcgggttg	ttgataaat	ggcgggtgga	gctgcctggg	catcccagg	aggcggtggg	83640
gcccactccc	ggaagaagg	tcccttttgc	cgctagtgca	gcggccccctc	tggaccggga	83700
agtccggggc	gggtgctgaa	tgaggggagc	cgggccctcc	ccgcgccagt	ccccccgcac	83760
cctccgtccc	gacccggggc	ccgccatgtc	cttcttccgg	cggaaaggta	gctgaggggg	83820
cgccggcggg	gagtcaggcc	gggcctcagg	ggggcggtg	gggcaggtgg	gcctgcgagg	83880
gctttcccca	aggcggcagc	aaggccttca	gcgagcctcg	acctcggcgc	agatgcccc	83940
tgagtgcctt	gctctgctcc	gggactcttc	tgggagggag	aaggtggcct	tcttgccgca	84000
ggtcagagga	gtattgtcgc	gctggttcag	aagcgattgc	taaagcccat	agaagttcct	84060
gcctgttttg	tttaagaacag	ttcttaggtg	gggttagttt	tttttgtgtt	tctttgagga	84120
ccgtggatca	agatcaagga	aatctcttta	gaaccttatt	atggaagtct	gaagtttcca	84180
aatgttgagg	gttttatgtc	taaaagcaac	acgtgaaaaa	attgttttct	tcacccagtg	84240
ctgtcttcca	atttcctctt	tggggggagg	ggtagttaact	gctgttacta	aaataaaaatt	84300
acttattgct	aaagtctccc	aacagggaaga	ccactacttt	tgatgacttt	ggcaagtttg	84360
ctaactactg	gaaccctaac	ttacaaacga	actacttaca	tttttgattt	ccagttgtat	84420
tacctgcccc	atgtttacgt	agaaacagct	taattttgat	tctgggtaac	gttggtgcac	84480
ttcattaaaa	atacatatcc	gaagtgaagc	agtatgggtc	tgtggacagc	agtgattttt	84540
cctgtcaatt	cctgttgctt	cagataaaat	gtaccagaca	gaggccgggc	gcggtggctc	84600
acgcctgtaa	tcccagcact	ttgggagggt	tggcgggtgg	atcacctgag	atcgggagtt	84660
caagaccagc	ctgaccaaca	tggagaaacc	ccgtgtctac	taaaaataca	aaattagcca	84720
gggtggtggc	gcctgcctgt	aatgccagct	acttggggag	ctgaagcagg	agaatcgctt	84780
gaacctggga	ggcggagggt	gcggtgagcc	gagatagcac	cattgcactc	cagcctgggc	84840
aaaaagagcg	aaactccgtc	tcaaaaaaaa	agtaaccagac	agaaatgggt	tttgttttct	84900
ttttttgttt	tgagacggag	tttcgctctt	gttggcccagg	ctcgagtgca	atggcgcgat	84960
ctcagctctg	gctcactgca	acctctgtct	cccagggtta	atcgattctc	ctgcctcagc	85020
ctcccaagta	gctgggatta	cccatgcccc	accatgcccc	gctaattttt	gtatttttag	85080

40/122

tagaaacggg	gcttcacccat	gttaggctgg	tcttgaaccc	ctgacctcaa	gtgggcctcc	85140
cacctcgcc	tcccaaagt	ccaggattac	aggcatgagc	caccgcggcc	agccagaaat	85200
gggttttgg	aaaagcacta	aacaaaatcg	aacttggttt	catatgacag	ctctgctgct	85260
aactgtaaca	ggggcagacc	agttaaccta	cttttctgtc	ttctgtcagc	tgagaattag	85320
atgattccca	aaggcccat	gaactctgaa	tgactttaaa	tacttcttct	taagtgggta	85380
cacggttttg	gtaactgatg	ccagggtgat	aatgcatgaa	agtgcctaat	gaatgaaacc	85440
ggtaaaaatag	taggaggaag	ctttattggg	aaggcagggg	tataccta	agctctctaa	85500
tttattggta	ttgaagtggg	taacttttgt	ttttttaagg	ggggaaaaca	ttctaagaat	85560
aatgaggcaa	actgcatatt	gcacaagaga	ctgttgtctc	tattcaacaa	ataccttttg	85620
agtgtccaga	gtctgccagg	tgctgtgcta	ggccctcacg	attgagtagt	gaaccagaga	85680
atgtccctgc	acccatggag	cttattgtct	actggggtag	acagataata	aataagcaaa	85740
caaactcttct	ctcttctccc	tttcgctcca	tgtaagtgtg	tgtgtatagg	tgtatactta	85800
caagttgagt	aaagtgttat	gaaagattaa	gaggagaaat	gcattttggg	tagatgttag	85860
agggtcagc	aggtagcctt	gaaacttaga	gctgaaggat	cagtaggagg	taactagaga	85920
ggccagggaa	tcgcatgttc	aaaggccagg	aggcaagaaa	gagcatgggt	cccttcaaga	85980
gaggaaagaa	ggctactgtg	actggagcat	agatgtaggc	aagtgttggg	tgattgagag	86040
ctctacgggc	catggttagg	ttttattcct	aatgccgaga	tgccaaacat	ggtgggtcat	86100
atctgtaac	ccagtatatt	aggaggccga	ggcagcaata	tagcttgaac	ccaggagtcc	86160
aagaccagcc	tgagcaacat	gagacctgta	caaaacattt	aaaaaattgc	tgggtatgat	86220
ggtgcacacc	tgtggtccca	gctactcagg	aggctgaggc	agaaggatca	cttgagccta	86280
ggagggtggag	gctacaatga	gccatatttg	agtcactaca	ctccagcctg	gatgacaaag	86340
tgagaccatg	tgtcaaacaa	aatacagaaa	gaatattaat	ttaaaatttt	gaaagaggag	86400
tgatctgaac	ttatatctta	aaaagatcat	ggtgggtcat	ggtgggtcat	gcctgtaatc	86460
aagggtctttg	ggaggctgag	acaggaggat	cacctgaggc	cagttcgaga	tcaacctgta	86520
cagcatagag	agactccatc	tctacaaaaa	gaaaaaataa	atagctgggt	gttgtgagtt	86580
attcaggagg	ctgaagcaga	aagatcactt	gagccaggga	gtttgaggct	gcagtaagct	86640
atgatcccac	cactgcaaca	cagtggagatc	tgctctcaaa	aaaaaaaaaa	aatcattcta	86700
ggtgcttttt	ggaggctgga	tgtggtaaga	gtagaagctg	gagatgggtc	tgtaggggat	86760
tcgattcaga	ctttaaatac	catcaatgca	ttgagtccca	aattttacatc	actacgttgg	86820
atccttgccc	ctgaatccag	actgggtatat	ccaactttag	gttcagtttg	tatctctacc	86880
tgaccaatat	agatttagtc	agtcttttgg	cttccctagg	ccacattgga	agaagaattg	86940
tcttgagcca	cacatagagt	acactaacgc	taacaatagc	agatgagcta	aaaaaaaaatc	87000
gcaaaactta	taatgtttta	agaaagttta	cgaatttgtg	ttgggcacat	tcagagccat	87060
cctgggcccgc	gggatggaca	agcttaatacc	agtagatacc	ttcaacttac	aatatctaaa	87120
attttatgcc	atgttttagtc	attttaaacc	tgctctcag	tttttctcaa	gaagtatgat	87180
tttggctttt	ttttctttct	tttttttgag	atggagtttc	gctcttatcg	ttcaagctgg	87240
agtgcagtgg	cggatcttgg	ctcactgcaa	cctccgcctc	ctgggttcaa	gtgattctcc	87300
tgcttcagcc	tcgcaagtag	ctggaattac	aggcatgcgc	caccatgacc	agctaatttt	87360
tgagagcagg	gttggtcagg	ctgggtttgt	tacaggcatg	actcctgacc	tcaggtgatc	87420
tgctgcctc	ggcctcccaa	aggctgggat	ctttagtaca	agccaccgct	cccggctgca	87480
tttttggtatt	tttagttgct	cagcccaaaa	ctttagtaca	tctttgaacc	tcttctttcc	87540
tcctactcta	tatctgatcc	atcagcaaat	ctgttaggtc	tacctcacac	atatcgaaat	87600
cctaccacgt	ctcaccatgt	gtgacaatta	acaccctggg	ctaggcagtc	atctctgtta	87660
agattgagt	gttaaggatg	tcctctaagg	agatgacatt	caaactcttag	cttaaatgtc	87720
aagagggagc	tgggtttata	aagattgagg	aggcagcatt	attttgccat	aggcttccat	87780
ttgggtttcca	ttccattctt	gatacttatg	gtatatattc	aaaacaaatg	cacagaaaca	87840
gacccaggta	tattgggaat	ttcggatata	gagttcctag	ttgggaaaag	atagactgat	87900
ctgtaaatga	tgctagtatt	ccatcatctg	gcaaaaaata	atttctctgcc	tcctctcata	87960
tatctcagat	caacagactt	tttctgttaa	gggccaaatc	ataaatattt	taggctttcc	88020
agaccatatt	gtttctgtca	cactctcctt	tatccttgaa	gccatagaca	atatgtaaac	88080
aaattgggcat	ggctgtgcta	cgataaaaact	ttacttacaa	aaactggtag	tgggccagtt	88140
taggcatggc	cagcactttg	ggaggctaag	tcagatggat	cacttggggg	caggagtttg	88200
agaccagcct	ggccaacatg	gtgaaaccct	gtctctacta	aaaatacaaa	aaatagctgg	88260
gcatgggtgg	gggtgtctat	aattccagct	actctggagg	ctaagacaca	agaatcactt	88320
gaacccagga	ggcagaggtt	gcagtgaagt	gagatagcac	cactgcactc	cagccagggt	88380
cagggagtct	ttaagcaaaa	caaaacaaaa	ggtagtgggt	tgtatttggc	ccatgggctg	88440
tagtttgcca	atccctgatg	cagaaacaaa	ttccaggtaa	ataagagcct	ggaatgttaa	88500
aaaaacaaaa	cttgaagtca	tgtagaagaa	caggtagggg	gaacaatcct	gatctcagga	88560
taggaaggga	tattgcttaa	aataagacac	aggaaaatat	aatccatgtt	gtgtaaattt	88620
gactacgtta	aaacttaaaa	ctttcgccaa	gcgcggtggc	tcacgcctgt	aataccagta	88680

41/122

ctttgggagg	ccgaggtgag	cagatcacca	ggtcaggaga	ttgagacat	cctgggctaac	88740
acgggtgaaac	cccgtctcta	ctaaaaatac	aaaacattag	ccgggctggt	tggcgggagc	88800
ctgtagctcc	agctacttgg	gaggctgagg	caggagaatg	gcctgaaccc	gggaggcgaa	88860
gcttgagtg	agctgagatc	gcgccactgc	actccagcct	gggagacaga	gtgagattcc	88920
gtctcaaaaa	aacaaaaaaa	aacaaaagcaa	aaaacctaaa	actttcctac	aataaagtat	88980
acctuagata	cttctagaag	agaagattta	catccaggac	gtgtatggaa	tttctgcaag	89040
taataagtaa	aagacaaggg	acatgaagag	gcagttcaca	aaagaggaag	ccaaaatgac	89100
caataaacat	gaaaggatgt	ttaacctcaa	aggaaacaag	gaaatgaatt	aaaaacatca	89160
aatgccattt	caaaaactagt	aagttggcaa	aattaaaaat	accaaggatg	agaatatgaa	89220
gcattggctat	atgagtgcac	ggaatgggtac	agtcactttc	attaaaaatg	cacataattt	89280
gtttttttatt	tattttttttg	agacagtcta	tgctgcccag	gctagaatgc	agtggcatga	89340
tctcggtctca	ccacaatctc	tgctcctctg	gttcaagcaa	ttctcctgcc	tcagcctcct	89400
gagtacgtgg	gattacaggc	acatgccaca	acgcccgggt	aagttttgta	tttttagtag	89460
agucaggggt	ttggcatgtt	ggccaggctg	gtctcgaact	cctgacctca	ggtagagtg	89520
ttcccaaggt	gctgggatta	gaggcgtgag	ccaatgctcc	tggctgaaaa	aaatgcacat	89580
aatctgttac	ctagcaattc	catgtctaga	ggcttatcct	agagaaattc	ttgcttatat	89640
gcattgggag	acgtgtacta	gaatgttcac	tagttgaatg	tttaagttaa	aattaggaaa	89700
taaaatata	gttcattaac	aggaaaaatg	ttaaaggatc	atttataaaa	caataatttt	89760
gctaaaaatga	ataaactaga	gctgcgtgaa	tgaactagaa	ctgggtcaat	agtcattgtca	89820
gattatctgaa	tgaatacagg	tcagatatgt	atagagtgtc	atttgtgtaa	ttattttttt	89880
tttttttttt	gagatggagt	ctcactctgt	tgcccaggct	ggagtgcagt	ggcgtgatct	89940
caqctcactg	caacctccac	ctcctgggtg	aaagtgtatc	tcctgcctca	gcctcccgcg	90000
tagttggggt	tacaggcatg	caccaccatg	cccagctcat	tttctatttt	ttagtggcca	90060
caggggttca	ccatgttggc	caggctgggtc	ttgaactcct	gacctcaagt	gttccacca	90120
acttggcttc	ccaaagtgtc	aggattacag	gcgtgagcca	ccgtgctcag	ccatttgcgt	90180
gattttttaa	gatgtgcaga	ataatgccat	taaaaaaaat	acacatacat	gtatatatat	90240
acacgtttaa	ctgggtgtgg	tggtccacac	ctgtaatccc	agcactttgg	gaggctgagg	90300
caggaggatc	acttgagccc	agggtgtacaa	gactagcctg	ggcgagatag	caagacccca	90360
tctcaacac	agaaaggata	attaggtatg	gtggcatgag	aggatcactt	gagcccagga	90420
gttcagagtgt	tatcaggcca	ctgcactcta	gcctggacaa	caaagcaaga	ccgtgtctca	90480
aaatataata	aataaaaagt	atttgtatgt	gttccacctt	aaaaaacgta	catgggaagga	90540
aaatgtcttt	attttatttt	ttattttttt	ttttttaaga	cagagtcttg	ctctgtcacc	90600
caggctgggg	tacagtgggtg	taatctcagc	tcaccgcaat	ctcggtcctc	cgggttcaag	90660
cgattctctt	gcctcagcct	tctaagtagc	tggtgactaca	ggtacccgcc	accacaccct	90720
gctaatctct	gtgttttctag	tagagacagg	gtttccacct	gttggtcaagg	ctggtctcga	90780
actcctgacc	tttaagtgagc	caccgccttt	ggcctcccaa	agtcctggga	ttacagggtg	90840
gagccactgc	gcttggccag	gaaatatcta	atttagtaag	tatttatatc	tgggaaagga	90900
agggtcaggt	gggtgattcat	aggaactcta	aagtctatgt	ataatactta	gggggacaga	90960
aggaaataaa	gcataatgct	gatatttgat	gtgtgagttg	tgtatatgtt	agaagtataa	91020
cataggagat	ctgattgata	gtaggagaat	gttttttaggt	ggtaaaagtg	gaaccgtggt	91080
ggttttgttt	ggcagtagaa	tcagtgtggtc	atagtttgta	tgtggaaggt	aataaacaga	91140
ccatgttaag	gatgacttcc	ggaatttttg	tctgagtagt	gggtggatga	cagtgtcatt	91200
catgagggaa	gatgaagact	gaggtaggaa	caggtttggg	agaagatgac	atgttccctt	91260
ttagacaagt	ggaatttatgg	aagatggcag	gtaggtgggt	agctatatga	atttgagata	91320
aaagatttag	gatggagata	taaatttagg	agtaacagcg	tatctatggg	attgtaagcc	91380
ttaagaattgg	gtaggatcag	ccaggaaata	cagatgtata	tgcagaagag	aggagtcaag	91440
gaagccaaga	caagttaatg	tttaaagtga	gtgatgtagt	ccatgggagc	atgctgctga	91500
gagggctgca	aacaccagtg	accctacaac	atttttaaat	gtcgtcttcc	tgacagcagt	91560
gatcagtagc	tgcaacgac	ttattttatt	ttttcatggt	agtctccaca	cacttgaatg	91620
tagacttttt	gaaggcaaaa	tcattgcctt	ttctgagctg	ggagcatgtc	tggcacatag	91680
caagcactca	acagttgatg	tattgacttc	atccagatac	tctgagggcg	agttattttc	91740
tgctactagc	ctttcacctt	tcaatgttta	agagcacaaa	tacagagatg	ggcagctttt	91800
ggcattttct	attttgataa	ccttttctctg	gtaagatttt	ttaatgttga	aaaaaaaaaa	91860
caagaaaaga	gggttaaaaa	tagtcttatg	tcagatcctg	tgatagaatt	cacacttggc	91920
ttaagctgct	gggcaccttc	ctatcttgga	tgctcatatta	gcttatctac	agcagaattt	91980
ttactgtttt	atgtagttaag	gaagcaatta	tatgattatt	ttacagacaa	attattcttt	92040
atctttttatt	tttttagacg	gagtctctct	ttgtctccca	ggctggagta	cagtgtcgcg	92100
atctcggttc	actgcaacct	ccgcctcctg	ggttcaagca	attctctgcc	tcagcctccc	92160
aagtagctgg	gcttacaggt	gtccgccacc	acaccagct	cattgttttg	tatttttagt	92220
agagatgggg	tttcaccatg	ttggccaggc	tggtcttgag	ctactgacct	caggtgatcc	92280

42/122

acccgccttg	gcatcccaaa	gtgctggaat	tacaggcgty	agccaccgtg	cctggcccag	92340
acaaattatt	atactctgag	tgtagaggc	ttaggatgtt	ttcacttgat	gctatgggag	92400
gaataagtaa	taagatatga	tacacaacca	aagacctttc	ttcactatgc	ttctagtagc	92460
tagtactatg	gatgacacat	ggtaataata	ttgggttagca	tttgtcctca	atttactgtg	92520
ctagttaact	ttctaagccc	cttacaggta	tatatTTTTT	ttcatcaata	atcctctaag	92580
gtagtTTTTa	ttattgacct	aattttataa	atcaagaaaa	ttaagaccca	gagaagtaa	92640
taacttgctc	aagatcacat	ggcttataag	tggtagagcc	agaatttgac	cccagatgtt	92700
gtgactacat	tgtctctcca	taagcagggt	caactctttt	gactggatgc	tggtccaagg	92760
tcacttcctt	agagaagcct	ttgctgacaa	ctaccctcct	gtgccctcct	ccaaggctgt	92820
ccattgttct	agaactttga	atactcatct	tagaataaag	ctggctaat	ttttacagt	92880
ttatagaatg	gatctctgac	tgcaaaagtt	ggtcataatt	atctttttat	gttctagtga	92940
aaggcaaa	acaagagaag	acctcagatg	tgaagtccat	taaaggtaag	ttctgccctt	93000
ggcagtcac	tgcatataaa	agtgatgtgc	tttgcatttg	tgagtctctt	aatcctgtta	93060
tactctctct	tttggcataa	atcatttctg	ccttatttta	taattactta	tgattttgat	93120
ttatttccct	ctttaacctg	tataatgctt	taacatctag	catataataa	gtaggctttt	93180
tttttttttt	tttttttgga	gacggagtct	tgctctgtta	cccaggctgg	agtgcagtgg	93240
cgcgactctg	gctcactgca	agctctgtct	cccggttcca	caccattctc	ctgcctcagc	93300
ctccccagca	gctgggacta	caggtgacag	gcgccacgcc	tggttaattt	tttgtatttt	93360
ttagttagaga	cagagtttca	ccatgttagc	cagtatggtc	tcgatctcct	gaccttgtga	93420
tccgcccggc	tcggcctccc	aaagtgtctg	gattacaagc	gtgagccacc	gcacccggcc	93480
gtaagtaygc	tttttttacc	ttaatTTTTa	ttttttgaga	tgaggtcttg	ctcttatccc	93540
caggctggag	tgcatgtgtg	ccatctcggc	tcactgcagc	atccacctcc	cgggttcaag	93600
cgattctctt	gcctcagcct	cccagtagtc	tggtattaca	ggtggccgcc	accatgcccc	93660
gctaallttt	gtatttttag	tagagacagg	gtttcaccgt	gttgccagg	ccagtctcaa	93720
actcctgacc	tcaagtgatc	cactcgctt	ggcctcccaa	agtcctggga	ttacaggcgt	93780
agccaccat	gcctggccat	aagtaggctt	ttactgagcc	ttgtgtgtat	tggtctcct	93840
agtgattaca	gtgaaccagt	gcccttctta	ttaatcacac	atttaattgt	tcctaaaaag	93900
tgattagtct	actttattta	tttagtaaga	caaaaaatga	agaatactct	taactgagca	93960
gtctgttaac	tgtaggaaag	cactgacact	tataaggctt	agttttctgt	catttatcca	94020
gaagtatggt	tgattacagt	ttttactttt	ttatttgaat	gaacaacctt	aatTTTaaat	94080
atattttgtt	tttttttgt	tggtatcgat	acattgtcct	tgtttataga	ttagagcatg	94140
cttttttaaag	atgctgtatt	actcactgat	tttatttgct	cagtgtacag	agattgaagt	94200
gggaaaaatta	taatggaaat	tgtttccata	gtcattacat	attaatttca	tcaattttatt	94260
tccataaaaat	ctgtagattg	ctacttattt	agatttttcc	ttcaaattgt	tttatgttgt	94320
attgtctgca	ctgagttatt	attctatatg	ctcaatttgc	tggaagaaga	gactaattat	94380
aacttaggca	agttgtaaaa	ttagggaaaa	aagtaaggta	ccttacagcc	tagtttactt	94440
atttcttatg	taaaagccagt	tagattccac	attagttcaa	actgccttct	ttgagcaaaa	94500
cttgattggc	agtgtataaa	gcttaaagcc	cttctcaagc	agagacctgt	aaagactaga	94560
tctgactgta	gtagaaggaa	ggaacttaga	tgtttcaggc	agtgtagaaca	ccagtcttcc	94620
actctaaact	ttgccactaa	cagtatgacc	ttgggaagtt	gtaactttct	tcagattctt	94680
catttgttga	atggggggat	tggtctagct	aatttctaaa	tctctactgg	gctaaaaaat	94740
tctgtgctta	tactctgatt	atgaagtaca	taatctgtgc	ttaacattca	ctgacttatc	94800
cttaggataa	tacagaagca	gtacaagaaa	cagccctca	agatgtttgc	agtctggtta	94860
gaaagacaaa	cttatacaca	gaacagtagc	aaatagacca	aaataataat	agctgccatt	94920
tatagaacac	ttcttctgtt	ctgggcatta	gacaaaaact	gactataacg	gtgaacaaaa	94980
aagacttagg	tcctgccctc	attgaactta	cagatttagta	ggggagagga	acattaatca	95040
agtaattcca	cagatggctt	agcctagatt	ggtagtgtg	gaagttaaaga	gatgtgaacg	95100
gacttgaaaa	aaaattcgga	ggcaaaatgg	atagaagttt	attattgatt	aaatatgagg	95160
tgtgagagag	agggatattt	aagattgata	cctaccttct	ggcttgccct	acagaaccac	95220
aacaggaaaat	tatatgttca	gttttggtat	gttgggtggg	aggtgctttt	gagtcattca	95280
tttatatatg	ttatatatgt	tattttatat	gcatagtaat	tttaaggctt	gagtttttaa	95340
ccaaagggtta	gagagtgttt	ttttagagtc	tagcaaacct	aagttgaaat	cctgcctgtt	95400
gaaatggctg	tttactagct	cattaacctta	gggcaaaagta	ttcaacttgt	tttcattttt	95460
gtcttcatct	ctaaaatgag	gaaaatatgg	tcttacaaga	ttgtcctgag	agatagatga	95520
aataatatcc	aaaaaaaaaa	aaggtacata	gagaaactcg	tatagtgcct	ggtatatagt	95580
aggtcctcca	ttggtagcta	tcatttatcta	gttttaacat	agccttcagt	ttgttgaatt	95640
agtcaaaact	agtgaagcac	tgcaaggaat	tcagaggaat	ttgagatcaa	caaatgattt	95700
ctgaagttta	gggaagactt	catggcaatg	acacttacct	tgtataaaaag	ttgaagaata	95760
agaaagattt	gaatgagaga	ttctttctct	tctccctacc	agcccagctt	cttatttgag	95820
gatatatgtg	gcaaaggggc	cttcagacaa	gtagaggggag	attttttacag	aaagattgag	95880

43/122

atgaagggtat	agaaggctgt	aaagaccaga	aaagagaatt	gagacagagg	aagcaggaag	95940
ccactgtagg	tttttgagca	agatattgat	gctgtaagta	tggtgtttat	gaaagggttag	96000
tctggaagag	atgtgcagga	tggagacccc	ggaagtgtttt	ttgttataat	acagaaagac	96060
ttgactgag	ggtgaggtgt	taaaaataaa	caggtaaagta	aatgttttaa	catcttgaag	96120
gaaaagtcac	caaattcttg	caagtataca	gataacagtg	aaaaagaatg	ggaccaagat	96180
tttgagtttt	ggagactggt	ggattgaaca	gacagggaaa	ttgagaggag	aatcagatga	96240
tgatgtttta	agttgatatt	tagacagatt	gtgcttgaga	tggtaaagtc	aatgtgggtg	96300
ggaatgctta	gtagcgagta	atcagtgata	caagaccaaa	gcccaggtca	aagacaagtc	96360
acagatacag	atcagggctt	tttcatctgc	tccacagagg	gtaccctag	gagctgttgc	96420
aaacagtcac	tgtggagggt	gtgagtaaga	tggttccctt	gaatttgcca	gaattacttt	96480
tttgtgtgtg	ttgttgtttt	ttctgagaca	gattctcgct	ctgttgccca	ggctggaggg	96540
cagtgccgag	atcgccgagc	tcactgcaac	ctctgcctct	cgggttcgag	tgattctcct	96600
gcctcagctc	cccaagtagc	tgggattaca	ggcttgtgcc	accaagccca	gctaatttct	96660
tttgtatttt	tagtagagat	ggggtttcac	catgttggcc	agactggtct	cgaactcctg	96720
gcctcgtgat	ctgcctgcct	cagcctccaa	aaagtctggg	attacaggcg	tgaaccactg	96780
cacccggtcc	cttgtttaagt	ttatttttgg	gggaagcaaa	ggaggtttca	gcttttataa	96840
agtttgaaaa	ttattgtctt	ggtaataatt	aaagatttga	gagtaaatat	gctttcttagc	96900
agaaagataa	aaagaagaac	agatagcctc	aagaagggga	gccaaagaag	caggctatat	96960
ctgacacact	gggtgttgat	aaatgggtat	taaaagaatg	agagcaatga	gcagatagaa	97020
gagtaaaatta	ggagagtata	ataccatgga	gaccaagaaa	gatagactat	caggaaggag	97080
tgttaaaaaa	aagttactag	ttctaagaga	gatgttaaga	gggaccgggg	aaagccttgt	97140
acaaatgagt	tagtagcatt	ttacattata	tacatttaaa	taagaaacaa	tgcgagagtc	97200
tcaccattcc	tatagactct	tacttgtact	tgtctgaaca	cgaaaactgg	cttttgttta	97260
taaaataagct	aaaaattatt	ttgtctcaat	ttctcatgaa	aataaaaaata	aaccttcttt	97320
ttaacattgaa	aaaaatagtt	gaagacagtc	actcttcatt	ttgtaattcc	cacaactatt	97380
attgattgac	tgaatttate	tttattctga	agccaaaggg	gtgatactga	tatttcttca	97440
gactactaaa	aatatatttt	atgaattttt	agtggtgctt	atcttttttt	gttttttttt	97500
ttgagatgga	gtttcactcc	cgttgctcag	gctggagggg	agtgggtgcaa	tctcagctca	97560
ctgcaacctt	cgcctccag	attcaagcaa	ttctcctgcc	tcgggtctccc	aagtagctgg	97620
gattacaggc	acctgcccc	acaccagct	aattttttgt	attttttagta	gagacagggt	97680
ttcaccatgt	gggtcaggct	ggctctgaac	tccctgacct	agggtgatcca	cccaccttgg	97740
cctcccaaag	tactgcgatt	gcaggcatga	gccaccatgc	ctggcctgag	gaatattttt	97800
ctaggttccc	cccaccccaa	gcattttatt	tgcaatttta	gttttgttcc	taaagcaagc	97860
aagggttaag	gatttaaaaa	taatccgtat	tttagaatgc	tttctggctt	tgttactttt	97920
tatccacagt	agaagtcttc	agagaatgat	ctccctcttt	taattttaact	ttttggcaca	97980
glatittgag	aattataaat	aatattagaa	tgttttctgg	ctgggtgtgg	tggtctatgc	98040
ctgtaatcct	ggctacttgg	gaggctgagg	caggagaatc	acttgaacat	gggaggcaga	98100
gggtgcagtg	agccgaggtc	atgccactgc	actccagcct	gggtgacaga	gcaagactct	98160
gtctgggaaa	aaaaaaaaaa	aaaaaaagag	tgttttcttt	cctattttcc	accacttgat	98220
taagttactt	ttctctctaa	gtattttttg	ctgagtatgc	tgacttaaga	gtaatgttac	98280
aaaatttaatt	ttttaaagtt	ctctgaaagc	ccctttatga	gagttttagg	ctatcaaatt	98340
gtgtttaatt	cttaacaatt	ttttgaaaaa	ttatagcttc	aatatccgta	cattccccac	98400
aaaaaagcac	taaaaaatcat	gccttgctgg	aggctgcagg	accaagtcac	gttgcaatca	98460
atgccatttc	tgccaacatg	gactcctttt	caagtagcag	gacagccaca	cttaagaagc	98520
agccaagcca	catggaggcc	gctcattttg	gtgacctggg	taagtaacta	tattttttta	98580
ttactttgta	ttagaaggat	ttgagtacaa	tatgtgaaac	ttctgtcata	ggatacagaa	98640
ctatataatt	ggaaagtgtc	ttggaaaaaa	tgtatttaaa	ataacagcta	caagtataat	98700
gggtagctgt	gttgtgttcc	tgtaaatata	gaatataaag	catgcccagt	agaaaaacaa	98760
gcatttccag	aagaaatata	tctgatcact	aaatataaat	atatgaaaaa	gatgtctcac	98820
tttattactg	aggggaagtgc	aaattaaaaa	aatcagttaa	tgttctccta	acacattagc	98880
atatttttta	aagtttgaca	atttgaaatg	cagtgaagat	gcagggaat	acccctccta	98940
tttagtgata	atataatctg	gtgaagactc	tttggaagag	aatttggaag	tcagataaaa	99000
atatgcatgt	catttagggc	actctttcta	agacctagcc	ctcagatatg	ctcattcata	99060
tgtgcagggtg	tgtatgtgtg	tgtgtgtgtg	tgtgtgtgtg	tgtatattgt	tgatgtatg	99120
tatgtatgta	tgtatgttga	aggctattca	ttatagtatt	gtttgtgata	gcaaaaaatt	99180
atggacaaca	tataaatatc	tgttataggg	aaataaccaa	attgtgggat	acgcagtctc	99240
tggagtataa	tatagccatt	tgttttctat	tatttttttt	cttgagacag	ggttttactc	99300
tggtgcccag	gctggaggtgc	agtggatgta	tcaggtttca	ctgcagcctt	cacctcctgg	99360
gcacaagcca	ttctctcgcc	tcagcctcca	gagttactag	gactgcaggc	atgtgtcacc	99420
acaccagat	aatttttttaa	ttttttgtag	agacagggtc	tcactatgtt	gcctaagctg	99480

44/122

gtctcaaaact	cctggcctca	agcaattctc	ccacacaggc	ctcccaaagt	gctgggatta	99540
ccaacgtgaa	ccaccacacc	tggttcagtg	tagccattta	gaaatctaaa	aaagacgtgg	99600
gaaaatgtct	aaggcatggt	taaatgtgag	aaaagcaagt	cacagtatgc	atggtaaaat	99660
ccgttatatt	aaaaataagt	cttccaaaac	aaaaacatat	gcaggagacc	tttattttgt	99720
cagtatttct	tacccaaatt	tctgcactta	gaaaattgca	tgtcatgttg	tcataagttg	99780
aaaaaaaagat	ccatgaacca	atggacttct	aataaaaatca	gtcctgcttt	tgacatctct	99840
ctctactttt	gtgtatatct	aaaccagagt	gtcaatgtgt	ttgtggggca	cacttagcaa	99900
taatacatag	cagacaaaat	gcatatatgt	cagagagtaa	aattgttaagt	tttgctagat	99960
cactcataaa	ttgctgatga	gaatttataa	tgggtcagat	gctctggaaa	acaggcagtt	100020
tctttctttc	tttttttttt	tctttttgag	acagggtctc	actctgttgc	gcaggctgga	100080
gtacagtggc	gtgattacaa	ctcactgcag	cctcacccctc	ctcagggttca	ggtgatcctc	100140
cctcagttct	ctgagtagct	gggactatag	gcatgcacca	ccacgcctgg	ctaatttttg	100200
tatttttttt	tttttttttt	gtagagacgg	gggttcgcca	tgtttcccag	gctgggtctca	100260
aactcctgga	atcaagcgat	ccacttgctg	aggctcccca	aagtgtctggg	attacgggcg	100320
tgagctactg	tgccctggcct	aggcagtttg	tttgtttgtt	tgtttgtttg	tttattttat	100380
tgtagacgga	gtctcacagg	ctggagtgca	gtggcccaat	ttttggctca	ctgcaacctc	100440
cgccctccag	gttcaagcta	ttctcctgcc	tcagcctcct	gagtagctgg	gatgacaggt	100500
gcctgccata	atgcttggct	gatttttgta	tatttagtag	atatgggggt	tcaccatggt	100560
ggtcaggctg	gttttgaact	cctgacctca	ggtgatcagc	ccgcctcgcc	ctcccaaagt	100620
gctgggatta	caggcatgag	ccgtcatccc	tggctggtgg	tttcttatga	cgtgaaacat	100680
gcaattacca	tatgacctag	cagttgcact	ctgtatttat	cccagataaa	tgaaaactta	100740
ccttccaaaa	aaaacctgtg	cacaaatggt	catagcagct	taatattgaa	aaactggatg	100800
ttcttcagca	ggtgaatgaa	ctggttcatt	cataccatgg	aataccattc	agcaataaaa	100860
aggaacaaaac	tggtgatata	tttaaccacc	tggatgaata	tcaaggggaat	tatgctgtca	100920
gacaaaaaac	agtccctaaa	gactacatat	agtatgattc	cgtttggtata	atattcttga	100980
aatagagaaa	ttaagagaaa	tgaaaagatt	agtgtttgcc	agatgttaga	gacagggagg	101040
tgagaggggt	aagtgggtgt	agttataaaa	aggcaacatg	agggatcttt	gtgatgttga	101100
agttgtatct	tggcagtgga	tgcagaaatc	tcaatgtgat	aaaattacaa	agaactaaaa	101160
acaagaatga	gtatagataa	aactggggaa	atctgaacaa	gttagagtg	tgtatcactg	101220
tcagtatctt	agagtgatat	tgtactatag	ctttgcaaga	tgttaccatg	ggagaaacta	101280
aagtgtacaa	gggatctcta	ggtattatta	gtttttttaga	gatgggggtt	cactatgttc	101340
cccaggccgg	tcttgaactc	ctgggctcta	gtgatccgcc	tgccccagcc	tcctaaagta	101400
ctggaattac	aggcgtgagc	gacctatgct	ggccctttca	gtattgtatc	ttagaacttc	101460
atgtgaatct	agcattatct	catagaattt	aattaaaaga	aattgtaaac	ctcacagaag	101520
atcagaattt	cctcaagttt	gtgatgttga	caaagatgaa	ctagttgaca	ctgacagtaa	101580
gactgaggat	gaagacacga	cgtgcttcaa	aaaaatgatt	tgaatatcaa	tggattaaga	101640
agaactcttt	tgacaaaattg	atgaaaccct	cagtcagttt	tataagaatg	cccattcttta	101700
tgatcatgct	atgaaagcca	atttttaaaa	aaattttttg	tctttcctaa	caattagctt	101760
tggttatata	tttaaattta	gttaaatata	agataaaatga	ttttttatta	agtttagttt	101820
cattttttcaa	ggtacgatct	caaagctact	ctttaacctta	ctatgaatga	ataatgctga	101880
gttcataaca	tctttgtaga	tatatccaca	attttccctc	aggataagtg	cctacaagtg	101940
gaattactgg	actgaaaata	atgcagtttg	ctaagacttt	gctatctgtt	cctgaatgct	102000
cctccaaaaa	ggttttgcca	gtttacatcc	tcatgaccag	cgaatgagag	tgttgccctat	102060
tttctgtgct	ccttggttact	gcttaataat	ttttgaaaaa	aatctaattt	gacagacaaa	102120
aatgcatttt	atgttaattt	gcttttctgg	gatttttaat	gaggttgagt	atagttttta	102180
atatttttat	tggccccctt	ggaactagta	tcataagttt	tttttcttaa	gaatttatgt	102240
agtctgggct	gggcgcagtg	gctcacgcct	gcaatcccag	cactttggga	ggccgaggtg	102300
ggtggatttg	cgaagggtcag	gagtttgaga	ccatcctgac	caacatgggtg	aaaccgaatc	102360
tctactaaaa	gtacaaaaac	tagctcagcg	tgggtggcggg	tgccctgtaat	cccagctact	102420
taggaggctg	agtcaagaga	atcgcttgaa	cccgggaggt	ggaggttggt	tgcatgtgagc	102480
cgagatcgcg	ccattgtctc	ccagcctagg	caacaagagt	gaaaagtctc	aaaaaaaaaa	102540
aaaaaaaaaa	aaaaaagaat	ttacatgggtc	tgaattgcca	ttaaaagaga	tatgagaatt	102600
attgagtaac	aaataaacttt	tttaataattt	aggcaagttt	tggacgattg	tactttgttt	102660
agaaacaaaa	agcatagtat	ttgtagtttt	tttatttact	ttagttgcta	ggaagtaaac	102720
tttattcaag	gtctctggta	ccagttgttg	ctaaaagtga	ttgactaatc	tgtcaatctg	102780
aaatttatgg	ttgctgaact	gctaattctt	ttgcttctat	cttttaggca	gatcttgtct	102840
ggactaccag	actcaagaga	ccaaatcaag	cctttcttaag	acccttgaac	aagtcttgca	102900
cgacactatt	gtcctccctt	acttcattca	attcatggaa	cttcggcgaa	tggagcattt	102960
ggtgaaattt	tggtttagagg	ctgaaagttt	tcattcaaca	acttgggtcgc	gaataagagc	103020
acacagtcta	aacacagtga	agcagagctc	actggctgag	cctgtctctc	catctaaaaa	103080

45/122

gcatgaaact	acagcgtctt	ttttaactga	ttctcttgat	aagagattgg	aggattctgg	103140
ctcagcacag	ttgtttatga	ctcattcaga	aggaattgac	ctgaataata	gaactaacag	103200
cactcagaat	cacttgctgc	tttcccagga	atgtgacagt	gcccattctc	tccgtcttga	103260
aatggccaga	gcaggaactc	accaagtttc	catggaaacc	caagaatctt	cctctacact	103320
tacagttagcc	agtagaaata	gtcccgtctc	tccactaaa	gaattgtcag	gaaaactaat	103380
gaaaagtga	tatgtgattt	tcttgtgtgt	acatatgtgt	ctcactttct	ttttttaatt	103440
tactaagcag	aacttcagat	gaggaataaa	atgattggaa	tatttttttt	ctcctctaac	103500
tacttgtaaa	tttgggagaa	tttggagagt	gtagtagagt	cagatcagtg	tatggaaaag	103560
gagcaggagt	gactggacct	tctaagaagt	gtgttatcag	aattagtaaa	tgaagggtca	103620
aatgtcctac	ttttcccctc	cactgatttt	gacatcaaac	cattatccac	atagccttat	103680
ttcctccctc	ggtcttaatt	ttattaatat	tttactgcac	tttgagata	aaatttttaa	103740
aaaattttta	aaaattgcc	ataagtga	tttattaagt	tcagtgtcta	gtgtatatatt	103800
ggattttatt	tattagtac	aagacctttg	tgcaggtagt	aggcatgatt	atcttttttt	103860
ttttgagatg	gagtccttgc	ctgtcgccca	ggctggagt	caatggcgcg	gtctcggctc	103920
actgcaacct	ccgggttcac	gccattctcc	tgccctcagc	tcccaaata	ctgggactac	103980
aggcgctgc	caccacaccc	ggctaatttt	tttgtatttt	tagtagagac	ggggtttcac	104040
catgttcg	aggatggct	cgatctcctg	actttgtgat	ccgcctgcct	cggcctccca	104100
aagtgtcggg	attacaggca	tgagccaccg	cgcccgact	gattatctta	tttacacatg	104160
agaaaaccag	ggcttagaaa	ggttaggtaa	cttctcttag	gttgtacagt	aaatgtggac	104220
ctagaagcat	tttgacaaga	gcacctgttt	ttttttcttc	tctattagtt	tagaaattat	104280
atactcttaa	ttatcacctg	ggattttgat	tagacagcct	tcatgttctt	tttcatctta	104340
aatgttcttt	gtgtcttaaa	gggctaagtg	atttcttcag	atcttttagt	tcactcattc	104400
tcagtgaact	aaaatgaggt	ctaactctgt	actgaatcaa	gttttcagca	tggtatttcc	104460
ttcctccctc	cctccctcct	tccttccctc	aaccaggctc	ccgaggagct	gggattacag	104520
gcgcccgcga	ccactcctgg	ctaattttta	tatttttagta	gagacggggt	ttcaccatgt	104580
tggtcaggct	gtgcttgaa	tcctgacctc	aagtgaacca	cctgcctcgg	cctcccaaag	104640
tgctgggatt	acaggcatga	atcaccacac	ctgacggcat	gttattttca	tcgcaaatg	104700
actgtaagct	gggagaagtg	gcacacactt	gtactccag	ctactcagga	agcttaaggt	104760
gagaagattg	cttgagccca	ggagttttga	gaccaacctg	ggcaacacag	caagacccca	104820
gctcaaacaa	agaaaaaaag	ttattgaatt	ttttatttct	atggatcatt	ttttgtagtt	104880
tcttatttct	ttcacccttc	attcccactt	ttgactccat	cttttattta	tttagtttta	104940
ttaaatgtat	atttgtctga	taattctgct	atctacagtt	ttttgtggac	ctgactcagc	105000
atttctttgt	ttcttcggat	tcagactgtt	gggtggcttg	gatttttagtg	atttttggcc	105060
gtgaacatgt	ttcttgagct	tttgtctgtg	ggaattctct	gtgtactctg	tataaattaa	105120
gttacttcag	gtgttttgca	ttttcttttg	ccatggacct	ggggcctggg	tcactacctt	105180
tctggtacca	cttaaaactg	aatttttgtc	ttgggtgctc	gtactgatcc	tgtatgagta	105240
cagggtttata	cttactgtag	aaatatgggt	tttgattatg	gggtattgtc	ccagatgggtg	105300
ctggagtatt	aatatgctct	ctgttaaaact	taatgtgttg	tccctgtaaa	actccaaaat	105360
tctgaattcc	agaatactac	tggcccaaaa	tttttaagat	aagggcactg	cctgtatttg	105420
tttctgcctc	ccactatttt	ccttagttta	acacaaactc	acctttttta	aaaacatttt	105480
gagagaattc	agtattggga	agagtttcta	acctgtttct	ggaaatggaa	gtccaaagtc	105540
tgtttctgta	attgtttttt	ttttgagatg	gagtctcact	ctgtcaccca	ggctggagtg	105600
caatgacgta	ctctcagctc	actgcaacct	ccacctcccg	ggttcaagcg	attctcttgc	105660
ctcagccccc	tgagttagctg	ggattacagg	tgcccaccac	catgcctggc	tgatttttgt	105720
atttttagaa	gagatgggtg	ttcgccatgt	tggccaggct	ggctctgaac	tcctgacttt	105780
gtgatctgcc	cacctcagcc	tcccaaagtg	ctaggattat	gtttctgtaa	ttgtaataca	105840
tttattgttt	ttagaaaactg	tctttgcttt	agtggtaatt	ttcaataaaa	atagaaatag	105900
cagtggagtt	attaaaagag	cattagttac	atttttccct	ttttcattat	cttcaaatat	105960
tatatatagt	aagtttgacc	tttttaaaat	gtatacttgt	atcagtttta	acacatacat	106020
agattcctgt	aactgtcacc	actataaggg	taaagaacag	ttagttcctt	cacctttgaa	106080
gtcaagcccc	acctctatcc	caacacttgg	caaccgctga	tctttctccg	tctcaatagc	106140
tttgcccttt	ctcttttttt	ttcttatttt	tttttttag	acagcgtctt	gctctgtcgc	106200
ccgagctgga	gtgcagtga	gcaatctcgg	ctcactgcaa	cctccgcctc	ctgggttcaa	106260
gcagtctctc	tgcccttagcc	tccctagtag	ctgggattat	aggcacgcac	caccacaccc	106320
ggctgatttt	tttgtatttt	tagtagaaat	ggggtttcac	catgttggcc	aggctgggtc	106380
caaaactctg	atcccaagtg	atccacctgc	ctcggcctcc	caaagtgcgt	ggattacagg	106440
cgtgagccac	tgtgcccac	caggactttt	tttttttaaa	tttacattca	acttgtcatt	106500
ttttctctgt	atggattgtg	ccttcagagt	cacacctaag	agccctttgc	ctaagcaaag	106560
gtcatgaaga	ttttctcata	tgtttctctt	taaaagtatt	gtggttggcc	aggtgccatg	106620
gcttatgcct	gtaatctcag	cactttgaga	agctgaggtg	ggcagattac	gaggtcagga	106680

46/122

gatcgagacc	atcctggcta	atgcgggtgaa	accccatctc	tactaaaaat	acaaaaaaaa	106740
aaaaaaaaatta	gccggggcgtg	gtggcgggca	cctgtagtcc	cagctacttg	agaggttgag	106800
gcaggagaat	agtgtgaacc	cgggagggtgg	agcttgagct	gagccgagat	cgcgccactg	106860
cactccagcc	tgggcaacac	agtgaagctc	catctcaaaa	aaaaaaaaaa	agtattatgg	106920
ttttacactt	tacgttttaga	tatatatctt	ttttgagtta	atgtcgtata	agtatgagg	106980
ttacgtcaga	ttttttgttt	tttgtttatt	tttacatatg	gatgtctagt	tggttctaata	107040
ccatttggtg	aaaagacaac	ctttactcca	ttgaattgcc	tttgtacttt	tgccatattt	107100
gtctaggcct	gttttttgac	tccrtttttct	gtttcatgat	gtgtgtgtct	attcctttgt	107160
taataccaca	tggctcttaat	tactgtatag	taagtcttaa	aattgggtaa	tgctggcctt	107220
ataaaacgaa	ttgggaagtt	tttatttttta	ctcttatttc	cattttctag	aagagattgt	107280
gtagaattgg	tgtcatttct	tctttagata	tttggttgaa	ttgggaagtg	atgccatctg	107340
ggcctagggt	tttgtttttt	gtgtgtgaga	cagagtctca	cttctgtcac	ccagggttgga	107400
gtgcagtgg	gagatcctgg	cttactgcaa	cctctgcctc	ccagggtcaa	gttatccctc	107460
tgccctagcc	tcccaaatag	ctgggattac	aagcgtgtgc	caccatgccc	gactaatttt	107520
tgtattttta	atgcagacag	ggtttcacca	tgttagccaa	gctgggtctg	aacttgtagc	107580
ctcaagtgat	tagcccacct	tggcctccca	aagtgttagg	attatagatg	tgagccaccg	107640
tgcctggcag	gggcctaggg	ttttcttttt	cagagtattt	taaactatga	attcagatta	107700
tttaaatagat	ataggctat	ttaagttatc	tgtttcttct	tgagtgaatt	tttactgtag	107760
tttatggcct	ttgagtaatt	aattgtattg	aattgtcaaa	tttatgagcg	tgtaattatt	107820
tatagcattt	cgggttttga	gtgggtatccc	tcttttatct	ctgggtgttg	caattgtgtc	107880
ttgtttttct	ttgtcagatt	gtatagggat	ttattagtct	tttcaaagaa	ctagcttttg	107940
ttttgatttt	ttgtttgttt	tgttttcaat	ttctgtctct	ttctgtctct	tattattttt	108000
tttctattat	ttctgcttgc	tttgggttta	ttttactctt	ttttttttct	ccaagttgct	108060
taaagtagaa	acttagattt	ctgggtttgag	acctttcttt	tctaagataa	gcatttaata	108120
ctgtaaaatt	ccttctaacc	actgctttag	ttacaccccc	acaaattctg	gtattttgaa	108180
ctgagcacaa	atgaaatggt	ctaatttccc	ttgaattctta	ttcttttacc	aatgaattat	108240
ttagaataat	gttattttagt	ttgcaagcaa	ttggagactt	ttttcctggt	atttttctac	108300
cattttatttc	tcatttccatt	atattatggt	cagagaatat	attttgaatg	atttcattta	108360
taatttttta	aaaataacat	taaaaaattt	tttaaaatgt	gaatatacca	catacagtat	108420
aaagatttga	caattctgtt	ttggacagtt	ttctaataat	gtcaagttga	tttagttggt	108480
taatgatggt	gttcagtttt	tctttattct	tgctgatact	ttgtatgcag	ttatatcact	108540
ttattactca	gaagagtgtt	gaactttcca	actacaattt	ttttttccaa	ttttactttc	108600
agctctatct	gggtttgtct	catgtatttt	gaggctctgt	tgtaggtgtg	gtacacattc	108660
aggatgatct	ctctctgggt	aattgcctgt	tttatcattt	tgtaattccc	tctttatggt	108720
aattttcctt	gttctaaagt	cagaaatatt	tggtgtccaa	tttatataga	cactgcagct	108780
ttcatttgat	tagtgcttgc	atggcatatc	tttttccatt	tttttacttt	tgatctacct	108840
ttataattct	attttaaagg	ggcttcttgt	aggcagcata	tagttgggta	gtgttatatta	108900
tttattttat	tttattttat	tttattttat	tatttagaca	gagttttgct	cttgttgccc	108960
aagctggagt	gcagtgggtg	aatcctggct	taccacaacc	tccacctcct	gggttgtagt	109020
gattctcctg	cctcagcctc	ccaagtagct	gggattacag	gcacgcgcac	catgcctggc	109080
tgattttttg	tattttttagt	agaaacggat	tttcaccatg	ttagccaggc	tctgtctgaa	109140
ctcctgacct	cagggtgatcc	acctgctttg	gcctcccaaa	gtgctgggat	tacaggcgtg	109200
agccactgca	cccggctgag	tcatgttatt	tttaattctt	tctcacaata	cagggttttt	109260
gttggtaaat	tttaattttt	taataataat	tttagtataa	ttattttacat	taaatgtaac	109320
tgttgcaactg	gggtattttat	aatgtgtaaa	tataattatt	ggtattaata	taatttatatt	109380
actcataata	atatttaatat	ctttggattt	agattaccag	tttagtatat	gtttttctgt	109440
ttctccctct	ttgattttcc	cttttttgct	tttttttttt	ttttaattct	tatttttttt	109500
tagtattttg	tgatcattct	tgggtgtttc	ttggagaggg	ggattttggca	gggtcatagg	109560
acaatagtgtg	agggaagggtc	agcagataaa	catgtgaaca	aggctctctg	ttttcctaga	109620
cagaggaccc	tgcggccttc	tgcaagtgtt	gtgtccctgg	gtacttgaga	ttagggagtg	109680
gtgatgactc	ttaacgagca	tgctgccttc	aagcatctgt	ttacaaaagc	acatcttgca	109740
ccacccttaa	tccatttaac	cctgagtggt	aatagcagat	gtttcagaga	gcaggggggt	109800
gggggttaagg	ttatagatta	acagcatccc	aaggcagaag	aatttttctt	agtacagaac	109860
aaaatggagt	ctcccatgtc	tacttctttc	tacacagaca	cagtaacaat	ctgatctctc	109920
tttctttttc	ccacattttc	cccttttcta	ttcgacaaaa	ctgccatcgt	catcatggcc	109980
cgttctcaat	gagctgttgg	gtacaccttc	cagacggggg	ggcagctggg	cagaggggct	110040
cctcacttcc	cagatggggc	agccggggcag	aggcgccccc	cacctcccg	acggggcag	110100
ggccggggcgg	aggcgccccc	cacctccctc	ccggatgggg	cggctggccg	ggcgggggct	110160
gacccccac	ctccctcccc	gacggggcgg	ctggccgggc	gggggctgac	ccccacctc	110220
cctcccagat	ggggcgggctg	gccgggcggg	ggctgcccc	cacctccctc	ccggacgggg	110280

47/122

cggtctgccgg	gctgagggggc	tcctcacttc	gcagaccggg	cggtctgccgg	gctgagggggc	110340
tcctcacttc	tcagacggggg	cggtccgggca	gagacgctcc	tcacctccca	gatgggggtgg	110400
cggtcggggca	gagacactcc	tcagttccca	gacgggggtcg	cggtccgggca	gagggcgctcc	110460
tcccatccca	gacggggcg	cggtggcagag	gtgggtcccca	catctcagac	gatggggctgc	110520
cggtcgagaga	cactcctcac	tccttagacg	ggatggcagc	cggtgaagagg	tgctcctcac	110580
tcctcgagac	gggtcgccgg	tcagagggggc	tcctcacatc	ccagacgatg	ggcggtctagg	110640
cagagacgct	cctcacttcc	cggtacgggg	ggcgcccg	cagaggctgc	aatctcgga	110700
ctttggggagg	ccaaggcagg	cggtctgggaa	gtggagggtg	tagggagctg	agatcacgcc	110760
actgcactcc	agcctgggca	acattgagca	ttgagtggc	gagactccgt	ctgcaatcct	110820
ggcacctcgg	gaggtcgagg	caggcagatc	actcggtgc	aggagctgga	gaccagcccg	110880
gccaacacag	cgaaaccccg	tctccaccaa	aaaatgcaaa	aaccagtcag	gtgtggcggc	110940
gtgcgcctgc	aatcccaggc	actctgcagg	ctgaggcagg	agaatcaggc	agggaggttg	111000
cagtgcaggc	agatggcggc	agtacagtc	agcctcggtc	ttcacaactt	tggtggcatc	111060
agagggagac	cggtggagagg	gagagggaga	cgagggagag	cccctttttt	gctttctttt	111120
ggattattttg	aatttttctt	ttaaatttatt	tatcttactt	atttatttat	ttttttgagt	111180
gattctcctg	ccacagctcc	caagttagctg	ggactgcagg	catgtgccac	tacaccagc	111240
taattttttt	gtatttttag	tagagacagg	gtttcaccat	attggccagg	ctggtcttga	111300
actcttgacc	tcaagtgatc	cacctgcctc	ggcctcccaa	agtgcctgga	ttacagcgt	111360
gagccacat	gccctgcctt	tttctagaat	ttatatattg	agttcttgat	tgtatctttt	111420
tatgtaggct	ttttagtggc	ttctctagga	attacaatat	acatactttt	cacagtgtac	111480
tcacatttaa	tattttgtaa	cttcaagtgg	aatgtagaaa	acttaaccac	cataaaaaata	111540
gaactagggg	tgaggttaaa	aaagagagag	aaaagaaatg	taataaagat	taataaacac	111600
cgtttttttt	tttttttctc	tttttttttt	gagacagagt	ctctctttct	gttaccagcg	111660
tggagtgcag	tggtctgatc	ttggctcact	gcaacctccg	cctcctgggt	tcaagtgttt	111720
ctcctgcctc	agcctactga	gtagctggga	ttacaggtgc	gcgccaccat	gcccagctaa	111780
tttttgtatt	tttagtagag	acggtttcac	tgtgttggcc	aggatggtct	cgattttctg	111840
acctgtgat	tcgtctcct	cagcctccca	aagtgcctgg	attacaggcg	tgagccaccg	111900
cgcccggtc	agtctttaaa	tatttttttg	acattgcact	ttttctcttt	tccttctagg	111960
attttagtaa	cccaaagtgt	agttttgtta	ttgtttggca	ggttcctgag	gctttcctta	112020
cttctttaaa	tttttttttc	ctgtttgtca	gcttcgaaaa	tttctattca	tctgtcttca	112080
aattcaactgg	ttctttcccg	ttatttccat	tctgttattg	agtcttttga	gtgaatttta	112140
aattttgttt	attatgtttt	ttagtcttaa	aattttcttt	ttttgtgtat	gtcttatact	112200
ttgtctcctga	aactcttatt	tgtttcagga	gtgatcttat	ttcttagagc	atggttttag	112260
tagctactta	aaatttgttt	tatcatccca	gcatatgtgt	cctcttgatt	gtcttttctc	112320
ttgtgagata	atgggttttt	ctggttcttt	atatgacaat	taattttgga	ttgtatcttg	112380
gacagtttga	cttacgttac	atgattctga	atcttgttta	aatcctgtgg	aaaatatgga	112440
agtttttgct	ttacaagca	gttgacctag	ttaggttcag	tccacaaatt	ctaagcagca	112500
ttctgtcggc	tctggttcca	tcacagttc	agttttgtat	cttatctgct	tatgtgcctt	112560
tctgtgtcca	tctgtggacc	tggtccaatg	tcaggttcca	aagcctttgt	acacttttag	112620
aagcagggcc	atgcacaccc	agctcacgag	tggtcccggt	agtgacacata	caactcgacg	112680
ttttcatggg	ctccttcttt	tctgtgatgt	ccctgacacg	ttctgccttc	taagaacctc	112740
cctttatccc	tttctgtttg	tctggctaga	aagtcagggc	tttagattcc	ctatacttca	112800
gcacacttcc	tgtagctatg	tcaacctctg	tggtcacgac	ttcttcttct	tggtactgca	112860
gtttctcttg	tcagaaagta	ggattcttgg	agctgctgtc	attgctgctg	tggtgctctc	112920
gatgctgcct	gggagtcgaa	ggagagaaag	gaacaaaaca	aaacaaccca	ggggatttcc	112980
tccactctct	ttgatccgtg	agagccccct	ttcctgttcc	tcagaccaga	aatagagggc	113040
ctgtcttgga	acttcttctt	tgtgcactct	gtgtgcagtt	tcagcttttg	agtcagggcc	113100
aggaggtgct	ggacaaaact	gtcaggagta	cggtggtact	gcaagtctct	attacttttc	113160
tcagtccacc	tgcttccaag	tccttggatg	catttgtcca	ttgttttgag	ttgcattcca	113220
tggtgagagac	agaagagtgt	gcttatttca	tcttgacata	cttattagga	tttcatatca	113280
aatcaacgga	tgatattctc	tatatattat	tgctgttttc	ccttttagcaa	gcacattagg	113340
aaaataaacac	tttaacaccc	gcctttggatg	gtttctgtca	taattattaa	tacttgactt	113400
tttttttttt	tttgagacgg	agtctcactc	tgctctttga	ggcattgtcc	ccataaactt	113460
ttggtaaagc	atcaataatt	ttatctttca	tccacacaag	cttcaccata	aatttgatgt	113520
ttattcttcc	attttagcag	aattcatgtt	gctccaatag	gggtgtctt	caaactgatg	113580
ttttctcctt	cttagtgctt	cagagttagt	cctgttcaga	tacgttataa	caggttaata	113640
tgagtttatt	ttggtgtaaa	agtactttga	aattcatgca	tagttttttc	atcatatgca	113700
ttttccatag	ctttgaacac	ccccatgtaa	ctctcctctt	ccacaaacca	aacaatgaaa	113760
aagcaccttt	gtgatggaag	tttattttgc	aataggaact	cacagtgatc	taagccctgc	113820
tattcatgaa	tataattcat	tactggagtc	caagttgctt	tttggttttt	gaagttctct	113880

48/122

tcttcccttg	caggatataga	acaagatgca	gtgaatactt	ttaccaaata	tatatctcca	113940
gatgctgcta	aaccaataacc	aattacagaa	gcaatgagaa	atgacatcat	aggtaagcag	114000
tgcttgaaac	tatggcaaaa	aaaaaatgac	aaaaaatgca	cagaactgac	aattttcgtt	114060
attgactaag	ataatttttt	cttaacatgg	aatttagcag	ttcccttcct	aatttgtttt	114120
ctgagtattt	tttatatcgg	atttatagctc	actttaaaag	tttctcggct	gcattcgggtg	114180
cgagggtcct	tgccctgggccc	agatgggctg	cagtgtagcg	gggtgctcagg	cctgcccgcct	114240
gctgagcagc	cgggcccggcg	ggcggctacg	ctaaccggca	cagaccaccg	gatggactgg	114300
ccggcagccc	cgcaccagtg	cacgaagtgg	gcgggacaga	aacttctggg	gttggaaagt	114360
cagtgaggct	aaaagccggg	accaaagtct	ctaggcatca	gggctgcagc	ccaagagtct	114420
cacgaccagt	gggcaactgg	atggccagac	agggtgtctca	gtgggtggcct	ctccgtctca	114480
gggcttcac	ccacttctca	gtgggcctga	cgtccctggg	caccctggat	gtctacctgc	114540
attagccaga	gccatcacat	ggcctgtgac	ttgccttttt	ttgccagttg	attgtgccac	114600
acacagtgtc	atttctgtgt	catttggcac	agctggaggt	gcaaggagga	gggcagcctc	114660
atgtccagtc	ccagttttcac	gtaactttat	tcttctgaat	aaagacaatt	tgctaaccct	114720
aaaaaaaaaa	aaaaaaaaaa	agttttttctt	atatgttggg	cccaaattct	taggctttta	114780
cctgaataac	aatgacagca	agatcaataa	atagtacaca	tttattaaac	actcactgtg	114840
tcccagacaa	tattccaagc	actttttatg	gatagactca	ttttaacttc	taaagaactt	114900
tgtgggataa	atcacgttat	tttatagatg	aagaaaactga	agcacagaga	agttaagtgc	114960
tttgtccagg	gtaacagctc	agatatggca	gagtcaggat	ttgaaactag	accctcacat	115020
accttaactg	ctgtgctgtg	gcagtgtttt	tcatactgta	ggttgggacc	agccttctct	115080
tatgccctca	ccccctgcca	aaaaaaaaaa	aaaaaaaaaa	aaatatatat	atatatatat	115140
atatatatat	atatatatat	aatatatata	tatatataat	atatatatat	ataaaatata	115200
tgtattagta	tatatgcata	tatagtatat	attatatatt	agtatatata	ctaatatata	115260
atatacatat	tagtgtgtgt	atatatatat	atactagaat	aaaaaaatca	aagtatctca	115320
gagtagtaag	gacaaaacatt	tcagaaaaat	gttttcatta	tatatacatg	tatgtatgtg	115380
tatgctgatt	caacaaatat	atttcttata	ggttatagca	aaatagtttg	aaagctttta	115440
ctgtgtttta	tcaggaagac	cttaggtgaa	cgatatattca	cagataaaaag	aggttattta	115500
ttcattcaat	aaatattaca	ttctcataag	tcctaataat	atgtattttt	attcttcaaa	115560
aaagttagta	tttgtgattt	atgaaaataag	acatgttctt	gcacttttag	cagatctgtc	115620
ccgatgttgg	gttcttttaa	tccttagtgt	gggtgctttg	cactcactca	ctgctgggga	115680
cagcaagacc	cctgttagtc	tcagctgtgt	ttcttaaatt	ggcccactgt	accttccagt	115740
tagctattct	ggggtccatg	tcattgttggc	tccattttcc	tttcttttct	cccacacaga	115800
tacctataac	ggctataaca	taggcctggg	ggctgttggg	ggcttatccc	tatctgcttg	115860
tatttaaggg	gtactgtttc	actgagtttt	gctgacagat	gttgtcatga	gatttgagggt	115920
tttctgtgtt	gttgctctat	ttttatgtgg	aaatttgcta	ctatcatcat	ccctagacca	115980
gcttttccta	gtaatacaac	agggatgttc	tgactgatta	gagtttgctt	gtttgaagaa	116040
ttgggttggct	agtgattttt	ttttgagggg	agctgtgacc	agttaatagc	ctgactggcg	116100
tgtggataaa	aaggaagcag	tttcaagtcg	aataaaacac	ttaaaatgaa	accacactgc	116160
aactctcttt	cttttactta	agcttaatca	aattaatgat	gatgtaatcc	catgaaggaa	116220
aagtcttctg	aaggatcaag	ttgataacat	tttgtgatca	aagaatttga	gaaaacctct	116280
atcccagtg	ctatcattat	atatttttagg	atgttaatta	cctgtgtggc	tttaggcaag	116340
tcattttttc	tccttgagcc	ccattcttaa	tcctgtccaa	attatttgtc	tcctcttgca	116400
gttggactat	tttaatatag	ctgtccttca	agtgaatttt	gttcaaagga	gccttcactt	116460
tagctcttac	tgtgtaccca	ctttgcatag	tcttgtttta	aatgtaatcc	ttggattttt	116520
ggtgttgcta	actaattact	gtttttatgt	gaggatttag	agtgtaccag	aatctatact	116580
tgcactacct	ccttcactct	ccacaaatgt	ttgaagtggg	agaattttta	aaaactttga	116640
aggtagagct	gacagaattt	gctgatgggt	tggaaagtga	tggtaggaga	gggaaaaaaa	116700
ggaataaagc	atgactgcat	tttttgtttg	tttgtttgtt	tggttttgag	acggagtctc	116760
actctcgcca	ggctggagtg	cagtggcgtg	atcttggctc	acggcaacct	ccgcctcctg	116820
ggttcaagcg	attcccctgc	ctcagcctcc	caagtagctg	ggactacagg	cgctcgccac	116880
cacgcctggc	taattttttt	ttttgtattt	tagtagaaac	gggggttcac	cgtgttggcc	116940
aggatgggtc	ccatctcctg	acctcatgat	ctactcacct	tggcctccca	aagtgtgag	117000
gttacaggca	tatatataag	catataaagt	gtgttatagc	atacaaacag	gtatatatat	117060
aaacatgcag	tccacacagc	tgataggaat	gaggcagtag	tgaaggagaa	gttgatgtag	117120
gagaggggac	agttgttaca	ggaaagaagt	ctggaggcag	aagggatgaa	ttccagtgct	117180
cacatagaag	attgcttaga	tgggagcaag	gacaatttat	ctagagtcac	aggaaagaat	117240
gcagtacacg	ggtagagatg	caggtgagtt	gaaagatgtg	agagatgatg	gaaataattt	117300
tctgattgct	tctatattct	caagggaagca	ggaagcaaag	tcctcagcaa	agagaataga	117360
agaggtgtta	aatattttgag	aaaggagatg	tactgtagaa	aaaaaaaaaa	ctcagtttct	117420
ccttctgaac	tctcacaaaa	cagaaccctt	ccatgactct	agttgtgtgg	ggttttttcc	117480

49/122

ctgtcagcta	ccaattctgc	agatgattgt	tcagtgaaca	ccaactgggt	gtcctctaag	117540
tcagttcagt	tctcacactg	tttacctgga	gatagcatca	gatcccacag	attgaggact	117600
ctgtcccaca	agactgcctc	cacttcagat	gccagttctca	agtacaagtt	gtggcctgtg	117660
cttctgactg	accttctata	aattggagtt	cccacagttcc	cctccttggg	ttcaataaat	117720
ttgctagagc	agctctcaga	actcagggaa	atgctttaca	tatatattacc	catttattat	117780
aaaggatatt	acaaaggata	cagattgaac	aggcagatgg	aagagatgca	tgggcaaggt	117840
atgggagagg	ggcacagagc	ttccatgcac	tctccagggtc	atgccaccct	ccaagaacct	117900
ctacagattt	agctattcag	aagccccctt	ccccattctg	tccttttggg	ttttttgtgg	117960
agacttcatt	atataggcac	gattgatcat	tggctattgg	tgatcagctc	aaccttcagc	118020
cccccatccc	cgggaggttg	gtgggtaggg	ctgaaagtgc	caaacgtgta	attctgcctt	118080
ggtctttctg	gtgattagcc	ctcatcctaa	agctcttttag	aggccacagc	cacaagtcac	118140
ctcattagcc	ttcaaaaagaa	tccagagatt	ccatgaattt	taggcgctgt	atgctaagaa	118200
actggctaaa	ggccagttgc	aatgtctcag	gcctgtaatc	ccagcacttt	gggaggctga	118260
ggcaggagga	tcgtttcagg	ccatgagatc	aaaaccagcc	tgggtcaacat	agtgcaagcc	118320
ccttaaaaaa	aattttaaaaa	ttggccaggc	gtaatagctc	ttgtctgtag	tctcagctac	118380
tcagaaggct	gaggatcact	gagccctgga	gttgaaggca	gcagtgagcc	atgatcgtgc	118440
cactgactcc	ggcttgggtg	acaaagttag	accttgtctc	agaagaaaaa	ggaaaaaaa	118500
aaaactgggc	aaagactaaa	taacatattt	cacagtatcc	cagatttgta	ttgtctagga	118560
aagtgaatgt	aaacagacca	ggacactagt	atgatccctt	gggttcatga	aggtcccact	118620
aaagtcatga	acacaaaagt	agactaggca	tcattgttata	tgggttttcc	agccatgttt	118680
aacagctagc	taaataagcta	attgtttcgc	tgcagtttat	tttagcagtt	ccttatttta	118740
gcacatttca	tgttttaaaa	tttctaccaa	taacatttta	ataaactttt	ttacagataa	118800
cttcacaaat	ccataatttt	ttaagttaca	atcccagaaa	tagaattgct	cattgaaagg	118860
gtatgttcat	ttttaaagt	atgctagaaa	ctgccaaatt	gccttcagaa	aaaggtgttt	118920
gtatccccac	taacactagt	gttagttttc	ttgtgccctt	gctcaagtat	acatattatt	118980
aaaaacaatg	ttgggccaag	ttactagata	aaaggtgtag	tgcctcctta	ttctaactta	119040
tttgattact	agtgagtatg	tatgtccttt	cacgttggtc	attttatgtt	tgttcctttg	119100
tggattgtca	tgtcctttgc	tcatttttct	tttggaaacat	ttcttagtag	tttataagag	119160
ctcttgggtat	tttaatgata	gtaacctttt	aactgtcatg	catgctgcaa	atcttttttc	119220
tgtttgtttg	cctttgtatt	ttgtttttgg	agggtttcta	tgtataggaa	ttaaatttta	119280
tgtttgtaaa	ctttttgatt	tctgtctttg	catgtgtact	tcaaaagact	ttctatttta	119340
agatcaagtg	ttacctgtat	tttcttttag	ttctatttta	aacctcttaa	tttatatgcc	119400
tgtgctgtta	actcccaagt	tgattcacaa	gtgtgtatac	atagtttgaa	tttagtggca	119460
atttaattat	ttacaacttc	ttttgcagca	aggatttgtg	gagaagatgg	acaggtggat	119520
cccaactgtt	tcgttttggc	acagtccata	gtcttttagtg	caatggagca	agagtgaagt	119580
agttcatatt	ttcacattgt	gcatcctagg	gaatttgggt	tcattgttag	gaatgggctt	119640
cactcagcta	aaaacaaaagt	atttttgaga	attttaaata	tttggatatt	tacaagatca	119700
tataaagcat	actctatctt	gggttaacagt	ttcttttaaa	tataaattat	gtgaactctt	119760
aaaattttca	ttttcatttt	caatgttaatt	atttcttaag	ttaaaataat	ttgtttttag	119820
ttctgaaata	atttggggag	tgattgagtc	tgtagtgtat	atgactatta	gaattgggtt	119880
atttatttta	ataatgcatg	tcttcagatg	gctctcctaa	tttgtttagt	aggctttaag	119940
ctaaatggat	gctatataac	taaataccaca	tagatttgtt	gaaatggctc	cagaggtttt	120000
ttagatttat	tactgctatg	tgcccttaaa	aaaaatctat	tcattctttc	acttaacatt	120060
tatcagaaga	gtgctctgtg	taagacgtgg	ttaggcatag	tgccagtctt	gaagggaagt	120120
acagcctaatt	aaaagacata	gggcatgttg	tttggttact	gtaatatgaa	gtggcatgtg	120180
ttaaatgtca	ggggagaact	acaaagtcat	aaaaagggtg	gagagattac	atacaggtaa	120240
aggaatcagg	aatgcacaca	tggggagtaa	ggtagtgttg	acctaggcct	ttaagatata	120300
atagggacag	tatggaaaga	gtatattttt	cccacttaaa	ctctttcctt	ggtcgtttcc	120360
tcaaattttc	ccttttgtcc	atgtgcaggc	acttttagtga	gtttctgcga	agtcaccatt	120420
tctgtaaata	ccagattgaa	gtgctgacca	gtggaaactgt	ttacctggct	gacattctct	120480
tctgtgagtc	agccctcttt	tatttctctg	aggtaaagtc	tgcatttctt	ttcacactct	120540
attcagcat	tccagcctct	aactatcaat	gctggggccc	tgtctatagg	aaataacaca	120600
gaagagccaa	gtcattttcca	aaaagatgta	tcattgtttc	aagttgtttc	tgatggcaag	120660
agtaatttaa	taatatatta	gagagaacat	gaaaattcaa	tgtattaaat	aactctaatt	120720
ttgagaaacc	taattaaact	actgcatgta	agagagtgca	tgtttttaat	tatttggagc	120780
tattttaaaa	ccacagaatt	tgaaacttgc	ttccagtgca	taaattgcag	accagacttc	120840
agaagagaaa	aaaagtagta	aattttttct	tatgtctatc	atttttactt	tagtcacttg	120900
ataggattgc	ccagtgaaga	agcatttgca	acagacaatg	agtatattaa	tcctttttgag	120960
gcatacagtt	tagtataatg	ctctttgtta	ggcttcaaca	agtgaaatta	ttttgttggg	121020
aagcaaatga	ctattaagta	gaaagaggat	tcccagtctc	acaaagcagt	aatttagaca	121080

50/122

ctcgattctg	cctctttaca	agaatacagg	tactcagttg	atttgttttc	tcactccctt	121140
tctttgctat	aagttttaat	caacaatttg	tttaggttaa	tatgtcctca	tggaaatggtg	121200
gaaatgatca	gatataaaat	atttggtttg	gttaggtttac	tcttttatatg	tttgctggca	121260
agguaccaca	aatccagttt	agtataattt	ttactctagt	tcactaaaag	tttgcatcca	121320
gctgtgtagg	tagtgtttgt	ttcttggttaa	gttggttttc	gtctaaaaga	atactttaaa	121380
acttttcaat	ctcaaatgac	tgtaaacttg	tgacaggtgt	taacagaaga	agtagatctt	121440
tttgtttttt	gcttatgacc	tgtatttttaa	tatttgagct	tatagattag	agattgtgag	121500
agaaatctgt	ttatagtcct	attttccctt	gtgtattttt	tcttcctagt	acatggaaaa	121560
agaggatgca	gtgaatatct	tacaattctg	gttggcagca	gataacttcc	agtctcagct	121620
tgctgccaaa	aagggccaat	atgatggaca	ggaggcacag	aatgatgcca	tgattttata	121680
tgacaagtga	gttatattga	tagatggatt	cagcagatac	ttattgaaca	tttgatatgt	121740
tttgtggaaa	taaagatgaa	taaactcagt	ctctgttgtc	aaggagctca	caggaggcag	121800
cataaaagct	gcttttatat	ggtgtttgta	aagctttggg	ggttcttaga	acaaaagttt	121860
ctgtgtggaa	aggggaggtg	tatgtggggt	aaacaggatg	gcaatggtgg	tggtcaagga	121920
gtgtttccca	gaagagagat	tttgtttgga	tcccaaagaa	agaagggaa	tttgctaccc	121980
agaaatgcca	gaaaacaaca	ttctaggcaa	aggcattggc	ccagaagcca	tggaacgta	122040
gggttaagt	gcactttcaa	gaaacttgag	tttagataat	caaaggagtg	gggaataaat	122100
atgaggatgc	tggtactaat	tgggaatagat	tgtaaaggac	cttgaatgcc	tatttatggg	122160
tatatataac	tttctgtata	aatctgctca	ggcacgttgt	taattagttt	tttattagtt	122220
ttcactgaaa	atgagaggat	ggaaacatca	tacagtaaac	aaaattgaaa	atatctggct	122280
aggcatatga	tgagcttgtg	gccagctctg	taacgtatgg	tattcttttc	atttaacttt	122340
tcttactctg	taaaaaaagt	aattcgtggt	cgggcacggt	ggctcactcc	tgtaatcaca	122400
acacttttgg	aggcagaggg	aggtgaatcg	cttgagccca	ggaatttgag	accagcctgg	122460
gcaacatgac	aaaaccggcc	tttactaaaa	atacaaaaat	tagctgagcg	tgatggcgtg	122520
cgctgttgt	cctagctact	taggggcctg	aggcagaagg	atcacctgag	ccttggggag	122580
tcgaggtatc	atgagcttgt	gatccactgt	gtccaccctt	gggcagggca	gtagagtgag	122640
accctgtctc	caaaaaaaaaa	aaaaacaaca	aaggtaattt	gttatttgta	tccttaagca	122700
aatgctaaag	gggtaacttg	gggatagaga	aaagtcacac	gatgttaggg	tttgaagaca	122760
ctaatagtat	ctaggccagt	ggttcctgaa	cattagtctg	tgggctcttg	ctgggctgtc	122820
tgcatagaaa	tcacctgaga	gcttattaaa	aataggtttt	caggctgggt	gcggtggctc	122880
acgcctataa	tcccagcact	ttgggaggct	gaggcaggcg	gattacttga	ggtcaggcgt	122940
tcaagaccag	cctggccaac	atggtaaaaac	ccgctctcta	ctaaaaatac	aagaattagc	123000
caggcatgat	ggcacacacc	tgtaatccca	gctactcagg	aggctgagga	aggagaattg	123060
ctcgagcccg	ggaggtggag	gttgcaatga	cgggagatca	tgccactgca	ctccaggctg	123120
gctgacagag	ggagactctg	tctcagaaaa	aaaaaaaaaa	ataggttttc	agtctgggta	123180
ccggtgggtc	acacctgtaa	tcccagcact	ttgggaggcc	aaggcaggca	gatcacttga	123240
gggtcagggt	ttgagaactg	cctggccaac	atagtgaaac	cttgtctcta	ctagaaacta	123300
caaaaaatta	actgggcatt	ttgacgggtg	cctataatcc	cagctactag	ggaggctgag	123360
gcaggagaa	tgcttgaacc	cgggaggcag	aggactgcac	ctcaaaaaaa	aaaaaaaaaa	123420
aaaggtttcc	agtccccctg	tctcagaaat	tctgattctg	cagggttgag	gtgtgaccag	123480
gaatctttat	ttttagaaga	cataccagat	aattctgata	aatagccagt	ttagggatgt	123540
agtctaattt	tcctaatttg	caagtaagga	aaataaggcc	cagagaggta	atgattttct	123600
caaagtccac	gaacaaagt	gtggcagaat	ttggactgga	atgcagtctc	taatgttctg	123660
tccagtgttt	attctgggtac	agtatgtttg	tagaagggtat	tacgtaagaa	acattgttat	123720
atagatgttg	agataggaag	agtttacatt	tagaaaatttg	gtctaaaatg	cctgaacatt	123780
caagtcgttg	aggagtattg	accaacttac	tcaatacaac	ataggagatt	cacattttgt	123840
tacaaaaaatg	ctgattttaa	aggagagttt	tctttttttt	cttctttttt	attttttgag	123900
atggagtctt	gctctgtcac	ccaggctaga	gtgcagtgtg	acgatctcag	ctcactgcaa	123960
cctccacctc	ctgggttcaa	gcgggttctc	tgccctcagcc	tcttgagtag	ctgggattac	124020
aggtgggggc	caccacgccc	agctaatttt	tgtattttta	gtagagacag	ggtttcacca	124080
tgttggccag	gccgggtctg	aactcctgac	ctcaagtgtg	ccaccaccac	ctgcctccca	124140
aagtgtctgg	attatagggc	tgagccactg	tgcccagcct	gcttgttttt	gtatcatata	124200
tatgcatcat	cataatcatg	cattatcaac	ctttgtattt	ctgtcaggac	atagaaacca	124260
ttagagtgtc	tggaaagagag	cctttttttt	tttctcgcat	ttaatgcttt	ttttgggtatt	124320
catctcataa	tcagcttacc	aaaacattac	ctgcattata	cccatcaag	gtagaaatct	124380
ttgtgttata	aatattgggt	actccctttc	cacaccgagt	catcagtaag	tcctgttcta	124440
tccaaatagg	tcatatgcat	ctagctcacc	cctcagtgtc	gttttgtttt	gaatttgtac	124500
atgtttactc	ctgatgcctt	gtagttatga	tgatgtgttc	ttattttatt	ctgtgcatac	124560
aagttctcag	ctcgcttttt	agggaaaaatg	accatgtctt	cctttcctat	aaattccctt	124620
ctatctatca	agtcctcaac	agagaatagg	taccataaaa	tatgtgattg	ttagtttctt	124680

51/122

tgcctcagtt	gtagtctgat	ccttacagct	tttaaacaac	agtagagttc	accgtcaaga	124740
actaaggatg	gttggcaggc	agatagaaag	gtagcaagtt	gacccaacta	tctctgggga	124800
agtgggaaca	aagaaagggt	acatcagcac	tgtcatcaca	tagctctata	gttctaggcc	124860
tgcagggtca	atcaagtagc	cttgtataag	attctctgga	ggagggtgctg	aaagttgctt	124920
atacttgcta	tggaaattga	ttttacttcg	gatatacttt	taccataggt	acttctccct	124980
ccaagccaca	catcctcttg	gatttgatga	tgttgtagca	ttagaaattg	aatccaatat	125040
ctgcaggga	ggtgggccc	tccccaactg	tttcacaact	ccattacgtc	aggcctggac	125100
aaccatggag	aaggtaaccc	agaacttcaa	acgtatcaaa	ctacaagaag	ttttattggt	125160
agaactcata	aaatataagg	tgggaaaacc	aagcagaata	gcacagtgga	aattgaagca	125220
gtccagcaaa	gtgattaaga	gcagaggcct	tgagtcctggc	ctggtagtga	cagtcacgtg	125280
ccacataaca	ttttagtcac	cagtggactg	cgtgtacgat	ggctcctgtac	gattataatg	125340
gatcaaagct	ggtagtgcaa	taataacaaa	agttagaaaa	aataaaatfff	aataagtaaa	125400
aaagaaaaaa	gaaaaactaa	aaagataaaa	gaataaccaa	gaacaaaaca	aaaaaaatta	125460
taatggagct	gaaaaatctc	tgttgcctca	tattttactgt	actatacttt	taatcattat	125520
tttagagtgc	tccttctact	tactaagaaa	acagtttaact	gtaaaacagc	ttcagacagg	125580
tccttcagga	ggtttccaga	aggaggcatt	gttatcaaaag	gagatgacgg	ctccatgctg	125640
gttactgccc	ctgaagacct	tccagtggga	caagatgtgg	aggtgaaaga	aagtgttatt	125700
gatgatcctg	acctgtgtga	ggcttaggct	aatgtgggtg	tttgtcttag	tttttaacaa	125760
acaaatttaa	aaagaaaaaa	aaaattaaaa	atagaaaaaa	gcttataaaa	taaggatata	125820
atgaaaaat	ttttgtacag	ctgtatatgt	ttgtgtttta	agctgttatg	acaacagagt	125880
caaaaagcta	aaaaaaagta	aacagttaaa	aagttacagt	aagctaattt	attatttaaag	125940
aaaaaaattt	taataaaatt	tagtgtagcc	taagtgtaca	gtgtaagtct	acagttagtg	126000
acaataatgt	gctaggcctt	cacattcact	taccatcac	tcgctgactc	accagagca	126060
acttccagtc	ttgcaagctc	cattcatggt	aagtgcctta	tacagatgta	ccatttttta	126120
tcttttatac	tgtattttta	ctgtgccttt	tctgtatttg	tgtttaaata	cacaaattct	126180
taccattgca	atagtggcct	acgatattca	ttatagtaac	atgtgataca	ggtttgtagc	126240
ccaaaagcaa	taggttgtag	catatagcca	aggggtgtag	tagggccatac	catctagggt	126300
tgtataagta	cactctgtga	tgtagcaca	atggcaagca	gcctaacgga	aattctgttt	126360
attgattgat	tgattgattg	attgattgag	acagagtttc	actccattgt	ccaggctgga	126420
gtgcagttgc	acagctttgg	cacactgcaa	cttctgcctc	ccagggtcaa	ccaattatcc	126480
tgcctcatcc	tcccaagtag	ctgggattac	agggcgccac	caccatacct	ggctaatttt	126540
tgtatttttag	tagagacagg	gtttcaccat	tttggccagg	ctgttctcga	actcctgacc	126600
ttaagtgatc	tgcctgcttt	ggcctccgaa	agtgcctggga	ttacaggcat	gagctaccat	126660
gcctgggagc	taactgaaat	tctctaattg	catttttcctt	atctgtaaaag	tgacgataat	126720
atgcacgttt	agcacttttg	tactttgatg	tttaaagtaa	ggtaatgtat	ataaaataca	126780
tattaacata	gtacctgaca	catggtaagc	atcaaaaaat	gttaactact	tttattacta	126840
ttattattac	gtatttttaa	ataattagag	agcagtatca	aaaattagct	gggcgtagtg	126900
gcatgcacct	atagttccag	ctactcagga	ggctgaagct	ggaggattgc	atgagcctgg	126960
gaattaaagg	tgcagtgag	ccgtgttcat	gccccgtcac	tccagccttg	gtgacagagc	127020
aagaccctgt	cttgaacaat	taaagaaggc	attatgccgc	aacgttagct	tagaaaatgat	127080
ccacatatat	caccagtaac	tgtcaacagg	attggaaccc	tagttttggg	tattatgatc	127140
acaaggtatt	attaatagct	tattaataat	aaagcggttg	ctaggcacgg	cgactcacat	127200
ctgtaatccc	agcacttttg	gaggccgagg	tgggtggatc	acctgaggtc	aggagtttga	127260
gaccagcctg	accaacatgg	agaaacccca	tctctactaa	aaatacaaaa	ttagccgggg	127320
gtgggtgggc	atgcctgtaa	tcccagctac	ttaggaggct	gaggcaggaa	aatctcttga	127380
acccggggag	cagagggtgc	agtgcagctg	gatcgaccca	ttgcactcca	gcctggggcaa	127440
caagagcaaa	actccgtctc	aaaaatataa	ttataataaa	taaataaaaag	taaagtattg	127500
atgtttgtga	atgatttatt	cttctaattga	actagaggag	atttttccag	gaatttcaga	127560
gccagtgagg	ttatgttgct	tgtatgtgtc	atgtgtatcc	agggtgaaaaa	acttaattaa	127620
acgctattat	ataataccat	acataaaaaac	tgaatttttag	gaatactgaa	gaatgacata	127680
tagaagtcaa	atcattaaat	agctagtagt	aaacagaata	gagtgtcagc	tgttacccaa	127740
tgatgataat	attttcacga	ttaaaatttaa	accttttctg	atttttaaagg	aaaagttcag	127800
atctgtatca	tataaagaat	gtaaattttc	agggtataata	aattaaaaatg	cagagagaaa	127860
aatgcaaaaa	tagttcttac	tagatgtgtg	tatgtaaggga	acttagacta	attttaagaa	127920
cactgtcaag	acctggtag	ttaggtagga	aaaaagacat	gaatgattca	ttcaacaaaa	127980
actttgtaga	ttctgtgct	agatggtagt	gttacagtgg	taaacaaaaat	aaatgtgttt	128040
ctgctatcct	ggagcttagt	ctacaaaaaa	ggtacatat	ggccgggcac	ggtggctcac	128100
gcctgtaatc	ctagcacttt	ggaagatcga	ggcgggtgga	tcacctgagg	tcaggagtcc	128160
aagaccagct	tggccaacat	ggcgaaaacc	cgtctctact	aaaaatacaa	aaattaactg	128220
gggtgtggtg	cggacacctg	taatcccagc	tactcgggag	gctgaggcag	gagaatcact	128280

52/122

tgaacctggg	agacagaggt	tccagtga	cgagatcatg	ccactgcatt	ccagcccggg	128340
ggacaaaagc	gaaaatacgt	ctcaaaaaaa	caaaaacaaa	caacaaaggc	acgtattaaa	128400
tacgaacata	aataatttaca	aattataactg	aataagttct	catgtttatt	atgtgcttgt	128460
ccagttacaa	acttttctct	cgtagaatta	gaaatataaa	taataaacat	gagaactcat	128520
tcagataaat	taataattat	taaatgtaaa	taaaaacatc	tatgtacaat	taggcattta	128580
tttaagaatt	atgtgaaaaa	aaaacaatgt	ggaaacagat	atgttgatat	atgtgctagt	128640
attgaaattg	ataatgttct	tttgaagagt	aaagtgaacca	tatatattaa	agttaaaatt	128700
taactcagca	atcacacgcc	tgggtgagtta	tcttaaggaa	atcagtttga	aagtaaaatc	128760
aatatatgca	caagagctat	aacattttatc	ataaaccaga	aaaatcgagt	ttcaaatat	128820
atcctatgga	ctattttctg	ctaaaaagta	ttaatatcaa	ctttatgtaa	tactttcgtg	128880
acaaatattt	tgggggagaa	aaccacaaca	aattacatgc	attgtaattt	tttttttttt	128940
ttttttttta	gacagtcctg	ctccagcgctc	caggctggag	tgcagtggtg	caatctcggc	129000
tcactgcaac	ctccatctcc	caggttcaag	caattctcct	gcctcaggcc	tcccagtag	129060
ctgggattac	aggcgctcac	caccatgcct	agctaatttt	tatagttttt	agtagagatg	129120
gggtttcatc	atgttggtcca	ggctggctct	gaactcctgg	tctcaagtga	tccgtctgcc	129180
tcggcctcct	agagtgtctga	gattacaggt	gtaagccact	gcacccagcc	ttatgcatta	129240
taattttta	ttgtaaactg	tacaaaggga	taataactgt	agtacaacaa	gaagtaaaaa	129300
ctttgtttat	aggtagttaa	catttgtaac	cagttagaata	ataggtaaaa	tttatttatt	129360
taaaacagtt	ttagtgtgat	ttgatttcaa	ctttaaaaata	atgcttttca	tctctatcag	129420
gtctttttgc	ctggcttttt	gtccagcaat	ctttattata	aatatttgaa	tgatctcatc	129480
cattcggttc	gaggagatga	atgttctgggc	gggaactgtg	cgctgactgc	tcctggctct	129540
gttggccctc	ctgatgagtc	tcaccagggg	agttctgaca	gctctgcgtc	tcaggatttg	129600
actgattgcg	tctgccatta	gggagaaaaag	catcacatc	ctttccttca	catcccagta	129660
acagatccta	ttatttgtaa	attttaagtt	gtggaaaaaa	aagataaaag	ccaggcacag	129720
tggcctgtgc	ctgtaatccc	agcacttttg	gaggctgcgg	tgggctggatc	acacgagggtc	129780
aggaattcga	gaccagcctg	gccgacatgg	tgaaccacca	tctctactaa	aaatacaaaa	129840
attagccggg	catggtggca	ggcacctgta	atcctagcta	cttgggaggc	tgaggcagga	129900
gaatcgcttg	aacccaggag	gcagaggttg	caatgaacca	aaatcacgcc	actgcactcc	129960
agcctgggtg	acaaagttag	actgtgtctc	aaaaaaaaaa	aaaaaagaga	gaaataaaat	130020
tagcttactt	actatcttct	aatcaaagca	tttgtggtaa	cttaaaatat	actgtattgt	130080
aaagtatcat	gctgtttcat	ttaggccatt	atcttatttg	aatctgtggc	tggtttctct	130140
aataaatcaa	gtaatatgga	atataattcat	agcctctgaa	gagctcttta	tgtaagtatt	130200
tatttaggat	actttttgta	aaataagtga	atgaattctt	aggtctcctt	tttttttctt	130260
ttcttgagac	agggctctct	cgctgcaacc	tggaaattct	gggctcaa	aatccaccca	130320
ccacagcctc	ctgaatagct	gggactagag	gcactgacca	ccacgcctgg	ctaatttgaa	130380
attttttttt	ggccaggcat	gatgggtcac	gcctgtaatc	ccagcacttt	gggagaccga	130440
ggcaggcaga	tcacgaggtc	gggagatgga	gaccagcctg	gccaacgtgg	tgaaaccccg	130500
tctctactaa	aaatacaaaa	attagctggt	tatgggtggc	catgcctgta	atcccagcta	130560
cttgggaggc	tgaggcagga	gaatggcttc	aaccaggag	tcggagggtg	cagtgaagccg	130620
agatcacgcc	actgcactcc	tgcatgggtga	cagagtgaga	ctccatctca	aaaaaaaaat	130680
tttttttaaa	tgatggagtc	ttgctgtgtt	gctcaggctg	gtcttgaaac	cctgacctca	130740
aatgccgcct	gcttcagcct	aagtttcttt	tttttttgta	aagagacagg	gtcttgctat	130800
gttggccagg	gtagtctcaa	actcctggct	tcaagcagtc	ctcccacctt	ggcctctcaa	130860
agtgcctggga	ttacaggcgt	gaaccactac	ctataatgtt	gtgtttcact	caaggccttt	130920
tgatttcggt	ttgcattacc	gtgccacatt	gtgcatttcc	ttgacctttt	ttgggttttt	130980
tggagtgcct	tcatatgtta	aaccatacct	gattctcctc	aaaatcacac	aaagtagaat	131040
atcctaagac	aagaaatcta	aggaggcata	aagaagttaa	ctggttttat	taaactcaca	131100
cagtaaatga	tagagccaga	aatattcccc	ttctagtgtt	cttcaccatc	agcttaatgt	131160
agcataataa	ttttctaat	actgttgaca	aataaataac	cctttgaatt	ttcaatactg	131220
ggccttggtg	aaattttcct	aatttgtaag	agagtattat	cgtattgcca	tttacaagac	131280
tctcctgagt	atctttttct	tctgttaagt	ttaccttaga	gataaaactgc	tgagtatggt	131340
tgccattttg	gttttttgat	ataggttaga	atgtcttggg	tttttttttt	tttttttttt	131400
gtttttgttg	ttgtcattgt	ttgagacagc	atcttgctct	gtcgcccagg	ctggagtgc	131460
atggcacgat	cgtggctcac	tgcaacctcc	acctcccggg	ttcaagcaat	tctcctgcct	131520
cagcttcctg	agtagctggg	attacaggga	tgtgcaacca	cacctggcta	atttttgtgt	131580
tttttagtaga	gaaggggttt	caccatgttg	gtcaggctgg	tattgaactg	ctgacctcat	131640
gatccacctg	cctcgccctc	ccaaagtgtc	gggattgcag	gcatgagcca	ctgcacctgg	131700
ctgaatgtct	tgtttttgat	taggcactta	agaaaggcct	aggtactaac	cataaaatat	131760
atttttatac	ctttttgttg	tactatatat	atagaaaact	gcacttatca	taaccttaga	131820
caccttggaag	aatgttcaca	agcagaacta	acctatgtga	cccagcatcc	agatcaaaaa	131880

53/122

cagcattatc	agccccctcta	gaagccctct	tgggcccctt	ccattcactg	tccttcttgt	131940
caccagggta	gctactatcc	tgacttttga	tggcatagat	tagcattacc	tggtcttgtc	132000
atttlataaa	taaaaccata	ctgtgtattc	ttttcttgta	cagctttatt	gtgctaattc	132060
acatttacat	catacaattc	agtgggtttt	atatggtcac	agagtttaggt	aaccattacc	132120
acatcgattt	tagaacattt	ttttcactcc	agatagaaac	cccctttact	taaactccaa	132180
atccccact	ccaccagccc	taggcagcca	ctagtctact	ttttatctct	atagagacaa	132240
tagatttgct	tattctggac	atttcataaa	catggaaccg	tatattatgt	ggtcttttgt	132300
tgccaactgt	ctttcactta	gcacatgtg	ttcaaaagag	catcatgtta	tccatgtttg	132360
gcatgtatca	gaattttatt	cctcattatg	gccaaatata	ccattgcaag	gatttatgac	132420
attttatttg	aattgtaccc	tcctttctgc	catttatcaa	taatgctact	gtgaccattt	132480
gtgtacaagt	ttttgtgtgg	atacagggtt	tctttttgtt	tttaaatttg	aggtggagtc	132540
ttgctctgtc	gcccaggctg	gagtgcagtg	gcacaatctc	ggctcactgc	aacctctgtc	132600
tcctgggttc	aagcagtatt	cctgcctcag	cctcccagat	atctgggact	ataggcacgc	132660
accaccacgc	ccagctaatt	ttttagttag	gatgggtttt	caccatgttg	gccagctctg	132720
tctcqaactc	tgacctcaa	gtgatccacc	catctcggcc	tcccaaagtg	ctgggattac	132780
aggggtgagc	cactatgccc	ggctgtggtt	ttcatttctt	ttgttgtata	tacataggag	132840
tugaatgtgt	gagtcaagag	gtaactctta	aacttattga	aaaactgcc	gattgttttc	132900
cgaaaagtct	gcaccatttt	gcaatcccac	cagcaggtga	tgagttttac	agcttctcca	132960
catttcattg	gaacttatta	tctgtttggc	tgtttttaaa	aatgatagtc	attccaataa	133020
gttctacttc	agtgtgggtt	ttgcacttct	ctgatgagta	atgatgttga	gcactttttc	133080
atttgcttat	tggtctttgt	tctagctttg	gaaaaatgtt	tattcaaata	ctttggccat	133140
ttttattttt	atttattttt	ttttgagacc	aagtctcact	ctgtcagcca	133200	
ggctgagtga	caatgggtgtg	gtctcagctc	actgcaacct	ccgcctcctg	tggtcaagtg	133260
atttctctgc	ctcagcctcc	cgagtagctg	ggattacatt	tcaggcacct	gccagcatgc	133320
cgggtgattt	tttgattttt	tactagttag	aggggtttcac	catgttagcc	aggctggtca	133380
caaatctctg	acctcaggtg	atctgcctgc	ctaggcttcc	caaagtgtg	ggattacagg	133440
cgtgagccat	tggtggccagc	ctagattttc	ttttttcttt	ttttttttga	gaaggagtct	133500
tgctcttgtt	gcccaggctg	gagtgcaatg	gcacaatctt	ggctcactgc	aacctctgcc	133560
tcctgggttc	aagcgatttt	cctgcctcag	cctccccagt	agctgggatt	acaggtgcct	133620
accacacac	ccagctaact	tttgtattat	ttttagagac	agggtttcac	catgttggcc	133680
aggtctgtct	caactcctga	cctcaggtga	tccacgtgcc	ttggcctccc	gaagtgtctg	133740
gattaccggc	atgagctacc	aggcccagcc	aattttctca	ttatattgcc	caggctgggtc	133800
tcaaactcct	gggttcaagt	gatcctcctg	ccttggtctc	ccaaagtgtg	gggagtacag	133860
gcgtgagcca	ccttgctcag	cccctttgcc	catttttaaa	ttagattgcc	tttttatatt	133920
gagtttcagg	agtcctttat	atattctaga	taaatggctc	ttatcaaatt	atattatttc	133980
caggtatttt	cttcattctg	tgagttgtct	ttcctctacc	ttttaaaaaa	ggtgggtttt	134040
tgtttgtttg	tttgtttgtt	tttttaagat	aaggtctcat	tctgctgccc	aggctggagt	134100
gcagtggcac	aatcacagct	cactgccacc	tcaacttctt	gggcccgaagt	gatcctctta	134160
cttcagctc	ctgaatagct	agggccatag	atacacacta	tcacacccag	cttttttttt	134220
ctgtttgtag	agacagatct	tactgtgttg	cccaagttgg	tctcaaactc	taggctcaaa	134280
gtgattctcc	cacctctgcc	tcccagagtg	ctgggattac	agggtgtgagc	cacacgcaac	134340
ctgtcttttc	actattaata	gtgtcttctt	gcttcagcct	cccagtagtc	tggttttaca	134400
ggcacccacc	accatgcctg	gctaattttt	ttgcattttt	agtagagaca	gtgtttcacc	134460
atgttcaccc	ggctgggtctt	gaactcctga	cctcaggtga	ttcacctgcc	atggcctccc	134520
aaagtgtctg	gattacaggc	gtgagccact	gcacccggcc	aaaatatgtc	cttcttaaca	134580
gtattgtctt	ctaatttgtg	aacatggatg	tatcttcatg	tatttatgtg	ttctttcatt	134640
tcagcagaat	tttgtagttt	tcagagtaga	agcctttcac	ctccttgggt	catttatttc	134700
tatgttttaa	gttcttttgc	attccattat	aaatagaatt	gttttcttaa	tttcattttc	134760
agattgtttg	atgagagagc	atagaaatac	aagtgatttt	tacatgttga	tcttgcaact	134820
tcaactttga	taaatctgat	tgttagctct	aatagttttc	ttgtggattc	tttaggattt	134880
tcaatatata	agatcatgtc	atttatggat	agagatagtt	ttttttctgg	ctagaactta	134940
cagagcaatg	atgagttagaa	gtggcagaag	caaaaatctt	tgtcttggtt	cctatctgac	135000
agggaaaagc	ttcagtttca	tcatttaata	tgatgttagg	tgtgggtttt	caataaatgc	135060
cttttttcag	attcaggaat	ttccctatca	ttcctgattt	tttaaggctt	tttttttttt	135120
ttaaatcatg	aaaggggtgtt	gaatattgtc	atgttctttc	tgtatcagta	taaatgatcc	135180
tatggatttt	gggtttttatt	ctgttgatgt	gaaattttaa	ttgattttca	gatgttaaac	135240
caaccttgca	tacctgagat	gaatctcact	tggtcatggg	gtataatctt	ttcaatatgc	135300
tgctggattc	catttactgg	tattttgttg	aagattttgt	atctgaacgc	ttaagataac	135360
atttacactc	tatcagaaat	gaattgacca	taaatgtgag	agtgattttg	tgggttcttg	135420
attctcttcc	attccaaaga	tagacataca	tccgtctgta	tgtctgtctt	tatgccagta	135480

54/122

ccataactctc	ttgattacta	ttgcttttga	ataagttttg	aaatcagaaa	gtataaatga	135540
gatttttggtg	tctgagtaac	agtccctcata	gaattagttg	ggaaatattc	cctcttttatt	135600
ctgggtccctc	tttctttttt	gttttaactgt	gtatcttgga	gattgttcct	tctcaacaca	135660
tgagagccgc	tttccctacc	ctcccacccc	tgctatagag	aggtctataa	gtgtctgttc	135720
aattattttta	tttacttaac	ctattactta	gtcggggaca	ttaagcttgt	ttatgtcttt	135780
tatttttaaac	aatgctgcag	tgaataatct	tgtatataag	tcattttcca	tcaatataag	135840
tctctctgta	actgaatttt	tagaagtggg	atctctaggt	caacctatgg	ctctgtattt	135900
cacaaaaata	ccaattctgg	tttttcttgt	ggaggtgggg	agtagggagt	agaatgctgg	135960
aggagaactt	gctgtactca	gctggctagt	catttttagaa	aggtttcctt	agcttctttt	136020
tgtcatatgg	cctcaccaag	aatcaaaaaac	atctctattt	accctgtaaa	catggggctt	136080
tactacccaa	gatacatatt	tctggatgta	tgacagcttt	tcatattgaa	gaaataatgc	136140
tgtgagtaca	gcacatttgt	tggaaacttag	gtcgttaaga	atgtcttata	aattcataca	136200
ttatacatatt	tatttttatt	tatttttttag	tttttgatac	agagtcttcc	tctgtcgccc	136260
aggccagcgt	gcagtggtag	aatcttggct	cactgcgacc	tccatctcct	gggctcaagt	136320
gattctcatg	tctcagcctc	cagagtagct	atggttacag	gcatgcacca	ccatgcccgg	136380
ctaatttttt	tatttttagt	agaaaactggg	tttcaccata	ttgaccatgc	tggcctcgaa	136440
ctcttggcct	caagtgatcg	gcctgcctca	gcctcccaaa	gtgctgggat	ccttgtattg	136500
ggtaaaagat	gaatattgag	ggctgcatgg	tggctcatatc	ctgtaatccc	agcactttct	136560
gagactgagg	tgggaggagt	cctggagccc	aggagggtga	ggctgcagtg	agttgtgatc	136620
gcqccattgc	acttcaacct	aggaattata	ggcttcagtc	actgtgcccg	gcatgtacat	136680
tttaaatattg	tgctttcttc	ttttagctat	agtagtaggt	tacatttcag	agtcattggt	136740
gttaagcatc	tttaaatgta	tgaggttgag	tgaaagtttac	ttctattttca	aacactgaag	136800
aaaaatttgt	acaaatctgt	cacattccaa	gcccaggact	gattgtttca	tatacttcta	136860
attttacaat	ttctattgta	gtccagtggtg	aaaaaagcca	gtattaaaaat	actgaaaaat	136920
tttgatgaag	cgataattgt	ggatgcgggc	agtctggatc	cagaatcttt	atatcaacgg	136980
acatatgccg	ggtaagctta	gctcatgcct	agaattttta	caagtgtaaa	taactttgca	137040
tcttttaaat	tttttaatta	aatttttcat	ttttttctaa	tctattatta	tatgcccgag	137100
actttcactt	agagtgtgca	gtataatgtg	gtggttaagt	ataaaggctc	tggagtgact	137160
tcttgggttt	taatcttggc	tctgccattt	attggcagcc	gctaacctct	tggatatctca	137220
gtttcttcat	agaataataa	gtcgtgctac	agtaaaaaga	tgccaacatc	atttactctg	137280
gyctgcataa	ctgatacttg	gaaaaagtat	tccttttagt	ttagaatta	agttggttat	137340
tcatttttagc	ttgtaataaa	aagatagtga	ttcataggat	atgccactta	ctgaaattta	137400
ccacagatcc	aatcataaaa	tcactttctc	ttccctaagg	atagcttgat	taacatgtaa	137460
aggtgtgtaa	aggcttgatt	acactaccct	gatccgtacc	ccagttccca	gcagcaccat	137520
gaaaaaggga	tttcaacata	tttaattact	ttcagtagaa	agtaacagtg	gtaggccagg	137580
cgcagtggct	cacacctgta	atcccagcac	tttgggaggc	cgaggtgggc	ggatcacgag	137640
gtcaggagat	tgagaccatc	ctggctaaca	cgatgaaacc	ccgtctctac	taaaaaatata	137700
aaaaattagc	cgggcatggg	ggcaggcacc	tgtagtccca	gctacttggg	aggctgagac	137760
aggagaatgg	cgtgagcccg	ggaggcggag	cttgcatgta	gcttagattg	tgccactgca	137820
ctccagcctg	cgcagtggag	cgagactctt	gtctcaaaaa	aaaagaaagt	aacagtggta	137880
ttgggagact	gaggagccta	gaaagtactt	gaaggaaagta	aaaggtttgt	ttgaccacat	137940
tgtatttgga	aagccagctt	tttcagctgt	gtcagctttg	tgtagtgatt	tttagttctt	138000
ctttttagaaa	ataacggaca	aggccggggca	cggtaggtca	cgcctgtaat	cccaccactt	138060
tgggaggccg	agacgggcgg	attacctgat	ctcaggagtt	cgagaccagc	ctgggcaaca	138120
tgggtgaaacc	ccgtctctac	taaaatacaa	aaagttagcc	gggcgtgggtg	gcgtgtgcct	138180
gtagtcccag	ctactccgga	ggctgaggca	ggagaattgc	ttgaaccggg	gaggcggagg	138240
ttgcagtggg	ccaagatcac	accattgcac	tgacgcctgc	gcgacagagt	aagactctgt	138300
ctcaaaaaat	aataataaaa	taaaaaagaa	tggacagtga	acctaaatga	gttcattccc	138360
aaagatgatg	ttattcttaa	gggatgggtc	atttatttaa	gaccttacat	aaagtctatc	138420
aattgcgtga	tttttctatt	ctgtaattgt	gtgtatgtat	aatgtaaata	tatatgtttt	138480
tgttttgttt	tggtttcttg	agacggagtc	tccgtctgtt	gctcaggctg	gaatgcagtg	138540
gtgcaatctc	agctctctgc	aacctctgtc	cccagggttc	aagcgtttct	tctgcctcat	138600
cctcccaagt	agctgggact	acaggcacgt	gccaccacgc	ccggctaatt	ttttgtattt	138660
ttagtagaga	tgggggtttc	ccgtgttagc	caggatgggtc	tcaatctcct	gacctcgtga	138720
tccaccgcc	ttggcttccc	aaagtgttgc	tattacaggc	atgagccacc	acaccagca	138780
tgtatctttt	aaatgtataa	aatgaagcag	aaaagagaaa	tgataatttt	tcttcattctt	138840
gaaagattat	cttcaccagg	cgcagtggct	cacacttgta	atcccagcac	tttgggaggc	138900
ctcggcaggc	ggctcacttg	agttcgaaac	cagcctggcc	gacatgggtga	aactccgtct	138960
ctactaaaaa	taaataaata	aagatgggtt	taatatatgt	tttagtttta	tgatttttagc	139020
atctttctga	aatttttctc	aaggcaagta	aatttgtatc	agttggtata	ttggtacca	139080

55/122

tctatgaaat	aacttattag	gaagatatct	ctaaaataag	atcactttgc	ctaaaaataa	139140
ctgatatatt	gatgttcaca	gaatttttct	tttaaccgac	ttgataaatg	cattatttctt	139200
gacgtcaagt	gatccacctt	cctcagcctc	ccaaagtgtc	gggattacac	acatgagcca	139260
ccgcacctgg	cattatttctt	ataaaaaggtt	aaattttctag	ttaagttaa	tgtcctcttt	139320
gttcatgtac	cattgtctat	tttcttccct	tcctactcac	agtaatcatt	cttatggat	139380
gcacttttgt	ttgtctat	ttatgtaatt	gatattacgc	tccattctgt	acgttgact	139440
ttcattcaca	gtgagttttg	gacattccta	tgttcactta	tacagactta	cttcatttta	139500
actacactgt	agtattccgt	atgtaatat	tactataact	catcactgta	gcagagcatc	139560
tcatagtgtg	tgtattactg	ttttgccatt	ttggtatcaa	tgagtattta	agtcatttgc	139620
agtttttccc	tcttataccc	agtattacag	aggatctctt	tttatatgct	tctttgtacc	139680
aagaggcaga	ttaaaaaatt	tttttttgaa	aaaatttttg	aaaaaaaatg	aatgaagtc	139740
tcactatgtt	gcccaggctg	gtctcaaact	cctagggtca	agcaatcctt	ccatcttggc	139800
ctcccaaagt	gctgggggta	caggcatgag	ccaccatgac	tggcctacat	tttaattttt	139860
gatagctctt	acaatttact	ttgtaaaagta	ttgtcatcat	tttatgttct	caccagtctt	139920
taataagaat	acttcatact	tttggctgga	cacagtggct	cacgcctgta	atcccagcac	139980
tttgggagge	cgaggcgggc	agatcaagag	atcgagacca	ccctggccaa	tatgggtgaa	140040
ccctgtctct	actaaaaata	caaaaattag	ctgggctgtg	tggcgacccc	gtagtcccag	140100
ctactcgaga	ggctgagaca	ggagaatcac	ttgaaccggg	gaggtggagg	ttgcagttaa	140160
cttagatcac	accactgcac	tccagcctag	caacagagtg	agactctgtc	tcaaaaaaaa	140220
aaaagaatac	ttcagactta	attttttttc	cagtcttaag	tgtttgctaa	tgagattgag	140280
tttcttttgg	tatgtctctt	gattgttcag	gttttttctt	ttatgaattg	actgttcac	140340
tctttttcac	attatttctg	ttgggtgatt	ttattagtga	cttgttaaaa	ttctgtatat	140400
tttttcagca	tgacacttca	ttattcaaaa	aaaaaaaaag	attctctatg	ttctctgata	140460
ctaatacattg	gttggttaata	ccttaaaaat	aagaccctta	ctgtattttt	tgtttttttt	140520
tttttttttt	tttttttttt	tttgagatag	agtcttgctc	tgttgcccat	gctggagtg	140580
aatggatgta	tctcggtctc	cagctcactg	caactgcaac	ctctacctcc	ctgtttcaag	140640
caattctctc	gctctagcct	cccaagtagc	tgggattaca	ggcatccacc	accacacca	140700
gctaattttt	gtatttttag	tagagacagg	gtttcaccat	gttggccagg	ctggtctcaa	140760
actactggcc	tcaagtgatc	cgctgcctc	ggcatcccaa	agtactggga	ttacaggcat	140820
gagccacagt	gcctagccac	tttttgcttt	tttaactttgt	tttatagtac	tatagtttta	140880
gtataaacag	atgtatgtat	acacacaact	atggctttat	aatatgtttc	agtcattggt	140940
agagcaaggc	ctaccttttg	ggtgcttctt	ttacaaaatt	gtcttggtta	ttcttggtcc	141000
ttttttctta	tttgtgaatt	ttagaattgt	gaattacctg	ttgactcacc	atgttttgta	141060
aactgaggat	tttgaatgga	attgcactca	attaaagatt	atcttgcttt	ctgtgcagca	141120
atgttttatt	tcaaataatc	cctactttta	attacttagg	atagctataa	attgtgtttc	141180
tggcttttcta	gatttagatg	aaacgcttta	aattgattgt	tttctcctaa	atttaaaact	141240
gattgttaga	agttaaagtc	ttctgttcat	tcttatttag	gaagatgaca	tttgggaagag	141300
tcagtgaact	ggggcaattc	atccgagaat	ctgagcctga	acctgatgta	aggaaatcaa	141360
aaggtttgtg	tggtttttat	acttcatatt	aagcctttac	tcacattagt	gattgactgt	141420
aagtcaaaga	ccacttaagg	tttaaaactgt	ttattttgta	aagtaaccac	tgtatctttc	141480
accttggtgt	tatagtcaga	agtaagtaca	agggcttcct	gtagtccat	ctttatgcaa	141540
tctcctctga	atcaaaagtt	agtgaacttg	ccttgccact	ccagaaggca	catgaatatg	141600
aaaaagcatt	gtctattttc	ttatttaatg	gcaaaaatac	cgacctaaat	tggacttaat	141660
gtttgagacc	gtttatttta	ttaaattata	ttttttctct	tttctttttt	ttttttgaga	141720
cagttcttgc	tctgtcacc	agaccggagt	gcagtggctc	gaccgcacct	cactgcaacc	141780
tctgcttctc	aggttcaagc	gattttcctg	cctcatcctc	ctgagttagt	gggactacaa	141840
gtgctgacca	ccacacctgg	ctaatttttg	tatttttagc	agagatgagg	tttcaccacg	141900
ttggctaggc	tggctctcata	ctcctgacct	caagcaatcc	atccgccttg	gcttcccaaa	141960
gtgctgggat	tacaagtgtg	agccaccatg	cctggcctta	ttaaattatt	tttattaaat	142020
ttcctcaaga	ttgatgaaag	taatgaaata	taaaagtaat	gaaatatatg	tggaaaatag	142080
actggattaa	gaaaatgtgg	cacatataca	ccatggatac	tatgcagcca	taaaaaagga	142140
tgagttcatg	tcctttgtag	ggacatggat	gaagctggaa	accatcattc	tgagcaaaact	142200
gtctcaaggga	tagaaaacca	aacaccgcac	gctctcactc	ataggtggga	attgaacaat	142260
gagaacactt	ggacacaggg	tggggaacat	cacacgctgg	ggcctgtcgt	gggggtggggg	142320
gctgggggag	gaatagcatt	aggagatata	cctaataata	atgacgagtt	aatgggtgca	142380
gcacaccaag	atggtagcatg	tatacatatg	tacaataatg	gcacgttgtg	cacatgtacc	142440
ctagaactta	aagtataata	aatttaaaaa	aaataaatat	atgtggaaaa	tattaatagg	142500
tcaaaattca	aattgttcat	ttaatcagaa	gagtagttta	gtcaaattca	aggggttagac	142560
aacagaaatc	ttttttgtca	agtgcattct	ttgtgactga	tttcattttc	ttcctgggtt	142620
acacaggaag	atttcagaaa	caaagtgtga	tccgtgacag	atggatatcta	gaagttttta	142680

56/122

gtttggttga	attgacagta	ttttatttga	taaaagatac	taattttttgt	aagaagaaaa	142740
attcaatttt	gataagtatg	tttaagatta	agagctattg	gccaggcgct	gtggctcatg	142800
cctgtaatcc	tagcactttg	ggaagctgga	gcaggtgggt	cacgaggtca	agagattgag	142860
accatcctgg	ccaacatggt	gaaacctgt	ctctactaaa	ttagccaggc	gtgggtggcac	142920
atgcctgtgc	acccgcctcc	gggttttaagc	gatcctactg	cctcaggctc	ctgagtagct	142980
gggattacag	gcgccatggc	taatttttgc	attttttagta	gagacagggt	ttcactacat	143040
tggccaggct	ggtctggtct	caaactcctg	acctcagggtg	atctgcccgc	cttagcctcc	143100
caaagtgtcg	ggattacagg	catgattcac	catgtctggc	catttatctt	attttctttt	143160
tttttttttt	ttttgtttga	gacggagtct	tgtctgtctg	cccagagctg	gagtgaatg	143220
gtgcatctc	agctcactgc	aacctctgcc	tcctgggttc	aagcaattct	cctgcctcag	143280
tcttccaagt	agctgggatt	acaggcgctg	gccaccacat	ctagctaatt	tttgtatttt	143340
tagtagagac	agggtttcac	catgttgggc	aggctgggtc	cggaactcct	gacctcgtaa	143400
tctgacacac	tcggccttcc	aaagtgtctg	gattacaagt	gtgagccact	gtgcccagcc	143460
atcttatttt	ctttcttttt	ttttgtcggg	tggtgagggg	acagagtcta	gctctgtcgc	143520
caggcttggc	tcactgcaac	ctctgcccc	caggttctag	caattattct	gcctcagcct	143580
cccaagtaqc	tgggattata	ggcacctgcc	accacgcctg	gctaattttt	tggtattttt	143640
agtagagatg	gggtttttgt	atgttgacca	tgttggcctc	aagtgatccg	cccaccttgg	143700
cctcccaaat	tactgggctt	acaggcgtag	gcttgatttg	ggtaaaaagaa	caatatggg	143760
ggctgcatgg	tgggtccatac	ctgtaatctg	agcactttgt	gagactgaga	tgggaaggagt	143820
gttggagccc	aggaggggtga	ggctgaggct	gcagtgaatt	gtgatcacgc	cattgcactt	143880
ccacctagg	aatggagcaa	gaccatgtct	ctaaaaaaca	aaacacaatt	tttttaagga	143940
atactgggaa	gagggtcagtg	gtgggttttag	aacagaggaa	gtgccagatg	acctttgtga	144000
ggcattggcc	aggaagaact	ctacagtgct	tttaggttag	ttctgtccat	aaggataatg	144060
gggtctcctc	cccagtatta	atagaaaatc	tctgagctgt	ttttttttgt	ttgtttgttt	144120
tgtttttttt	tcttgagatg	gagtctctct	ctgtcgccca	ggctggagtg	ctgtggcgcg	144180
atcttggctt	ctgccaagct	ctgcctccca	gggtccacac	attctcctgc	ctcagcctcc	144240
caagttagctg	ggactacagg	tgtccaccac	cacgcccagc	taattttttg	ttatttttag	144300
tagagatggg	gttccaccat	gtcagccagg	atggtctcga	tctcctgacc	tcgtgatccg	144360
ctcgctcttg	ccttgcaaat	tgtctggagt	acaggcgtag	gccaccgtgc	ctggcctggg	144420
tttttttttt	ttgtttttta	tttattttat	tatttttttt	ttgagacaga	ctctcgctct	144480
gtcgccccgg	ctggagtgtg	gtggcacgat	gtcggtcac	tgcaagctct	gcctgccagg	144540
ttcaagccat	tctcctgcct	cagcctcctg	agtagcagg	accacaggcg	ctcgccacca	144600
cgccccgcta	atttttttga	tttttagaag	agacggggtt	tcaccgcatt	agccaggatg	144660
gtctcgatct	cctgatgtcg	tgatccgccc	acctcgccct	cccaaaagtgc	tgggattaca	144720
gggtgtgagcc	accgtgcctg	gcctgatttt	tttttttttt	taatctgggc	tcatacctct	144780
gacagctcat	gaagaagtgc	tctgtcttca	tatgtatatg	tgttagcata	gtgttaacat	144840
agcataggtg	ttcggtgttt	gcagtttctg	tttggttttat	atgaattaag	gtgtattatg	144900
agcagttgaa	gatattatag	aaattttttc	ccaaaccact	atctctgtct	gttctattca	144960
ttcagttctg	ttatgtttat	ccttcattca	ttctttttat	agaacagtgg	agtgcctact	145020
gtatgcattc	attgttcttg	gtcctgggga	agaaaacaaa	gttctctgct	tcattggaact	145080
tacatttatat	tggcggagac	agtaacagac	aaacaaatgt	agcctgtgta	catgtgttac	145140
atgaaaagca	gggtaggggg	ctgggagaga	gtagtaggga	gtgctatttt	cgagggtggt	145200
gtcaggaaaag	gcctcactga	ggaggtggca	ttttgagtag	acctgagcgc	agcggggggc	145260
taagcccagg	cagcatgtgg	aggaagagtg	ttcttggtga	aaggaacaag	gatagaggcc	145320
cgaagctaga	gagctcagca	tgatcaagga	acagcaagcc	ccgtgtggct	ggaatggagt	145380
gagcaaagga	atgagcagta	gaaggtgagt	gagttgggag	gtcaccagag	accatggcaa	145440
ggacttgaaa	gtgtcaggga	cacattggaa	gttgagcag	ggaaatgatg	ggatttatgt	145500
tttgtttttg	ttttatgttt	agtgttttta	agggattgct	ctatcagcta	tttggaatat	145560
ttagtgtagg	gcttcaagaa	gagaagcaga	gaaacaacat	tcttgccata	gtcatagtct	145620
aagtaagggg	tgatgggtgg	gtggattagg	ctggtagtgg	aagaccagtc	cagttcgggt	145680
tgtatttgaa	ggtagaggca	aaaagattat	atttctacca	gcaagcccat	ctatgaagtt	145740
acttgtatta	ttaatttaat	tgagacatgc	ccacataaac	taataaatag	gaatttctgc	145800
agtttggtta	aacacccttg	tatatcctgg	ttcttctttt	agttgtccag	atgtctcttt	145860
aagtcaagta	ttttttgggtg	gtgtaggagc	ctagagattg	aattttattca	cccaaaaggc	145920
atttgagtga	ttactattgtg	ccaggcacta	tgtctaatgc	caaggatgta	aataagaggg	145980
cgtagtctca	gtctgtttta	ctccagcttg	gttctttttt	aatgaccctg	acttgttaag	146040
catatcagtt	atcctacaga	atgtttaatc	ttctgtactt	tcttggttgt	gttattttagc	146100
ttatttctct	ttccttgaca	tttcttgtaa	actggaagtt	acacctatag	tcttgatgat	146160
tcgtgttaca	catttttagat	tagaacacat	catgtgttgt	atatggttgt	tttgaaagcc	146220
tctctgtata	ttggctctgta	cattaaaaatg	ttgcctgaat	ggatacacat	aaaatttaac	146280

57/122

agtgattaca	ttagagatga	gaagaaagag	gtgcctttta	cttttcaata	taccttttcc	146340
tctgcttttt	gaacttttct	gccctatgca	tacgttattg	cttaatcatc	cacctcatct	146400
cttccccctgt	ggctttctgt	tgcatttgga	atgaaatcta	gcctctttgc	tgttacctgt	146460
ggatgtccct	tgctggcctc	tatcacctta	ctttgaacca	ctcctttcat	ggactgagct	146520
ctcattggac	tatcttttat	tcttttgctg	aagtttcttc	actttgagtg	cctctgcagt	146580
tgctatttca	tggtctggtc	aagccctgct	atggctttca	tgcaaggatg	gttcctcctt	146640
ctcatctcaa	tattatctct	tcagagaggg	accttcccaa	ctccgatgat	ctaaaatcct	146700
ttgtatatac	cactcactac	cacttctttc	ttttcttttc	cttttatctt	tttttttttt	146760
tttttttttt	gagatagggg	cttgctctgt	tgcccagggt	ggaatcacga	ctcactgcag	146820
cctcatcttc	ttgggctcaa	atgatctctc	cacctcagcc	tctcgagtag	ctggaactgc	146880
aggcacacac	caccatactt	ggcttattat	tttacttttt	gtagagacag	ggtttcacca	146940
aggctggctc	caagctcctg	ccgcaagcaa	tccacatctc	tcagcctccc	aaagtattgg	147000
gattatagga	gtgagccact	actcctggcc	tattttctta	ttcactgtct	aaaattatct	147060
tgctcattta	ttttacatac	tgtttatagc	tattttctca	gctggacatg	gtgcctcaca	147120
cctgtaatct	caatactttg	ggaggctggg	ttggagaatt	ggttgagccc	aggacttcaa	147180
gacagcctg	ggcaacaaag	tgagaccctg	tctataaaaa	attgtttaaa	aattagctgg	147240
gcaggtggc	acatgcctgt	ggctccagct	acttgggagg	cagagggtggg	agaatcgctt	147300
ggcggcagg	ggcttgaggc	acggtgagcc	atgattgtgc	cactgcactc	tagcctagtg	147360
acagagtgg	accatgtgtc	taaaaagtaa	ataaaaaatg	tttctcttcc	atgactagaa	147420
tattacctct	atgtgggcag	ggagtttgct	tatactatct	ggcactatat	ttcctgattc	147480
tgaattatg	cctagcacat	ggtaagtact	ccttaaatat	ttattgactg	aattatttaa	147540
tacttaagaa	gattatctga	gtggtaagat	gtggtaagat	tacggattat	atztatgtaa	147600
qaaaaaatca	ttttttaaac	ttgggtgccc	tttgccacac	tgacatagac	actaagtttt	147660
cttagccaga	ttacttccga	ggatactcac	agaggccatt	ctcttctcaa	tccccaaata	147720
atfgatatct	cttagcactt	tcaagctaata	gcaattctta	gatgatgtat	ctgtgtatat	147780
catatcctca	ttctacaaat	gtagaaattg	aagtcctggg	acagtggctc	tcacctgtaa	147840
tctcagcagt	ttgggaggcc	aaggcgagcg	gactcactgag	gacaagagtt	aagaccagcc	147900
tgccaacat	ggtaaagcct	tgctctctatt	aaaaatacaa	caattagggc	cgggcgtggt	147960
ggctcacgcc	tataatccca	gcacgttggg	aggccaaggc	aggcagatca	cgaggctcagg	148020
agtctgagag	catcctggct	aacacagtga	aaccccatct	ctactaaaaa	tacaaaaaat	148080
tagccaggca	tggttgcaag	cgcttgtagt	cccagctatc	gggaggctga	ggcagctgaa	148140
tcccttgaac	ccggggaggcg	gaggttgcaa	tgagctgaga	ttgcaccgct	gaactccagc	148200
ctgggtcaaca	gaggggagact	ctgtctcaaa	aaaaaaaaaa	aaaaacaatt	agccaggcgt	148260
gggtggcgggt	acgagtacct	gtaatcccag	ctactaggga	ggctgaggga	ggagaatcac	148320
ttaaacccag	gaggtggagt	ttgcagcggg	ctgataatgc	accactacat	tccagcctgg	148380
gcaacagagt	gagactctgt	cttaaaaaaa	aaaaaaagaa	agaaaagaaat	tgaggaatgt	148440
ggagattgtg	gtctgtgatt	tgtaggaat	cacacagcag	gttagtagca	actacagggc	148500
tttgggtcag	aataccacct	tgacaatggt	ttgtttacag	ttcggtctcc	cttctctctc	148560
ctttctctcc	ttctttattg	agggcagctg	gaaagaattt	tcatacttta	ctagcctata	148620
gctttaattt	gagttttgaa	accttgataa	tagagcacag	aggaaaagac	tgagttttct	148680
ttttttgaga	cagtcttgct	ctatggccca	ggctggagtg	cagtgcacac	atctcagctg	148740
ggtgcaacct	ctgcctccca	ggttcaagca	attctgcctc	agcctctcga	gtagctgaga	148800
ttacaggcac	gtgtcaccac	gcccagctaa	ttttctgctt	ttgtttcggt	ttgttttttt	148860
ctgagatgga	gtcttgctct	gtcaccagc	ctggagtgca	gtggtgcgat	gttggctcac	148920
tcaaacctct	gtctcctggg	ttcaagcaat	tcttctgcct	cagcctcccc	agtagctggg	148980
actacaggta	cgtgccacca	tccctagttc	atttttgtat	gtttagtaga	gatgggggtt	149040
cactatgttg	accaggctgg	tctcgaaact	ctgatctcag	gtgatctact	cgtctcagtt	149100
tcccaaagtg	ctgggattat	tggcacacgc	ctatttttgt	attttttagta	gagacggggg	149160
ttcaccatgt	tggtagact	ggctctcaaac	ttctgacctc	aagtgatttg	cccgccccag	149220
cctcccaaag	tgctgggatt	acaggcgtga	gccaccgtgc	ccagccaaga	ttgagttttg	149280
aaaagagcct	tctgagatta	tgagaagggc	aagcaagata	acttaagaag	ttacattaaa	149340
atcatctaag	agacagtgtg	acaagaagga	attgttaaaat	gatgttatga	gcacgtgccc	149400
aatgtagtgg	caatcccttg	tgcttcgata	cattgggtggg	agacaaaact	gtacttaaat	149460
tgataaatcc	cttacatgtc	atttttaagga	gcttagactg	actcccatca	tgtagacatc	149520
agagatttct	tttttttttt	tttttttttt	tttttttttt	tttgtgacag	agttttgtct	149580
ttgtttccga	ggctggagtg	caatggcgtg	atctcggctc	accacaacct	ccacctccca	149640
ggttcaagca	attctcctgc	ctcagcctcc	cgagttagctg	ggattacagc	catgcaccac	149700
cacgcctggc	taattttgta	tttttagtag	agacgggggt	tctccatgtt	gtggctgggtc	149760
tcgaactcct	gacctcaggt	gatcctcccg	cctcagccac	ccaaagtctt	gaaattacag	149820
gcgtgagcca	ccgcgcccag	cccagagatt	tctaaacaga	gttctaacca	gatgcttttc	149880

58/122

cctgtcagta	gaatgagaat	gaattggagg	tgggagagac	tggcatgagg	gacaccagtc	149940
agccagtggg	attagctggg	aatgttgata	ggagaagaaa	aagattcaaa	gttaggtagt	150000
ggtagcaaga	attagagggg	aggctcggatt	tatgatattg	ccaagggttg	attctaagg	150060
gaaatttggg	ggcagatttc	atgtgtaaat	tgggaaggta	gattgagttt	ttttaacatg	150120
ggttttctaa	catgtcaata	gagtgactct	gcaggggggc	ctgacgagag	aacagtgc	150180
gggggtgatt	aacagccagt	tgagccttca	tgacagagcat	ttaacactgt	gactctgtag	150240
actctgggtg	gcagtaaaat	ttcattaaac	caatatttaa	acccttaggt	aataataaaa	150300
attgagggaa	aaggatccag	gttttgtatt	ttttatgaat	tcagttattg	aattaaacag	150360
gaccttgcc	caagaaataa	tctaccaaca	attaaactgt	tttaaagcaa	agttaggga	150420
tgagcatggt	caaattatta	aataaaaaag	taagctgtgt	atctcattca	tagaaaatga	150480
ggctggccta	cttcggatga	ttctcagcat	gtgattacag	atgtgggctt	atacatccta	150540
gggagttaag	gcgtactctg	gcttggatag	agtagagctc	tttgaaactc	ttctctcacc	150600
cagctagtgt	ataagagttt	gagaactaga	atagtagcag	atactctgtc	ttagaagccc	150660
ttttatatag	gagctgggtc	ggaagggttg	aaaacataac	aaatgtgttg	gtgtctccca	150720
atgtat'gct	agattcttac	ccaagagcat	tatcctgggt	agggtttgg	ttggttttgt	150780
tttgtttttt	aatgtttgcc	acaaactaac	actagatgtt	agttctttca	tcaagtggag	150840
agagtagaag	aaaagtccag	aactctgaaa	caccttttca	aaagtttttc	aagccatgat	150900
gtttgcaagt	taaatgctct	gttatgttaag	caatataatc	agttttttatt	aatgtaacat	150960
tccttagtgt	tttgggggtat	cacacaaaaa	agaatatcca	tatctggaag	caacagcttt	151020
taaataagag	cattgtgggtg	gtgggtgggtg	tagtgggtttt	tttttttttt	tttgagttgg	151080
agtctcgctc	tgttgcccag	gttggagtgc	agtgggcacga	tctcagctcg	cttcaacctc	151140
tgctcccagg	ttcaagcagg	tcttctgcct	cagcctcctg	agtagctggg	attataggca	151200
cctgctacca	tgccctggctg	atttttatta	tttttagtaga	gacagggttc	accatgttgg	151260
ccaggctggg	cttgaactct	taacctcagg	tgaatcaccc	acctcggcct	cccaaagtgc	151320
tggaaattaca	ggcatgaacc	accatggcca	gccaaataag	agcattttta	atgtaaaatt	151380
atgcatgaaa	cttaacctca	attttgtctt	gtttacttag	gatccatgtt	ctcacaggct	151440
atgaagaaat	gggtgcaagg	aaatactgat	gagggtaaatc	ctacctttag	gataaaaaaga	151500
tttctgttta	taagtgccac	cctcatgtaa	gtgagggttta	aaattttcc	tttctttagg	151560
tcccatgttt	aagcagcatg	gcacatttat	gttctcttac	ccagaatgta	ccaagaaagg	151620
gtgggtccctt	tttaacattc	aacaattgcc	tggtagtagc	agtgaaggta	tcttcagtca	151680
gaggctaggga	ccactgaagg	atatacatgc	atttcaagttt	ccatcagcca	gcaggcatca	151740
gtaatcagtg	tgtagatcaa	aagctcaa	gtttccctcc	ccactggcag	ttttacttca	151800
agtagtggag	gcttgctttt	ttaatagtta	attaagtaca	ttgagagatg	ggagggtgaaa	151860
aaaggaataa	gttttttttt	gaccatctaa	ttgaataagta	gttcgggtgtt	aggtatccag	151920
tagttgacac	tgggaagacag	ggaatgacat	gttaatatcc	atagccagag	gggtggcccag	151980
gttttttctg	acatgggaat	gaaattctta	tccaaataag	tagaaattat	gtgcgtaagc	152040
catttgttaa	gagcacttag	tatgtgcac	tgcattccat	taatgaataa	ccattatcac	152100
cagtttaaat	gtttttcttt	aggccaggga	agagctagct	tggaagattg	ctaaaaatgat	152160
agtcagtgc	attatgcagc	aggctcagta	tgatcaaccg	ttagagaaat	ctacaaagg	152220
aaggatgact	tcgttttctg	taaaactaaa	agtattattt	tccagggtgta	aaaaataaaaa	152280
agaacataag	gggtttcttt	gcctttgaag	gattaactgc	tgtgggggatt	accttcttat	152340
cataagcaac	tagaaaattg	acaaactaaa	tgaacaactc	gtttgcatat	attggacaat	152400
gggcaatata	gggaaccat	ggaaaccaaa	cagagcccag	tagtcttgct	gaacgaaaga	152460
gttaaatatc	aaagtccagg	ccagggtgcag	tggctcacgc	ctgtaatccc	agcacttttg	152520
gaggccaagg	cgggtgaatc	acttgaggct	aggagttcaa	gaccagcctg	gccaacatgg	152580
tgaaccctg	tcttagccgg	gtgtgggtggc	aggcacctgt	aatcccaact	atttgggagg	152640
ctgaggcagg	agaatcgctt	gaaccaggga	ggcggagggt	gcagtgaagg	gagatcacac	152700
cactgcactc	cagcctgggc	gacgagcgaa	acccattttc	aaaaaaaaaa	tcaaagttca	152760
gagagctcaa	tttgagttaga	agttgttagga	taaggtagca	gaaaagagga	agctgcccag	152820
aaagaaagcc	gtagagatat	ttagagagat	tcccatggat	ccttggccta	ggagtgatct	152880
gtatatgtgt	gggttgaaaa	cgcattgtgc	caggtagaga	acccccaga	aattagtagg	152940
ctgaatgatt	gctggaacat	agggctaaga	aaagttcatg	gccagaagga	tctggccaga	153000
gtagagagac	ttagttaatac	acaaggcatt	gggtagtgtc	ttcacagagg	ttatgcctta	153060
ctactgaaga	taaattagtc	ctagagtaca	agcacctgaa	ccaagtttca	aagcaaattt	153120
ttaaagggtc	aaattaccta	acaactgc	gccaataaac	aggcctaacc	ctctttacag	153180
taacacacaa	aaattcagca	cttcacagt	ttaaagttaga	atgtctgacg	tccaggctgg	153240
gcgcagtggc	tcattgcctgt	aatcccagca	ctttggggagg	ccgaggcagg	tagatgacct	153300
gagggtcagga	gttcaagacc	agcctggcta	acatgggtgca	accccgctct	tattaaaaat	153360
acaaaaactt	agccaggcat	ggtggccggc	acctgtgatc	ccggctactt	gggaggctga	153420
ggcaggagaa	ttgcctgaac	ccaggagggtg	aagggttcag	tgagccgaga	tcgcaccact	153480

59/122

gcactctggt	ctgggcaaaa	agagcaaaac	tcaggctcaa	aaaaaaaaa	gaatgtctga	153540
cgtcaatcac	aaattaccaa	gcatgacatg	aagttgacct	ataaccagga	gaaaactcaa	153600
tctatagaaa	cagaccagga	tgtgagaaag	atgatgaatt	tagcagacaa	agaccatcaa	153660
gtggctattt	taaatattaa	aaatatgttc	aagtggccag	gtgcagtggc	tcatgcctgt	153720
aatcccagca	ctttgggagg	ccaaggtggg	taggagttca	agaccagctt	ggccaatatg	153780
gtgaaacccc	ttctctacta	aaaatacaaa	aaaattagct	gggcatgggtg	gcaggtgcct	153840
atagtcacag	ctatatggga	ggctgaggca	caagaatcac	ttgaacccgg	gaggtggagg	153900
ttgaggttgc	agtaagccga	gatttgtgcca	cttgtactcc	agcctggaca	acagagttag	153960
actctgtctc	aaaaaaaaaa	aaaaaaaaagt	ttaaagaaaa	aagagtataa	tgagaaaaat	154020
gcaaaatagt	tttaaaagaa	ccaaatggaa	tttcttaaaa	taaaaaatat	cagaaatggg	154080
ggccggggcgt	ggtagctcac	gtctataatc	ccagcacttt	gtggggggctg	aggcaggcag	154140
atcacctgag	atcggtagtt	caaggccagc	ctgaccaaca	tggagaaacc	tcatctctac	154200
taaaaataca	aaattagctg	ggcgtgggtg	cgcattgcct	gtaatcccag	ctacttggga	154260
ggctgaggca	ggagaattgc	ttgaacccgg	gaggcagagg	tgcgggtgag	ctgagattgc	154320
accagtgcac	tccagcttgg	gccacaagag	tgaaactccg	tctcaaaaaa	aaaacaaaaa	154380
aaaacagtag	actcgaagaa	ctagctgagt	ttttctttac	tttaggcagt	aagtgtgacc	154440
ttttgcaggt	gactacttta	gttcctcatg	tcctcattag	tagatcagag	aaattcgaca	154500
ccaaaacccc	aaaagaaaaa	cccttctata	tccttattcc	atgattttat	gaatgcatga	154560
agtcctaggc	ctgcgaagga	atactcattc	tttctattcc	gtgttgatac	ctctctgctt	154620
caacctccaa	ctcgacattt	gcctatagga	tgtacttggg	cattcagcat	aaactacctc	154680
acaccattac	tgaattgctt	catgtgcaca	tgtcccatgc	cacaataaccg	gggaccttgt	154740
cttcctgtat	atttgtccgc	agtgtgtgta	ctacaggagg	gagtcagtga	atgtctgcac	154800
gtgtgtcttt	accatccctc	ttgaatatgc	tctagggtta	attcctagaa	gtagaattac	154860
tctattgaaa	attggcaata	tttttcattc	taatatctat	tgccaacatg	ggaaagcaag	154920
tctggatgcc	agtcccttgt	atatgcccct	tgggtaagtt	acgtaacctc	tttaagcttc	154980
tgttcaacta	tattttaaca	aggaaaatta	caatatttta	cctcacaaaa	ttgtagtcag	155040
cttctggctg	ttctaaactc	tggatataag	gtgttggtgt	ccatccttaa	155100	
tttgtaataa	taggtcactt	gttagagaaa	tgcaccttac	cattttcttt	tcttttcttt	155160
tttcagttat	gactcaaaac	ttgagataaa	ggaaatctgc	ttgtgaaaaa	taagagaact	155220
ttttcccttc	ggttggattc	ttcaacacag	ccaatgaaaa	cagcactata	tttctgatct	155280
gtcactgttg	tttccaggag	agaatgggag	acaatcctag	acttccacca	taatgcagtt	155340
acctgtaggc	ataattgatg	cacatgatgt	tcacacagtg	agagtcctaa	agatacaaaa	155400
tggtattggt	tacattacta	gaaaattatt	agttttccaa	tggcaataac	ccatttatga	155460
gagtgtttta	gcctactgga	atagacaggg	accacatcct	ctgggaagca	gataagcata	155520
gaactgtatc	tttgatgcaca	ctcgtagtgc	ctaactctcc	ctaactcagca	ttgtaaagca	155580
ggtgccagag	gtggtttgct	ttgtccctcc	aaagcagggtg	agtcagcccc	accgagagcc	155640
aggcagcttt	gagtggcagc	gtggtgctag	cagcttcagc	ggaacagggtg	gagagttaat	155700
tatgcagctc	tcttgacagc	ggcattaat	tgggaaggaaa	ctgacaagtc	atgggtcaag	155760
tttcagtgac	ttctctcttc	ctctgatggc	agatataagt	tttcacattt	taattcctcc	155820
tcttgagatg	cactatactt	aaaaccattc	tctccctgct	taacagaagg	gtgtgaattc	155880
ggtttacttt	gagcattagg	atttgcccct	ttggaattct	gcactccagt	tacttaactt	155940
tcccttcaga	atacatgtgg	aaagaaagaa	agaaatagcg	atgactccac	ttttgcccct	156000
gtggcacctt	gaacaaagca	gttcttccca	aattatactt	tttttttttt	taaataaggt	156060
gagcaggatg	actggggaga	gagaaacatt	tgactttgac	tgcttcccc	attctttgct	156120
gtgagctgga	aagtgtgcag	ttggtcgtct	ttcttctcct	ttcttttagga	tagtaagaga	156180
ctcactcact	gcacttctgc	tcagttggct	tctgcatcgg	gatcacacag	ccatcagcag	156240
gactgcccag	ttggtgagca	cactccattg	accacgtggc	gccagcgctt	cctcaatgca	156300
catgattgag	aggaaagaaa	gttctcttag	atgttactgc	ttttgctcag	actttgcaa	156360
aaaaaaaaata	tatatatata	tgtataaata	tataattatt	aatcactttt	gtccttgaga	156420
aagtcttgaa	tgaacagaga	atttattcca	ttgcaatatt	tgattgtata	gaggcacact	156480
gtttcatcga	cagaagaagc	aaaaaggctt	tgtgtaagtt	tttggtacta	tgtaccacct	156540
ctgttattct	tttaaagctg	aagtattcat	gtacttaaac	catattatat	ttaatttgtt	156600
ttgatttttaa	aatatatata	tatgaattct	attttaaatt	gtgtcaactt	tctgctttca	156660
gggcattttat	ggctcttctg	ttgaaatata	ttgatctttc	caaataattt	catttgcttt	156720
ctaaaaaccc	agaacatgag	ccactactgc	actttgcctt	gtggttgaaag	tgtatggcat	156780
aaacccaagg	tttttattag	tcacttatgc	tgtgattaat	tcattttggt	cttttaacaa	156840
aatattttcca	tccacttcac	attgcttcaa	tctttaacag	aaaagcaata	taaagggttat	156900
agaataaaat	gtggttttgg	gcaactcttg	ctgcctctgc	atgttttgga	ataacaattt	156960
ctacaagact	ctaggctggt	taaactagtg	ctttcagtta	agataaattc	taatcatttc	157020
tttgtatata	cattttgtgc	ttctgagcta	gagatgccaa	gtagttgtaa	actgcttata	157080

60/122

aagagaatag	cagcaaattt	gagactcggc	tacttttttc	tgccccacct	gctttgagac	157140
acagaagcgg	agtgtggccc	gaaattatta	gccagattta	atatttgatc	taaagtaggt	157200
ccttgtactc	attttaaagt	tggaaatttg	ttcctccaac	attgagcacc	caccatgttc	157260
caggctctgt	gcattgtgcc	cacaaaataa	gattccctgg	tggagttttt	atgggttcaa	157320
ataatcagtt	gaacaccctt	catctttatc	atgttgttga	cattgacaca	aattgtttaa	157380
aaagaaaaga	tattagagag	aaagtgggtac	ctttgttaact	tgatgtgtct	tcatcattcg	157440
gtaagatttg	atgaaagtaa	aaagcaaattg	tcagccaaat	ccagtgaaca	gcaataaaac	157500
agggagtaac	tttttataac	tttttctact	tggatttcaa	cattcagtag	agcttttctga	157560
aatgtaagta	gtttacagta	ctggagggtt	gactagtcca	gtaggaattt	ggaggggag	157620
gtcattctga	attgtaacaa	agtacaaact	tctttgtctgt	tttattttaag	tactgagagc	157680
taagcacctg	atgaagtgc	tgacctctct	ccagtgcag	tgtttgggta	cctgcctgac	157740
ttcaggagtg	gggtttatgt	ttctacacag	tgaccttttc	tctcgccctc	tcctccctct	157800
tgcccacaca	ccagtgtgatt	ggacctgggt	tgaactcctg	atccagacag	gcccagaca	157860
gttcttaagt	ttaagaattt	tggggccggg	cacggtggct	catgcctgta	attgcaacac	157920
tttgggaggc	cgagacaggc	ggatcacttg	aggtcagggg	ttcgaggcca	gcctggccaa	157980
catggtgaaa	ccctgtcttt	actaaaaata	caaaaattag	ctgggcatgg	tggcgcacgc	158040
ctgtaatccc	agctacgtgg	gtggctgaga	caggggaaac	gcttgaacct	ggaggcggag	158100
gttgttaaat	gagccagagc	cggtgcactg	cattccagcc	tgggtgacag	agggagactc	158160
tgtctccaaa	aataaaaaata	agaaaaagaa	ttttgggcta	ggtgcagtg	ctcacgcctg	158220
taattacagc	attttggaag	gcccagaatg	ggcagatcac	ttgaggacag	gagttcgaga	158280
ccagcctgga	caacatgggtg	aaactccatc	tctactaaaa	agacaaaagt	tagccagatg	158340
tggtgatggg	cacctataat	cctagctcct	cgggaggctg	ggcaggaga	atcactgaa	158400
cccaggaagc	agagattgca	gtgagccaag	atcacatctc	tgactccag	cctgggcaac	158460
agagcaagac	tctgtctcaa	aaaaaaaaaga	atttggccag	gcgcagtggt	tcacgcctgt	158520
aatcccagca	ctttggggagg	ccaaggcagg	cagatcacga	ggtcaggaga	tcgagattgt	158580
cctggctaac	atggtgaaac	cctgtctcta	ctaaaaatac	aaaacattag	ccgggtgtgg	158640
tgggtgggcac	ctgtagtccc	agctactagg	gaggctgagg	cagagggaagg	atgtgaaccc	158700
aggaggcggg	gcttgcagta	agccaagatc	gtgccactgc	actacagtct	gggagacaga	158760
gtgagactcc	gtctcaaaaa	aaaaaagaat	tttggccggg	tgcggtggca	catgcctgta	158820
gtcccagcac	tttgggagc	caaagtgggc	ggattacctg	aggtcaggag	ttcaagacca	158880
gtccggccaa	tatggcgaaa	ccctgtctct	tactaaaaaa	aatacaaaaa	ttagccaggt	158940
gtggtggcgg	gcacctgggg	aggctgaggc	agggagaaat	gcttgaaccg	gggaggcaga	159000
gggtgtagta	agccaagatc	gtgccactgc	actccagagc	aagactcttt	ctcaaaaaaa	159060
aaaaaaaaag	aattttgcat	ggggaaggag	agatactgtt	caccatctgg	aatggtgctt	159120
ggatgtggca	cttacaataat	caggagccag	catcgatggg	acaaacagaa	gcatgtgggc	159180
ctgagatagc	aggtaccttg	ataaccctga	agacatcctt	ggtttctgca	tctattcctg	159240
catccttgca	ttggactaca	ttaatctgtc	agttatcctt	ataatgattt	ttgatttttt	159300
ttttttgaga	tggagtttctg	ctcttgttgc	ccaggctgga	gtgcaatggc	acgatctcgg	159360
ctcaccacaa	cctccacctc	ccaggttcaa	gtgattctgc	tgccctagcc	tcctgagtaa	159420
ctgggattac	aggcatgctc	caccacacct	ggctaatttt	gtatttttag	tagagacggg	159480
gtttctccat	gttggctcagg	ctgggtctga	actcccaacc	tcagggtgatc	accctgtctc	159540
ggcctcccaa	agtgtctggg	ttacaggcgt	aagccatggt	acccggctctg	ttttttgatt	159600
ttttgaaacc	agtctgaagt	gagttttttt	aattacgtga	aaggagtttg	gctaaaaatac	159660
tgccatactg	ccctaattgcc	taatgattat	gtattctcag	catgtctgca	aagtactgct	159720
gatttctgga	gaataatttt	tctttagtaa	acttcaacta	agtcgtcatg	tgtattctct	159780
caaaatggta	tcctaacctta	atggagctaa	aagacacccc	ttgtttttat	aacaagcagt	159840
tactaggccc	caggaagggg	agaagtccct	ggcttcttag	atgatcacca	ttagaactca	159900
ggcctggggc	agtgcctttt	catgcttctc	agatccttcc	aaagaataat	gaagattata	159960
accgctttta	gcaattgtaa	taaaccacga	aatagaaagc	tttttggtta	gagtactggg	160020
agaagtttgg	cgggagagat	aattttttaca	aaatttgtaa	atacctgcca	attctatata	160080
ctaggcaagg	tctctggcct	tgtaaaaccc	ctcaaggtta	caactttggt	ggcccacact	160140
aatagttacc	cactgagccc	ctctccgggt	gaacattgag	cactagagga	agccccctctg	160200
cttgggcagg	actgggcgtg	gtgcagagta	ggagcgggtga	tactgtggat	tctgggcagg	160260
tggagatggc	cagtgtatgtc	caataaaggga	cactggagggg	agcagtgtga	gtaaaggccc	160320
tggagggcatt	catgttccagg	gaggggttgc	gcccactggc	ttgcttggca	cacaggagag	160380
tggtgattcc	tgccttagta	actttatgta	aacaagtatt	tcctcagctc	gttctctcca	160440
aactgcctgc	tctggcacat	tcagaatgtc	acagaactca	cctggatgca	ttcagccctc	160500
tgccataaagg	tgacagtgc	tctccttccc	cacccacccc	ctcataccac	tgaagcacct	160560
gtcagactgg	cccagtctgt	gggcaaggag	cctagagagg	gcttagtttc	agcttgaaag	160620
gagctgggat	ttaccaagaa	gcaaatgaga	gacgaggatt	gcaacaactg	tgccatttcc	160680

61/122

ccagcttcag	ctgactcctg	tatattgact	gtgccttcag	actcatccgt	aagtgacccc	160740
aggctggcct	ctccacatc	acagtaagaa	ttccacacac	catacaactt	ggaaagaggc	160800
tccagctgaa	ggaagcccca	cacttccttc	aagtttttct	tagtcttctc	ttcttggcaa	160860
agagtacctt	ttgtttcttc	taattatgta	actattgggt	tagtaaatat	tcacccattc	160920
agtccacctg	taagtggcag	gcactgttta	cagggaacaca	ggaaggaata	aaaacttgca	160980
ggcaccttgg	agcttgcaat	ctattgaaga	ggtaatggaa	gttgggtag	cagctaaact	161040
atgctggtat	tggccaggcg	cagtggctca	cacctgtaat	cccagcactt	tggaggccaa	161100
gggtgggcaga	tcatgaagtc	aggagatcga	gaccatcctg	gctaacatgg	tgaacccccg	161160
tctctactaa	aagtaaaaaa	aaaaattagc	caggtgtggt	ggcgggcgcc	tgtagtccca	161220
gctacttggg	aggctgaggc	aggagaatgg	tgtgaacca	ggaggcgaag	attgcagtga	161280
gccgagatgg	caccactgca	ctccagcctg	ggtgacagag	cgagactctg	tctcagaaaa	161340
aaaaaatatg	ctggtagtgt	tgattcaaga	tggcctttgg	agcccatgat	ttaggtctcg	161400
taccaccaa	ggtctactgg	aaaacatcag	gctctcctgc	tatagaccca	tagggagagc	161460
tgcagccgag	agggggagct	gaagagaagt	gccccttctg	tgtcctgtca	gcctcatcct	161520
tccgcaagga	ccagttgctg	tgccactcca	ttcacttgct	gcaagactgg	aggtttttcc	161580
tcaggtgttg	agcacctggt	ttacaagatg	tcagcatcct	gatgcctgag	accatcaagg	161640
caagtctctg	aacagggtct	accttagagt	aaggcttaga	agaggccgta	aagtcagtct	161700
cagctccgtg	gctctgcaga	gctttgggac	atgtgaattc	ttaaaaacaa	gactattgtg	161760
cagttactat	atgcatgcag	tataaaatta	taaccttgga	aaatcctagc	tagctgttga	161820
gctaattcca	taaagtaatc	agctcctgag	ttctgcagtg	gtaataataa	tcagcataat	161880
gagtaaacac	tgtgtgtgcc	aggcagcgtc	tcatttgatc	cttgtgataa	tcttghtaagt	161940
actgattttc	tcccttcttc	aaacaaagtt	tttttttttt	tttttagagag	ggtctcacta	162000
tgttgccccag	gctagtcttg	aattc				162025

<210> 36

<211> 162025

<212> DNA

<213> Homo Sapien

<220>

<221> mutation

<222> 156,277

<223> Nucleotide Base Change: T to C

<400> 36

gaatttcctat	ttcaaaagaa	acaaatgggc	caagtatggt	ggctcatacc	tgtaatccca	60
gcacttttggg	aggccgaggt	gagtggtgca	cttgagggtca	ggagtccag	gccagtcctgg	120
ccaacatggt	gaaacactgt	ctctactaaa	aatacaaaaa	ttagccgggc	gtggtggcgg	180
gcacctgtaa	tcccagctac	tcaggaggct	gaggcaggag	aattgcttga	acctgggaga	240
tggaggttgc	agtgaagcca	gatcgcgcca	ctgctctcca	gcctgggtgg	cagagtgaga	300
ctctgtctca	aaaagaaaca	aagaaataaa	tgaaacaatt	ttgttcacat	atatttcaca	360
aatttgaaat	gttaaaggta	ttatggtcac	tgatatcctg	tttcattctt	tatataatca	420
ttaaagtttga	aatgtatact	tgcactacta	acacagtagt	taatcttagt	cctacaagtt	480
actgctttta	cacaatatat	tttcgtaata	tgtatgcact	ggtgtttatg	tacgtgttta	540
tgtttatatc	tgttaaaatt	agcagtttcc	atctttttct	atcttgtacc	atcacatcag	600
ttcagaagga	ttgacagagc	aaaatgattt	gatgaagtat	aaaagtcaca	tggtgagtgg	660
cataaatata	actctgaaca	attaggaggc	tcactattga	ctggaactaa	actgcaagcc	720
agaaagacac	atatacctata	tgtcaagaga	tgtaccaccc	aggcagttaa	agaagggaag	780
tacacataga	aagcacatg	gtgaataatt	aaaaaattgg	aatttatcag	acactggatt	840
catttgctcc	taaagtcaga	gtcctctatt	gtttttttgt	ttttgtgggt	ttctttttta	900
atttttttat	tttttctaga	gtcggagctc	cactgtgtta	cccgggctgg	tctagaactc	960
ctggcctcaa	acaaacctcc	tgccctcagct	tcccaaagca	ttgggattac	agacatgagc	1020
cactgagccc	agcccagacg	cttttagcatt	tatgaagctt	ctgaaatagt	tgtagaaacc	1080
gcataagctt	tccatgtcac	tttcaaagtt	tgatgggtctc	tttagtaaac	caaccaagtt	1140
attcctcaag	ggcaaaataa	cattttctcag	tgcaaaactg	atgcacttca	ttaccaaaaag	1200
gaaaagacca	caactataga	ggcgctcattg	aaagctgcac	tcttcagagg	ccaaaaaaaa	1260
aggtacaaac	acatactaata	ggaacattct	ttagaagagc	cccaaagtta	atgataaaca	1320
ttttcatcaa	agagaaaaga	gaacaagggtg	ttagcaaatt	cctctatcaa	ataacactaa	1380
acatcaagga	acatcaatgg	catgccatgt	ggaagaggaa	gtgctagctc	atgtacaaac	1440
cagtagataa	tttcaacttg	ctgccgaatg	aaacctcttt	gcaagggtatg	aatcagcact	1500

62/122

tctcatgttt	gttttgtttt	gttttgtttt	gtttttagag	acaggccctt	gctctgtcac	1560
acaggctgga	gtgcagtggc	acgatcagag	ctcactgcaa	cctgaaactc	ctgggctcaa	1620
gggttcctcc	tgcccttagcc	tcccaagtag	ctgggactac	aggcccacca	tgcccagcta	1680
atctttttaa	ttttctatag	agatgggac	tcactagcac	ctttcatgtt	tgatgttcat	1740
atacaacgac	caagggtacaa	tgtggaaaag	ggtctcaggg	atctaaagtg	aaggaggacc	1800
agaaagaaaa	gggggttgcta	catagagtag	aagaagttgc	acttcatgcc	agtctacaac	1860
actgctgttt	tcctcagagc	agagttagtg	atctaaatca	gggggtcccca	acccccagtt	1920
catagcctgt	taggaaccgg	gccacacagc	aggaggtgag	caataggcaa	gcgagcatta	1980
ccascctggc	ttcacctccc	gtcagatcag	tgatgtcatt	agattctcat	aggaccatga	2040
accctattgt	gaactgagca	tgcaagggat	gtaggttttc	cgctctttat	gagactctaa	2100
tgccgggaaga	tctgtcactg	tcttccatca	ccctgagatg	ggaacatcta	gttgcaggaa	2160
aacaaactca	ggggtcccat	tgattctata	ttacagttag	ttgtatcatt	atttcattct	2220
atatataaat	gtaataataa	tagaaataaa	ggcacaatag	gccaggcgtg	gtggctcaca	2280
cctgtatccc	cagcacttcg	ggaggccaag	gcaggcggtg	cacgaggtca	ggagatcgag	2340
accutctgg	ctaaaacggg	gaaaccccg	ctactaaaaa	ttcaaaaaaa	aattagccgg	2400
gtgtgttagt	gggcacctgt	agtcccagct	actcgagagg	ctgaggcgag	agaatgggtg	2460
gaactgtgga	ggcagagctt	gaggtaaagg	gagatcacgc	cactgcactc	cagcctgggc	2520
gacaaatgga	tactctgtct	caaaaaaaa	aaaaaaaata	aaagaaataa	agtgaacaat	2580
aaatgtatgt	tggttgaatc	attccaaaac	aatcccccca	ccccagttca	cggaaaaatt	2640
ctcccaaaaa	accagtcctt	ggtgccaaaa	agggttgggga	ccgctaattct	aaataatcta	2700
atcttctctc	aatgtctaaa	aatgaataaa	cttttttttt	aatacacggg	ctcactttgt	2760
tgcccaatgt	ggagtagcgt	ggcatgatca	cagctcaact	tagcctcaat	caccagggcc	2820
ccagatctcc	tcccaccta	acttcttgag	tagctgggac	tacaggcacg	caccaccatg	2880
cccagctaat	ttttaaattt	tttatagaga	tgggggtctc	accatgttgc	ccagactggg	2940
ctcaaaactc	gggctcaagt	gatectccct	caaactcctg	gactcaagtg	atcctccttc	3000
cttgggtccc	cttaagtgct	ggattacaag	cagtagccac	tgtacccagc	tggataaaca	3060
tttttaattcg	cactacagtc	atggacaatc	aggcttttca	acatgcagta	tggacagtga	3120
gtcccaatgt	ctgcttttcc	atactgaaat	acatgtgata	ctaaggagaa	aggtgctcgc	3180
aaggatattt	aaaatgaaga	atatttaaaa	tgaggaaaaa	actgtttctt	catgactttg	3240
ataaggtatg	ttaagacat	ttctgtgac	tcagggtatt	cactcaagta	gtatatttca	3300
gtaatcattt	tctggaacag	cctgaatctt	aacaaaaata	ccatgatttt	ttaatgtctg	3360
tatgatacct	tgatgatatg	accaaactgc	aatgtaggca	gctaaatctc	cacgagtttg	3420
acttcccaga	gagttgacag	ttttcttcac	aaattaaaga	aatatatatt	ttgatcacatg	3480
attggcatat	ttaaaacta	cactgaaatg	ctgcaaaatg	atataaagaa	acattttcca	3540
gaatcaaatg	caatcaaaga	gtggattagg	aatctactca	ccattatcaa	ctaaatagaa	3600
acacttgjac	tgggtgtggg	ggctcacatc	tgtaatctca	gcactttggg	aggccaaggc	3660
aggtggattg	cttgaggcca	ggagctcaag	accagcctga	gcaacatagc	aaaactctgt	3720
ctctacaaaa	aaaaaaaata	attaaccagg	catggtggga	gatgcttgta	atcccagcta	3780
ctctggaagc	tgaagttagga	ggactgcttg	agccagggag	atcaagactg	cagttagccg	3840
tgggtcatgt	gcgccacagc	ctgagtgaca	gagagagacc	ctgtctcaaa	aacaaaaaca	3900
aacaaaaaac	acttaacctt	cctgtttttt	gctgtgtgtg	ttgttgtttg	tttgttttga	3960
gatggagtct	cactctgttg	cccaggctgg	agtgcagtgg	cgtgatcttg	gctcactgca	4020
agctctgect	cccgggttca	cgccattctc	ctgcctcagc	ctcccagta	gctgggacta	4080
taggcgcccc	ccaccacgcc	cggctacttt	tttgcatatt	tagtagagat	gggggtttcac	4140
cgtgttagcc	aggatgggtc	tgatctcctg	acctcgtgat	ccacctgcct	cggcctccca	4200
aagtgtggg	attacaggca	tgagccaccg	caccgggcca	acctttctgt	tttttagttt	4260
gatatgcttg	ttaactcagc	agctgaaaga	atgctgaaag	tggccttcag	taaaaaatt	4320
tcactagaat	ctctacatcc	atatttaatc	tgaatgcata	tccagattga	tcagtttagag	4380
caaaaacact	catcatcatt	cctgatgacc	tctaattctg	gtttcggtt	tctatttcaa	4440
tggaaacaga	ataaggaaa	aaatggaagg	gctctggaaa	tttgtcctgg	gctatagata	4500
ctatcaaaaga	tcaccaacaa	taagatctct	cctataaata	taaaaacaat	ataattaatt	4560
ttttaattat	ttttttctct	tcagaggatt	ttatttcaag	ataaaacata	acttctaccc	4620
atactattga	ttccaaaggt	tagaaaaagt	gtttttcctc	atcttatcct	tcaaagaggt	4680
cacagcaatg	caaacatcta	taaaatgcct	ctgcataatt	gtcagaagct	atagtcacaga	4740
aatcattgaa	aatgcttttc	catttttaagc	tccgtgagg	tgtcttagga	aacctctatg	4800
acaacttaact	ctattttattg	ggaggtaaac	tccagactc	tcccagggtc	tccgtgtattg	4860
atctcatttt	ttaggcttcc	taatcccttg	aagcacaatc	gaaaaagccc	tggatctctt	4920
ttctgcacat	atcatcgccg	aattcattcg	gcttccagca	agctgacact	ccatgatata	4980
agcggcctcg	cccttctccg	gacgccagtc	cttgcctggg	ttagcttagga	tgaggggttt	5040
gctgggcttc	agtgcaggct	tctgcgggtt	cccaagccgc	accaggtggc	ctcacaggct	5100

63/122

ggatgtcacc	attgcacact	gagctcctgg	caggctgtac	caattttttta	attattttaat	5160
atattttttt	aaaattatgg	tgaatatattt	ggatttctgc	tctaaaaatag	gcccataaat	5220
gcacagcaga	tatctcttgg	aaccacacagc	tttccactgg	aagaactaag	tatttttctt	5280
ttaaagatgc	tactaagtct	ctgaaaagtc	cagatcctct	acctctttcc	atcccaaact	5340
aagacttggg	atattatgaga	gatctagcta	acagaaatcc	cagacacatc	attggttctt	5400
cccagagtgc	agtcctccta	aagaggctca	gccctaagca	ggcccctgca	ccaggagggt	5460
gggtctgaga	cccacatagc	acttcccaag	gtgcatgctc	cagagaggca	ctgaaacagc	5520
tgagcacaag	cctgcaagcc	tggagaactc	tcacagttag	aacggagggg	gcccagtggt	5580
actaacataa	agagaaaagg	gaacacagag	aaatggatgg	caccaacaac	cagcaaagcc	5640
ttcatggcca	atgaaagcat	cagttagcggg	gccagaaccc	tcattcccaa	agactcttca	5700
ctgccttttag	tgaaaaacaa	tggctagaga	gtgaagttag	gatcatgtat	agagaggtaa	5760
agttacattt	ttatattctg	actctgctaa	tgtgaaattc	cctatctgct	agactaaaag	5820
tttcagacac	cctgttcaaa	tatcccatta	gttctagag	acttaaaatg	aacagaacgc	5880
acattgtcag	gatgactatt	accaaataat	caaaagacag	caagtattgg	tgaggagtga	5940
gagaaaactgg	aacttttctg	caactgtttat	gagaatgtaa	aatggagcag	ctgctgtgga	6000
aaagagtatg	caggttcctc	aaagagtaaa	accaagatgt	ggaaacaact	aatgccccat	6060
cagtggatga	aggggttagac	aatatgtggt	atatacatat	catggagtac	tattcagcct	6120
ctaaaaaa	ctataaact	tctataact	gcaacagcat	ggatgaatct	tgaggacatt	6180
ttgctaataga	aataaggcag	tcatagaaag	acaaatactg	cacgactcca	cttatatgag	6240
ataccaaaaa	tagacaaatt	catagaatca	aagagtacaa	tggagggttac	ctggagctgc	6300
agggcgggaa	acgaggaggt	actaatcaac	gaacataacg	ttgcaggttaa	gtaagatgaa	6360
taagctctca	agatcagctg	tacaacactg	tacctagagt	caacaataat	gtattgtaca	6420
cttaaaaaat	tgttaagggt	agattaacaa	atgtagttaga	tccacaaatg	tggttaagtg	6480
ttcttaccac	agtaaaataa	aaaaagaata	tcaagcccag	gagttcgaga	ctagcctggg	6540
taacatggtg	aaaccctgtc	tctacagaaa	atacaaaaaat	tagccagctg	tggagggtgca	6600
ctcctaggga	ggctgaggtg	ggaggcttgc	ttgagcccag	gaggccaagg	ctgcagtgag	6660
ccatgatgtg	accactgtac	tccagcccag	atgacagagc	aagacaccac	cccccccaa	6720
aaaagaaaaa	gaatatcaaa	catttttaaa	gatcagatac	gcaagaacaa	caacaaaaaa	6780
gagatgaaca	gagcatcgac	cctcatctag	tgggattctt	ggtctaactg	aaaaacagac	6840
attgagagag	aaacaatgac	agtgtagtga	tcacagcaat	tacacaggta	tccccctggg	6900
actgcagaag	aaaggaggaa	tgcctaactt	tgagaaaata	gagaaagcgt	caaacagttg	6960
gtgaaagcct	tccaaaacta	gagagaactg	cacacaccaa	atcacagaaa	gaagaaaagc	7020
cgtgggagat	tctgggaccc	accggctatt	tttgatggct	gaacaccctg	ctgcaggaga	7080
gacaggagct	ggaaagcatg	gtgggatgaa	acctcaaaca	gctttgcctg	cattgcttaa	7140
gatgactggg	cttgattaac	tctagttaac	gggacaattt	caatcaaaga	agaaagattg	7200
tcaaattcac	attttagaat	gattttttat	ggcagtagtg	ggaatagatt	aaaagagagt	7260
gaagctggag	gcaagaaact	tgttaagagg	caactgaaac	agtctagatg	ataaataata	7320
aactgacaga	gtgactagaa	aaatcagaac	aggctgaatc	aacagatacc	tagatgaaaa	7380
taacaggagt	tgatcaccag	ttgtatcttg	gagaggaagg	agttgtttcc	ttgctttccc	7440
tacgactggg	aatacgggaag	gtttgccctg	tgtattgggt	atatactggt	gtgtagccaa	7500
tcactgacaa	ccatttagca	gcttaaaaaca	caaaggctta	tctcccagtt	tctgtgggccc	7560
aggaatctaa	gataggctta	gctggctggt	tctggctcag	agtttctcaa	gaggttgcaa	7620
tcaagatgtc	agctggggtt	gcatcatctg	aaggctcaac	tggggccgga	gggtccactt	7680
ccaaggagtt	cactcacctg	cctgacaagg	cagtgtggtt	tggtggcagg	agatctcaat	7740
tcattgccaa	gtgagcctct	ctatagcatt	gctggaacat	cctccccatc	tggcagttgg	7800
cttctctcag	catgagtgtg	ctgagagaga	gagcaaggag	gaagccacag	tgttcttctt	7860
actcctactc	ctaacactat	ggacctaact	ctaacactct	cacttctgcc	ttattccatt	7920
agttagaaaag	ggaactaagc	tccacctctt	gaaataagaa	gtgtcaaaga	atttgtggat	7980
atatttaaaa	atcatcacac	tgtggaagtg	gatagggggt	tcaattaatg	ctgaacttga	8040
aatgcctgag	acattcaaat	gtccaacagg	caatgaacat	acccatagat	ggtcatgact	8100
ttagcaagaa	tagaggaaga	tcacagaatt	aaggaggaat	tgaaggttaa	aagaagtgga	8160
gtcagattcc	ccctgaaaag	tgagccatga	aaggaaacttt	aactattgag	ttagaggtca	8220
gagtaggaaa	tttcgggtgga	attctttttt	aaagaaagga	accatataag	catgttttga	8280
ggttagagggg	gaataaatca	gtagacaggg	agaggtaaaa	aacataaatg	ataggggata	8340
ggttagagggg	gtcttggcag	aatcccttac	ccattgactt	ggggccaaga	gagggacact	8400
tctttgtttg	agggataaag	aaaataaagg	agaaatgggtg	ctatttagtg	tggtcaggtc	8460
tctagggcaa	acgcataggt	aacaaactgt	gtgtgttagg	aatatagatg	tgacctcaca	8520
ttgagattct	cacctcaaat	ccattttgtt	gttacctgta	ccttcctacc	ttctcttttt	8580
gctacatgca	gactgctggt	ttgtcttcct	ggcctgttcc	aggtttcagc	attctggcat	8640
atctgctacc	ctgttcccaa	acctctctag	agtccatgct	ccttccttgg	atagtgtttg	8700

64/122

attggggccac	gtatctaaga	agtgatgcct	tcagtttaggc	ctgagaacct	cctctatgga	8760
aatctccatc	agtgaccctg	acagacttgg	tatcttggag	atgtcactgc	tcccagcctg	8820
tggtctagga	gaatctcagc	ctgggcctct	agtagtatgg	ataaggcgtt	aaggatctct	8880
tgaaccagag	tctgtcatat	tcctcaatgt	gggacagata	aaacagtggg	agtgtctggg	8940
ttcttgagct	agaactctgg	tttttgggtc	agattctttg	atgtatgacc	tttcagaggt	9000
attaaaaattt	gttctaatac	aatgttcaat	acaaatgtag	ttccttttct	gttaggacct	9060
caacaaaaca	tgaccaactg	tagatgaaca	ttaaactatg	acaattcatg	gaaatgaata	9120
cagtaatacc	tgcggttccc	ccatttttagc	agtcactatg	gtgacatttg	gcacaaatgg	9180
ctatttaagg	gtgcttttgt	taaaacctac	catcttacta	ggcacatgat	attgaaacta	9240
atgaaataat	ggagaaactt	cttaaaaaact	tttaatgaat	aaagtgatga	agtgaataa	9300
ttttagctgc	tatttataaa	gtgactatta	caggtcaaac	attcttctag	ggtttttttg	9360
ttgaagttgt	cacatttaaat	ccttaataaac	ccactatgag	tcagggtattc	ttctctcccc	9420
tttgacagt	tggtgaaatg	ggggtcagag	aggttaggta	atttgctcag	ggccacacaa	9480
cctgcatgta	gaaaactctga	gatttgtaca	ggaaacgtatc	aaactctgaa	gtccatgctt	9540
ctattttccc	atgctgcctt	tctaataaaa	ggtaactaat	gctactggat	gctgccccca	9600
aagtgaagtca	ctttcacccc	accctacttg	attttctcca	taaaactaat	cacatcctga	9660
caacttattt	attgctgata	tccccacta	gattataaac	tcaataaaaag	caagatcctt	9720
gtctgctgaa	tatcagtaac	taaaacgctg	tctagcacag	agcaagtaat	taatatattg	9780
tgaatgaaca	aataaaggaa	aaaaattcaa	aggaagaaaa	agccctaaaa	cagatgttta	9840
cctaaacata	catttttaaaa	gaaagcatat	aacaaattca	ggacagaatt	taaatttgat	9900
tttttaaaga	aataaccaag	tgctagctgg	gcacagtggc	tcacacctgt	aatcctagca	9960
ctctgggagg	ccgaggcagg	cagatcactt	gaggtcaaaga	gttcaagacc	agcctggcca	10020
acatggtgaa	acctgtctct	actaaaaata	cagaaattat	ccaggcatgg	tggcaggctc	10080
ctgtaacccc	agctactcag	gaggctgagt	caggagaatt	gcttgaaccc	aggaggcaga	10140
ggttgacagt	ggccaagatt	gcaccactgc	actccagcct	gagtaacaaa	gcaagactct	10200
gtctgaggga	aaggaagaaa	aagaaggaaa	gaaggaaaaga	aggaaaagaag	gaaagaagga	10260
aagaaagaaa	aagaaagaaa	aagaaagaaa	aagaaagaaa	aagaaagaaa	gaaagaagga	10320
atgtttttcc	atgcacgcta	ttttcagtaa	accaaagtgt	tatttgggac	ctactatgct	10380
acaaatatat	gcttctataa	ctctaaaatt	agcagtttagc	aaacttgcaa	gatcataaca	10440
atgtatgcat	tagttttcta	agagttacta	gtgcttttaag	aagttcctct	ttaccagctc	10500
cagtttattt	aaccaaagga	ggatgcttac	taacatgaag	ccctggagaa	tatccacagc	10560
ttggggccagt	tcatgttaat	atactccaga	acaaaaacca	ttatcaaagt	tgagcctaag	10620
tttacctgaa	aattcttatt	ccacattacc	tgcttttaag	tcctactgtc	ctctgacaat	10680
ccacccaaga	atccttactt	ctttcagcaa	aaggagccag	ggtaggagaa	tatagaaaaga	10740
gccctaacaa	tgaatagcag	attgtgctca	aatcaattca	aagtaggttaa	ctaaacacat	10800
ggaaactactg	aaatattcca	ataagacttc	gaagaatgat	ctacaacatc	ttactgtgaa	10860
ttaaaaataa	ttttaagcct	aaatttttaa	tctccaaaat	gattttattg	aatttgcatt	10920
cagacatgga	ctagaccaag	aattagggtc	aggtttgata	ttggtacatg	aatagacaaa	10980
atctagtatt	ccaaaggaac	caacaaatgg	aggaatttaa	tggtacatg	tatacgataa	11040
aacacagttg	ggcacccctac	cttactccta	tgttcagaca	gcaggatagg	catcaggaaa	11100
atattattat	tttaattata	gttttaagtt	acaccaggag	taactgaagg	agcaccaaat	11160
attacatagg	tatacatgtg	ccatgttggg	ctagggtagc	tgtgcacaac	atgcagggtt	11220
ttggccaggg	gcggtggctc	acacctgtaa	gaggagcacc	aaatatattaa	aagaaaaaaa	11280
gatcacctga	gggtcgggagt	tccagcact	cctgagcaac	ttggggaggcc	aagggtgggca	11340
ctaaaaatac	aaaattagcc	cctgagcaac	gcacatgcct	atggagaaaac	cccattctcta	11400
gggtgaggga	ggagaatagc	agggcatggtg	gtaatcccag	ctacttggga	ctacttggga	11460
gcactccagc	ctgggcaaca	tttaatctgg	gagggcacagg	ttgcggtgag	ctgagatatt	11520
aaataaagaa	agaaaagaaa	agagcaaaaac	ttcaactcaa	aaaaattaat	aaataaataa	11580
aatcctcgga	ctcttaggat	aaaatgaaaa	tagtataatt	agcagaagaa	aacaccgtag	11640
agaaaatcac	ctccttagcat	ggggaatgcc	tataatataa	aaaccctgaa	gttataaaaag	11700
gctaaataat	catagctgaa	accaaactctt	tctacatgcc	taaaacatag	cacaaacaca	11760
tttaattttcc	tacacataaa	tgaactggga	tgactcatat	tgactcatat	ccagacagag	11820
caaaaataaaa	atgtgacagg	gagtacctat	ataaacccaa	caaaaaaacc	accactaacc	11880
ggcacataag	atgctcagac	taatgaacag	gtagttcaca	gagaatacaa	atggctcttc	11940
gtggttgccc	aggttaggct	tgacttttct	ttattttatt	tttgagagac	aggggtctcac	12000
gtgccccacc	gcacctggct	caaactcctg	ggctcaaatg	atagtcaccg	gactacaggt	12060
ttcaaatacta	ttttacctat	cctcaaccac	ctgtatttaa	aggaaatgca	aaataaaaact	12120
ttggtgagaa	tgtgaggaga	tagaatggca	aaaatttgaa	aaacttcaaa	catcatcatg	12180
tggcttctat	ggaaagcaat	ctggcactct	cattttttgc	tgatagcata	tataactga	12240
		ctggcagcgt	ctatcaaagt	tacaagtgca	tatactcttt	12300

65/122

gacaaagcaa	ttccactcta	ggaatgtgtt	ctatatgggt	gtgcttctctg	gggctgggaa	12360
ctgggagcta	agggacaggg	gcagaagata	atcttctttt	ccctccttcc	ccgttaaaca	12420
tgtgaattt	tataactgt	aatatattat	ttttcacaaa	agataatttt	taagcgatat	12480
gtctgggaat	tttttttttt	cttttctgag	acagggtctc	actctgtcat	ccaggctgga	12540
argccatgg	atgatctcag	ctgactgcag	cctcgacctc	ctgggttcaa	gcaatcctcc	12600
cacctcagcc	tcttgagtag	ctgggactac	aggcacgtgc	catcatgcta	atttttgtat	12660
atacagggtc	tactatgtt	gcccaggcta	atgtcaaaact	cctagggtca	agcaatccac	12720
ccacctcagg	ctccaaaagt	ctgggattac	aggcgtgagc	caccgcgcct	ggccctggga	12780
attcttaca	aagaaaaaat	atctactctc	cccttctatt	aaagtcaaaa	cagagaagga	12840
aattcaacct	ataatgaaag	tagagaagg	cctcaaccct	gagcaacaaa	cacaaaggct	12900
attcttgaga	caggaatttg	ctgaacaaaa	tcgagggaag	atgacaagaa	tcaagactca	12960
cttctcggct	gggcgcagtg	gctcacacct	gtaatcccag	cactttggga	ggccgaggcg	13020
gacagatcac	gaggtcagga	gattgagacc	atactggcta	acacagtga	acccagtctc	13080
tactaaaaat	acaaaaaatt	agccgggctg	ggtggcaggt	gcctgtagt	ccagctactt	13140
gggaagctga	ggcaggagaa	tggcgtgaac	ccagggaagcg	gagcttgag	tgagccgaga	13200
tcacgacct	gcactccagc	ctgggtgaca	gagcaagact	ctgtctcaaa	aaaaaaaaaa	13260
aagctcatt	tctctagatc	ttgagccgta	ttcaaattta	tctcagctta	gtgagaggtt	13320
aaagcaagg	atatccttcc	ctgtgggccc	tgctccttac	tgaaggaagg	taacggatga	13380
gtcagtaga	ccaatggaga	aaagcactaa	caccattatc	tgatgaacat	tacgtgaaga	13440
aggtaga	gtgaagtgg	attgctgaag	aagtcagtga	aagcggacat	tcatttgggg	13500
aatgggata	taggaaatcc	ataaaagtga	ttaaaaagat	gttagaggct	gaggcggggg	13560
gaccacagg	tcaggagatc	gagaccatcc	tggctaacac	ggtgaaaccc	catctctact	13620
aaaaatcaa	aaaattagcc	aggcgtgggt	gcaggcacct	gtagtcccaa	ctactcggga	13680
gactgagga	ggagaatggc	atgaacctgg	gagacggagc	ttgcagtga	ccgagatcac	13740
gccactcac	tccagcctgg	gtgacagagt	gagactccat	ctcaaaaaaa	aaagttagat	13800
acgagagata	aagatccaac	agacacacaa	ctgctaattc	tgaacagaac	aaaacaaatg	13860
gcacagaaa	agaaaattta	agatataaca	ccggaaaaat	ttcctgaaat	tgagtcaactg	13920
aatctatagc	ttgaaaggg	ttagcatatg	ccaagaaaaa	tcagttagagt	ccaaccagca	13980
caagacacat	ctagcaaggc	tgggtgattct	accaacacag	agaaaagaagt	gggtgaccca	14040
taatgcggga	aaaggcagac	catctgcagt	cttctccaga	acactggagt	ctgaagacaa	14100
aagaatgctg	cctactgagc	cagaaggag	agaaagtgc	ccaacacatc	tttaccaggt	14160
tagaatgtca	cgcattattt	aaaggctgca	aaagccatga	aagacatgaa	agaacacaag	14220
catttacaac	atgaaagaac	acaagcattc	tcatactcaa	gaatccttaa	gaaaaatgta	14280
gtcctaattc	agcccactga	aagttaaatg	tacttaattg	gctcattaat	gggaacttca	14340
tagcttcaaa	tcagtctacc	cccactctac	aacatctctc	gcccggcttt	cctgcaatag	14400
tcagcacctt	tccctcctcc	cagtcttgct	ccctggagtc	tgctctcagc	atagcagagt	14460
gaccacatca	acacccaagt	cagagccctc	cagtgcgcac	tgggtctacaa	agcccttccc	14520
acccccacc	ccacgtgccc	tccggatcct	tgtgacgtgt	ctcctgcata	ccctagcagc	14580
cctggcctcc	tcactgcccc	tccgtgtac	cagggaaggc	actccttgag	tcttggctct	14640
ggcgcctcc	tccacctgca	gtgagttaac	tcccttacct	actctaggtc	attgtcmeta	14700
tgtagcatc	tcaatggggc	cctccctgac	taccctattt	aaattctaca	tactccctt	14760
gaccccatgg	acctcactca	ccctattcca	cttttattct	tacaatttag	cacttgttct	14820
cttctaaccg	attctaagac	ttactcattt	attacattgt	ttgccacccc	ctctagtaca	14880
taaaatccag	aggggcaggg	atttctgtct	atttattcat	ttctttatcc	ctaggacata	14940
gaacagggca	tagttcagag	tattcaatgt	tatcaatgaa	tgaactagca	gtagtaccag	15000
ttccagttag	gcacagaatt	aaatctaaat	agaattaaat	ctcatgggtct	gggttaacta	15060
tggatagaaa	atttagatata	attttaagaa	gcctagaaa	aaaaaattaa	taatgtaaaa	15120
ataatattaa	tttgataata	ataacaaaaa	ctctgcccag	cactgtggct	caaactctgca	15180
atcccagcta	ctcaggaggc	tgagggtgaa	ggatcacttg	agaccagagt	tcaagactca	15240
gcctaggcaa	cacggcaaga	aactgtctct	aaaaaaatta	aaacttaaat	ttttaaaaaa	15300
gaattctcaa	agcgtcacaa	aaactggaga	ttaaaggtag	ggaagtgtga	agtaataatta	15360
ctatgcta	gggttttttt	tttttttagaa	aggtagaac	aaaagatttc	tttctcaagt	15420
cgataaaactg	agaaagataa	gcatactctc	caattaacag	aggggggagga	aaagccagat	15480
acaacaaaaat	aagatataaa	ttagtttcca	gttgaaaaca	agagttaggag	ttattttgca	15540
tcacctcacc	tgtgacctcc	cccagcccaa	aaaacactac	tgataaaacag	ggtagaaaag	15600
catcatctcc	gataaagcag	gaaaaactgc	acagctctca	aaccacaaac	tataagcaca	15660
cacctggcca	accctggcaa	gtctgggctc	agtaggagga	acgtgctgag	agctaggatg	15720
taccaactta	gacattctgt	gggatacaga	tgctccctgga	agggtcacac	catctcaaag	15780
gcacctgtaa	tgcccactga	ttacagccac	catatgtgag	agagaaaactc	agggcactta	15840
gagagtataa	caagaacctt	atgtcatctg	agatgaggaa	tcctcagccc	tgcaaatata	15900

66/122

ccaactcttt	agaacaactg	gcaaaacata	aatatccaca	actttttgttt	cagtaattcc	15960
actcttagat	atcaatccaa	agtacatgag	acagcagata	cacacacaaa	atgggtattta	16020
ctgcagcatt	gtttataata	gcaaaaaaca	agaaataatc	catatgtctc	aataggatac	16080
tggtgtacatg	aggggtatgta	cccattcattc	aaccatcaaa	aagagtgtata	tggtatgtcca	16140
cagatggaca	taaaaagctg	tgtgttacgt	gaaaaacaaac	tcaagcagca	gcaggatggg	16200
cttatgatag	tcagtatgag	ctaattttctg	gaaaaaaaaa	tctagtgtgt	gcacagaaaa	16260
catctgaaag	aacagaaaaca	aaactatcag	cagaatattg	agatgtttta	ctaagtgtga	16320
tatctatact	gcttgttaatt	tttaccctcaa	gcaagaatta	ctttttggaa	aaagaaaaatt	16380
caggaaataa	agcattttctt	taaactttcat	gtttaaacaa	atgggtgatgg	aataaaaagag	16440
ttctttattca	tcataaacac	acacagcaca	catgcacgca	tgtgcgtgag	cacacccttt	16500
acttgataaa	taccatgttg	aatatttttag	tctttccctt	taggttctat	cccttcactc	16560
aaaatgcggt	tataaataaa	tgtactttttc	atgtgccttc	tgcctaaacc	cactttaata	16620
taactttaca	gtcccattat	cattatagtc	tcaaagctag	actcagcctg	aaactaccct	16680
ttcatttgga	acccttatta	aaatgccaca	tacagctcct	tcaaataaaa	acaaacccta	16740
ggacctgaca	ctaggcttcc	tttggtgcta	ctcataatgg	ccaagtctctg	tgcttataat	16800
acutcttctt	tcatttttatt	gctacatatac	caaggggtttt	atatgttttt	cttattatat	16860
cttaattcaa	aacaccattca	cgctcttttc	catagtaaaa	taaggaaaaag	aaattgagca	16920
actgactgac	ttaaagggtca	taaaactata	tagtagcaga	gtcagcaaaa	gaagaaacac	16980
acatctccca	agtagaggct	gaaaaccagt	accattcacc	tccaggggtga	gctatataca	17040
guttacaaaag	tcacctttctc	taaatgttca	aactgaatcc	cataccata	ctttaccact	17100
acctcgtaag	aacagcctca	gatcttgta	tagccttttt	tttagcatgc	tgaagccaat	17160
aatatgcttc	ccatttcagca	agagaaaacaa	tactctgaaac	actgaataat	ctgcccagg	17220
ccatgaaca	tttccactgt	gagaaatgtt	ctccactgtg	tggaagaagat	ccttactcct	17280
ctccacacag	gcagaacatt	agaaaaattc	ttggattcta	tgatgcacag	cttaggagtc	17340
tgtttagcac	aatttaagtc	caaatagtta	ttaaactcctc	ctctgttcca	gaaacagtgc	17400
taaatactgt	gaataaaaa	attgaaaaga	tactctcctg	gctcccaaga	aagtcagcca	17460
gatagaggag	acacaggcac	acaaatcact	gtcacatgaa	gctctacctc	cctaacttca	17520
aacgaggggcc	taagtaccca	agaatacagt	agcagttgtg	actacgagta	actactataa	17580
ttcaataactt	tatcttccct	tagaaaactc	ttctcccttg	gaaatttatt	tgcatcttca	17640
aataccattc	catattcaaaa	ggaagcagg	ttctctgggg	aaatagctga	ttctagggtg	17700
ggactatgaa	atgaaaatgg	tgagtctggg	acatcccattg	ttgcccagaa	atcaaggaac	17760
tgcccaaaaga	ttaacagagt	catgttaaat	ggacctaaaga	gtgaaccaga	aggagctcac	17820
tttgccccgc	gtggaacaat	ttcaagaaaa	acatgacagt	aatgaattat	aaaacatgaa	17880
ttaaaataca	tattggtact	aaaaagagaa	caaaaggatg	tggtctttgga	taaagctctt	17940
cttcatggaa	gaataccagc	taataaatgt	aaaggaaatg	agagaattag	aaaaattatc	18000
attttgtaaa	ccttaataata	ttcacctaga	catgctaaaa	ccactgagta	aaaggctgct	18060
tggaagagg	atgctcacat	gatctcagag	tttcacacca	cagataattt	attagatata	18120
ggaaggaaga	tgtgtacaa	cttctctgta	ccccacgcca	ggccccacaa	cactatgtgc	18180
ctccttgta	tgtgggagct	acacagcatc	gccccacagc	cttctcgcca	aaactgtttg	18240
aagctaataca	caagggaaga	actggacagc	ttctgacct	gagacgctcc	accagacaac	18300
ttgcttggcc	tctccaaaaga	aacttgcttg	gcctctccaa	agaaaactca	gtttcattta	18360
aaaacaaaac	taattattta	aaaacaaacg	aaaagcaagt	tgtggacttg	agctccagg	18420
acagagcaga	cctgttcttc	cctgttcttc	ccagtaagt	gtaataaaaa	ccctcaacac	18480
tagatataaa	acaaatataa	gaagggtctg	gaagggaag	aggaggcaga	ctatccagg	18540
gccttgaggc	ccacagaaca	acccagtgat	gggttccactg	gggtcttctt	ttgcttcatt	18600
atctcagact	tggagctgac	gcagcaggca	acttcaaaaac	accaaggggc	acagattgaa	18660
aagccccaa	aaaagcctgc	cctctctagc	caaaggagga	ggaaggagac	agtctaata	18720
gatggaacac	atttagacag	taactgccc	tttaccagca	ataactgagc	agggagccta	18780
gacttccagt	cttgtgagga	cgtaccaagg	tacccaacac	ccccaccaag	gctgagtaag	18840
gactgcgact	tttatccctg	catggcagta	gtaaggagcc	catccctcac	ccgcccagcag	18900
tgtcaggggga	tgtgggactt	ccactcccac	ccaggagtag	tgaggccctc	cctgctgggg	18960
tcatgtcaga	ggaggcctag	tggagattca	gtgacttaac	cttttccag	agataatgag	19020
gccacctttc	ctccctcttc	ccccatgggtg	acagtgaag	cactgtggca	agcagtaggc	19080
actcctaccc	ctcctagcca	gggaggtatc	agggaggcca	agtagggaac	cagaataccc	19140
acaaccaccc	agcagcaaca	gggggtcccc	accccatgtg	gtgtcaatgg	aagcagagcg	19200
gaaagcctgg	atattttacc	ccatctagaa	gtaacaagct	gatgtcccc	ttcttctact	19260
acaatggtgt	tcaaaacagg	tttaaataag	gtctagagtc	tgataacgta	atacccaaat	19320
cggtgaagtt	ttcattgagg	atcattttata	ccaagagtca	ggaagatccc	aaactgaaag	19380
agagaaaaga	caattgacag	acactagcac	taagagagca	cagatattag	aactacctga	19440
aaggatgtta	aagcacatat	cataagcctc	aacaggctgg	gcgcgggtggc	tcacgcctgt	19500

67/122

aacccccagca	ctttggggagg	ccgagggcagg	tggatcacaa	gatcaggaga	tcgagaccat	19560
cctggctaac	acggtgaaac	cccgtctcta	ctaaaaatac	aaaaaaaaat	agcaaggcat	19620
ggtgggtgggc	acctgtagtc	ccagctactc	gggagcctga	ggcaggagaa	tggcatgaac	19680
ctgggaagag	gagcagttag	ccgagatcgc	accaccgcac	tccagcctgg	gcaacagagc	19740
aagacttcgt	ccccaaaaaa	aaaaaaaaaa	aaaaaaaaagc	ctcaacaaac	aactacaaac	19800
gtgcttgaaa	caaatgaaaa	aaaaatcttg	gcaaagaaat	aaaagatata	tattttggcc	19860
aggtgcagtg	gctcacagcc	tgtaatccct	gcactttggg	aggctgaggc	aggcggatca	19920
cctgaggtca	ggagtttgag	accagcctga	ccaacatgga	gaaaccccgt	ctctactaaa	19980
aatacaaaat	tagccagtca	tggtaggcaca	tgcctgtaat	cctagctact	caggaggccg	20040
aggcaggaga	atcgcttgaa	ctcaggaggt	ggagggtgcg	gtgagccgag	atcccgccat	20100
tgcacattgc	actccagcct	gggcaacaag	agcaaaactc	catctcaaaa	aaatagatac	20160
atatttttaat	ggaaatttta	gaattgaaaa	atacagtaac	caaattgaaat	ggaaagacaa	20220
aatacaaaat	agggggcaga	caaaataatc	agtgaacttc	aacagaaaaa	aatagaattt	20280
acccaatatg	aagaacagaa	agaaaaataga	ctggccaaaa	aataaagaag	aaaaaaggag	20340
agcagcagga	ggaatgatgg	aaaaagagaa	aggaagggaag	gaagggaagg	agggagggaa	20400
ggagttaggg	agaaagtctc	aaagacctct	gagactaaaa	taaaagatct	aacacttgct	20460
atcagggtcc	aggaagagaa	caaagatggc	acagctggaa	acgtattcaa	aaaataatag	20520
ctgaaaactt	cccaaatttg	gcaagagaca	taaacctata	gattcgaaat	gctgaacccc	20580
aaataaaaaag	cccaataaaa	tccacaccaa	aatacatcat	agtcaaactt	ctgaaaagac	20640
gaaaagagaa	aacgtcttga	aagcagtgag	tgaacaacaa	cttcatgtat	aagggaaaaa	20700
caattcaagt	aacagatttc	ttacagaaat	taagggaagcc	agaaggaaat	gacacaatgg	20760
ttttcaagt	ctgaaagaaa	agaagtgtca	acacaaaatt	ctagattcag	taaaaatatc	20820
cttcaagaat	caatgggaaa	tcaagacagt	ctcagataaa	gcaaaaataag	agaatatgtt	20880
gccagcagat	ctcccctaaa	ggaatggcaa	aagggaagatc	atgcaacaga	ccaaaaaatg	20940
atgaaagaag	gaatccagaa	acatcaagaa	gaaagaaata	acatagtaag	caaaaaatca	21000
tgtaatatac	ataaaatttc	tatctcctct	gaagcctctt	aaattatatt	gatggttgaa	21060
gcaaaaatta	taaccctgtc	tgaagtgtct	ctactaaatg	tatgcagaga	attataaatg	21120
gggaaagtat	aggtttctat	acctcattga	agtggtaaaa	tgacaacact	gtgaaaagtt	21180
acatacacac	acacacgtaa	gtatatataa	atatatgtgt	gtatatgtgt	gtgtatatat	21240
atatatacat	acagcaacca	tatacaaaac	ctaaacacac	tatacaaaag	gataataacc	21300
aaaaacaatt	tagataaaat	gaaatggaat	tctaaaaaat	attcaaatac	tctacaggaa	21360
gacaagacaa	aaagagaaaa	aaagaggagg	acaaactaaa	ttttttaaaa	acataaataa	21420
aatggtagac	ttaagcccta	acttatcaat	aattacataa	atgtaaatga	tctaattata	21480
tcaattaaaa	gcagagataa	gcagagttaa	tttaaaaaca	tagctataag	aaacctgctt	21540
tgggctgagt	gcagtgactc	acacttgtaa	tcccagcact	tcgggaggcc	aaggcggtgt	21600
gatcacctga	ggtcaggagt	tccagaccag	cctggacacac	atggtaatac	cccactctca	21660
ctaaaaatac	aaaaaaatta	gccaggcatg	gtggcacacg	cctgtagtcc	caactactca	21720
ggaggctgcg	acacaagaac	tgcttgaacc	cgggcagcag	aggtagcagt	gggccaagat	21780
tgcgccaact	cagcctgaac	gacagagtga	gactccacct	cagttgaaaa	acaaaaaaga	21840
aacctgcttt	aaatatacca	acatatgttg	gttgaaatta	aaagaataaa	atatatcatg	21900
aaaacattaa	tcaaaagaaa	ggagtggcta	tattaataac	ataaaataga	cttcagagaa	21960
aagaaaaatt	caagagacag	gaataaaaag	atcaagaaaa	gatcctgaaa	gaaaagcagg	22020
caaatcaatc	attctgcttg	gagattcaac	accctctctt	aacaactgat	agaacaacta	22080
gacaaaaaaa	tcagcatgga	gttgagaaga	acttaacacc	actgaacaac	aggatctaata	22140
agacattttac	ggaacactct	acccaacaat	agcaaaataa	acattctttt	caagtattca	22200
ctgaacatat	ccttagaccc	taccctgggc	cataaaacaa	agctcactag	tgattgccga	22260
aggcttggat	ggacagtgga	agagctgcat	ggggagggag	aaggtgacag	ttaaagagtg	22320
taggattttct	ttttgggata	atgaaaatgt	tccaaaattg	attgtgggtga	tgttggcgca	22380
actctacaaa	tataaaaaag	gccattgaat	tgtacgtttt	aagtgggtga	aacatatggt	22440
atgtggatta	tatctaacgc	tttttaaaaa	cttaacacat	ttcaaagaat	agaagtcata	22500
cagagtgtgc	tctactggaa	tcaaactaga	aagaggtaac	tggaggataa	cgagaaaagc	22560
ctccaaatac	ttgaaaactg	gacagcacat	ttctaaaatc	atccgtgggt	caaagatatt	22620
cattttctgat	attcattttt	attgtttaat	gtatttttaa	aaatttctta	agggaaataa	22680
actgactaaa	aatgaatatg	gctgggtgcg	gtggctcacg	cctgtgatcc	cagcactttg	22740
ggaggccgag	gctggtggat	cacaagatca	ggagttcgag	accagcctgg	ccaagatggt	22800
gaaaccccgt	ctcaactaaa	aaactacaaa	aagttagccaa	gcgcagtggc	gggagcctgt	22860
ggtcccagct	acttgggagg	ctgaggtagg	agaatcgctt	gaacacaggc	agcagaggtt	22920
gcagttagcc	aagattgtgc	cactgcacgc	cagcctgggc	gacagagact	gcctcaaaaa	22980
aaaaaaaaaa	aaaaagaata	tcaaaatttg	tgggacatag	ttaaagcaat	gctgagaggg	23040
aaatttataa	cactaaatgt	ttacattaga	aaagagaaaa	agtttcaaat	caatagctct	23100

68/122

cactcccatc	tcaagaacac	agaagatgaa	gagcaaaata	aacccaaagc	aagcaaaaaga	23160
aagaaaaat	aaaaataaat	cagtaaaatt	gaaaacagaa	acacaataaa	gaaaatcagt	23220
gaaacaaaagt	actgattctt	cgaaagatta	ataaaattga	caaacctcta	gcaaggctaa	23280
caaacaaaaa	agaaagaaga	cacggattac	cagttattag	aatgaaagca	taattagaaa	23340
caactctaca	cattataaat	ttgacaatgt	agatgaaatg	gactaattac	tgaaaaaaca	23400
caaattacca	caactcacc	aatatgaaat	agataattgg	gatagcctga	taactactga	23460
gaaaattgaa	tttgtaat	taacactctt	aaaacagaaa	cattaaactt	aatattttat	23520
aatatttaga	taaggtaatt	atacccttcc	ttaacaaata	aaaacgacaa	attattttgc	23580
agctaaagag	atgtatgtac	tgtgaaaaat	atcttcagaa	aaatagaact	ttgtttgaag	23640
aataaggatt	taaaaaatgt	ttttaactct	caagaagcaa	atatctgggc	ccagatgggt	23700
tactgaaga	attctaccaa	atgtttaatg	aagaattacc	accaactcta	catagcatct	23760
ttgagaaaa	tgaagagaag	ggaacatctc	ccagttcatt	ttatgaagtg	ggtgttactc	23820
tgactataga	gacagctact	cttgacacac	cttgacacac	tgccctatggg	tagctctgct	23880
ctgcaggaa	ugt cagaaaa	aaaaaaaaaa	gaagcactgg	acaagggcag	tataaaaaaa	23940
gaaaactggg	ccaggtgcag	tggctcacac	ctgtaatctc	agcactttgg	gaggctgacg	24000
ctgggtggatc	acctgaggtc	aggagtttga	gactagcctg	gccaacatgg	taaaaccctg	24060
tctctactaa	aatacaaaaa	ttagccaggc	agggtaggtg	ggaaaaataa	aaggaaaaaa	24120
aaacaaaaat	aaactgcaga	ccaatatcct	tctatggatg	agacacaaaa	ctccttaaac	24180
tccttaajcaa	aatattagca	agtagaagca	atatataaaa	ataattatac	accatgatca	24240
agtgggactt	attccagaaa	cgcaagtctg	gttcaacatt	tgaaaacaag	gtaaccctac	24300
atatgaucgt	actaaagagg	aaaactacat	aatcacatca	atcaatgcag	aaaaaagcat	24360
ttgccaaaa	ccaatatcca	ttcatgatac	tctaataaga	aaaataagaa	taaaggggaa	24420
attccttgac	ttgataaagc	ttacaaaaga	ctacaaaagc	ttacagctaa	cctatactta	24480
atgggtgaaaa	actaaatgct	ttcccctacg	atcaggaaca	aagcaaggat	gttcactctc	24540
attgctctta	tttaacatag	ccctgaagtt	ctaacttgtg	caaaacgata	agaaagggaa	24600
atgaaagacc	tgcagattgg	caaagaagaa	tcaaaactgt	tcctgtttgc	agatgcactc	24660
attgtctcat	agaaaatgta	aagcaactag	gggtaggggg	gcagtggaga	cacgtgggtc	24720
aaaggatacc	aaatttcagt	taggaggagt	aagttcaaga	tacctattgc	acaacatggt	24780
aactataact	aatatatgtt	attcctgaaa	atactaaaag	agtgggtgtt	aagcgttctc	24840
accataaaat	catgaatat	gtgaagtaat	gcatacgtta	attagcacia	cgtatattac	24900
tccaaaaaat	catgtttgtac	atgataaata	cacacatttt	tatctgtcag	tttaaaaaaa	24960
catgattttg	gccaggcaca	gtggctcata	cctgtaatcc	cagcatttta	ggaggctgag	25020
gcgagcagaa	aaactgaggt	cgggagtttg	agaccagaat	ggtcaacata	gtgaaatccc	25080
gtctccacta	ataatacaaa	aattagcagg	atgtggtggc	gtgcacctgt	agaccagctc	25140
acttgggagg	ctgaggcagc	agaattgctt	gaacaagggg	ggcagagggt	gcagtgcagt	25200
gggtgccact	gcattccagc	ctgggtgacag	agtgcagactc	catctcaaaa	aaaataaaat	25260
aaagcatgac	ttttcttaaa	tgcaaagcag	ccaagcgcag	tggctcatgc	ctgtaatccc	25320
accactttgg	gaggccgagg	caggcagatc	acaaggtcag	gagtttgaga	ccagcctgac	25380
caacatgggt	aaacccccat	tctactaaaa	ttagccaggc	ttagccaggc	atgtgtagtc	25440
tcagctactc	aggaggctga	ggcaggagaa	tcacttgaac	ccggaggcag	aggttgcagt	25500
gttgagccac	cgcactccag	cctgggtgag	agaacgagac	tccgtctcaa	aaaaaaaag	25560
caaaaataacc	taatttttaa	aacactaaaa	ctactaagtg	aattcagtaa	gtcctttagga	25620
ttcaggatat	atgatgaaca	tacaaaaatc	aattgagctg	gacaaaggag	gattgtttta	25680
ggtcagtagt	ttgaggctgt	aatgcacaat	gattgtgcct	gtgaatagct	gctgtgctcc	25740
agcctgagca	gcataatgag	accacatctc	tatttataaa	aaaaaaaatt	gtatctctat	25800
gtactagcaa	taagcacatg	ggtactaaaa	ttaaaaacat	aataaatact	gttttttaatt	25860
gcctgaaaaa	aatgaaatc	ttacatatata	atctaacaaa	atgtgcagga	cttgtgtgct	25920
gaaaactaca	aaacgctgat	aaaagaaatc	aaagaagact	taaaatagct	gaaatatacc	25980
atgcttatag	gttggaatac	ttaatatagt	aaagatgcca	attttatcca	aattattaca	26040
caggataaca	ttattactac	caaaatcccc	gaaaaatttt	acatagatat	agacaagatc	26100
atacaaaaat	gtatacggaa	atatgcaaa	caagttagat	agctaaaaca	aatttgaaaa	26160
agaaaaataa	agtgggaaga	atcagctctat	ccagtttcaa	gacttacata	gctacagtaa	26220
tcaagactgt	gatattgaca	gagggacagc	tatagatcaa	tgcaaccaa	tagagaacta	26280
agaaagaagc	acacacaaat	atgccccaat	gatttctgac	aaaggtgtta	aaacacttca	26340
acgggggaag	atatgtctct	cattaaaggg	tgtagagtca	ttgcacatct	ataggcaaaa	26400
agatgaacct	gaacctcaca	ccctacagaa	aaattaactc	aaaatgactc	aaggactaaa	26460
cataagatat	acatctataa	aacatttaga	aaaaggccac	gcacgggtggc	tcacgctcgt	26520
aatcccagca	ctttgggagg	ccaaggcagg	tggatcacct	aaggtcagga	gtttgagacc	26580
agccggatca	acatggagaa	gccccatctc	tactaaaaat	acaaaattag	ctggacgtgg	26640
tggcacatgc	ctgtaatccc	agctacttgg	gaggctgagg	catgagaatc	gcttgaaccc	26700

69/122

ggggggcaga	ggttgcggtg	agccaagatc	acaccattgc	actccagcct	gggcaacaag	26760
agcaaaactc	caactcaaaa	aaaaaaaaaa	aaaggaaaaa	tagaaaatct	ttgggatgta	26820
aggcgaggta	aagaattctt	acacttgatg	ccaaactaag	atctataagg	ccagtcgtgg	26880
tgggtcatgc	ctgtaattcc	agcactttgg	tcaactagat	gaaaggtata	tgggaattca	26940
ctgtattatt	ctttcaactt	ttctgtaggt	ttgacatttt	tttagtaaaa	aattggggga	27000
aagacctgac	gcagtggttc	acacctgtaa	tcccagcact	ttgggaggcc	ggggcaggtg	27060
gatcacacgg	tcaggagttc	gagaccagcc	tggccaacat	ggtgaaaccc	cgtctctacc	27120
aaaaatataa	aaaattagcc	gggtgtcatg	gtgcatgcct	gtaatcccag	ctactgagga	27180
ggctgaggca	ggagaatcac	ttgaacctgg	gaggtggaag	ttgcagttag	ccgagattgt	27240
gccactgcac	tcagaccttg	ggtgacagag	cgagaagctcg	tctcaaaaaga	aaaaaaaaaa	27300
aaagaatatc	aaacgcttac	tttagaaaact	atttaaagga	gccagaattt	aattgtatta	27360
gtatttagag	caatttttat	gctccatggc	attgttaaatt	agagcaacca	gctaacaatt	27420
agtggagttc	aacagctggt	aaatttgcta	actgttttagg	aagagagccc	tatcaatatc	27480
actgtcatct	gaggttgaca	ataagcacac	ccaaagctgt	acctccttga	ggagcaacat	27540
aagggtttaa	accctgttag	ggtgttaatg	gtttggatat	ggtttgtttg	gccccaccga	27600
gtctcatggt	gaaatttggt	ccccagtaact	ggaggtgggg	ccttatttga	aggtgtctga	27660
gtcatggggg	tggcatatcc	ctcctgaatg	gtttggtgcc	attcttgtag	gaatgagtga	27720
gttcttgcac	tcagttccca	caacaactgg	ttattaaaaa	cagcctggca	ctttccccc	27780
tctctcgctt	cctctctcac	catgtgatct	cactggttcc	ccttcccttt	atgcaatgag	27840
tggaaagcagc	ctgaagccct	cgccagaagc	agatagtgat	gccatgcttc	ttgtacagcc	27900
tacaaaacca	tgagcccatt	aaaccttttt	tctttataaaa	ttatccagcc	tcagggtattc	27960
ctttatagca	agacaaatga	accaagacag	ggggaaatca	acttcattaa	aataatctat	28020
gcagtcacta	aacaaataag	aacaagaggc	tccaagagtgt	ggaagccaat	accagagtt	28080
cctacaatac	agtatctgaa	aagtccagtt	tccaaccaa	aaatatatat	atacaggccg	28140
gacatggtag	cttatgtctg	taatcccagc	actttgggat	gctgaggcgg	gcagatcacc	28200
ctaggtcagg	agttcgagac	cagcctggcc	aatatggcaa	aaccccgctc	ctactaaaaa	28260
tacaaaaatt	agccaggcat	ggtggtggat	gcctgtaatc	ccagctactc	ggggagctga	28320
ggcagggaat	cacttgaacc	caggaggcag	aggttgtagt	gagccgagat	cacgccactg	28380
aactccagcc	tgggcaacaa	agttagactc	cacctcaaaa	aaaaaaaaaa	tatacatata	28440
tatatgtgtg	tgtgtgtgtg	tgcgcgcgtg	tgtgtatata	cacatacaca	tatatacata	28500
tatacagaca	cacatataata	tatgaagcat	aaaggaagtat	aaggaagtat	gaaccatact	28560
ttctgtggtt	atgataggat	ggggtatcac	gggggaagta	gacaagggaa	actgcaagtgt	28620
agagcaaaaca	gttatcagat	ttaacagaaa	aagacttttg	agtaaccatt	ataaatatgt	28680
ccacagaatt	aaagaaaagc	gtgattaaaa	aaaggaaagga	aagtatcata	acaatattac	28740
tccaaataga	gaatatcaat	aaaggcatag	aaattataaa	atataataca	atggaaattc	28800
cggagttaga	aggtagaata	actaaaattt	aaaattcact	agagaagggt	caacactata	28860
tttgaactgg	cagaagaaaa	atttagtgag	acaaatatac	ttcaatagac	attattcaaa	28920
tgaaaaaaa	aaagaaaaaa	gaatgaagaa	aaataaacag	aatctcagca	aaatgtggca	28980
cuccattaat	cacattaaca	tatgcatact	gagagtagcg	gaagcagatg	agaaagagga	29040
agaaaaataa	ttcaaatgat	ggccagtaac	ttcctagatt	tttgttttaa	agcaataacc	29100
tatacaatca	agaaactcaa	tgaattccaa	gtaggataaa	tacaaaaaga	accacaaaca	29160
gatacaccat	ggtaaaaaatg	ctgtaagtca	aaaacagaga	aaatattgaa	agcagctaga	29220
ggaaaactta	taagagaacc	tcacttacaa	aagaacatca	cttataaaa	aaccacaata	29280
atagaaacag	ttgacctctc	atcagaaaac	atgaatgata	acatatattga	agtgtctcaa	29340
gaaaaaaaat	aaagattcct	atatacgaca	aagctgtctt	tcaaaaatat	acatccaaaa	29400
ggattgaaac	cagggtcttg	aagagttatt	tgtacatcca	tgttcatagc	agcattattc	29460
acaatagcca	aaaggtagaa	gcaacccaag	ggtccatcga	caaataaata	aaatgtggta	29520
tatgtataca	caatggaatt	tattcagtat	taaaaaggaa	tgaaattctg	acacatgcta	29580
caacatggct	aaaccttgag	aacactatgc	taagtgaat	aagccagcca	caaaaggaca	29640
aataccatat	tacttcactt	gtatgaaata	cctagggtag	tcaaattcag	agatagaaag	29700
taaaacagtg	gttgccaagg	gctgagggag	ggagttaacgt	ggagtatttg	ttgaattgggt	29760
acagaatttc	agttttgcaa	gataaaaaaga	gttctggaga	cagatgggtg	tgaggggtgg	29820
acaacaatac	aaatatactt	tatactactg	aacagtatac	ttaaaaatga	ttaacatggt	29880
gaaaccccg	ctctactaaa	aatacaaaaa	aattagctgg	gtgtggtggc	gggcacctgt	29940
aatcccagct	acttggggag	ctgagggcag	agaattgctt	gaaaccagaa	ggcggaggtt	30000
gcagttagct	gagattgctg	caccgcactc	tagcctgggc	aataagagca	aaactccgtc	30060
tcaaaaaata	aaaaataaaa	aaaatttaaa	aatgattaa	caggaggcca	ggcacggtgg	30120
ctcacaccta	taatgccagc	actttggggag	gccgaggcag	gcgatcactt	gagaccagga	30180
gtttgagacc	agcctggcca	acatggcaaa	accctgtctc	tgctaaaaat	acaaaaatta	30240
gccaggcatg	gtggcatata	cttataatcc	cagctactgg	tgagactgag	acacgagaat	30300

70/122

tgcttgaacc	caggaggcag	agattgcagt	gagtcgagat	cgcgccactg	aattccagcc	30360
tgggcgacag	agcaagattc	tgtctcgaaa	aaacaaaaac	aaaaacaaaa	agcaaaacca	30420
aaaaataatt	aagcaggaaa	cgagattgct	gctgaggagg	agaaagatgt	gcaggacca	30480
ggctcatgag	agcacaaaa	ttttcaaaaa	atgtttaatg	attaaaatgg	taaattttat	30540
atgtatctta	ccacaaaaaa	aagggtctgg	gggcaggaaa	tgaagggtgaa	ataaagacat	30600
cccagagaaa	caaaagttaga	gaatttggtg	ccttagaaga	aacaccacag	gaagttcttc	30660
aggctgaaaa	caagtgaacc	cagagggttaa	tctgaattct	cacagaaaat	tgaagcatag	30720
cagtaaaggt	tattctgtaa	ctatgacact	aacaatgcat	atTTTTtct	ttcttctctg	30780
aaatgattta	aaaagcaatt	gcataaaaata	ttatatataa	agcctattgt	tgaacctata	30840
acatatatag	aaatatactt	gtaatatatt	tgcaaaatac	tgcaaaaaag	agagttggaa	30900
caaagctggt	actaggctaa	agaaattact	acagatagta	aagtaatata	acagggaact	30960
taaaaataaa	atTTTTaaaa	atTTTaaaa	aataattaca	acaataatat	ggttgggttt	31020
gtaatatata	tagacataat	acaaaaatag	cacaaaaagg	gaagaagaca	atagaactac	31080
ataggataaa	catTTtggtg	tctaacttaga	aaatatgaag	taatatgaag	tatatcttgg	31140
taagtttaaga	cacacatggt	aaaccctaga	tactaaaaag	taactcacat	aaatacagta	31200
aaaaataaaa	taaaataatt	aaaatgtttg	tattagtttc	ctcagggtac	agtaacaaac	31260
taccacaaat	tgagtggctt	aacacaactt	aaatgtatTT	tctcccagtt	ctggaggcta	31320
aacacctgca	atcaaggtga	gtacagggcc	atgctccctg	tgaaggctct	aggaaagaa	31380
cctcccttgt	ctcttccagc	ttccagtggt	tctcagtaac	cctaagtgct	ccttggcttg	31440
tagctatatc	attccttagca	accagaaaga	agaaaataat	aaagattatg	gcaaaaaata	31500
atgaaatcaa	aaggagaaaa	atggaaaaaa	ataaataaaa	ccaaaagcta	gttctttgaa	31560
aagatcaaac	aggttaacaa	accttttaac	tagactgaca	aaaaggaggt	aagactcaaa	31620
ttactagaat	cagaaataaa	agagggggaca	ttactaatga	gggattagaa	aagaataacta	31680
cgaacaaatg	tgtgccaaca	aattagaaaa	cttagatgaa	atggacaggt	tcctaggaca	31740
acatcaacta	ccaaaattta	ctcaagaaga	aagagacaat	ttgaatgagc	tataacaagg	31800
gaagagactg	aattgacaac	caagaaacta	tccacaaaga	aatcccagg	cccagaagat	31860
ttcactgtga	aactttctca	tataaattaa	tataaattaa	catcagttct	tcacaaactc	31920
ctccaaaaaa	agaacagat	ctctatttac	aggcgatagc	atcttttagaa	aatcctaagg	31980
gaactactaa	gacactatga	taactgataa	acaagttcag	caaggctgca	ggatagaaaa	32040
ccaatataca	aaaatctatt	atatttctat	acacttgcag	tgaacaaccc	aaaaatgaga	32100
ttaagaaaa	aattcaattt	acaataacat	caaaaagaa	aaaaacactc	aaaaataaat	32160
ttattcaagt	aagtgcacaa	cttatactct	agaagctaca	aaacactgtt	aaaagaaatt	32220
aaaggtttac	ataaatgaaa	aactatccca	tgttcatgga	tcaaaagact	tattactggc	32280
aatgctctcc	aaattgatct	ataaattcaa	caaaatcctt	atcaaaatcc	cagatgaggc	32340
tgggggtggc	ggttcatgcc	tgtaatccca	gcactttggg	aggctgaggc	acgcagatta	32400
cctgaggtcg	ggagctcgag	atcagcctga	ccaacatgga	gaaaccctat	ctcttctaaa	32460
aatacaaaat	tagtcaggcg	tggtggcaca	tgctataat	cccagctact	cgggaaagctg	32520
aggcaggaga	atcgcttgaa	cccaggaggc	agaggttgca	gtgagccaag	atcggtgccat	32580
tgcactccag	cctgggcaac	aagagcaaaa	ttccatctca	aaaaaaaaaa	aaaaaaaaatc	32640
ccagatgact	tcaatttgta	aattgaaaa	atatttctaa	aattcacatg	gaattgcaag	32700
accttgagaa	tagccaaaac	aaacttgaaa	aacacgaaca	aaatatagga	tgactcactt	32760
gccaattgca	aatgttacga	cacagcaaca	gtaatcaaga	ctgtgtggta	ctggcaaaa	32820
acacatacat	acatacatat	caatggaata	taattgagag	tacagaaaca	agcctaaca	32880
tctatggtaa	gtgcttttct	atTTTTtct	ttttttttt	cttttttgta	gagatagaat	32940
ctcaccatgt	tgcccaggct	ggtcttcaac	ttctgggctc	aagcaatcct	cccactgtgg	33000
cctcccaaag	tgctgggata	actggcatga	gccaccacat	ccagcccaga	tgattttcaa	33060
aaaagtcaac	aagaccattc	ttttcaacaa	ataggtctgg	gatgatcaga	tagtcacatg	33120
aaaaaaaaaa	tgaagttgga	ccctccatca	cactaaagtg	ctgcgattat	aggcatcagc	33180
caccacatcc	agcccaaag	atTTTTcaaaa	aggctcaaca	gaccattctt	ttcaacaaat	33240
aggctctgga	taatcagata	gtcacatgaa	aaaaaaaaatg	aagttggacc	ctccatcaca	33300
ccatatgcaa	aaattaattc	aaaaatgaat	tgatgactta	aacgtaagag	ttacgactgt	33360
aaaactctta	gaaggaaaca	tacgggtaaa	tcttaaagac	gttaggtttg	acaaagaatt	33420
cttagacatg	acacaaaaag	catgaccaac	taaggtaaaa	tagggtaaat	tgtacctacc	33480
aaaatgaaaa	acctttgtgc	tggaaaaggac	accatcaaga	aatggaaagc	caaaatagcc	33540
aaggcaatat	taagcaaaaa	gaacaaaagct	ggaggcatca	tactacctga	cttcaaagca	33600
acagtaacca	aaacagcatg	gtactagtag	acataagac	acatagacca	attggaacaga	33660
ataaagaacc	caaaaataaa	ttcacatatg	tatagtcaac	tgatttttga	caatgacacc	33720
ccttcaataa	atgatactag	gaaaactgga	tatcgatatg	cagaagaata	aaactagacc	33780
cctatctctc	accatataga	aaaatcaact	cagactgaat	taaagacttg	aatgtaagac	33840
ccaaaactat	aaaactactg	gtagaaaaaa	taaggaaaaa	cgcttcagga	cattgggtcca	33900

71/122

ggcaagatc	ttatggctaa	aacctcaaaa	acacaggcaa	caaaaacaaa	aatggaaaaa	33960
tagcacttta	ttaaactaaa	aagctcctgc	acagcaaaag	aaacaacaga	atgaaaagac	34020
aacctgtaga	atgggagaaa	atattttgcaa	actatccatc	catcaaggga	ctagtatcca	34080
gaacacacaa	gtgactaaaa	caactcaaca	gcaaaaaagc	aaataatctg	gtttttatat	34140
gggcaaaaaga	tctgaataaaa	cattctcaaa	ggaagacata	caaagtgcac	tatcattctg	34200
ccagtagcac	actgtcttga	ttacttggtta	gtgtataaat	ttttaaattg	ggaagtgtga	34260
gtcatcctac	actttgttct	tgtttttcaa	gtttgttttg	gctattcttg	gagccttgca	34320
agtataaaat	agccaacaag	tatgaaaaaa	tgctcaccat	cactaatcat	cagagaaata	34380
aaaatcaaga	ccactatgag	atatcctctc	actccagtta	gaatggctac	tatcaaaaag	34440
acaaaatata	atggatgctg	gcaaagatgt	ggagaaaggg	gaactcctat	acactgtggg	34500
tagggatgca	aattggtaat	ggccattatg	gaaaataata	ctgagggtttt	tcaaaaaact	34560
gaaaatagaa	ctaccatattg	atccagcaac	cctactactg	ggtattttatc	caaaggaaaag	34620
aagtcagtat	actgaagaaa	tatatgcact	ctcatgttaa	ttgcaacact	gttcacaaca	34680
gccaagacag	ggaataaatc	taaatgtgca	tcaaacagatg	aatggataaa	gaaaatgtgg	34740
catatacact	caatagaata	ctattcagcc	attaaagaag	aatgaaatcc	tgtcatccca	34800
gcaacatgga	tgaacctgga	ggacattata	tttaatgaaa	taagttaaagc	acaaaaagat	34860
aaacagtaca	tgttctcact	cagacatggg	tgctaaaaag	aaaatggggg	cacagaatta	34920
gaaggggagg	cttgggaaaa	gttaatggat	aaaaatttac	agctatgtaa	gaagaataag	34980
ttttagtggt	ctatagaact	gtagggcgag	tatagttacc	aataacttat	tgtacatggt	35040
caaaaagcta	gaagagattt	tggatgttcc	cagcaciaaag	gaatgataaa	tgtttgtgat	35100
gatggatata	ctaattaccc	tgattcaatc	attacacatt	gcatacatgt	atcaaattat	35160
cactctgtac	ctcataaata	tgtataatta	ttacgtcaac	aaaaaaagga	aaaaaaagaa	35220
aattaagaca	acccacataa	tggaagaaat	aaaattatctg	caaatttatat	atatctgata	35280
aatattttaat	attttataata	tataaagaac	tcctacaact	caagaacaac	aacaaaacaa	35340
cccaattcaa	aaatgggtaa	aagccttgaa	tatacactta	tctaaagact	atatacaatt	35400
ggccaataaa	gacacgaaaa	gatgctcaac	atcactagtc	atcagggaaa	tataaatcaa	35460
aaccacatg	tagaatgtag	acaccacttc	atattgcacta	ggatggctag	aataaaaaagg	35520
taataacaaa	tggttgtaag	gatgtgaaaa	aatcagaaac	ctcattcgct	gctgttgagg	35580
atgtaaaagt	atgcagccac	tttggaanaac	agtctggcag	ctcctcaaat	tattaaatac	35640
agagttaccg	tatgacccag	gaatattcct	cctgggtcta	taaccaaaaa	aatgaaaaaa	35700
tatatccaca	taaaaacttg	tacatgggca	tttatagcaa	cattattcat	aacagcaaaag	35760
gtggtaagaa	cccatatgcc	catcatctga	tgaacaggta	aataacatgc	ggtattatcc	35820
atacactaga	atattatctg	cccatacaag	gagtgcacatc	cagctacatg	ctacaaggat	35880
gaatctcgga	aaccttatgc	taagtgaag	aagccagtc	caaagacca	cagattatga	35940
ttccatgcac	cggaaatgac	cagaatagg	aaatctatag	agacagaaaag	tagatttagt	36000
gttgggtggg	gctgggagga	caggtagtac	actactttcc	cagaactact	ggaacaaagt	36060
accacaaact	gggagccta	aacatagaaa	ttgatttcct	cacagttctg	gagactagga	36120
ctctgagatc	aagggtgcag	cagagctggg	tctttctgag	ggccctgagg	caaggctctg	36180
tcccaggcct	ctctccttgg	ctggcaggtg	gccctgtctc	ccctgcgtct	tcacatcatc	36240
ttttctctgt	gtgtgcccc	gtccaaattt	tgattggctc	attctgggtc	atggccaatt	36300
gctatgcaca	aagtgaagtc	tacttccaaa	agaagggaag	agggaaact	gactaggcta	36360
aacttatagt	catttttaatg	tccgcttttc	ctatgagatt	gtgaacacac	agaagtagg	36420
tttttatcta	cattgtgcaa	agttaataa	gaaaaataga	attcaagaga	agcagttcaa	36480
tagcaggaat	ttaatatggg	aactaattac	aagggttagg	gcaggactaa	aaagccagtt	36540
gggatgggta	gccaaaccag	agattagcaa	cagtgggacc	ccatctacct	accacccatg	36600
aagctggaag	gataaaggag	gggctattat	cagagtcac	aagccagtg	cagagtcctt	36660
ggctggagct	gggaccacc	tagagacact	gtgcaaagca	gaaaaacaag	gggaaaaacc	36720
ctgacttctc	ccttctctcc	acctttcaat	ctcccactag	tgcttcctac	tagccataact	36780
tggccagaga	cagtgcacaag	gaacactgca	aaatgaagtt	tgtaggaatc	atctccctct	36840
gagacagaga	aatatgggaag	ggtagaaaat	gaatcagagg	ataaagagaa	aaaaccctga	36900
gtactatctt	atttatcttt	gtatctccag	tgccataatct	gtctctcaaa	aaaggaaagc	36960
aattgagaga	aactgaaaac	tccaattgaa	atgaaagaat	ggagaattac	tggactagaa	37020
gagaagagaa	aaatttatct	cgcataagag	aaacaagaat	ggattcacaa	aggacgtgat	37080
gaatgaaaag	ctataatcag	caaagatttg	ccagagaaat	taaaaagtgg	taaactcagc	37140
cacgctgtac	aaactgaaag	cacaatgcac	gaaaacggtt	caagaaaatga	caagatttga	37200
agtcaaaatt	taagtgtctt	tccagaatct	ctcagacga	ttatatagct	acccctattt	37260
attaaataaa	atggaaactt	actaaacttt	ccccttgat	taaactaaca	tatgtcctaa	37320
tagcaaacga	ttctggaatt	cctagagtaa	aatatatttc	gtcaaagtgt	attgtctctt	37380
taatattctg	ctgacctcct	tttgctattt	aggatatttg	tatacacatc	acacgtaa	37440
ttgggtctata	gtttacatct	acgggcttat	actgttcttt	ttttcatttt	tttaaaattt	37500

72/122

ccaacccccca	gtatccatat	actgctctct	atcaggggta	ttttaacttt	gtaaaatcag	37560
ctgagatgct	ttccatgttt	ttttttttta	ttttctgcca	catttgaata	gcataggagt	37620
taccaccatc	aaccttggat	tattttaagca	ttcacgattc	cacgtgtgga	ttttttattc	37680
agagtctttc	ttgtcattcc	tgctatcagc	acagaaccca	atctcagctt	tccagctata	37740
ctctcacccc	atggaatttg	cagatgaagt	tcaaaaaggac	ctttgcatta	tcctgcctcg	37800
ccctcttccc	ccttcattta	gacatcacct	tcttctagaa	cgtcttacct	gacatgccct	37860
gctcccaacc	cctgctgccc	aattgtgtgc	tctcccgtgt	cctggcctgc	catcctcttt	37920
agtaattgcc	tgctccctca	tctgtctccc	cacccagaca	ttaagctgaa	tagactggat	37980
ttgtgtcttg	tccatcacta	taatctcagc	acctaagtac	tagtaggtac	ttaccatgta	38040
ttcattagca	aaatgttatg	tataaccttg	caccttaaaa	acaagagaag	gaagacaaaa	38100
ttaagtctta	agactatggg	ttagaacatg	gatcagaaac	tacagtctgc	agcccaaatc	38160
cagaccaa	gaagagacca	tgttcattta	catacaacct	atagcagctt	tcacactaca	38220
ggagcagagc	taagtagttc	caagggaaca	cacggccctg	caaagcctaa	aatattttact	38280
ctatgtctct	tcacagaaaa	agttttccaga	tccctcgttt	agaactcttg	ttcatatgca	38340
atlttactaa	accatagttt	tttgggtttg	tttgggtttt	tttggcaaaa	aggaatgagc	38400
cgatccagaa	aaggttgaaa	agaatgaatc	attactgctg	aaagaatgtg	cacacagtcc	38460
gtcagtatcc	tgctgccatg	ctgacaccca	tccaatagtg	tcatgagatg	cagcagctac	38520
tactgtgttc	tcaatgccga	gtccaccctg	tccataacca	tgtccaagca	atcttgggaa	38580
catcatcacc	atgcttggtt	atccttaagg	tattgcctca	catacagcag	tggctgggtca	38640
taaagtcaaa	tgacactagt	ggccaggagg	tcaagagaat	gagtgaggac	aggtgggtag	38700
gcagcccagg	ccctagcaac	agcaggagct	caccctcag	tcactctagc	caggactgaa	38760
atacttttca	ccctttcaag	agagactagg	aactctggat	tttatgtgaa	atatcttgat	38820
tactaaatgt	tgtcaacaga	catgtcaaaa	ggtaaaaacta	agtaagttca	tggggcagat	38880
tgactattca	ggttatagaa	ttaaggattc	ttatccaaca	cagataccaa	ccaaaaagct	38940
gacgtataac	atattaggag	aaactatgtg	cactgtcgaa	acatcaacaa	gggggctaag	39000
tctaaaatag	tctatatgtg	attccagttg	aaacatgggg	aaaggacatg	aacaggcaac	39060
ttatgtcaat	gggaactcaa	aaagataaca	agcatatata	aaagcattct	caaattcagt	39120
agtaaacaga	cagatgcaaa	taaaaagagg	gaaactgctg	ccgggcacag	tggctcacac	39180
ctgtaatccc	agcactttgg	gagggccgagg	cggggcggatc	atgaagtcag	gagatcgaga	39240
ccatcctggc	taacatgggtg	aaaccccgct	tctactgaaa	acacaaaaaa	ttagccaggc	39300
gtagtgggtg	ggccagctac	tcccagctac	tcaggagggt	gaggcaggag	aatggcatga	39360
acccaggagg	cggagattgc	agtgcagccg	gaccatgcca	ctgcactcca	gcctggggcga	39420
ctgagtga	ctccatctca	aaaaatataa	taataattat	aattataata	ataataaata	39480
gtaaataaat	aaaaagagag	agactgctaa	agtctagaaa	gttgaatgat	gccaaagcga	39540
tgcaaaagac	agggccctgg	gatggccggg	tcagtggtct	cacgcctgta	atcccaccac	39600
tttgggaggc	caaggcgggg	ggatcatgag	gtcaagagat	caagaccatc	ctggccgaca	39660
cagtga	cgggtctctac	taaaagtaca	aaaaaatata	tatatatata	tatattatta	39720
tattatatat	atatatatca	gagccttggg	aatccttgtg	tgctgtctgg	gaaggtagtg	39780
gtgcagccac	ccttgccagc	aatctggcag	tacttggtta	tattaaagta	aggcacacac	39840
cacgaccagg	cagtcctact	cctgggtcta	aatcccaag	aattctcaca	caagtccata	39900
aggagacatg	tacgaggctc	attcagcatt	actgggagtg	ggaatcaacc	tgggtgtcca	39960
tctacaggag	acgagatgga	caaaatgtgg	tggtatatta	gaccagaatc	accaagtaac	40020
agagattggg	ggtgagtgac	aatcctaaga	tacagaataa	aggctagaac	atgatgccat	40080
tcatgtaaat	taaaaataga	tgacacaaaa	gcagtatacg	cgtgaccctt	gaatagcaca	40140
ggtttgaact	gcctgtgtcc	acttacatgt	ggattttctt	ccacttctgc	tacccccaa	40200
acagcaagac	caacccctct	tcttctctct	ccccctcagc	ctactcaaca	tgaagatgac	40260
aaagatgaag	acttttatga	taatccaatt	ccaaggaact	aatgaaaagt	atattttctc	40320
ttccttatga	ttttctttat	ctctagctta	cattatttcta	agaatatggg	acataataca	40380
catcacacgc	aaaataaatg	ttaattgact	gtttatatta	tgggttaaggc	ttccactcaa	40440
cagtaggctg	tcagtagtta	agttttggga	gtcaaaaagt	atacacagat	tttcaactgt	40500
gcaggcaatc	agttccccctg	acccccctcat	tgttcacagg	tcaactgtat	atacacaaaa	40560
gtattatag	aacctcatta	gaatagctgt	ctataggagg	aagagaatga	gagtgggata	40620
aaacggaatg	aacaaataaa	ccaacaaatg	cattaacaag	caaaacaaca	gaggggcttg	40680
catgggcccag	tgatgataaa	gggctaagaa	tgagaatata	attaattcaa	ttcctcacac	40740
ctgaggtcta	aaaccaagga	aagggagggc	caggcgtgga	ggctcacgcc	tgtaatccca	40800
gcactttggg	aggctgaggc	gggcgggatca	caagatagg	agtttgagat	cagcctggcc	40860
aacacagtg	aagcccatct	ctacaaaaaa	tacaagaatt	acccaggtgt	gggtggcacat	40920
gcctgtagtt	agctactctg	gaggctgagg	caggagaatc	acttgaaccc	aggaggcgga	40980
ggttgcaggg	agccgagatc	acaccattgc	actccagcct	gggtgacaga	gtaagactct	41040
gtctcaaaaa	aataaaaaaa	ataaaaaaac	agagaaaggg	aggaaactag	atccaggctg	41100

73/122

actagatata	gccttttagag	ttagaaaaga	tgattttgaca	atctaagccc	acactcagat	41160
tgaatgaaat	tgaaaagcct	ttcaaactaa	aacatttaaat	tacaccatct	gctgcagaca	41220
gaactcagac	aactcaaaca	ggtaaatgtca	gcgtgggtgtt	ttatatcacc	accctcaaca	41280
cagaataaaa	atcagctgca	tgtgaagcag	tgactagaat	gaagaaaagg	ctgcttctta	41340
cttccttcta	gtgggttcttt	ccgaaaacat	taataggcac	cagctctatg	catgtcacc	41400
tgcagggaga	catgggggtat	ataactatga	cttactgttc	attcctcaag	gaattcccaa	41460
tcttgtggaa	gattatacac	aatgaggcaa	caaaaactat	ccaataaaac	cacggaaaag	41520
aagccagtga	caaagaagcc	agtgatgaaa	ggccctgtga	gcagagctga	tggccatttg	41580
gggaagaaaag	accaacatgg	atgggggtga	tcagggtggc	tccgtgggaa	agctggaaga	41640
gaagtggcag	atctctgagc	tggatgatgg	gccactacca	tctgtatatg	gctaattaaa	41700
gaccatgtgt	ggatttttta	ttcagctctt	tctgttcatt	cctgctatca	gcacagaacc	41760
caatctcaac	tttccagcta	tattgagcta	aactttctcac	ctcatggaat	ttgcagataa	41820
agttcaaaaag	gatcccttggc	ttttcaaaat	aattttgaat	ggttgagtag	tccctctgtg	41880
ctctctcact	gacaccctct	caaggctgct	gagcacgtgc	catgctatgg	ctttcccaa	41940
catcaggaaa	tggtctccac	tcagtttcac	cttaatacaa	atgtgttctc	tcttcagaga	42000
aggcaaaaaa	attcatgacc	atctgactgg	gagaagtcac	ttctaggtaa	agtgtccatc	42060
tttttctgag	gaacacagga	ggaaaatctt	acagaaaaga	gttaacacag	caggcctaag	42120
actgcttttt	aaaataaata	aataaataaa	taataaataa	aataaataaa	taaataaata	42180
aataaatgaa	tgataggggtc	ttctgtattg	gccaggctag	tctcaaattc	ctggcttcaa	42240
gagatcctcc	caccttggtc	tcccacagtg	ttgggattat	agacatgagc	cattgtgctt	42300
ggcccaagac	tggtattctt	aaaaagtcct	ataaaaagca	tggttaatcc	ttggctggca	42360
cctgggaact	tagatttccag	aagggttccc	accatccaac	ctggaaagag	ggactcactg	42420
tgccataaatt	attgtgtgggt	ttatgctgaa	ctcctgcttt	tcttcaggta	gcgtggaatg	42480
tggtatgtgc	tgggcaaagg	gggcctgcat	gaccagcccc	caataaaaac	cctgggtggt	42540
gggtctctag	tgagtttccc	tggtagacag	catttcacat	gcgttgtcac	agctccttcc	42600
tcggggagtt	aagcacatac	atcctgtgtg	actgcactgg	gagaggatgc	ttggaagctt	42660
gtgcctggct	tcctttggac	ttggcccatc	gcacctttcc	ctttgctgat	tgtgctttgt	42720
atcctttcac	tgtaataaat	tacagccgtg	agtacaccac	atgctgagtc	ttccaagtga	42780
accaccagat	ctgagcatgg	tcctgggggc	ccccaacaca	gaaataaatt	ataaaaagacc	42840
aaggactggg	catggtggcc	catgccggta	atctcagcgc	tttgggaggc	cgaggcagga	42900
ggaccagtta	agcccaaaaag	ttcaaagtta	cagtgaccta	tgactgcgcc	aatgcactct	42960
aacctgggag	acagagcaag	accctgtccc	caaaaacaata	aactaaacac	atacttctgc	43020
cttccaaagt	tcttaaaaatt	caatggaatg	gtagaaacat	ttttaaaaaca	ctaaatcaaa	43080
agaaaactgg	aaaacaagag	tgccgatggc	caactaaaat	gtctaggaaa	tttctgaaaa	43140
gtaaaaagtta	aatcacagca	gattacctga	gcaaaccata	gcccaatata	agcttgggag	43200
gaggctgtta	tgcagaagga	aatggtaaca	ggtttccagg	aacagacttg	taacagcaga	43260
tagaacagca	gaggtagaac	ctgacaaggt	gattacctgg	ggaactgcag	tctgaatgac	43320
caggactgtt	ggacccttcc	cctcacatgg	aatacacacg	ccactcagca	gcacaccaca	43380
gctcttcaac	aatcacagga	ggcacgctac	gcctagttaag	acaggaaaaa	aggaatttct	43440
aaacttcgaa	gatgaacaca	taaagaatca	ccaagttttt	attcagtatg	atgaaacagg	43500
gacactgaat	caacagaaca	caaaccacaag	caaagataat	tactagagca	catagaagaa	43560
attattagat	attcttggga	agacctaaag	ggacattata	aagagcaagc	agttgggtatg	43620
tgacgatctt	tgtgatatac	caagaaataa	aaacacagga	tgaagaccag	atagagaata	43680
atgctactat	ttgtgcaaaa	aaggagaaat	ggagaatctg	attcatattt	gcttgtattt	43740
gcatgaagaa	actttggaag	gtacataagt	aactaacaac	aatggttacc	tacttgtaag	43800
gcgagagaa	taagaggaca	ggaatggtgg	gaacaccttt	tgtgtccgga	attgggtgggt	43860
tcttgggtctg	acttgagaa	tgaagccgtg	gaccctcgcg	gtgagcgtaa	cagttcttaa	43920
aggcggtgtg	tctggagttt	gttcttctctg	atggttggat	gtgttcggag	tttcttctct	43980
ctgggtgggtt	cgtagtctcg	ctgactcagg	agtgaagctg	cagaccttcg	cggcgagtgt	44040
tacagctctt	aagggggcgc	atctagagtt	gttcgttcct	cctggtgagt	tcgtgggtctc	44100
gctagcttca	ggagtgaagc	tgcagacctt	cgagggtgtg	gttgacagctc	atatagacag	44160
tgcagaccca	aagagtgagc	agtaataaga	acgcattcca	aacatcaaaa	ggacaaacct	44220
tcagcagcgc	ggaatgcgac	cgcagcacgt	taccactctt	ggctcgggca	gcctgctttt	44280
attctcttat	ctggccacac	ccatatacctg	ctgattgggtc	cattttacag	agagccgact	44340
gctccatttt	acagagaacc	gattgggtcca	tttttcagag	agctgattgg	tccattttga	44400
cagagtgtctg	attggtcggt	ttacaatccc	ttcagtagac	acaggggtgt	gactgggtga	44460
tttacaatcc	cttagctaga	cataaagggtt	ctcaagctcc	caccagactc	aggagcccag	44520
ctgggttcac	ccagtggatc	cggcatcagt	gccacaggtg	gagctgcctg	ccagtcccgc	44580
gcoctgcgc	cgcactcctc	agccctctgg	tggctcgatgg	gactggggcg	cgtggagcag	44640
gggggtggtgc	tgtcagggag	gctcggggcg	cacaggagcc	caggagggtg	gggtggctca	44700

74/122

ggcatggcgg	gccgcaggtc	atgagcgctg	ccccgcaggg	aggcagctaa	ggcccagcga	44760
gaaatcgggc	acagcagctg	ctggcccagg	tgctaagccc	ctcactgcct	ggggccgttg	44820
gggcccggctg	gccggccgct	cccagtgccg	ggcccgcgca	gcccacgccc	accgggaact	44880
cacgctggcc	cgcaagcacc	gcgtacagcc	ccggttcccc	cccgcgcctc	tccctccaca	44940
cctccctgca	aagctgaggg	agctggctcc	agccttggcc	agcccagaaa	ggggctccca	45000
cagtgcagcg	gtgggctgaa	gggtcctca	agcgcggcca	gagtgggcac	taaggctgag	45060
gaggcaccga	gagcgagcga	ggactgccag	cacgctgtca	cctctcactt	tcattttatgc	45120
ctttttaata	cagtctgggt	ttgaacactg	attatcttac	ctattttttt	tttttttttt	45180
tgagatggag	tcgctctctg	tcgcccagac	tgagtgccag	tggtgccatc	ctggctcact	45240
gcaagctccg	cctcccgggt	tcacaccatt	ctcctgcctc	aacctcctga	gtagctggga	45300
ctacaggcaa	tcgcccaccac	gcccagctaa	ttttttatatt	tatttttttt	ttagtagaag	45360
cggagtttca	ccatgttagc	cagatgggtc	caatctcctg	acctcgtgat	ccatccgcct	45420
cggcctccca	aagtgtctgg	attacagacg	tgagccactg	cgccctgcct	atcttaccta	45480
tttcaaaagt	taaactttaa	gaagtagaaa	ccgctggcca	ggcgtgggtg	ctcacgcctg	45540
taaccccgag	actttgggag	gccgaggcgg	gcggatcacg	aggtcaggag	atcgagatca	45600
tcctggttaa	cacagtgaag	ccccgtcgct	actaaaaata	caaaaaatta	gccgggctg	45660
gtgggggca	ccggcagtc	tcgctactgg	ggaggtgag	gcaggagaat	ggcgtgaacc	45720
tggaaggcag	agcttcgag	gagccgagat	agtgcctatg	ccttccagcc	tgggcgacag	45780
agcgagactc	cacctcaaaa	aaaaaaaaaa	aaaaatagaa	cccgaaaagt	taaaaatatg	45840
ataatcaata	tttaaaaaaca	ctcaagagat	gggctaaaga	ggtgacggaa	caaatctaaa	45900
tattagattg	gtgacctgca	aaaccagccc	aaggaacatc	ccagaatgca	gcccataaag	45960
ataaagagag	cattttccgct	gggcacagtg	gtatggcagg	ggaattgcct	gagtcacaag	46020
gttgcaggtc	acattgaacc	acaccattgc	actccaggcc	tgggcaacac	agcaatactc	46080
tgtctcaaaa	aaaaaaaaaa	ttaaattaaa	aaagacagaa	tatttgagag	aaaaaaatgc	46140
ttatttcaag	aaacatgaaa	gataaatcaa	gatattctaa	ttcccaagta	agaataattc	46200
cagaagcaga	aaatagaata	gaggcaagga	aacactcaaa	acttctccag	tgccatagaa	46260
atgtgtatta	acttttagaa	tgaaacggag	taccaatatg	tgagcaggaa	gaacaaaaga	46320
gatccactct	taagccagtg	tggtgcccaa	gcgcagtgcc	tcatgcctgt	aatcccagca	46380
ctttgggagg	ccgaggcagg	tggtcacct	gaggtcagga	gtttgagatc	agtcaggcca	46440
acatggtgaa	accctgtctg	tactaaaaat	acaaacatta	gctgggtatg	gtggtgcaca	46500
tcgttaattc	caacttaattg	ggaggctaag	gcaggagaa	cacttgaaac	caggaggtgg	46560
agggttgtagt	gagccgagat	catgccacac	tcaggcctg	ggtgacagag	caagattcca	46620
tctcaaaaaa	aaaatccact	cctagacaaa	taatagttaa	attttagaac	accaaggaga	46680
aagaaaaaaa	attgtaaagc	ttcagagaaa	ataaacatta	actacaaaga	aacgagagtc	46740
agacgcgtg	actttctct	agataccagc	agataaagca	atatctccaa	aattcagaag	46800
gttttaacgt	agaatcctat	accagtcac	gaatatctac	atggaaaagt	gaaataaaaa	46860
acattgttta	aacatgcaag	gggttcagaa	gtttaccatt	cacagaatcc	ctgaaaacaa	46920
aaccaaataa	tcacttaagg	actcatthaag	aaaacaaatg	aaataaaaagc	accaatgatg	46980
agtaaaagt	cagaaaaatt	tacagtttac	ctaaataact	gtttatgcat	aatgtatgaa	47040
aacccaaaaa	tttaatatgg	gacagaatta	aaagattctt	tttgctttac	tttgctttac	47100
tcattggagag	ttcacataaa	cagattatct	tttaatagca	agagaaaaaa	atgttttagat	47160
atgtgtgaaa	aactaagggt	acaaaaacag	tgcaaaattca	tttatcatca	ggaaaatcca	47220
aattaaaacc	acagtatcca	ccagaataac	taaaaggtaa	aagacagaaa	ttaccaagag	47280
ttggcaagaa	tgtggagcaa	ccacatatac	ttctggggta	aataagttgg	tgcaaccggt	47340
actgaaaact	gtttgctagt	atctactaaa	accgagcaca	tgcacagact	acaaccaagc	47400
agttccactc	ccagatacac	actcaacaga	aatgcacaca	ctcactcaac	aaaagacgtg	47460
tactagagtg	ttcatgtact	tactattcat	aatagtccaa	aaatgcaaac	aaccaactgc	47520
caatcaaaagt	caaattgtata	tctatattag	ggatatatac	aatggcatat	acacagcaat	47580
gagaatgaaa	tgaaccagct	cggcacagtg	gttcatgcct	gtaatctcag	cactttgggc	47640
gggtaaggca	ggcagatcac	ttgaggtcag	aaatttgaga	ctagcctggc	caacacgggt	47700
aaaacctgtc	cccactaaaa	acacaaaaat	tagccgggca	tagtgggtgc	aggcctgtaa	47760
ttccagctac	tcgggaggct	gggttgggag	aatcgtttga	acccgaaagc	cggaggtcgc	47820
agtgagcgga	gatcgtgccca	ctgcactcca	gcctggagca	tagagcaaga	ctccgtctca	47880
aaaaaggaaa	tcaaaaatat	aaaataagat	gacaggaata	atccgcacaaa	gatcagtaat	47940
caaaaataat	ataaatgggc	taaagctacc	tattaaaaga	caaagatttc	acaccataaa	48000
ggatagctac	tatcaaaaaa	agagagagaa	taacagatgt	tagcaaggat	gtatggaaac	48060
tgaatttctc	acgcattgct	ggtagaata	taaaatgggt	cagcctctgc	ggaaaaact	48120
atgctgggtc	atcaaaaaat	taaaaataga	agtactactt	gatccaacaa	ttctacttct	48180
gggtatatac	ccaaataaact	gaaagcaggg	tcttgaagag	atatttgtag	acccatgatc	48240
atggcagcat	tattcataat	agctatgatg	tggaaccaac	ataaatatcc	tttgataaat	48300

75/122

atatggataa	gcaaaatgtg	gtgtatacat	tcaatggaat	attaattagc	aataaaaaatg	48360
aagaaaaattc	tgacacatgc	tacaacatgg	atgaaccttg	agggcattac	attaaatgaa	48420
ataagccagt	tataaaaaaga	caaatactat	atgaggtact	atattagata	ctcatgcaag	48480
gtacctaaaa	tagggcaaat	catagagaca	aaaagcagaa	tggtgggtgc	caggggctgc	48540
ggtaatggat	acagagcttc	aattttgtaa	gatgaaaaaa	ttctggagat	tggttgcata	48600
acaatgtgca	cacacttaac	actggggaac	tgtaaaactta	aaagtagtaa	atggtaaaaa	48660
taaaaataat	aaataataaa	ttttatgtta	ttttaccaca	atatttatta	aaagacaaag	48720
attaactaat	taaacaaaat	ccagccataa	gctaattggta	agagtaacaa	ttaaagaaga	48780
cacagaaaaat	tgaaaatcag	tgactagaaa	aagatattcc	atataaatgc	taacaaaaag	48840
caagtacagc	aatataaaga	gaatgaacaa	aaaaaaaatt	aaataagatg	gctcgtttat	48900
tcccaaaagg	tacaattcac	caagaagata	caagaattgt	gaacctttta	gcacataaaa	48960
cagcttcaaa	aatacaacat	ttaaagaaaa	atatatatata	aacatagaaa	tagtacaaaa	49020
accctacaa	gaatcataat	gggagtcttc	aatacaactc	tccatatcaa	caggtcaaac	49080
agagaaaaaaa	taaaagttaa	ggatgcagaa	aacctgaatt	accatcaata	aacttgagat	49140
taatatagaa	ctgtataccc	aataactata	gagttcaggg	aacagtcgtg	actgacagtg	49200
gactgcaaat	taatctgttc	ttaatctttg	tttttctttc	agcactgtgg	cagaatagag	49260
atcctaaaaa	ccttccagct	acaaaacatc	tttttaaaaa	tataaaaaaa	tacaaaaata	49320
actctgaaat	caatagaaga	cacatgggtg	aaccaaatt	ctagaataca	gggagaataa	49380
aggcattttc	agatattaca	aaaacagaaa	attgatcatt	gctgaagtaa	tttctaagaa	49440
atgtacttga	gggagaagaa	aaatgttcca	aagaaaagta	tctgtgatac	aagaagggaat	49500
ggaaagtga	gaaatggtaa	acaggtagat	aaagctaata	aatgttgacc	tagaaaaata	49560
caaaaacaat	agcaataatg	tctcgttgga	agggttgaag	taaaaataca	attaaggcca	49620
aatgtgaggt	aagtggaaatg	aaagacttag	aagtccttgc	ctgtttcaca	ggactgtatta	49680
aataaatgag	ccaggttttc	cattcaaaca	gttaaaactt	gaacaaaata	aactcaaatt	49740
aagtagaaag	ataaaaaaca	gaaattaatg	tcatagaaaa	ataaaaaatc	aatagaatta	49800
atcaataaat	cctggttaat	aaaagctggt	tctttgaaag	gattaataaa	ataatcatta	49860
agcaagtctg	atcaaaaaaa	aagagaaaaag	gtaccaaaaa	aagtactgta	tcagaaagag	49920
aacatacaga	tacatacaga	tatgtaagag	tctgttttct	tacaccagaa	tactatatac	49980
aacattatgc	tagcatatat	taaatttcaa	taatgttaat	gattttctag	gaaaaacagaa	50040
aatattaaat	ttactttgaa	gaaacagaaa	aactgagaaa	aataaatgat	catgaaaaaa	50100
atgaaaaggt	aaatattaca	tgatattaac	tgcttaaaaa	acaccagcag	cagccaggcg	50160
agtctgcagt	caagttctgc	caaaacttgag	ggaaacagata	attcttctat	tccagagcat	50220
agaaaatgat	ggaaagtgtc	ccaatttaat	cagagaggac	agcctgatcc	ttgttatgaa	50280
cacagataaa	aatggggtaa	actatatgcc	aaactcagat	acccaaaccc	taaataagat	50340
gctagcttat	tgatgtgaac	aatccaaaag	tgcattttta	attagcccag	ggtttttagag	50400
aaagaaaaatc	tagcaatgtg	accaccactt	atgtttaacaa	ttttaagacg	aaaacttaca	50460
tgatcatatc	aatgcatgct	acacaaaagc	atttgggcaa	aaaacccaac	acccaccctt	50520
gacttttttaa	actcttagta	attaggcata	aacagaaaatg	tacttaatgt	gatagaatac	50580
actcggtgaa	gatacagagg	gaatgctccc	taaaaccaag	cccaagacaa	agattcctat	50640
ttactgtcaa	tagtcaacac	tgacgcagag	gtaatctatg	gaagacaagg	aaaaaaagtaa	50700
aaacatgaga	gacatctgtt	gtttaacaga	caataagatc	acctacttgg	aagaggcaaa	50760
cgaatcaagc	gaaaaactat	taaaactgag	acaggcttta	gtatggaggc	tcagcttcag	50820
ctgtagtttg	ggctaccaaa	ttcaactcgc	ttgcttgagg	agttaatcct	gcaaagctaa	50880
ttctgtttga	gggtattagga	ttgacaagcc	tggtgctcct	cctcctcccc	catcttcaac	50940
actgaaataa	cacgggtgtt	ggaaactggat	aacagaatct	tccaaaaaca	aaaattgtcc	51000
tgaagggctg	acttgtgccc	ttactcaaaa	aacactttat	ctgctgcctg	cagctcctac	51060
agttgtcgg	ggataagcct	gccaaaccag	tcggcgtaat	tcttcctgca	gagggcaagg	51120
aagagcactt	tcacaggaaa	atttttttcc	gaactgtatg	ccgcttatta	cataaaactta	51180
cgtgctggca	aatggagctc	cagcaaaaata	agatattcag	agtcaaactt	ccttaggaaa	51240
aaaaaaaaaa	aaaagcaagc	acataacact	aatttccttg	catgggcact	ggggaaggag	51300
gtcgttactt	ccgcacgccc	gcaggtccgc	accaccggga	aaccacggg	caccgcgcgc	51360
tgccccggg	gcttccaggt	gcactgcgc	gcggcgcccc	agctgacccg	ggatgcccag	51420
ccctagccct	tcccctgtca	ccccggcgag	gaaggggcgg	gagcgcggcg	gacgcggagg	51480
gcgaagggct	tctcggtcct	ctgcaccacg	cagcaccccc	aaggcacaac	agggagggtg	51540
cgggaggctc	ccgagaccca	ggagccgggg	ccgggcgtgc	ccgcgcacct	gtcccactgc	51600
ggcgagggtc	ggggctgcct	ccagggccgc	agctgtcggg	agccacctgg	ctctcagtcc	51660
cgggtccctg	cgacaacctg	cgggcccggg	ggggaggagg	cgccacctg	ccgctgccac	51720
ctgcggcacc	gggtcccacc	ctccgggccc	ggcaggacag	gccaggacgt	ccctcctggg	51780
ctggggacag	gacacgcgac	gaggggaccg	gggccccgc	ggcgaagacg	cagcacgcct	51840
tcccagaaa	gcagtcctcg	gccccacaga	cggactgcgg	gacccccgcg	ctcgcgccgc	51900

76/122

catcccttca	gaccacgcgg	ctgaggcgca	aagagccggc	cggcgggcgg	gctggcgccg	51960
cggtagtag	tcaccggccc	cgctggctca	gcgcgcgcgc	aacccccagc	ggccacggct	52020
ccgggcgctc	actgatgctc	aggagagggg	cccgcgctcc	gccggcgccct	ccagccatcg	52080
ccgccagggg	gcgagcgcca	gccgcgcggg	gctcgctggg	agatgtagta	cccggaccgc	52140
cgctcgccgc	gtcctccttc	agccggcgcc	cgggggccccc	ctctctccca	gctctcagtg	52200
tctcatctcc	ctatctgctc	atcctctggg	cgcacataat	cgatgtttgg	gcgtcccaag	52260
ccagatgtgg	acccccatttc	cgcactctac	actggagggt	ttctaagggt	ggtgcccggg	52320
ccagcagctt	cagcctcatc	tgggaacttg	agaaaatgca	gattctccgt	cccacccagc	52380
ctattcggtt	tttccctgcac	taaaaccatg	aagggtggggc	ccagcagtc	acattctcgc	52440
aagcccgcca	agtattcttg	aggcgccctc	cagtttgaga	gctatgctca	cgccctcacc	52500
tccgccccgc	aaggagcccg	gtcttgccctg	tggcgctagc	cgcacacggg	cacctcatcc	52560
tgcggggccc	gcccccccgc	tgcacccctca	ccgcccacgc	cctcctccgg	gatgcagcgg	52620
aggcgccctg	aagtgcggca	ggtcaacatc	cccctcagca	tcttccctac	cctcaccggt	52680
cctcctccag	gggtgcctca	tggccagggg	ttagaaagag	ccactgtgtt	tcttgacatg	52740
gaagtggcct	aagaccttaa	tgaaaactgc	aggagtggaa	tgacagaacc	tttggtcata	52800
cttgagggcg	tgaagctcaa	atgaggagga	aggaaaggat	ccagggagaa	taaccaaccc	52860
tggcaagtgg	tggcgccacg	gtagaggggg	gagcctaggg	tagcgggtct	cgaccagggc	52920
cggtgttggc	cctcctcgcc	gccccgcgta	catttgggga	ggtctggaga	catttttggg	52980
tgtcatgatg	cgggagttgc	tactgttgcc	taagtgggtg	gacacgaggg	tgtcctctca	53040
catcctacct	gaaggacagg	actgccccac	aagggaagaat	gatccggccc	caaataagaa	53100
accctgggct	ggtcagcaac	aacccctttg	ttctgagaag	agaggaggaa	agaataaaa	53160
aagtgggggt	aagttttggg	ttggtagagg	aaacttgaag	acattttcac	tggaaaggaa	53220
gagaggaaag	ggagggagat	gtctgtaagg	acgagcaaac	cggttgacag	ctgattttct	53280
catattgaag	taatgagtc	tagttataat	aaattcctaa	taaaaaccca	gtttatccct	53340
gcaataaact	tgtctttttt	ttttaaatat	actgcttgat	tctgtttgct	aatattttat	53400
ttacaggctt	tgcattgata	tgcaaaaatg	agatgggcaa	taattttctt	tttgaattgc	53460
taatgttggg	gggtttcaga	atcaatgtta	tgctcacatc	ataaaaaaatt	tggaaaccag	53520
gcaggaggag	tgtttgaggc	cagaagttcg	agaccagtc	aggaaacaca	gtgagacccc	53580
cccattctta	caaaaaaaaa	aaaagaaaaa	aaaatgggca	tgtttgcttt	ttcctttttac	53640
tctgaacaat	tttaaggagca	ttaaaattat	ctattctttg	aggtttgatc	atttcccag	53700
taaaaatgtt	cctcccagcc	tgatgctttc	tttggggagg	gtaaatcttt	taaggctaga	53760
aaagtttctt	ctgtggcaat	tttattattt	acatttttaa	aattattcta	gagttaattt	53820
tgataaagca	tgtattttct	aaaacaaatt	atcctttttt	tccagatgtt	caagtgtatt	53880
tgcataaagt	tgaggaaaag	agtcttttgt	gaattcttta	acttctccca	aatatcttat	53940
tttgtgtatt	tttgcctctt	tattttgtta	acttttaaaa	gtgtattttt	ttttcaaaag	54000
atcagctctt	aggtttatgt	ttttggttat	actggagctt	ttttcttctt	ctttttaaaa	54060
tattttttct	cctttatttt	ttagacgtat	tttgatctaa	cgtaatcgga	agaaggtaaa	54120
ttagaatctt	ttgttactat	tgtgttttta	tttctcctta	tttctctgaa	gtcctgcttt	54180
ataaatagta	ccatgttatt	tgtgcataaa	tattcatttg	tcttatattc	ttgggaattt	54240
tcccacttca	tcataaaaatg	accttccttg	tctcatttaa	tgtgttcaaa	ctttgccctg	54300
aatttaactt	tgtctgatat	tttaccatcc	tgtctgaatt	tgtttgttac	cccaaacaac	54360
ctttgctggt	ttcgtctttt	ctgaaccctt	tatttttaggt	aatcccttga	attagagcac	54420
taagttttgc	tttgtgatta	aatctgaaaa	tctttatctt	gccatagatg	agttgagccc	54480
tattcatgtg	acagctatat	tatgctgttt	catagccctt	ttggtccttt	tttactctt	54540
gcattgcata	ttttgtgttt	attgtgtttt	gtgtttcttc	tgataatttg	gaagggttgt	54600
atttttatct	agggagttgc	cttataatca	tactccgcaa	tacacatcgt	cctcagtttc	54660
ttcagactgt	ctgttaactc	cctattctga	ataaaaaatga	cattgtaatt	tcctctcttt	54720
ttctttaccc	cttttctttc	cctcacctaa	tgtaaatgat	tttatccttc	tttagtattt	54780
gcttttttaa	tttaactacat	ttataaatat	ctttatcact	tgatttttaa	atcagctttg	54840
aatgagatat	ttggattcct	agatataaaa	gatgttaatt	ataccatttc	cacgttagta	54900
gggtttataa	atcatacatt	ctgctgtgta	accataatcc	cacgttttgt	ttagttccac	54960
tccactagtt	aaaagattca	gaagtattat	taacagttat	tttgccatag	ttttttcccc	55020
aacccatttt	gtggtaagtt	atgatcctgc	tttagtttct	taagaataat	ttatagagca	55080
gagtggtgtg	gctcacgttt	gtaatcccag	cactttggga	gacaagaggt	agaaggatcg	55140
cttgaagcca	gcagttcaag	accaccctga	gcaacatagt	gagaccttgt	ctctacaaaa	55200
aattttaaaa	tttgcagaga	cgtagtggcg	tgtgcctata	gtcccagcta	ctcaggaggc	55260
tgaggcaaga	ggattgctag	agcccagaag	tttagggctg	cagtgacctc	tgattgtgccc	55320
actgcacccc	agtctgggca	agaaagttag	aacctatctc	tttaaaataa	caataataac	55380
ttatgaaaa	tatatccctt	gagtttttca	tgtttaaaaa	tatttgttgc	ctttatcctg	55440
taaaagtgtg	agtataaatt	cttgggttat	actttattta	ttgaagaatg	tataagtatt	55500

77/122

gtcttctaga	attgagtgtt	gctgtaatga	aaccagaagt	cagcctgggt	tatttttctt	55560
cagaaatgag	gtaattgccg	gccggacacc	gtggctcatg	cctgtaatcc	caacactttg	55620
ggaggccgag	acaggtggat	cacgaggtca	ggagattgag	accatcctgg	ctaacatggt	55680
gaaaccccg	ctctactaaa	agtacaaaaa	gttagctggg	catggtgggt	gacgcctgta	55740
atcccagcta	cccgggaggg	tgaggcagga	gaatggcgtg	aacctgggag	gaggagcttg	55800
cagagagctg	agatcgcgcc	actgcactcc	agcctgggcg	acagagttag	actccgtctc	55860
aaaaaaacaa	aaaaaaaaca	aagaagtga	gtaattgcc	tgatgctcca	agaattatct	55920
ctttgtctat	gaaatccaga	aatctcactg	ttatacattt	tgggaattatt	attctggggc	55980
aatatttcc	gggacacaat	agattgactc	tatagattta	attttttttt	tttttttgag	56040
acagagtctc	actgcaatct	cagcttactg	caacctctgc	ctcacgggtt	caagcaattc	56100
tcctgcctca	gcctcccaag	tagctgggac	tacaggcgcg	tggcaccatg	cctggcta	56160
ttttgtcttt	ttagtagaga	cagggtttca	ccatgttggc	caggctgggt	ttgaacgcct	56220
aacctcaagt	gatccacctg	cctcagcctc	ccaaagtgtc	gggattacag	gcgtgagcca	56280
ccatgcctcg	cctcaattcc	tctttctatc	tggttaattt	tctgaagtgg	aaaacttttg	56340
ttctaatacg	ttatttcagt	gttcttctaa	gatgtgtaaa	gcacctattt	cccagggtcag	56400
ccccatctt	gctagttagc	tcggctgggt	cttcacaaga	gctctgggtt	tctcctgctt	56460
aatctcaagt	acctctgtca	gcctccacct	ggtttatgat	ttggagtttt	ttgggttttg	56520
ttttgtgtt	ttgacagagt	cttactctgt	caccaggctt	ggagagcagt	ggcacaattc	56580
cagctcactg	caacctctgt	ctcccagggt	tgagcgattc	tcctgcctca	gcctactgag	56640
tagctgggat	tacaggcgcg	tgccaccaca	cccggcta	ttttgtattt	ttagtagaga	56700
tggggtttca	ccatgttggc	cagggtgggt	ttgaactcct	gacctcaggt	aatccacctg	56760
cctcagcctc	ccaaagtgtc	gagattacag	gcgtgagcca	ccgcgcctgg	catggtttgg	56820
agttttaatc	tgtagtttta	ataaagatag	tgcttatggt	tgtgtttctt	atattttctg	56880
gtactcttgg	gtaatttgta	agatcccat	atctacacaa	gaagtccatt	ttcaattctt	56940
ttcttcagac	tggtttatttt	attttatttt	attttatttt	tatgtttgag	atggagtctc	57000
gctgtgtcac	ttctggaggc	tggagtgcag	tggcgcgatc	tcaggctcact	gcaacctccg	57060
tctccgggtt	ccaagcaatt	ctcctgcctc	agcctcccga	gtagctggga	ttacaggcac	57120
ctgccacttt	ttaatttttt	tagagacaga	gtctcgcttt	gttgaccagg	ctggagtgcg	57180
gtggtgcaat	catggctgac	tataacctcc	aaatcctggg	ctcaagtgat	cctcctgcct	57240
cagcctcctg	agtagctggg	actacaggca	catgccacca	tgcccagtta	atttttaatt	57300
ttttgtagag	acagggtctc	catatgttgc	ccaggctggc	ctcctactcc	tggcctcaag	57360
taatcctcct	acctcagcct	cccaaattac	taggattata	agcatgagcc	accatgcccc	57420
gccttgttct	actactttaa	tttcatatgt	taggtgacca	tgtaattgat	catccaaacc	57480
aggatactgt	aagaatgaaa	gaggctgaca	gtagtatgat	gctgggacta	gcattgtgca	57540
ctgagattat	ttctgggaaa	gcaggagata	cggtcacctt	acttatagt	tgcttgcctt	57600
tggattgttg	aattttggag	ttctatttgc	aggcttattt	caactgggca	gccttgatcc	57660
gccctgccca	gcaatgttac	cgttctctcc	accgggtctc	tgggaccctt	tcagtactca	57720
tacttagctc	agttccccac	cctcccactc	cctaaaagcg	taaccaggaa	tcctgcctca	57780
ggctacttgc	cgtcttcctg	gggctgtttc	agttcctatt	accagagtc	aaactcccag	57840
cattccctac	ctgattccag	acttggagtc	cagagcttta	acctcttcag	gccaaactcc	57900
cactttgcat	ttctgtccct	atatcttagt	ccatggagat	acatttcatg	tctttgagtc	57960
tacttacaaa	gtaaattttg	ctgtttttta	attttttttt	tgagatggag	tcttgccctg	58020
tcaccagggc	tgtggtgcaa	tgacgccatc	tcggctcact	gcaacctccg	cctcctgggt	58080
tcaagcgatt	catctgcctc	agcctcccaa	gtagctgtga	ttacagacag	gcaccaccac	58140
gcccagctaa	ttttttttat	cttttagtag	agacagggtt	tcaccatgtt	ggccaggctg	58200
gtcttgaatt	cctgacctcg	tgatctgccc	atctcggcct	cccaaagtgc	tgagattaca	58260
ggcgtgagcc	actgtgcccc	gccaattttg	ctttttttat	atttcattgc	tatatgttta	58320
gaggataagt	ttacagtgtc	atatgcattc	ccaaatatta	gaccaaataa	atctccaaaa	58380
aattagaaag	aaaatccaaa	aaatctcaaa	aaataccaaa	aagcaacaat	ctcacagacc	58440
atactcactg	accccccaata	aaataaaatt	agaaattaac	cacaacttaa	caaaataaag	58500
tactcaagtc	agagaggaaa	gaggaaataa	acatcaaaat	tacaaagtct	aggcgggtgg	58560
tcacgcctgt	aatcccgaca	ctttgggagg	ccaagtcggg	cagatcacaa	ggtcagggaat	58620
tcgagaccag	cctggccaat	atggtgaaac	cccgtttcca	ctaaaaatac	aaaaattagc	58680
caggcatagt	gatgtgtgcc	tgtaatccag	ccacttggga	ggctgaggca	ggagaatcac	58740
tgaacccagg	gagacgaaga	ttgcagttag	ccaaaatcgt	gccactgcac	ttcggcctgg	58800
gtgacaaaag	gtgacaaatc	ctgcaaaaaa	aaaaacttac	aaactcttta	gatagaaatt	58860
ttggtgtttt	tttttgagac	ggagtctcac	tctgtcgcag	aggctggagt	gcagtgggac	58920
tatgtcagct	caccgcaacc	tccatctcct	ggattcaagc	aattctcctg	tctcagcctc	58980
ccaagtagct	aggattacag	gcgcccacca	ccagaccag	ctagttttta	tatttttagt	59040
agagatgggtg	tttcaccatg	ttggccaggc	tggtctcaaa	ctcctgacct	caagtgtacc	59100

78/122

acctgcttca	gcctcccaaa	gtgctcagat	tacaggcggtg	agccaccgca	ccccacctag	59160
atagaaat	caacatgagg	ccgggcacaa	tggtctacgc	ctgtaatctc	agcacttcag	59220
gaggctgagg	cgtgggagga	tcaacttgggc	ccaggagtcc	aggaccagca	tgggtgacag	59280
agacagaccc	tgtctctatt	tatttgaaaa	aaaaaaaaaa	aaagagagag	agaaagaaat	59340
ttcaacatga	aaagtatctc	tcaaaccctt	cgagatgttg	gcaaaaagcg	actcaaagga	59400
aaatgtatta	ctgtgtgtga	atttgcttga	aaataagaaa	gaggccgggt	gtggtggcta	59460
acacctgtaa	tcccaacact	ctgggagtcc	gaatcaagtg	gatcatgagg	tcaggagatc	59520
gagaccatcc	tggctaacat	ggtgaaaccc	tgtctctact	aaaaatacaa	aaaattagct	59580
aggcgcggtg	gctcatgcct	gtaatcccag	cactttggga	ggctgaggca	ggtggatcac	59640
ctgaggtcag	gggtttgaga	ccagcctggc	ctacatgggt	aaacctcgtc	tcttctacaa	59700
atacaaaaat	tagctgggcg	tggtgggtgg	tgctgtaat	cccagctact	cagaggctga	59760
ggcaggagaa	tgccttgaac	ccgggaggcg	gaggttgccg	tgagccgaga	tcgcaccact	59820
acactccagc	ctgggcaaca	gcctgggtga	cacagtgaga	ctccatctca	aaaaatacaa	59880
aaaatttatt	gggtgtgggt	gcctgcgcct	tgagctccag	ctaccgggga	ggctgaggca	59940
ggagaatgga	gtgaacctgg	gaggaggagc	ttgcagttag	ccgagatccc	accactgcac	60000
tccagcctgg	gcgacagagc	aagactcttg	tctcaaaaaa	aagaaaaaaa	aaggaaaaaa	60060
gaaccctgat	aataaagaaa	ccaaatgttc	aactctcaaa	gctcggacac	tttaaagaaa	60120
taattataaa	aggcagaagt	taaaggagg	atgataaagc	aatttttttt	gttggttttt	60180
ttgagatgga	gtcttgcctc	gtcaccagg	ctggagtgcga	gtgatgcat	cttggctcac	60240
tgcaacctct	gcctcccggg	ttcaagcaat	tctcctgcct	cagcctcctg	agtagctggt	60300
actacaggtg	cgcgccacct	ggcccagcta	atttttgtat	ttttattaga	gacggggttt	60360
caccatattt	gttaggctgg	tctcaaactc	ctgatctcag	gtaatctgcc	cacctcgccc	60420
tctcaaaagt	ctgggattac	aggcaggcgc	caccgcgctc	ggcctaagag	aaaatatgtg	60480
ttctgtgcaa	aaggtcaata	aaaagagcaa	acgtttacaa	actggagcca	gcacccattc	60540
agctcagtgt	gtctggagaa	aaaacaatct	cgcttcagaa	ttcatgatta	cgcagccctt	60600
tttgcttctc	aaaaatccta	ctatgttgct	gttgaccatt	ctctctcttt	ctctctctct	60660
tgctttctct	ccagaaaagc	tattcagaca	tctcctctct	tcctcaaaacc	tccaactact	60720
cctcctccat	ccttagcctc	agctgctgac	ctcacttcta	atcattgaga	aaccaggaga	60780
agcattttaag	agtgaacctc	cgcttccccg	cacgggcaaa	accacccacc	cacagaattg	60840
tgccccaatt	ctgctgcctc	tcctctcacc	atggatggac	ggtccaggct	ccgagccaaa	60900
gccaggcctc	ctgggagctc	ccatcaatcc	cacctgcagc	ttctcaggca	gggcccagc	60960
agctccccctg	ctcccttgta	cccattgtgt	ctccccctac	tggtgtcact	ccaacaatat	61020
atatatttag	tgatgtttct	cccattgtgt	aaaatcactt	agcctctctc	ctcccccagc	61080
tactatccta	tttgtttctt	tccattctct	gcaaaacttc	tcaaaagcatt	gtgtctatgt	61140
gctgactcca	tttatcttct	cccgttctct	gctgagctct	tcccacagac	tctcacccta	61200
gttactccat	gaaatgacct	ctgcactgcc	acatccaatg	gtgaatgttc	agttcttaat	61260
tttattcagt	ctttcagcag	catttgacct	ggccgatcac	tccctcttct	taaaaaatact	61320
tttctcagcc	aggcgtgatg	gctcacacct	gtaatcccaa	cactttggga	ggccaaggcg	61380
tgaggatcat	gagagcccag	gagttcaaga	tcaggctggg	caacatggga	agaccctatc	61440
gtagcaaaaa	ctaaaaagta	gccagtgtga	tggactgcac	ctgtagtccc	atctacttag	61500
gaggctgagg	cagtaggatg	acttgagcct	gggaaatcaa	ggctgcagtg	agccatgatt	61560
gcaccactgc	actccagcct	gagtgacagc	gagaccctgt	ctcaaaaaga	caaaaatagga	61620
aacttttctc	agcatattcc	tctgattctc	ctgctgcctc	tgtctgcaca	gattcagctc	61680
cctttgcccg	ttcttctctc	tcctcctgat	ctcttgacct	tgaagtgcc	cagagtacag	61740
tctttttttt	tttttttgag	acgcagctct	gtctgtcacc	caagctggag	tgcaatggcg	61800
aggtctcagc	tcatgcaacc	tctgcctcct	gggttcaagc	gattctcctg	cctcagcctc	61860
ccaagttagcc	aggactacag	gcacatgcca	ccatgccccg	caaattgttg	tatttttagt	61920
agagacaggg	ttttactata	ttggccacgc	tggtctcaaa	ctcctgaact	cgtgaaccac	61980
ccgcctcggc	ctcccaaagt	gctgagatta	caggcatgag	ccaccacacc	cggcccagag	62040
tacagtcttt	agacggcctc	tctacctata	cttgctcccc	tcataaaactc	ctcctgcctc	62100
atggcttttaa	ataccatcgg	tagactgatg	actcccatat	ttctcttttt	tttttgagaa	62160
cggagtctcg	ctcagctccc	caggctggag	tgcagtggcg	cgatctcggc	tactgcaag	62220
ctccacctgc	caagttcaca	ccattctcct	acctcagcct	ctccagtagc	tgggactaca	62280
ggcaccgccc	accacgcctg	gctaattttt	ttgtattttt	agtagagatg	gggtttcacc	62340
atggttagcca	ggatgggtct	gatctcctga	cctcgtgatc	cgcccatctc	ggcctcccaa	62400
agtgtctggga	ttataggtgt	gagccaccgt	gcccagccga	tgactcccat	atttctatct	62460
cttgctgtgt	gggagttctc	ctcagaactc	catactcata	aatccaactc	tcataaaatag	62520
tatctcaaat	gggcaaatatg	ctcaaaagtc	aattcctact	tttctcccta	aacttgcttt	62580
cctgcagtct	ccaccatctt	aatgtccaat	ctaacattag	gaggcaaaaa	ctttgaagtc	62640
attcttgact	cttctctatt	acacacccta	tccaatcttt	ctgcagatcc	agtcgacccc	62700

79/122

caaaccaggt	tagctctcat	catctcccct	gttacccccct	ggccagggcc	atcttctctct	62760
ctcacctgaa	tcactgcagc	attctcctca	ctggctctctt	tggttctgtt	ttcactccac	62820
cttagcatag	tctccacaga	gcagtcagag	ggatcctttt	aaagtgtaat	tcccatcctg	62880
tccctgctct	gctcaaaacc	ctgtcgtgat	tcccgtttta	atctgtcaga	ttaaaagcca	62940
gagtctttcc	agtgcctac	atgatctgcc	tattatcacc	tcccacttct	ttccccttgc	63000
tcactccact	ccagctctgc	agctgtcctt	tctgtttcct	gaacagccca	gattttgtct	63060
ctttagaacc	tttgtatttg	ctgtcccctc	tgtctggaat	gtttttccag	gaagtccact	63120
ggctctctcc	tgcacttcc	tcctgaccac	catgtttaaa	aatcactcaa	acacacttca	63180
ggccggacat	ggtggctcac	gcctgtaate	ccagcacttt	gggaggccaa	ggtgggtgga	63240
tcacctgagg	tcaggagtgc	gagaccagcc	tggccaacat	ggtgaaactt	cgtctctact	63300
acaaatacaa	atagtagcca	ggtgtagtgg	cacacacctg	taatctcagc	tactcaggag	63360
gctgaggcag	gagaatcgct	tgaacccaga	aggcagagga	ggtgcagtga	gccaagatca	63420
cgccacaaca	ccccagcctg	ggtgacagag	caagacccca	tctcaaaaaa	aaaaaaagaa	63480
aaaaaaatca	cacaaacaca	cttctcttca	tattcctttt	ccaagtttta	tttttctcca	63540
gaatacttta	cattgtttta	atggaagtgc	tccgtttccc	cccaactaga	atggatactt	63600
cctgcaggta	ggcactctag	tcctcccctc	caagtactaa	ccaggctcaa	ccctgcttag	63660
cttctgagag	caggggagat	caggcctggt	caggggtgga	tggcccagga	attttgattc	63720
tgttttattc	attgctgttc	tgttgattct	cttttgttcc	tcctcctagt	gctgagaaca	63780
ctactttggg	ataataagca	ttcaataaat	atttgttgaa	tgaatgactt	gttgagttaa	63840
ttaatctcag	aaatgcagga	ctgggtctac	attagaaaaa	ttttcaaggt	cattctctgt	63900
tgtcgttaaca	cattaagaga	ggaaaatttt	gtactctaaa	tcatttgata	aaatacatac	63960
tgatttctgt	tttcaaaaac	tcttagtgcc	tgggcgaggt	ggctcacatc	tataatccca	64020
gcattttggg	aggcagaggt	gggcggatca	cttgaggcca	ggagtgtgag	accagcctgg	64080
ccatcatggt	gaaaccctat	ctctactgaa	aatagaaaaa	ttagccgggt	gtggtggcgc	64140
atgcctgtag	tcccagctac	ctgggagggt	gaggcaggag	aatggcttga	accgaggagg	64200
cggaggttgc	agtgcagcaa	gatcatgcca	ttgcactcca	gcctgggtaa	cagagtgaga	64260
tcccatctca	aaagaaaact	cttagtgagt	taaggaaacc	aaggaaagacc	ctcaaactaa	64320
atagataatc	tagctaccag	aagccttcag	taaaccttaa	cactccatgg	tgaaacatta	64380
gaaacattcc	tactaaaaga	caggctaaga	atgcctgcaa	tcttcacggc	tagtccaaga	64440
agtcaaaaag	aagaaatgag	cgctgattta	aaaaaataaa	caaacaaaaa	actaccgatg	64500
cagaggctgg	cagcaaggag	tgaaggactg	tcagtgactt	gcctggagca	ggcggatggc	64560
cacacccctg	cgaagcctgc	tcagctggct	gggggacgct	ccagtgtgtg	agtggaaggga	64620
tgcagggtac	ttcctctgcc	agggagttgc	actggggaga	tcctccccc	ctcacacttt	64680
ggcagctggg	gctttggaat	gtgacttagc	ttctgtcaaa	gggtcaatcc	accctttgat	64740
atatgatgca	aaggcgaaca	tatgatgcaa	aggtgagaga	acagcccaaa	ttaggacttt	64800
taccacagct	gtggaggtgg	acagcgacag	tgggtggccc	tggccagact	tttcagctc	64860
aaaggtgggtg	gttgttcttc	ctacttcttg	tcctccagg	gcttcccttg	cctgtgtgct	64920
gaacctgctt	cttttaattt	tttttaactt	ttttaaattt	tttaattgtt	taattaaaac	64980
aaattttgaa	aactgtctga	acctgctttt	gaacctgctt	atgatttgaa	tgtttgtccc	65040
tgcgcaaac	gattttgaaa	cttaattctc	aaagtggcca	tattgagatg	gggctttaa	65100
cagtgcactgg	atcatgagag	ctctgacctc	atgagtggat	taatggatta	atgagttgtc	65160
atgggagtg	catcagtgcc	tttataagag	gaagaattaa	gacctgagct	agcatggctg	65220
ccccttcacc	atttgatata	ttacactgcc	taggggctct	gcagagagtc	cccaccaaca	65280
agaaggctct	caccagatac	agtcctcaa	ccttgactt	ctcagcctct	gtaactgtaa	65340
gaaataaatg	ccttttcttt	atgaattacc	cagtttcaga	tattctgtta	taaacataag	65400
aaaacgaact	aaggcaaac	ctcatgattc	tactgccatg	ccattccaat	aaactccctt	65460
tatgcttaag	agagccagag	ttggccaggc	gtggtgactc	acgcctgtaa	ttccagcact	65520
ttgggagcc	gaggcaggtg	gatcacaagg	tcaggagatc	gagaccatcc	tggctaacac	65580
ggtgaaaccc	cgtctctact	aaaaatacaa	aaaaattagc	tgggcgtggt	agtgggtgcc	65640
tgtagtccca	gctactcggg	aggctgaagc	aggaggagaa	tggcgtggac	ccaggaggcg	65700
gagcttgca	tgagtgcaga	tcgtgccact	gcactccagc	ctgggtgaca	gaatgagact	65760
ccgtctcaaa	aaaaaagaga	gccagagttt	atttctgttg	cttgcaacca	agaaactctg	65820
ctgggtgact	gaagtttcca	taataaatag	caatttaaa	actctttcca	agccaggcaa	65880
tgcctagcct	tgtgtagtcc	ttgtggtaat	acattcattc	attcatttgt	tcaaccaact	65940
gtgctccaga	gactaagaat	acaaaaatgg	gggcgggtg	tgggtggctca	cacctataat	66000
cctagcactt	tgggaggccg	aggcaggtag	atcacctgag	gtcaggagtt	cgagaccaac	66060
ctggccaaaa	tggtgaaacc	cctactctac	aaaaattaga	aaaaattagc	tgggggtggt	66120
ggcggacacc	tgtaatccca	gctactcgtg	agactgaggc	aggagaatca	cttgaacccg	66180
ggaggcagag	gttgagtgga	gccgagatcg	caccactgca	ctccagcctg	ggcaacaaga	66240
gcgaaactcc	acctcgaaaa	aaaaaaaaaa	aaaaaaagag	ggccggggct	gggcgcagtg	66300

80/122

gctcacgcct	gtaatcccag	cactctggga	ggccaaggca	ggagaattac	gaggtcagca	66360
gatcgagacc	agcctgacca	acatggtgaa	accccatctc	tactaaaaat	acaaaaatta	66420
tccgggctg	gtggcgacac	cctctagtcc	cagctacttg	ggaggctgag	gcaggagaat	66480
cgcttgaacc	cgggaggcag	aggttgacgt	gagccgaaat	catgccactg	cactccagcc	66540
tgggtgacag	agtgagactc	cgtctcaaaa	aaaaataaaa	aaaaaaaaaa	gaattcaaaa	66600
attgtagagt	tatagtgtgc	ttctagttta	gttgagagga	catctgtcct	tcaagggaag	66660
ctagaatcta	tacctgagt	ccttactgaa	atcaatccag	cagtcaaaac	atgggaccaa	66720
cgatcacagc	agtaagatag	gaagagcacc	tttgtacatt	tagctcatgt	tgagataagc	66780
cactgacaga	gctgaaggaa	gctcacagtt	ctgggttcca	tcctttggca	tttaaaaaa	66840
aaagtgtctaa	gaaaattcgg	ttggtcacgg	tggctcacgc	ctgtaatccc	aacactttga	66900
gaggccaagg	caggcagatc	acgaggtcag	gagttcgaaa	ccagcctggc	caacatggtg	66960
aaaccccgct	tctactaaaa	acagaaaaat	tagccgggca	tgggtggcgca	tgccctataat	67020
cccagctact	caggaggctg	aggcaggaga	attgcttgaa	cccgggaggg	ggagggttga	67080
gcgagtga	gcaggccact	gcactccagc	ctgggagaca	gagcaagact	ctgtctcaaa	67140
aaaaaaaaaag	aaaaaaaaaag	agaaaaggaaa	aaaagaaaga	aaaaaaaaaga	aaaaagaaaa	67200
ttcaggccag	gccaggcctg	gtggctcaca	cctgtaatcc	caacactttg	ggaggctgaa	67260
gcgagacggt	gccttagccc	aggagtttga	gaccagcctg	agcaacatag	cgagaccctg	67320
tctctataaaa	aaaaaatttt	tttttggcca	gacgcagctg	ctcacgcctg	taatcccagc	67380
actttgggag	gccgaggcag	gtggatcacg	aggtcaggag	atggagacca	tcctggctaa	67440
cacggtgaaa	ccccatctct	actaaaaaat	acaaaaaatt	aaccgggcgt	ggtggcgggc	67500
gcctgtagt	ccagctactc	gggaggctga	ggcaggagaa	tggcgtgaac	ccgggaggcg	67560
gagcttgacg	tgagccgaga	ttgcgcact	gcactccaga	ctgggagaga	gtgagactcc	67620
gtctcaaaaa	aaaaaaaaaaa	aaaaaaaaaat	taattgtcag	gtgtgctggc	atgcagctgt	67680
agtcctagct	actcgggagg	ctgaggtaag	aagatcgctt	gagcccagga	gttcaaggct	67740
gcagtaatag	tgccctctcac	tctaccctgg	gtgacaatga	gaccctctct	caaaaagaaa	67800
gaaaaaagg	aaagaagaaa	agaaagaaa	aaagagaaga	aaggaaggaa	gaaagaaaaga	67860
aaaagaaaaag	gaagggaagg	agaagaaaaa	aaaagaaaga	aagaaaaagag	agagaagttc	67920
aaagaccaa	gggtcaggat	cccaaaatag	tttttatgtt	ttattttatt	atttacttat	67980
ttatttttga	gacagtatgg	ctctgtcgcc	cagggtggag	tgcaagtgat	cgattgaggc	68040
tcactgcagc	ctccaaactg	ggctcagggt	gccctcccac	ctcagcctcc	cgagtatgtg	68100
ggaccacagg	cgcggtggcc	catgcccagc	taatttttta	attcttttga	gagatgaggt	68160
ctctatatgc	tgcccagggt	ggtctcgagc	tcctgggctt	aagccatcca	cccgcctggg	68220
cctcccaaa	tgctgggatt	acagaagtga	gccaccgcgc	ctaactcggg	ggtttgtttg	68280
tttatgtgag	gggtctcgct	gctgcccagg	ctggagtgcc	agtggctggt	cacagggtga	68340
gtcctggagc	attgtctcag	ctcttgggct	ctagcagctc	tccagagtag	ctgcagctgg	68400
gattccaggc	gcgccaccgc	gcggggctca	gaatgggttt	ttatatagag	ggttatgctg	68460
ccacctagag	gatatatgta	gtaccgaact	gtgtgcgcag	ggaggctgag	gttgcaagtga	68520
gccaagatga	tgccagggca	ctccagcgtg	ggtgacagag	caagatttca	tctcaaaaaa	68580
aaaaaaaaaaa	aaaaaaaaaaa	agaattgaa	agtaaggtct	tgaagagata	tttgtgctg	68640
tatggtcata	gcagtattaa	ctttgaccca	ctagtcaaaa	cacaaaagca	acatgtgtct	68700
gtcagcagg	gaacggataa	acaaaatgtg	gtatatatgt	acaattgaat	attattcagc	68760
ctttaaaaa	gaataaaaag	ctggatgcgg	gggctcacgc	ctgtaatcct	aacacttttg	68820
gagactgagg	tggttggtatc	acccgagggt	aggagtttga	gaacagcctg	gccaacatga	68880
tgaaacttca	tctctactaa	aaataactaa	attagccggg	catggtggca	cttgtctgta	68940
atccaagcta	ctggggaggc	taaggcagga	gaattgcttg	aactcaggag	ccggagggtg	69000
cagtgaagta	agatggcacc	actgcactcc	agcctggggc	acagagtgag	actccatctc	69060
aaaacaaaaca	aacaaaaaat	tattatttcc	aaagaaacaa	gaccctgggt	ccatttccca	69120
gcccacacct	gatgttgact	cacaacacac	agcctgggtt	gctatgagcc	tgcttcattt	69180
aattgtcacc	ttaacttcac	atcacctcca	agtcctggaa	taactctttg	ctgacctttg	69240
tgtgtgagc	catctccatg	tcgctcaacg	tgcagtcctc	ctcactgcac	tgagtcaata	69300
gccagcagtg	gtctgactgc	agggctcatc	ttgggtgctt	agggtgactc	gggcatagca	69360
gggtgctctg	agacctcacc	gcataatagg	tttgccccc	ataaactcta	tataattatt	69420
atattatgtg	gtctgggtgt	gtgtagcttt	gcactgtctt	ctcgtgacag	tgccctcaac	69480
ctctttccca	ggatttcctc	ctctacctcc	tcaagtccca	ctgctctgca	aagaccaaaa	69540
gctgcagagt	cccagctccc	tcctttacac	cccacgacgc	agcctcctct	ctcagaaccc	69600
tttaaacaga	gtcttttact	gcagatccca	agcctgcttc	cacccctctc	tcccaccac	69660
tccagacaca	cccaggtaat	tatagcacc	agggtaacta	tgtagatgga	gtccctggaa	69720
catgtggata	gtgcccctg	ggagtatgca	aaagcaacat	tgctggcacc	tgcaagagac	69780
agggtgacat	ccagggaatca	gagcatgggc	ctctgggagg	tagggatgtg	gccaggcagg	69840
ctgccaaaaa	ttggtagagc	aaggccacag	gatctttctg	accttccttc	caaacagagg	69900

81/122

ctcctgtact	ggtgatccct	gtgttgattg	accactccct	tcctgggggt	cgtgggtctct	69960
gtcccagttg	cccggacttc	tgtgagtgtc	ctactgaggt	ccttttcatg	agaagcatgc	70020
tgtccttcca	cctgctggga	gcaagagtga	caacttcaat	actataatag	cagtggcata	70080
cagagaagaa	gaaagatgaa	gtggcaagaa	aaacaggctt	ccaagcagga	gtttttctat	70140
aaaaacaaaa	acgtttacaa	gcaaactttt	tataaagggc	tagatagtaa	atatttttagg	70200
ctttgagagc	cacatagact	tgtttgcagg	gactcaatgt	cgctattgta	gtttgaaagc	70260
agccatcagg	gttatgtaaa	tgagtgagtc	tgattttgtt	tcagcaaaat	tttattttacc	70320
aaaacagaca	atgagtgggc	tggatttggc	ccatgatcct	tagtttgcca	actcctgctt	70380
tggtgtcacc	cagatctgat	tttgaattct	ggctctgcta	ctggttagct	gcaggagctt	70440
ggaaggctct	ctgagcctgt	ttcctcatct	gtaaaattaa	agcaataatt	tctaacactc	70500
aagagtgtta	cctcacgcct	gtaatcccag	cactttggag	gctgaggcag	gcggatcacc	70560
tgaggtcaga	agttcaagac	cagcgtggcc	aacgtggcaa	aaccctgtct	ctactaaaaa	70620
atacaaaaag	tagccgggca	tgggtggcgcg	catctgtaat	cccagctact	tgggaggctg	70680
aggcagggat	cctgctagaa	cctgggagggt	ggagcgtgca	gtgagtggag	atcacacctc	70740
cacactccag	cctggccgac	agagcgagac	tccatctcaa	aaaaaaaaaa	aaaaagagtg	70800
ttagaagggt	ttgagataat	gaataaaaaga	tgccttgtgt	atactaagta	ttcaacaact	70860
gatagctgca	ttggtctaata	tataacagtt	tagaagcgat	tgagtcaaca	aatgctggat	70920
ttgtcaggga	ggacttctcta	tcaggaggta	gatctttggg	tgagtccctga	agcaaaagata	70980
ggcattggat	agaggagtgt	agagaacacc	ctaggactgt	tattattatt	attcgacacg	71040
gagtctcttg	ctctgtcacc	caggctggag	tgcagtggcg	cgatctcggc	tactgcaac	71100
ctctgcctcc	caggttcaag	cgattctcct	gcctcctaag	tagctgagac	tacagggtgtg	71160
tgccaccaca	cccggctaata	ttttatattt	ttagttaga	cagagtttca	ccatgttggc	71220
catgctgttc	tcgaactcct	gacttcaggt	gtccaccctg	cctcagcctc	ccaaagtgct	71280
ggaataacag	atgtgagcca	ccgcacccag	cccagaacca	tttttcaatc	cttggctctg	71340
ccttttatta	gctgcaagat	ctcaggcaat	ttattttaacc	tctccaaaga	ctcattttct	71400
cattcacaaa	atgaggcaaa	taataatatc	tactatccca	ggttgtcatg	agaattaaat	71460
gcaactagac	atttaatgaa	atgagaagtc	ccttggacat	taactggcta	aagtattgtc	71520
tcgacaagga	tatcattttta	ggtggatact	tagcatctca	gaactgatgc	tcacaatgga	71580
atatcattga	aacgcattaa	aattcatttt	aaatgattgt	aggtagttag	gcaattgaaa	71640
gaagaagaca	agaggactga	ttataatgct	tcaggctcac	tagtctcctt	ttaggaggga	71700
aaaacaattt	caagttaaat	tttaggctct	agatttttac	ccctgctgct	cattagaatc	71760
accagatttg	atgaaatcag	agcccatctg	aggctgtgtt	tttcatctcc	agaatgagag	71820
ctgttgtggg	gattaaagttt	ttgaaaaagt	acatctaaca	ggtgatcgaa	aatgatagtg	71880
atattattgc	agtgatggtc	attattgttg	ttattattat	actgaaagag	gcttcagttt	71940
tctgatccat	aaagttaggg	aattgcatga	gaccatttct	aagattcctt	ctagctctgt	72000
ttttttgttt	ttgtttttta	gacagagtct	ctctgcgccca	ggctggagtg	caatggcatg	72060
atcttggtct	actgcaacct	ccgcctcccg	ggttcaaatg	atcctcctgt	ctcagcctcc	72120
gaagtagctg	ggactacagg	cacacaccac	catgcccagc	taacttttat	atttttaata	72180
gaggtggggg	ttcaccatat	tggtcaggct	ggcttcaaac	tcctgacctc	aggtgatcca	72240
ccgcctcggg	cctcccaaca	tgctggggtg	accagctatga	gccactgtgc	ccaacctctt	72300
ctagctttct	tgatcactga	ttctagggtt	ctctgctgaa	atataatttga	gacatcctgg	72360
ataaaaagatc	atgcaagagc	tcccaatatg	gtattaataa	ttgattctgg	aggcttagct	72420
actcctgatg	gattagacat	gactcaactg	cctctcttat	gtgtacaaca	caacaacaca	72480
accaagaaaag	gttattcttg	cattccattt	attcagttta	tttacagccc	ttacttccag	72540
cagcacgtta	aagatatggc	cagggccggg	tgcagtggct	caagtctgta	atcccaggac	72600
tttgggaggc	caaggtgggc	ggatcacaa	gtcaggagtt	tgagaatctg	gcaattcttc	72660
agacttagaa	gcaaccagct	cgataacaca	gtcttgtgtg	ggctctccct	ctgtccctcc	72720
ctcgcttccc	tcattttctca	tccctgcccc	tgagactgtg	caccttcaca	tagccctgcc	72780
atgagacctt	catctcaggc	tttgctttct	ggggtaaactg	aggctaaaca	ctgagtggcc	72840
ctaaaagagg	attgggattt	ggaagttaga	ttattcacca	gagaacagac	tttgctgatg	72900
atcaggccca	ggttgttaatt	gttgaaaaaa	agagaggatg	catagtctta	tctcatctcc	72960
tagtcaaatg	caacaccatg	ataaataaga	gtcaaatcct	gagatgtgaa	ttggggacat	73020
ttgagtgggt	aaccctgaga	agcttgcacc	ttcagacccc	tcaatacccc	tgctccccag	73080
agaaggctgg	acattgacct	cagcacaggc	aggagccctg	caagatgcca	tttgtcctac	73140
taaagatgga	cccctccact	ctgtttctag	gtaaaataacc	aaagtcaagt	ctccacacag	73200
cctgagcaag	aaagtccagag	cctgctacag	gagaaaaatc	cacactggcc	aaaggattca	73260
ctagccctgg	ccactgtgtg	tgggaggaac	caggggaatca	tgtgtgggag	tcaatgttga	73320
agctgttgga	ctgggggttg	ggtggaatat	aagcctggcc	ctggggaggt	tttcccgttt	73380
gagggccttt	accacaact	caagatccag	tgctatagca	ggagatccca	gagctagtcc	73440
taacagatgg	tcaggattga	acttggccta	gagtaaaatg	aggaggatag	tgccagaact	73500

82/122

ttctcaacat	actattgagg	aagagggtcag	aaggcttaag	gaggtagtgt	aactggaaag	73560
gggtcctgat	ccagacccca	ggagagggtt	cttggacctt	gcataagaaa	gagttcagaga	73620
cgagtccacc	cagtaaagtg	aaagcaattt	tattaaagaa	gaaacagaaa	aatggctact	73680
ccatagagca	gcgacatggg	ctgtcttaact	gagtgttctt	atgattatct	cttgattcta	73740
tgctaaacaa	aggggtggatt	atctgtgagg	tttccaggaa	aggggacagg	atttcccaga	73800
actgatggat	ccccccactt	ttagaccata	tagagtaact	tcctgacgtt	gccatggcgt	73860
ttgtaaactg	tcatggccct	ggagggaatg	tcttttagca	tgttaatgta	ttataatgtg	73920
tataatgagc	agtgaggacg	gccagagggtc	gctttcatca	ccatcttggt	tttgggtgggt	73980
tttggccggc	ttcttttatca	catcctgttt	tatgagcagg	gtctttatga	cctataaact	74040
ctcctgccga	cctcctatct	cctcctgtga	ctaagaatgc	agcctagcag	gtctcagcct	74100
cattttacca	tggagtgcgt	ctgattccaa	tgctctgac	agcaggaatg	ttggaattga	74160
attactatgc	aagacctgag	aagccattgg	aggacacagc	cttcattagg	acactggcat	74220
ctgtgacagg	ctgggtgggtg	gtaattgtct	gttggccagt	gtggactgtg	ggagatgcta	74280
ctagtgaag	atatgacaag	gtttctcttc	aaacaggctg	atccgcttct	tattctctaa	74340
ttccaagtac	cacccccgcg	ctttctcttc	cttttccttc	tttctgattt	tactacatgc	74400
ccaggcatgc	tacggcccca	gctcacattc	ctttccttat	ttaaaaatgg	actggggctg	74460
ggcgcggtgg	ctcatgcctg	taatcccagc	actttgggag	gccgaggcgg	gcggatcatg	74520
aggtcaggag	atcgagacca	tcctggctaa	cacggtgaaa	ccccgtctct	actaaaaatg	74580
caaaaacatt	agccaggcgt	ggttgcaggt	gcctgcagtc	ccagcggctc	aggaggctga	74640
ggcaggagaa	tggcgtgaac	ctgggaggtg	gaggttgcaa	tgagccgaga	ttgtgccact	74700
gcactccagc	ctgggtgaca	gagcgagact	ccgtctcaaa	aaaaaaaaaa	aaaaaaaaaa	74760
tagctgggca	tgggtggcgc	tgccgtgaat	accagctact	ctggaggctg	aggcaagaga	74820
atcgcttgaa	cccagtaggc	ggaagtggca	gtgagccgag	atcttgacac	tgactccag	74880
cctggtgaca	gagtgagact	ctgtctcaaa	aaaaaaaaaa	agaaaaaaaa	agacagaaag	74940
aaagagcaca	gacagagtca	caggtatttg	cagtaggaag	ctgtcagggt	agagtgcacg	75000
gaaatagaaa	gtatatttta	cacttacagc	acatcttcgt	ttgattagcc	acatttaaaa	75060
tactgaatga	caacgtgtgg	ctatttagta	ttcactaaaa	tcttgacacg	tgcaagctta	75120
aagaatcctt	gatccgtccg	gcatggtggc	tcacgccttt	aatcccagca	ctttggggagg	75180
ccaaggtgga	aggatcactt	aaggtcagga	gttcgagacc	agcctggcca	acatggtgaa	75240
acctcgtctc	tactaataat	acaaaaaaaa	ttagccgggc	atggtgggtg	atgcctgtaa	75300
ttcccggtac	ttgggaggct	gaggcaggag	aatagcttga	atccaggagg	cgctgcagtg	75360
agccgagatc	atgccatgcc	actactgcac	tccagcctgg	gcaacagagt	gagactgtct	75420
caaaaaaaaa	aaaaaaaaatg	ttgggcgtgg	tggtcacgcg	ctgtaatccc	agcactttgg	75480
gaggctgagg	gggggtggatc	acctgggttc	tggagtctga	gaccagcctg	gccaacatgg	75540
tgaaacccca	tctctactaa	aaatacaaaa	aatagctggg	cggtggtggg	ggcacctgaa	75600
atctcagcta	ctcaggaggc	tgaggcagga	gaatttcttg	aaccaggag	gcagaggttg	75660
cagttagcca	agatcgcgcc	tctgcactcc	atcctgggtg	gcagagcaag	actatgtctc	75720
aaaaaaaaaa	aaaaaaaaatc	ttgattgtct	ggacattctg	cagaacatca	tatggagaca	75780
ctatgtgac	gacatcatgc	tgattgtaag	caagaaatgg	caagtgttcc	agaaacacag	75840
tcaagacaca	tacatgccag	aaggtgagat	ataaactcta	ctaagattca	gtggcctgcc	75900
acactggtga	cattttttaa	cctgctagat	gtttgtgtag	aaaaggattt	aaccttgccc	75960
aaagaggggt	ctggcctttg	tccccagcta	ctggacataa	tctcttttaa	ctcttgaaat	76020
atcattcctg	atagaagtat	ttttgttttg	actaggggcc	ttgggccagc	cagatagcaa	76080
caatgtgatc	tgggttgggg	gctttggatc	aggtggcatc	agtgtgacct	cctgagtggc	76140
tagagactag	aatcaaccac	atgggcagac	aaccagcctt	acatgatgga	attccaataa	76200
agactttgga	cacaagggct	tgggtaaagct	ttcctggttg	gcaatgctct	atactgggaa	76260
accattctg	actccatagg	gagaggacaa	ctggatattc	tcatattggt	cctccctggg	76320
ctttgcccta	tgattttttc	ccttgtctga	ttattattat	tattatgaga	tggaatctcg	76380
ctctgtcacc	caggctggag	tgcatgtgaa	tgatctcaac	tactgcaac	ctctgcctcc	76440
ccggttcaag	cgatttttct	gtctcggcct	cccagtagc	tgggactaca	gatgcatacc	76500
accacaccgg	gctaattttt	ttgtattttt	agtagagacg	gggtttcacg	ttagccagga	76560
tggctctgat	ctctgcacct	catgttccgc	ctgcctggc	ctctcaaagt	gctaggaata	76620
catgtgtgag	ccaccgcgcc	cagccccctt	ggctgattat	taaagtgtat	ccttagctg	76680
tagtaaatga	taaccgtgaa	tataacagct	tttagtgagt	tttgtgagca	cttctagcaa	76740
attatcaaac	ctaaggatag	ccttggggag	ccctgaactt	gcagttgggtg	tcagaaataa	76800
gggtgctcat	gttggtacca	tgccctctaa	ttttgtagtt	aattaacttt	cacaacttta	76860
ttattaccgc	ttacactcaa	tgttttattc	catttatcca	cataccactt	attctagtgc	76920
cttgcatcaa	agactttcta	tctcatgtac	tttattctgc	ttgaagtaaa	tccttttagga	76980
tattcttttt	ttttttttaa	ctttgcacat	acatactttt	atttttttatt	tatttttaat	77040
tttgttattt	ttgtgggtac	gtagtagata	tatgtattta	tggagtacat	gagatgtttt	77100

83/122

gatacaggca	tgcaatgtga	aataagcaca	tcatggagaa	tgggggtatcc	atcctctcaa	77160
gcaattttatc	cttcaagtta	caaacaatcc	aattacactc	tttaagttat	tttaaaatgt	77220
acattttaatt	ttgtattgac	tagagtcact	ctgttgtgct	atcaaataata	attttttttt	77280
tttttgagac	agagtctcac	tcagtggccc	agactgaaag	tgcaagtggca	caagctcggc	77340
tcacttcaat	ctctgcctcc	ctggttcaag	cgaatctcct	gcctcagcct	cccacatagc	77400
tgggattaca	ggcacacacc	accatgcccc	gctaattttt	atattttttt	agtagagacg	77460
ggttttcgcc	atggttgcca	ggctggtctt	gaactcctgg	cctcaaataga	tctgaccacc	77520
tcagcctccc	aaagtgctag	gattacaggc	atgagccacc	acacctggcc	aaaatagaat	77580
attcttttagt	gaggtctgct	ggtgacaatt	tttttctttt	ttttgagact	gagtcctcgct	77640
tttgtcagct	tgggctggag	tgcaatagca	cgatctcagc	tcactgcaac	ctccacctcc	77700
cggattccag	caattctcct	gcctcagcct	cccaagtagc	tgagagatta	caggcaccca	77760
ccaccacacg	cggctaattt	ttgtattttt	agtagaaatg	gggggttcacc	gtgttgcca	77820
ggctggtctc	gaactcctga	cctcaggtga	tccacccacc	ttggcctccc	aaagtgtctg	77880
gattacaagc	atgacacacc	acgcacagcc	aattttttcc	gtttttgtct	gaaatcttat	77940
tttgtgtcat	ctttgaaata	tatttttgat	ggatataaaa	ttgttggttg	atagtattta	78000
tcattattat	tattattttg	agacagggtc	tcactctgtt	gcctatgctg	gggtgtagta	78060
atgtgatctc	ggttcactgc	agacttgacc	tcctaggggt	caggtgatct	tcccacctca	78120
gcctccctag	tagctgggac	tacagatgca	tgccaccata	cccaactaat	ttttctattt	78180
tttgtagaga	tgaggctttg	ccacatttcc	caggctggtc	tctaactcct	gagctctagc	78240
aatccaccca	ccttggcctt	acaaagtgtc	gggccatgac	tagccagcag	ttacttttta	78300
tagcatattg	aatattttaat	atgaatcttc	tggcatccac	tgtaactgtt	taaaaaatca	78360
gctgtttact	tggcactctt	ttttttttt	ttttttttga	gacagagtct	tgccctgtcg	78420
cccaggctgt	aggctcagtg	ctgtatcttg	gctcactgca	agctctgcct	cccgggttca	78480
cgccattctc	ctgcctcagc	ctccggagta	gctgggacta	aaggcgcccc	ccaccacgcc	78540
cggctgattt	ttttgtattt	ttcgtagagt	tggggtttca	ccgtgttagc	caggatggtc	78600
tcgatctcct	gacctcgtga	tctgtccgcc	tgggcctccc	aaagtgtctg	gattataggc	78660
gtgagccacc	gcgcccagcc	tctttttttt	ttttttttag	acggagtctt	actctgtcat	78720
ctaggctggt	gtacagtggc	gtgatctcag	ctcagtgcag	cctccacctc	ctgcctcagc	78780
ctgccaaaata	gctgggatta	caggtgcgta	ccatcacgcc	cggctaattt	ttgtattttc	78840
agtagagatg	gggttttcacc	atgttagaca	ggctgggtctc	gaactcctgg	cctcaagtga	78900
tctgcctgcc	ccagctcccc	aaagattaca	ggcatgagcc	accgcacccg	gccaaagtgc	78960
actcctttga	aggtaatctg	cttcccctac	ccctagcaat	ttttaacaat	tttctctcat	79020
ttttattttc	tgaagttttg	ttattaataa	tctgtgtgca	gatttctttg	tatttctttt	79080
gtttgcagtt	catagtgttt	cttgaattag	tgtgttggtt	tctgttatca	ccacaggaaa	79140
attgtcagcc	gttagctttt	caaatatttc	cttgctaaat	tctctcttct	cccccttcgg	79200
tacaatttga	ttgattaaaa	ctaaaaaccag	ggcgggtgct	agtgactcat	gcctgtaatc	79260
ccaacacttt	gagaggctga	ggcagggtga	tcacctaagc	tcaggagtct	aagaccagcc	79320
tggccaatat	ggtgaaaccc	cgtctctact	aaaaatacaa	aaattaccag	gcatgggtggc	79380
acacattttgt	agtcaggagg	ctgaggcagg	agaattgctt	gaatccagga	ggtggaggtt	79440
gcagttagct	gagatcccac	cactgcagtc	tggcctgggc	gacagagtga	gatgataatc	79500
tgtctcgaaa	aaaaaagtta	tgaatgtttg	ataaaactata	tttggttagaa	tgtttgttgt	79560
agaatactat	tcattgattt	ttaaacaatg	ttagattaaa	ccattcactg	gatttgtgat	79620
aattaactta	ctgattttac	ctcactgatt	tgttgtaatt	aatacaactg	gtataaaaaag	79680
actgtgacga	ggcggggcat	ggtggctccc	gcctataatc	ccagcacttt	gggaggctga	79740
ggcaggcgga	tcacctgagg	tcaggagttc	aagaccagcc	tgaccaacat	gggtaaacc	79800
catctttact	aaaaatacaa	aattagccgg	tctgtgtggt	gcatgcctgt	aatcccagct	79860
cttcggggagg	ctgtggcagg	agaatcactt	gaacccggga	ggtggaggtt	gcagttagcc	79920
gatatcgcg	cattgcactc	cagcctgggc	aacaagagcg	aaactccgtc	taaaaaaaaa	79980
aaagaaaaaa	aacacataaa	acaaaaacaac	actgtgacgg	ttcccaaaaa	ttaggagcat	80040
aattaaagga	actcctgata	aaaattaatt	ttatcttaca	tgtaaaactaa	aatgacttta	80100
tgaagttaat	tcagaaatac	aatgcagggt	attagtttgc	cacagctgcy	tattcagcct	80160
aatgtaatat	tcttgttatt	tttaaattct	tcttttaact	ttactcatat	gtggatcatc	80220
aaatttcaaa	agattactatg	acaatactct	tgatcctaca	cttccctaag	catataaaca	80280
ttttaatggg	tgatgattca	gaaggtaacc	gaagaatatg	tactgccaga	tatcattcac	80340
ccccatatac	ctgcccgcaca	gacatcccat	tttgggaccc	tggataaatg	tgtgggtgga	80400
gagaaagata	ggagaaaagt	gtataagcaa	atggcttttg	agtctgattg	acagcgattg	80460
aaatcctgtc	tctacctctt	aacagcctca	tagtcctaca	taagttaccc	cgatcctcag	80520
ggccacatct	gtaaaattggg	ggttgcgatg	gcagccatct	cacagggtct	cttttcgggg	80580
aagggcagga	attatggatt	aagtgaagct	gtaattgtaa	agcacttaat	acaaggaggg	80640
cgcataataa	gtacttcata	aataatgacg	gccattatca	tgactgaggt	gtatgcagct	80700

84/122

gtcggggatt	acggcgactt	cagaattttct	ggtagggcagg	gctcaaaggc	agcaaatacac	80760
actggaagtc	gaggtgaggc	actgcttctg	cacagactgc	ttagctggag	agaatgagga	80820
aggcttagag	gagatttaga	ggaacttaga	gtcctccgcc	tccaactctg	tgggatctgc	80880
tcccgtgcc	gagacattca	ggggattttct	cgcactctcc	cctcccctac	gtcccctccg	80940
ccccatccaa	ctaaccacac	aacacataca	aaatagcccc	tgcgagggtc	tgcacgtctg	81000
aagggaaacag	gagaagggcg	ctgcgctttc	ttgctgatgc	cctgtacttg	ggcccctggg	81060
agacacagcc	acttgtcccc	tcagcctgca	gagaaatccc	acgtagaccg	cgccccgggtc	81120
cttggcttca	gccaatctcc	ctttggtggg	ggtagggatgc	acgatccaag	gtttttattgg	81180
ctacagacag	cgggggtgtg	tccgccaaag	acacagattg	gctcccagg	gcattctcga	81240
tccctggtgg	ggcgccgctc	agcctcccgg	tgcaggcccg	gccgaggcca	ggaggaagcg	81300
gccagaccgc	gtccattcgg	cgccagctca	ctccggacgt	ccggagcctc	tgccagcgct	81360
gcttccgtcc	agtgcgcctg	gacgcgctgt	ccttaactgg	agaaaggctt	caccttgaaa	81420
tccaggcttc	atccctagtt	agcgtgtgac	cttgagcagt	tgactttatt	tttcagtggc	81480
tagttttcca	gataaccaga	ctgactccaa	ggactattac	tcattctggg	ggtttagcac	81540
agtaccgtcg	catagtaaat	ttccatgtca	gttttgggta	cctttcatgc	acttgcaaac	81600
atgccatgct	ctgaaacgaa	ataggcacat	cttttttttt	ttttttttta	aggagtcttc	81660
ctctcgccca	ggctggagtg	cagtgccgcg	atcttggctc	actgcaacct	ccacctcccg	81720
tgttcgagat	tctcctgcct	cagcctcctg	attagctggg	actacaggca	tgccacgacg	81780
cccagttaat	ttttgtattt	ttagtagaga	cggggtttcg	ccattctggc	caggctgggtc	81840
taactcctga	cctcaggtga	tctgactgcc	tcagcctctc	aaagtgttgg	gattacaggc	81900
ataagccact	gcattctggc	agaaatgaaa	taagttaaat	ttttaacctg	ctctaacaat	81960
atagtgaaaa	gaccatatta	ttatttagag	aggttaaggg	atttgcctat	ttcgggttct	82020
agttatatgc	tttaaacttg	acattcttgt	agaaagttaa	aagtttcctc	ttcaaagttc	82080
cccttcttgt	taaagaatac	atcataagtg	ttagaagtaa	tagtttattt	ttaaagactaa	82140
ctttcttcaa	gcctccttgc	tttgtgctaa	taactctttg	ttaagcccta	tcctatgtaa	82200
ctgttgga	tgtcacagg	cacgttccag	ttcacagcct	atgccccttc	cttattttgga	82260
aatgttattg	cttctttaa	cctttcggta	agcaacttcc	tctccttctt	cgttcttctc	82320
tgcacttacc	tatttagaaa	gttttaggct	attagcaaat	cggctatcag	tttaagagtg	82380
tgagggtccc	ctccagccaa	tggatgcagg	acatagcagt	gaggacgacc	caaatgcgta	82440
agggataaat	atgtttgctt	ttccttttgt	cagggtgtgt	ctcgacatcg	ttccatctgc	82500
gattgagcac	cctttctgca	gaaagtaaat	attgccttgc	tggagatctt	ttgtctccgt	82560
gtgactttt	cttcgtggca	ccgattatct	atttctaaca	attttgggtat	ttctaactat	82620
ctgaacaatc	ttgggctagt	tgtctcttct	gggcctgttt	ccccatccgt	cacatgataa	82680
acttcatagg	tttaaaaacc	ccagcgaaca	tttattgagt	tactattacc	ttcctgcccc	82740
ccccaacccc	aaccccagg	agcagttaca	acctcagccg	ctgagcgcac	tcgcccgggtg	82800
ttaaagaagc	ccaaagacag	ggaggcttga	ttgattttgc	tttgggagta	gaggggtcaga	82860
agattcacag	gaaaatggca	tttgagcaag	gatgattcac	tggagctagc	ttttaaatatc	82920
tggcgaggct	tttatgttgc	agtcctttac	aaagttgagc	attcgagggg	actgcactcc	82980
gaaataagcc	cgcttcccc	tttcattcgc	taatgatcca	gggagctgct	gggtccgcatt	83040
gcggcagggt	gtgccttttc	ctaatacagg	ttctgcatcg	cctcgaaacc	gcaggccgtg	83100
gcgggttctc	ctgaggaagc	agggactggg	gtgcagggtg	aagctgctcg	tgccggccag	83160
cgcctgtgag	caaaactcaa	acggaggagc	aggaggggtc	gagctggagc	gtggcagggtg	83220
tgaccctgcc	ttttagaagg	gcacaatttg	aagggtatccc	aggggcccga	agccggggagc	83280
ctaaggcccc	ccccgttcca	gctgctggga	gggctcccgc	cccaggggag	tagttttgca	83340
gagactgggt	ctgcagcgct	ccaccggggg	ccggcgacag	acgccacaaa	acagctgcag	83400
gaacgggtgg	tcgctccagg	cacccagggc	ccgggaaaga	ggcgcggtga	gcacgcgcgg	83460
gtcacgtggg	cgatgcgggc	gtgcgcccc	gcacccgcgg	gaggggggatg	gggaaaagggt	83520
gcggggccgg	cgcttgacct	cccgtgaagc	ctagcgcggg	gaaggaccgg	aactccgggc	83580
gggaggcttg	ttgataaat	ggcggttggg	gctgcctggg	catcccagg	aggcggtggg	83640
gcccactccc	ggaagaagg	tcccttttcg	cgctagtgca	gcggccccctc	tggaccggga	83700
agtcggggcc	ggttgctgaa	tgagggggagc	cggggcccccc	ccgcgccagt	ccccccgcac	83760
cctccgtccc	gacccggggc	ccgccatgtc	cttcttccgg	cggaaaggta	gctgagggggg	83820
cgcggggggg	gagtcaggcc	gggcctcagg	gggcggcggtg	gggcagggtgg	gcctgcgagg	83880
gctttcccca	aggcggcagc	aaggccttca	gcgagcctcg	acctcggcgc	agatgcccc	83940
tgagtgcctt	gctctgctcc	gggactcttc	tgggaggggag	aaggtggcct	tcttgccgga	84000
ggtagagga	gtattgtcgc	gctgggttcg	aagcgattgc	ttaaagccat	agaagttcct	84060
gcctgtttgg	tttaagaacag	ttcttaggtg	gggggttagtt	tttttgtgtt	tctttgagga	84120
ccgtggatca	agatcaagga	aatctcttta	gaaccttatt	atggaagtct	gaagtttcca	84180
aatgttgagg	gttttatgtc	taaaagcaac	acgtgaaaaa	attgttttct	tcacccagtg	84240
ctgtcttcca	atttcctctt	tggggggagg	ggtagttact	gctgttacta	aaataaaatt	84300

85/122

acttattgct	aaagtccccc	aacaggaaga	ccactacttt	tgatgacttt	ggcaagtttg	84360
ctaactactg	gaaccctaac	ttacaaacga	actacttaca	tttttgattt	ccagttgtat	84420
tacctgcccc	atgttttacgt	agaaacagct	taattttgat	tctgggtaac	gttggtgcac	84480
ttcattaaaa	atacatatcc	gaagtgagca	agtatgggtc	tgtggacagc	agtgattttt	84540
cctgtcaatt	cctgttgctt	cagataaaat	gtaccagaca	gaggccgggc	gcggtggctc	84600
acgcctgtaa	tcccagcact	ttgggaggct	tggcgggtgg	atcacctgag	atcgggagtt	84660
caagaccagc	ctgaccaaca	tggagaaacc	ccgtgtctac	taaaaatata	aaattagcca	84720
gggtgggtgg	gcatgcctgt	aatgccagct	acttgggagg	ctgaagcagg	agaatcgctt	84780
gaacctggga	ggcggagggt	gcggtgagcc	agatagcagc	cattgcactc	cagcctgggc	84840
aaaaagagcg	aaactccgtc	tcaaaaaaaa	agtaccagac	agaaatgggt	tttgttttct	84900
ttttttgttt	tgagacggag	tttcgtctct	gttgcccagg	ctcgagtgcg	atggcgcgat	84960
ctcagtctcg	gctcactgca	acctctgtct	cccagggtta	atcgattctc	ctgcctcagc	85020
ctcccaagta	gctgggatta	cccatgcccc	accatgcccc	gctaattttt	gtatttttag	85080
tagaaaacggg	gcttcacccat	gttaggctgg	tcttgaaccc	ctgacctcaa	gtgggacctc	85140
cacctcgccc	tcccaaagtg	ccaggattac	aggcatgagc	caccgcggcc	agccagaaat	85200
gggtttttgga	aaaagcacta	aacaaaatcg	aacttggttt	catatgacag	ctctgctgct	85260
aactgtaaca	ggggcagacc	agttaaccta	cttttctgtc	ttctgtcagc	tgagaattag	85320
atgattccca	aaagtcacatt	gaactctgaa	tgactttaaa	tacttcttct	taagtgggta	85380
cacggttttg	gtaactgatg	ccagggtgat	aatgcatgaa	agtgtctaat	gaatgaaacc	85440
ggtaaaatag	taggaggaag	ctttattggg	aaggcagggg	tataacctaat	agctctctaa	85500
tttattggta	ttgaagtgg	taacttttgt	ttttttaagg	ggggaaaaca	ttctaagaat	85560
aatgaggcaa	actgcataatt	gcacaagaga	ctgtgtctc	tattcaacaa	ataccttttg	85620
agtgtccaga	gtctgccagg	tgctgtgcta	ggccctcacg	attgagtagt	gaaccagaga	85680
atgtccctgc	acccatggag	cttattgtct	actggggtag	acagataata	aataagcaaa	85740
caaactcttct	ctcttctccc	tttcgctcca	tgtaagtgtg	tgtgtatagg	tgtatactta	85800
caagtgtag	aaagtgttat	gaaagattaa	gaggagaaat	gcattttggg	tagatgttag	85860
aggactcagc	agggtgacct	gaaacttaga	gctgaaggat	cagtaggagg	taactagaga	85920
ggccagggaa	tcgcatgttc	aaaggccagg	aggcaagaaa	gagcatgggt	cccttcaaga	85980
gaggaaagaa	ggctactgtg	actggagcat	agatgtaggc	aagtgttggg	tgattgagag	86040
ctctacgggc	catggttagg	ttttattcct	aatgccgaga	tgccaaacat	ggtggttcat	86100
atctgttaac	ccagtatttt	aggaggccga	gagcctgaat	tagcttgaac	ccaggagtct	86160
aagaccagcc	tgagcaacat	gagacctgta	caaaacattt	aaaaaattgc	tgggtatgat	86220
ggtgcacacc	tgtggtccca	gctactcagg	aggctgaggc	agaaggatca	cttgagccta	86280
ggagggtggg	gctacaatga	gccatatttg	agtcactaca	ctccagcctg	gatgacaaa	86340
tgagaccatg	tgtcaaacaa	aatacagaaa	gaatattaat	ttaaaatttt	gaaaggaggag	86400
tgatctgaac	ttatatctta	aaaagatcat	tctaggggcat	ggtggctcat	gcctgtaatc	86460
aagggctttg	ggaggctgag	acaggaggat	cacctgaggc	cagttcgaga	tcaacctgta	86520
cagcatagag	agactccatc	tctacaaaaa	gaaaaataaa	atagctgggt	gttgtgagtt	86580
attcaggagg	ctgaagcaga	aagatcactt	gagcccagga	gtttgaggct	gcagtaagct	86640
atgatcccac	cactgcaaca	cagtggatgc	tgtctcaaaa	aaaaaaataa	aatcattcta	86700
ggtgcttttt	ggaggctgga	tgtggttaaga	gtagaagctg	gagatgggtc	tgttagggat	86760
tcgattcaga	ctttaaatat	catcaatgca	ttgagtccca	aatttacatc	actacgttgg	86820
atccttgccc	ctgaatccag	actggtatat	ccaactttag	gttcagtttg	tatctctacc	86880
tgaccaatat	agagggtgtcc	agtcttttgg	cttccttagg	ccacattgga	agaagaattg	86940
tcttgagcca	cacatagagt	acactaacgc	taacaatagc	agatgagcta	aaaaaaaatc	87000
gcaaaactta	taatgtttta	agaaagttta	cgaatttgtg	ttgggcacat	tcagagccat	87060
cctgggcccgc	gggattggaca	agcttaatcc	agtagatacc	ttcaacttac	aatatctaaa	87120
attttatgcc	agatttagtc	attttaaac	tgctcatcag	tttttctcaa	gaagtagtat	87180
tttggtcttt	tttcttttct	tttttttgag	atggagtttc	gctcttatcg	ttcaagctgg	87240
agtgcagtg	cggatcttgg	ctcactgcaa	cctccgcctc	ctgggttcaa	gtgattctcc	87300
tgctcagcc	ctgcaagttag	ctggaattac	aggcatgccc	caccatgacc	agctaatttt	87360
tggagacagg	gtttcaccat	gttggtcagg	ctgggtttgt	actcctgacc	tcagggtgac	87420
tgctgcttc	ggcctcccaa	aggctgggat	tacaggcatg	agccaccgct	ccgggtgca	87480
tttttggttt	tttagttgct	cagcccaaaa	cttttagtaca	tctttgaacc	tcttctttcc	87540
tctactctta	tatctgatcc	atcagcaaat	ctgttaggtc	tacctcacac	atatcgaaat	87600
cctaccacgt	ctcaccatct	gtgacaatta	acacctgggt	ctaggcagtc	atctctgtta	87660
agattgagtg	gttaaggatg	tcctctaagg	agatgacatt	caaatcttag	cttaaatgtc	87720
aagagggagc	tggtttttata	aagattgagg	aggcagcatt	attttgccat	aggcttccat	87780
ttggtttcca	ttccattctt	gatacttatg	gtatatattc	aaaacaaatg	cacagaaaca	87840
gaccacagga	tattgggaat	ttcggatata	gagttcctag	ttgggaaaag	atagactgat	87900

86/122

ctgtaaatga	tgctagttat	ccatcatctg	gcaaaaaata	atttcctgcc	tcctctcata	87960
tatctcagat	caacagactt	tttctgttaa	gggccaaatc	ataaatattt	taggctttcc	88020
agaccatattg	gtttctgtca	cactctcctt	tatccttgaa	gccatagaca	atatgtaaac	88080
aaatgggcat	ggctgtgcta	cgataaaact	ttacttacaa	aaactggtag	tgggccagtt	88140
taggcatggc	cagcactttg	ggaggctaag	gcagatggat	cacttggggg	caggagtttg	88200
agaccagcct	ggccaacatg	gtgaaaccct	gtctctacta	aaaatacaaa	aaatagctgg	88260
gcatggtggt	gggtgtctat	aattccagct	actctggagg	ctaagacaca	agaatcactt	88320
gaacccagga	ggcagaggtt	gcagtgagct	gagatagcac	cactgcactc	cagccagggg	88380
gacggagtct	taaagcaaaa	caaaacaaaa	ggtagtgggt	tgtatttggc	ccatgggctg	88440
tagtttgcca	atccctgatg	cagaaacaaa	ttccaggtaa	ataagagcct	ggaatgttaa	88500
aaaaacaaaa	cttgaagtca	tgtagaagaa	caggtagggg	gaacaatcct	gatctcagga	88560
taggaaggga	tattgtctaa	aataagacac	aggaaaatat	aatccatggt	gtgtaaattt	88620
gactacgtta	aaacttaaaa	ctttcgccaa	gcgcgggtgg	tcacgcctgt	aataccagta	88680
ctttgggagg	ccgaggtgag	cagatcacca	ggtcaggaga	ttgagaccat	cctggctaac	88740
acggtgaaac	cccgctctcta	ctaaaaatac	aaaacattag	ccgggcgtgg	tggcgggcgc	88800
ctgtagtccc	agctacttgg	gaggctgagg	caggagaatg	gcctgaaccc	gggaggcgaa	88860
gcttgacagt	agctgagatc	gcgccactgc	actccagcct	gggcgacaga	gtgagattcc	88920
gtctcaaaaa	aacaaaacaa	aacaaagcaa	aatttaaaaa	actttcatac	aataagttat	88980
acctaagata	cttctagaag	agaagattta	catccaggac	gtgtatggaa	tttctgcaag	89040
taataagtaa	aagacaaggg	acatgaagag	gcagttcaca	aaagaggaag	ccaaaatgac	89100
caataaacat	gaaaggatgt	ttaacctcaa	aggaaacaag	gaaatgaatt	aaaaacatca	89160
aatgccattt	caaaactagt	aagttggcaa	aatttaaaaa	accaaggatg	agaatatgaa	89220
gcatggctat	atgagtgcac	ggaatggtag	agtcactttc	attaaaaatg	cacataattt	89280
gttttttatt	tatttttttg	agacagtcta	tgtcgccag	gctagaatgc	agtggcatga	89340
tctcggtcca	ccacaatctc	tgcctcctgg	gttcaagcaa	ttctcctgcc	tcagcctcct	89400
gagtagctgg	gattcacagg	acatgccaca	acgcgcgggt	aagttttgta	tttttagtag	89460
agacagggtt	ttgccatggt	ggccaggctg	gtctcgaaact	cctgacctca	ggtagctgac	89520
ttcccaaagt	gctgggatta	gaggcgtag	ccaatgctcc	tggctgaaaa	aaatgcacat	89580
aattttgttac	ctagcaattc	catgtctaga	ggcttatcct	agagaaattc	ttgcttatat	89640
gcataggaag	acgtgtacta	gaatgttcac	tagttgaatg	tttaagtga	aattaggaaa	89700
taaatgaaat	gttcattaac	aggaaaatga	gtaaaggatg	atttataaaa	caattaatga	89760
gctaaaatga	ataaactaga	gctgctgtaa	tgaactagaa	ctgggttcaat	agtcattgtca	89820
gattatttgaa	tgaatacagg	tcagatatgt	atagagtgtc	atttgtgtaa	tttaattttt	89880
tttttttttt	gagatggagt	ctcactctgt	tggccagggt	ggagtgcagt	ggcgtgactc	89940
cagctcacctg	caacctccac	ctcctgggtt	aaagtgtatt	tcctgcctca	gcctcccgag	90000
tagttgggat	tacaggcatg	caccaccatg	cccagctcat	tttcctattt	ttagtggcca	90060
cagggttttca	ccatgttggc	caggctgggtc	ttgaactcct	gacctcaagt	gttccaccca	90120
acttggcctc	ccaaagtgtc	aggattacag	gcgtgagcca	ccgtgctcag	ccattttgct	90180
gattttttaaa	gatgtgcaga	ataatgccat	taaaaaaaat	acacatacat	gtatatatat	90240
acacgttttgg	ctgggtgtgg	tggctcacac	ctgtaatccc	agcactttgg	gaggctgagg	90300
caggaggatc	acttgagccc	agggtgtacaa	gactagcctg	ggcgagatag	caagacccca	90360
tctcaacaac	agaaaggata	attaggtatg	gtggcatgag	aggatcactt	gagcccagga	90420
gttcgagtgt	tatcaggcca	ctgcactcta	gcctggacaa	caaagcaaga	ccgtgtctca	90480
aaaaaataaaa	aataaaaaagt	atttgtatgt	ggctcatagtc	aaaaaacgta	catggaagga	90540
aaatgtcttt	atttatattt	ttattttttt	ttttttaaga	cagagtcttg	ctctgtcacc	90600
cagggtgggg	tacagtgggt	taatctcagc	tcaccgcaat	ctcggcctcc	cgggttcaag	90660
cgattcttct	gcctcagcct	tctaagtagc	tgggactaca	ggtacccgcc	accacaccct	90720
gctaattctt	gtgttttcag	tagagacagg	gtttcaccat	gttggcaagg	ctggtctcga	90780
actcctgacc	ttaagtgagc	caccgcctt	ggcctcccaa	agtccctggga	ttacagggtg	90840
gagccactgc	gcttggccag	gaaatatcta	atttagtaag	tatttatatc	tgggaaagga	90900
agggctcaggt	gggtgattcat	aggaactcta	aagtctatgt	ataatactta	gggggacaga	90960
aggaaataaaa	gcaaaaatgt	gatatttgat	tgttgagttg	tgtatatgtt	agaagtataa	91020
cataggagat	ctgattgata	gtaggagaat	gttttttaggt	ggtaaaaagt	gaaccgtggg	91080
ggttttgttt	ggcagtagaa	tcagttgggt	atagtttgta	tgtggaaggt	aataaacaga	91140
ccatgtttaag	gatgacttcc	ggaattttgg	tctgagtatg	gggtggatga	cagtgtcatt	91200
catgagggaa	gatgaagact	gaggtaggaa	caggtttggg	agaagatgac	atgttccctt	91260
ttagacaagt	ggaatttatg	aagatggcag	gtagggtgggt	agctatatga	atttgagata	91320
aaagatttag	gatggagata	taaatttagg	agtaacagcg	tatctatggg	attgtaagcc	91380
ttaagaatgg	gtaggatcag	ccaggaaata	cagatgtata	tgcagaagag	aggagtcaag	91440
gaagccaaga	caagttaatg	tttaaagtga	gtgatgtagt	ccatgggcag	atgctgctga	91500

87/122

gagggctgca	aacaccagtg	accctacaac	atTTTTaaat	gtcgtcttcc	tgacagcagt	91560
gatcagtagc	tgcaacgatc	ttattttattt	ttttcatgtt	agtctccaca	cacttgaatg	91620
tagacttttt	gaaggcaaaa	tcattgcctt	ttctgagctg	ggagcatgtc	tggcacatac	91680
caagcactca	acagttgatg	tattgacttc	atccagatac	tctgagggcg	agttatttcc	91740
tgctactagc	ctttcacctt	tcaatgttta	agagcacaaa	tacagagatg	ggcacgtttt	91800
ggcattttctt	atTTTTgataa	cttttctctg	gtaagatttt	ttaatgttga	aaaaaaaaaa	91860
caagaaaaga	gggttaaaaa	tagtcttatg	tcagatcctg	tgatagaatt	cacacttggc	91920
ttaagctgct	gggcaccttc	ctatcttgga	tgatcatatta	gcttatctac	agcagaattt	91980
ttactgtttt	atgtagtaag	gaagcaatta	tatgattatt	ttacagacaa	attattcttt	92040
atctttttatt	tttttagacg	gagtctctct	ttgtctccca	ggctggagta	cagtgtcgcg	92100
atctcggctc	actgcaacct	ccgcctcctg	ggttcaagca	attctctgcc	tcagcctccc	92160
aagtagctgg	gcttacaggt	gtccgccacc	acaccagct	cattgttttg	tatttttagt	92220
agagatgggg	tttccactg	ttggccaggc	tggtcttgag	ctactgacct	caggtgatcc	92280
acccgccttg	gcatcccaaa	gtgctggaat	tacaggctg	agccaccgtg	cctggcccag	92340
acaaattatt	atactctgag	tgtagaggc	ttaggatgtt	ttcacttgat	gctatgggag	92400
gaataagtaa	taagatatga	tacacaacca	aagacctttc	ttcactatgc	ttctagtagc	92460
tagtactatg	gatgacacat	ggtaataata	ttggtttagca	tttgtcctca	atttactgtg	92520
ctagtctactc	ttctaaagccc	cttacaggta	tatatttttt	ttcatcaata	atcctctaa	92580
gtagtttttta	ttattgacct	aattttataa	atcaagaaaa	ttaagaccca	gagaagtaag	92640
taacttgttcc	aagatcacat	ggcttataag	tggtagagcc	agaatttgac	cccagatgtt	92700
gtgactacat	tgtctctcca	taagcaggtt	caactctttt	gactggatgc	tggtccaagg	92760
tcacttctctt	agagaagcct	ttgctgacaa	ctacctctct	tgccctcctc	ccaaggctgt	92820
ccattgttctt	agaactttga	atactcatct	tagaataaag	ctggtctaata	ttttacagt	92880
ttatagaatg	gatctctgac	tgcaaaagtt	ggtcataatt	atctttttat	gttctagtga	92940
aaggcaaaag	acaagagaag	acctcagatg	tgaaagtccat	taaaggtaag	ttctgcccct	93000
ggcagctccac	tgcatataaa	agtgatgtgc	tttgcatttg	tgagttcttt	aatcctgtta	93060
tactctctctt	tttggcatta	atcatttctg	ccttattttta	taattactta	tgattttgat	93120
ttattttccct	ctttaacctg	tataatgctt	taacatctag	catataataa	gtaggctttt	93180
ttttttttttt	tttttttgga	gacggagctt	tgctctgtta	cccaggctgg	agtgcagtgg	93240
cgcgactcttg	gctcactgca	agctctgtct	cccgggttca	caccattctc	ctgcctcagc	93300
ctccccagca	gctgggacta	cagggtgcacg	gcgccacgcc	tggtctaattt	tttgtatttt	93360
ttagtagaga	cagagtttca	ccatgttagc	cagtatggtc	tcgatctcct	gaccttgtga	93420
tccgcccggcc	tcggcctccc	aaagtgtctg	gattacaagc	gtgagccacc	gcaccgggcc	93480
gtaagtaggc	tttttttacc	ttaattttat	ttttttgaga	tggagtcttg	ctcttatccc	93540
caggctggag	tgcaagtggg	ccatctcgcc	tcactgcagc	atccacctcc	cgggttcaag	93600
cgattctcctt	gcctcagcct	cccagtagtc	tggtgattaca	ggtggccgcc	accatgcccc	93660
gctaatttttt	gtatttttag	tagagacagg	gtttcaccgt	gttgccagg	ccagtctcaa	93720
actcctgacc	tcaagtgatc	cactcgctt	ggcctcccaa	agtcctggga	ttacaggcgt	93780
gagccaccat	gcctggccat	aagttagcct	ttgtgtgtat	ttgtgtgtat	tggctatcct	93840
agtgattaca	gtgaaccagt	gcccttctta	ttaatcacac	atttaattgt	tccctaaaag	93900
tgattagttc	actttattta	tttagtaaga	caaaaaatga	agaatactct	taactgagca	93960
gtctgttaac	tgtaggaaag	cactgacact	tataaggctt	agttttctgt	catttatcca	94020
gaagtatggg	tgattacagt	ttttactttt	tattttgaat	gaacaacctt	aatttaaaat	94080
atattttggg	tattttttgt	tgggatcgat	acattgtcct	tggttataga	ttagagcatg	94140
cttttttaaag	atgctgtatt	actcactgat	tttatttgtc	cagtgtacag	agattgaagt	94200
gggaaaaatta	taatggaaat	tgtttccata	gtcattacat	attaatttca	tcaattttat	94260
tccataaaaat	ctgtagattg	ctacttattt	agatttttcc	ttcaaatgtt	tttatgttgt	94320
attgcttgca	ctgagtattt	attctatatg	ctcaatttgc	tggagaagaa	gactaattat	94380
aacttaggca	agttgtaaaa	ttagggaaaa	aagtaaggta	ccttacagcc	tagtttactt	94440
atttcttatg	taaagccagt	tagattccac	attagttcaa	actgccttct	ttgagcaaaa	94500
cttgattggc	agtataaaag	gcttaaagcc	cttctcaagc	agagacctgt	aaagactaga	94560
tctgactgta	gtagaaggaa	ggaacttaga	tggttcaggc	agtgagaaca	ccagtcttcc	94620
actctaaact	ttgccactaa	cagtatgacc	ttgggaagtt	gtaactttct	tcagattctt	94680
catttggttga	atgggggggat	tggcctagct	aatttctaaa	tctctactgg	gctaaaaaat	94740
tctgtgctta	tactctgatt	atgaagtaca	taatctgtgc	ttacatttca	ctgacttatc	94800
cttaggataa	gtacaagaaa	gtacaagaaa	cagcccccca	agatgtttgc	agtctgggta	94860
gaaagacaaa	cttatacaca	gaacagtagc	aaatagacca	aaataataat	agctggcatt	94920
tatagaacac	ttcttctgtt	ctgggcatta	gacaaaaact	gactataacg	gtgaacaaaa	94980
aagacttagg	tcctgccctc	attgaactta	cagatttagta	ggggagagga	acattaatca	95040
agtaattcca	cagatggcct	agcctagatt	ggtagtgtg	gaagtaaaga	gatgtgaacg	95100

88/122

gacttgaaaa	aaaattcggga	ggcaaaatgg	atagaagttt	attattgatt	aaatatgagg	951
tgtgagagag	agggatattt	aagattgata	cctaccttct	ggcttgccct	acagaaccaa	952
aacaggaaat	tatatgttca	gttttgttat	gttgggtggg	aggtgctttt	gagtcattca	952
tttatatatg	ttatatatgt	tattttatat	gcatagtaat	tttaaggctt	gagttttaaa	953
ccaaagggtta	gagagtgatt	tttttagagtc	tagcaaacct	aagttgaaat	cctgcctggt	954
gaaatggctg	tttactagct	cattaaccta	gggcaaaagta	ttcaacttgt	tttcattttt	954
gtcttcatct	ctaaaatgag	gaaaatatgg	tcttacaaga	ttgtcctgag	agatagatga	955
aaataatatcc	aaaaaaaaaa	aaggtacata	gagaaactcg	tatagtgcct	ggtatatagt	955
aggtcctcca	ttggtagcta	tcattatcta	gttttaacat	agccttcagt	ttgttgaatt	956
agtcaaactg	agtgaagcac	tgcaaggaaat	tcagaggaat	ttgagatcaa	caaatgattt	957
ctgaagttta	gggaagactt	catggcaatg	acacttacct	tgtataaaaag	ttgaagaata	957
agaaagattt	gaatgagaga	ttctttctct	tctccctacc	agcccagctt	cttatttgag	958
gatatttgg	gcaaaggggg	cttcagacaa	gtagagggag	atttttacag	aaagattgag	958
atgaaggat	agaaggctgt	aaagaccaga	aaagagaatt	gagacagagg	aagcaggaa	959
ccactgtagg	tttttgagca	agatattgat	gctgtaagta	tggtgtttat	gaaaggttag	960
ctggaagag	atttgcagga	tggagacccc	ggaggttttt	ttgttataat	acagaaagac	960
trgactgag	gggtgaggtgt	taaaaataaa	caggtaaagta	aatgtttaaa	catcttgaag	961
qaaaaaglc	caaactcttg	caagtaaaaca	gataaacagtg	aaaaagaatg	ggaccaagat	961
tttgagtttt	ggagactggt	ggattgaaca	gacagggaaa	ttgagaggag	aatcagatga	962
tgatgtttta	agttgatatt	tagacagatt	gtgcttgaga	tggtaaagtc	aatgtgggtg	963
ggaatgctta	gtagcgagta	atcagtata	caagaccaa	gcccaggtca	aagacaagtc	963
acagatacac	atcagggtct	tttcatctgc	tccacagagg	tgtaccctag	gagctgttgc	964
aaacagctcca	tgtggagggt	gtgagtaaga	tgtttccctt	gaatttgcca	gaattacttt	964
tttgtgtgtg	ttgtgtgttt	ttctgagaca	gattctcgct	ctgttgccca	ggctggaggg	965
cagtggcgag	atcgcgcagc	tactgcaac	ctctgcctct	cgggttcgag	tgattctcct	966
gcctcagcct	cccaagtagc	tgggattaca	ggcttgtgcc	accaagccca	gctaatttct	966
tttgtatttt	tagtagagat	gggttttcac	catgttggcc	agactgggtc	cgaactcctg	967
gcctcgtgat	ctgcctgcct	cagcctccaa	aagttctggg	attacaggcg	tgaacctact	967
cacccggctc	cttgttaagt	ttattttggt	gggaagcaaa	ggaggtttca	gcttttataa	968
agtttgaaaa	ttattgtctc	ggtaataatt	aaagatttga	gagtaaatat	gctttctagc	969
agaaagaata	aaagaagaac	agatagcctc	aagaagggga	gccaaagaag	caggctatat	969
ctgacacact	gggtgttgat	aaatgggtat	taaaagaatg	agagcaatga	gcagatagaa	970
gaggaaatta	ggagagtata	ataccatgga	gaccaagaaa	gatagactat	caggaaggag	970
tggtaaaaat	aagttactag	ttctaagaga	gatgttaaga	gggaccgggg	aaagccttgt	971
acaaatgagt	tagtagcatt	ttacattata	tacattcta	taagaaacaa	tgcgagagtc	972
tcaccattcc	tatagactct	tacttgtact	tgtctgaaca	cgaaaactgg	cttttgttta	972
taaaataagct	aaaaattatt	ttgtcccaat	ttctcatgaa	ataaaaaata	aaccttcttt	973
taacattgaa	aaaatagttt	gaagacagtc	actcttcatt	ttgtaattcc	cacaactatt	973
attgaatgac	tgaattatc	tttattctga	agccaaaggg	gtgatactga	tatttcttca	974
gactactaaa	aatatatttt	atgaattttt	agtgtgcttt	atcttttttt	gttttttttt	975
ttgagatgga	gtttcactcc	cgttgctcag	gctggagggc	agtgggtgcaa	tctcagctca	975
ctgcaacctt	cgctcccag	attcaagcaa	ttctcctgcc	tcgggtctccc	aagttagctgg	976
gattacaggc	acctgcccc	acaccagct	aattttttgt	attttttagta	gagacagggt	976
tlcaccatgt	tggtcaggct	ggtcctgaac	tcttgacctc	aggtgatcca	cccaccttgg	977
cctcccaaag	tactgcgatt	gcaggcatga	gccaccatgc	ctggcctgag	gaatattttt	978
ctagggttccc	cccaccccaa	gcattttatt	tgcaattttta	gttttggttc	taaagcaagc	978
aagggttaag	gatttaaaaa	taatccgtat	tttagaatgc	ttcttggtct	tgttactttt	979
tatccacagt	agaagtctc	agagaatgat	ctccctcttt	taatttaact	ttttggcaca	979
gtatttttgag	aattataaat	aatattagaa	tgttttctgg	ctgggtgtgg	tggtcatgac	980
ctgtaatcct	ggctacttgg	gaggctgagg	caggagaatc	acttgaacat	gggaggcaga	981
ggttgcagtg	agccgaggtc	atgccactgc	actccagcct	gggtgacaga	gcaagactct	981
gtctgggaaa	aaaaaaaaaa	aaaaaaagag	tgttttcttt	cctattttcc	accacttgat	982
taagttactt	ttctcttaaa	gtattttttg	ctgagtatgc	tgacttaaga	gtaatgttac	982
aaaatttaatt	ttttaaagtt	ctctgaaagc	ccctttatga	gagttttagg	ctatcaaat	983
gtgtttaatt	tttaacaatt	ttttgaaaaa	ttatagcttc	aatatccgta	catccccac	984
aaaaaagcac	taaaaatcat	gccttgctgg	aggctgcagg	accaagtcac	gttgcaatca	984
atgccatttc	tgccaacatg	gactcctttt	caagtagcag	gacagccaca	cttaagaagc	985
agccaagcca	catggaggcc	gctcattttt	gtgacctggg	taagtaacta	tcatttttta	985
ttactattgt	ttgaaggat	ttgagtacaa	tatgtgaaac	ttctgtcata	ggatcacaga	986
ctatataatt	ggaaagtgtc	ttggaaaaaa	tgtattttaa	ataacagcta	caagtataat	986

87/122

gagggctgca	aacaccagt	accctacaac	atTTTTaaat	gtcgtcttcc	tgacagcagt	91560
gatcagtacc	tgcaacgatc	ttattttattt	ttttcatgtt	agtctccaca	cacttgaagt	91620
tagacttttt	gaaggcaaaa	tcattgcctt	ttctgagctg	ggagcatgtc	tggcacatac	91680
caagcactca	acagttgatg	tattgacttc	atccagatac	tctgagggcg	agttatttcc	91740
tgctactagc	ctttcacctt	tcaatgttta	agagcaca	tacagagatg	ggcacgtttt	91800
ggcatttctt	atTTTtgataa	ccttttctcg	gtaagatttt	ttaatgttga	aaaaaaaaaa	91860
caagaaaaga	gggttaaaaa	tagtcttatg	tcagatcctg	tgatagaatt	cacacttggc	91920
ttagctgct	gggcaccttc	ctatcttgga	tgcatatta	gcttatctac	agcagaattt	91980
ttactgtttt	atgtagtaag	gaagcaatta	tatgattatt	ttacagacaa	attattcttt	92040
atcttttatt	tttttagacg	gagtctctct	ttgtctccca	ggctggagta	cagtgtcgcg	92100
atctcggtc	actgcaacct	ccgcctcctg	ggttcaagca	attctctgcc	tcagcctccc	92160
aagttagctg	gcttacaggt	gtccgcacc	acaccagct	cattgttttg	tatttttagt	92220
agagatgggg	tttcaccatg	ttggccaggc	ttgtcttgag	ctactgacct	caggtgacct	92280
acccgccttg	gcatcccaaa	gtgctggaat	tacaggcgtg	agccaccgtg	cctggccag	92340
acaaattatt	atactctgag	tgtagaggc	ttaggatgtt	ttcacttgat	gctatgggag	92400
gaataagtaa	taagatatga	tacacaacca	aagaccttcc	ttcactatgc	ttctagtagc	92460
tagtactatg	gatgacacat	ggtaataata	ttggttagca	ttgtctctca	atttactgtg	92520
ctagttactc	ttctaagccc	cttacaggta	tatatTTTT	ttcatcaata	atcctctaag	92580
gtagttttta	ttattgacct	aattttataa	atcaagaaaa	ttaagaccca	gagaagtaag	92640
taacttgctc	aagatcacat	ggcttataag	tggtagagcc	agaatttgac	cccagatgtt	92700
gtgactacat	tgtctctcca	taagcaggtt	caactctttt	gactggatgc	tggtccaagg	92760
tcacttctct	agagaagcct	ttgtcgacaa	ctaccctcct	gtgccctcct	ccaaggctgt	92820
ccattgttct	agaactttga	atactcatct	tagaataaag	ctgggtcta	ttttacagt	92880
ttatagaatg	gatctctgac	tgcaaaaagt	ggtcataatt	atctttttat	gttctagtga	92940
aaggcaaaaga	acaagagaag	acctcagatg	tgaagtccat	ttaaaggtaag	ttctgccctt	93000
ggcagctccac	tgcatataaa	agtgtatgtc	ttttttagga	tgagttcttt	aatctgttta	93060
tactctctct	tttggcatta	atcatttctg	ccttattttta	taattactta	tgattttgat	93120
ttatttccct	ctttaacctg	tataatgctt	taacatctag	catataataa	gtaggctttt	93180
tttttttttt	tttttttgga	gacggagtct	tgctctgtta	cccaggctgg	agtgcagtg	93240
cgcgatcttg	gtctactgca	agctctgtct	cccggtttca	caccattctc	ctgcctcagc	93300
ctccccagca	gctgggacta	cagggtgcacg	gcgccacgcc	tggttaattt	tttgtatttt	93360
ttagtagaga	cagagtttca	ccatgttagc	cagtatggct	tcgatctcct	gaccttgtga	93420
tccgcccgc	tcggcctccc	aaagtgtctg	gattacaagc	gtgagccacc	gcacccggcc	93480
gtaagttaggc	tttttttacc	ttaattttat	ttttttaga	tgaggtcttg	ctcttatccc	93540
caggctggag	tgcatgtgtg	ccatctcggc	tcactgcagc	atccacctcc	cgggttcaag	93600
cgattctcct	gcctcagcct	cccagtagc	tggtattaca	ggtggccgcc	accatgcccc	93660
gctaattttt	gtatttttag	tagagacagg	gtttcaccgt	gttggccagg	ccagtctcaa	93720
actcctgacc	tcaagtgtac	cactgcctct	ggcctcccaa	agtcctggga	ttacaggcgt	93780
gagccaccat	gcctggccat	aagttaggct	ttactgcagc	ttgtgtgtat	tggtatcct	93840
agtgtattaca	gtgaaccagt	gcccttctta	ttaatcacac	atttaattgt	tccttaaaag	93900
tgattagttc	actttattta	tttagtaaga	caaaaaatga	agaatactct	taactgagca	93960
gtctgttaac	tgtaggaag	cactgacact	tataaggctt	agttttctgt	catttatcca	94020
gaagtatggt	tgattacagt	ttttactttt	ttatttgaat	gaacaacctt	aattttaa	94080
atattttgtt	tattttttgt	tggtatcgat	acattgtcct	tgtttataga	ttagagcatg	94140
cttttttaaag	atgctgtatt	actcactgat	tttatttgtc	cagtgtacag	agattgaagt	94200
gggaaaaata	taatggaaat	tgtttccata	gtcattacat	attaatttca	tcaatttatt	94260
tccataaaat	ctgtagattg	ctacttattt	agatttttcc	ttcaaatgtt	tttatgttgt	94320
attgcttgca	ctgagtattt	attctatatg	ctcaatttgc	tggaagaaga	gactaattat	94380
aacttaggca	agttgtaaaa	ttaggga	aagtaaggta	ccttacagcc	tagtttactt	94440
atttcttatg	taaagccagt	tagattccac	attagttcaa	actgccttct	ttgagcaaaa	94500
cttgattggc	agtataaaag	gcttaaaagc	cttctcaagc	agagacctgt	aaagactaga	94560
tctgactgta	gtagaaggaa	ggaacttaga	tgtttcaggc	agtgagaaca	ccagtcttcc	94620
actctaaact	ttgccactaa	cagtatgacc	ttgggaagtt	gtaactttct	tcagattctt	94680
catttggtga	atggggggat	tggtcctagc	aatttctaaa	tctctactgg	gctaaaaaat	94740
tctgtgctta	tactctgatt	atgaagtaca	taactgtgtc	ttaacattca	ctgacttatc	94800
cttaggataa	tacagaagca	gtacaagaaa	cagccccca	agatgtttgc	agtctggtta	94860
gaaagacaaa	cttatacaca	gaacagtagc	aaatagacca	aaataataat	agctgccatt	94920
tatagaacac	ttcttctgtt	ctgggcat	gacaaaaact	gactataacg	gtgaacaaaa	94980
aagacttagg	tccctgcctc	attgaactta	cagattagta	ggggagagga	acattaatca	95040
agtaattcca	cagatgggct	agcctagatt	ggtagtgatg	gaagtaaaga	gatgtgaacg	95100

88/122

gacttgaaaa	aaaattcggg	ggcaaaatgg	atagaagttt	attattgatt	aaatatgagg	95160
tgtgagagag	agggatattt	aagattgata	cctaccttct	ggcttgccct	acagaaccaa	95220
aacaggaaat	tatatgttca	gttttggtat	gttgggtggg	aggtgctttt	gagtcattca	95280
tttatatatg	ttatatatgt	tattttatat	gcatagtaat	tttaaggtct	gagtttttaa	95340
ccaaagggtta	gagagtgatt	tttttagagtc	tagcaaacct	aagttgaaat	cctgcctggt	95400
gaaatggctg	tttactagct	cattaaccta	gggcaagta	ttcaacttgt	tttcattttt	95460
gtcttcatct	ctaaaatgag	gaaaatatgg	tcttacaaga	ttgtcctgag	agatagatga	95520
aataatatcc	aaaaaaaaaa	aaggtacata	gagaaactcg	tatagtgcct	ggtatatagt	95580
aggtcctcca	ttggtagcta	tcattatcta	gttttaacat	agccttcagt	ttgttgaatt	95640
agtcaaactg	agtgaagcac	tgcaagggaat	tcagaggaat	ttgagatcaa	caaatgattt	95700
ctgaagttta	gggaagactt	catggcaatg	acacttacct	tgtataaaaag	ttgaagaata	95760
agaaagattt	gaatgagaga	ttctttctct	tctccctacc	agcccagctt	cttatttgag	95820
gatataattg	gcaaaagggtc	cttcagacaa	gttagaggag	atttttacag	aaagattgag	95880
atgaagggtat	agaagggtgt	aaagaccaga	aaagagaatt	gagacagagg	aagcaggaag	95940
ccactgtagg	tttttgagca	agatattgat	gctgtaagta	tggtgtttat	gaaagggttag	96000
tctggaagag	atgtgcagga	tggagacccc	ggaagttttt	ttgtttataat	acagaaagac	96060
ttgcactgag	ggtgaggtgt	taaaaaataa	caggtaagta	aatgttttaa	catcttgaag	96120
gaaaagtcaa	caaatcttgg	caagtaaac	gataacagtg	aaaaagaatg	ggaccaagat	96180
tttgagtgtt	ggagactggt	ggattgaaca	gacagggaaa	ttgagaggag	aatcagatga	96240
tgtgtgttta	agttgatatt	tagacagatt	gtgcttgaga	tggtaaagtc	aatgtgggtg	96300
ggaatgttta	gtagcgagta	atcagtgata	caagaccaa	gcccaggtca	aagacaagtc	96360
acagatacac	atcagggctt	ttcatctgct	tccacagagg	tgtaccctag	gagctgttgc	96420
aaacagtcca	tgtggagggt	gtgagtaaga	tggttccctt	gaatttgcca	gaattacttt	96480
tttgtgtgtg	ttgttgtttt	ttctgagaca	gattctcgct	ctgttgccca	ggctggaggg	96540
cagtggcgag	atcgcgagc	tcactgcaac	ctctgcctct	cgggttcgag	tgattctcct	96600
gcctcagcct	cccaagttagc	tggtttgacc	gggtttgccc	accaaagcca	gctaatttct	96660
tttgtatttt	tagtagagat	gggttttcac	catgttggcc	agactggtct	cgaactcctg	96720
gcctcgtgat	ctgcctgcct	cagcctccaa	aagttctggg	attacaggcg	tgaaccactg	96780
caccgcgtcc	cttggttaagt	ttattttggt	gggaagcaaa	ggaggtttca	gcttttaaaa	96840
agtttgaaaa	ttattgtctt	ggtaattatt	aaagattgga	gagtaaatat	gctttctagc	96900
agaaagaata	aaagaagaac	agatagcctc	aagaagggga	gccaaagaag	caggctatat	96960
ctgacacact	gggtgttgat	aaatgggtat	taaaagaatg	agagcaatga	gcagatagaa	97020
gaggaataa	ggagagtata	ataccatgga	gaccaagaaa	gatagactat	caggaaggag	97080
tggtaaaaat	ttctaagaga	gatgttaaga	gggaccgggg	aaagccttgt	97140	
acaaatgagt	tagtagcatt	ttacattata	tacattctaat	taagaaaaca	tgcgagagtc	97200
tcaccattcc	tatagactct	tacttgtact	tgctgaaca	cgaaaactgg	cttttgttta	97260
taaaataagct	aaaaattatt	ttgtccaat	ttctcatgaa	aataaaaaata	aaccttcttt	97320
taacattgaa	aaaattagtt	gaagacagtc	actcttcatt	ttgtaattcc	cacaactatt	97380
attgaatgac	tgaaattatc	tttattctga	agccaaaggg	gtgatactga	tatttcttca	97440
gactactaaa	aatatatttt	atgaattttt	agtgtgcttt	atcttttttt	gttttttttt	97500
ttgagatgga	gtttcactcc	cggtgtcag	gctggagggc	agtgggtgcaa	tctcagctca	97560
ctgcaacctt	cgctccccag	attcaagcaa	ttctcctgcc	tcgggtctccc	aagtagctgg	97620
gattacaggc	acctgcccc	acacccagct	aattttttgt	atttttagta	gagacagggt	97680
ttcaccatgt	tggtcaggct	ggtcttgaac	tcttgacctc	aggtgatcca	cccaccttgg	97740
cctcccaaag	tactgcgatt	gcaggcatga	gccaccatgc	ctggcctgag	gaatattttt	97800
ctaggttccc	cccaccccaa	gcattttatc	tgcaatttta	gttttgttcc	taaagcaagc	97860
aaggttttaag	gattttaaaaa	taatccgtat	tttagaatgc	tttctggctt	tggtactttt	97920
tatccacagt	agaagtcttc	agagaatgat	ctccctcttt	taatttaact	ttttggcaca	97980
gtatttttgag	aattataaat	aatattagaa	tgttttctgg	ctgggtgtgg	tggtctcatgc	98040
ctgtaatcct	ggctacttgg	gaggctgagg	cagggaatc	acttgaacat	gggaggcaga	98100
ggttgacgtg	agccaggttc	atgccactgc	actccagcct	gggtgacaga	gcaagactct	98160
gtctgggaaa	aaaaaaaaaa	aaaaaaagag	tgttttcttt	cctattttcc	accacttgat	98220
taagttactt	ttcctcttaa	gtattttttg	ctgagtatgc	tgacttaaga	gtaatgttac	98280
aaaatttaatt	ttttaaagtt	ctctgaaagc	ccctttatga	gagtttttag	ctatcaaatt	98340
gtgttttaatt	cttaacaatt	tttgaaaaat	ttatagcttc	aatatccgta	cattccccac	98400
aaaaaagcac	taaaaaatcat	gccttgctgg	aggctgcagg	accaagtcac	gttgcaatca	98460
atgccatttc	tgccaacatg	gactcctttt	caagtagcag	gacagccaca	cttaagaagc	98520
agccaagcca	catggaggcc	gctcattttg	gtgacctggg	taagtaacta	tcatttttta	98580
tttaacttga	ttagaaggat	ttgagtacaa	tatgtgaaac	ttctgtcata	ggatacagaa	98640
ctatataatt	ggaaagtgtc	ttggaaaaaa	tgattttaaa	ataacagcta	caagtataat	98700

89/122

gggtagctgt	gttgtgttcc	tgtaaata	gaatataaag	catgcccagt	agaaaaacaa	98760
gcatttccag	aagaaatata	tctgatcact	aaatataaat	atatgaaaaa	gatgtctcac	98820
tttattactg	agggaagtgc	aaattaaaat	aatcagttaa	tgttctccta	acacattagc	98880
atatttttta	aagtttgaca	atttgaatgt	cagtgaagat	gcagggaaat	acccctccta	98940
tttagtgata	atataatctg	gtgaagactc	tttggaaagc	aattttgaaa	tcagtataaa	99000
atatgcatgt	catttagggc	actctttcta	agacctagcc	ctcagatatg	ctcattcata	99060
tgtgcagggtg	tgtatgtgtg	tgtgtgtgtg	tgtgtgtgtg	tgtatatgta	tgtatgtatg	99120
tatgtatgta	tgtatgttga	aggctattca	ttatagtatt	gtttgtgata	gcaaaaaatt	99180
atggacaaca	tataaatatc	tggtataggg	aaataaccaa	atttgtggtat	acgcatgctc	99240
tggagtataa	tatagccatt	tgtttctatt	tatttatttt	cttgagacag	ggttttactc	99300
tgttgcccag	gctggagtgc	agtggatga	tcatgggttca	ctgcagcctt	cacctcctgg	99360
gcacaagcca	ttctctcgcc	tcagcctcca	gagttactag	gactgcaggc	atgtgtcacc	99420
acacccagat	aattttttta	ttttttgtag	agacaggggtc	tcactatggt	gcctaagctg	99480
gtctcaaaact	cctggcctca	agcaattctc	ccacacaggc	ctcccaaagt	gctgggatta	99540
ccaacgtgaa	ccaccacacc	tggttcagtg	tagccattta	gaaatctaaa	aaagacgtgg	99600
gaaaatgtct	aaggcatggt	taaaatgtgag	aaaagcaagt	cacagtatgc	atggtaaaat	99660
ccgttatatt	aaaataaagt	cttccaaaac	aaaaacatat	gcaggagacc	tttattttgt	99720
cagtatttct	tacccaaatt	tctgcactta	gaaaattgca	tgctatgttg	tcataatgtt	99780
aaaaaaagat	ccatgaacca	atggacttct	aataaaatca	gtcctgcttt	tgacatctct	99840
ctctactttt	gtgtatatct	aaaccagagt	gtcaatgtgt	ttgtggggca	cacttagcaa	99900
taatacatag	cagacaaaat	gcataatagc	cagagagtaa	aattgtaagt	tttgctagat	99960
cactcataaa	ttgctgatga	gaatttaaaa	tggtgcagat	gctctggaaa	acaggcagtt	100020
tctttctttc	tttttttttt	tctttttgag	acaggggtctc	actctgttgc	gcaggctgga	100080
gtacagtggc	gtgattacaa	ctcactgcag	cctcacccctc	ctcagggttca	ggtgatcctc	100140
cctcagctct	ctgagttagc	gggactatag	gcattgcacca	ccacgcctgg	ctaatttttg	100200
tatttttttt	tttttttttt	gtagagacgg	gggttcgcca	tggttcccag	gctgggtctc	100260
aactcctgga	atcaagcgat	ccacttgctg	aggcctccca	aagtgcctgg	attacgggag	100320
tgagctactg	tgccctggcct	aggcagtttg	tttggtttgg	tggttgggtt	tttatttatt	100380
tgtagacgga	gtctcacagg	ctggagtga	gtggcccaat	ttttggctca	ctgcaacctc	100440
cgccctccag	tatgacctag	ttctcctgcc	tcagctcctc	gagtagctgg	gatgacaggt	100500
gcctgccata	atgcctggct	gatttttgta	tatttagtag	atatggggtt	tcaccatggt	100560
ggtcagggtg	gttttgaaact	cctgacctca	ggtgatcagc	ccgcctcgcc	ctcccaaagt	100620
gctgggatta	caggcatgag	ccgtcatccc	tggttggttg	tttcttatga	cgtgaaacat	100680
gcaattacca	tatgacctag	cagttgcaat	ctgtatttat	cccagataaa	tgaaaactta	100740
ccttccaata	aaaacctgtg	cacaaatggt	catagcagct	taatatgaa	aaactggatg	100800
ttcttcagca	gggtgaatgaa	ctgggttcatt	cataccatgg	aataccattc	agcaataaaa	100860
aggaacaaac	tggtgtatata	tttaaccacc	tggtatgaata	tcaagggaat	tatgctgtca	100920
gacaaaacc	agtcctataa	gactacatat	agttgatctc	cggttgagata	atattcttga	100980
aatagagaaa	ttaagagaaa	tgaaaagatt	agtggttgcc	agatggttaga	gacagggagg	101040
tgagaggggt	aagtgggtgt	agttataaaa	gtgcaacatg	agggatcttt	gtgatgttga	101100
agttgtatct	tggcagtgga	tgcagaaatc	tcaatgtgat	aaaattacaa	agaactaaaa	101160
acaagaatga	gtatagaata	aactggggaa	atctgaacaa	gttagagtgt	tgtatcactg	101220
tcagtatctt	agagtgatata	tgtactatag	ctttgcaaga	tggtaccatg	ggagaaacta	101280
aagtgtacaa	gggatctcta	ggtattatta	tttttttaga	gatgggggtt	cactatgttc	101340
cccaggccgg	tcttgaaact	ctgggctcta	gtgatccgcc	tgccccagcc	tcctaaagta	101400
ctggaattac	aggcgtgagc	gacctgacct	ggccctttca	gtattgtatc	ttagaacttc	101460
atgtgaatct	agcattatct	catagaatct	aattaaaaga	aattgtaaac	ctcacagaag	101520
atcagaatct	cctcaagttt	gtgatgttga	caaagatgaa	ctagttgaca	ctgacagtaa	101580
gactgaggat	gaagacacga	cgtgcttcaa	aaaaatgatt	tgaatatcaa	tggtatgaag	101640
agaactcttt	tgacaaattg	atgaaacctt	cagtcagttt	tataagaatg	cccatcttta	101700
tgatcatgct	atgaaagcca	atttttaaaa	aaattttttg	tctttcctaa	caattagctt	101760
gtgggtataa	tttaaattta	gttaaatata	agataaatga	ttttttatta	agtttagttt	101820
catttttcaa	ggtagcatct	caaagctact	ctttaacctc	ctatgaatga	ataatgctga	101880
gttcataaca	tctttgtaga	tatatccaca	attttccctc	aggataagtg	cctacaagtg	101940
gaatttactg	atcgaaata	atgcagtttg	ctaagacttt	gctatctggt	cctgaatgct	102000
cctccaaaaa	ggttttgcca	gtttacatcc	tcatgaccag	cgaatgagag	tggtgcctat	102060
tttctgtgtc	ccttggttact	gcttaataat	ttttgaaaaa	aatctaattt	gacagacaaa	102120
aatgcatttt	atggttaatt	gcttttcttg	gatttttaat	gaggttgagt	atagttttta	102180
atatttttat	tgcccccttt	ggaactagta	tcataagttt	tttttcttaa	gaatttatgt	102240
agtctgggct	gggcgcagtg	gctcacgcct	gcaatccag	cactttggga	ggccgaggtg	102300

90/122

ggtggattgc	cgaaggtcag	gagtttgaga	ccatcctgac	caacatggtg	aaaccgaatc	102360
tctactaaaa	gtacaaaaac	tagctcagcg	tggtggcggg	tgctgtaat	cccagctact	102420
taggaggctg	agtcaagaga	atcgcttgaa	cccgggagg	ggagggttgg	tgcatgtgagc	102480
cgagatcgcg	ccattgctct	ccagcctagg	caacaagagt	gaaaagtctc	aaaaaaaaaa	102540
aaaaaaaaaa	aaaaaagaat	ttacatgggtc	tgaattgcca	ttaaaagaga	tatgagaatt	102600
attgagtaac	aaataacttt	ttataaattt	aggcaagttt	tggacgattg	tactttgttt	102660
agaaaccaa	agcatagtat	ttgtagtttt	tttattttact	ttagttgcta	ggaagtaaac	102720
tttattcaag	gtctctggta	ccagttgttg	ctaaaagtga	ttgactaatc	tgtcaatctg	102780
aaattatttg	ttgctgaact	gctaattctt	ttgcttctat	cttttaggca	gatcttgtct	102840
ggactaccag	actcaagaga	ccaaatcaag	cctttctaag	acccttgaac	aagtcttgca	102900
cgacactatt	gtcctccctt	acttcattca	attcatggaa	cttcggcgaa	tggagcattt	102960
ggtgaaattt	tgggttagagg	ctgaaagtgt	tcattcaaca	acttgggtcgc	gaataagagc	103020
acacagtcta	aacacagtga	agcagagctc	actggctgag	cctgtctctc	catctaaaaa	103080
gcatgaaact	acagcgtctt	ttttaactga	ttctcttgat	aagagattgg	aggattctgg	103140
ctcagcacag	ttgtttatga	ctcattcaga	aggaattgac	ctgaataata	gaactaacag	103200
cactcagaat	cacttgctgc	tttcccagga	atgtgacagt	gccccattctc	tccgtcttga	103260
aatggccaga	gcaggaactc	accaagtctt	catggaaacc	caagaatctt	cctctacact	103320
tacagttagcc	agtgaataa	gtcccgtctc	tccactaaaa	gaattgtcag	gaaaactaat	103380
gaaaagttag	tatgtgattt	tcttgtgtgt	acatatgtgt	ctcactttct	ttttttaatt	103440
tactaagcag	aacttcagat	gaggaataaa	atgattggaa	tatttttttt	ctcctctaac	103500
tacttgtaa	tttgggagaa	tttggagagt	gtagtagagt	cagatcagtg	tatggaaaag	103560
gagcaggagt	gactggacct	tctaagaagt	gtgttactag	aattagtaaa	tgaagggtca	103620
aatgtcctac	tttccctctc	cactgatttt	gcatcaaac	cattatccac	atagccttat	103680
ttcctccctc	ggtcttaatt	ttattaatat	tttactgcac	tttgagata	aaatttttaa	103740
aaaattttta	aaaattgcca	ataagtga	tttattaagt	tcagtgtcta	gtgtatatatt	103800
ggatttttatt	tattagtac	aagacctttg	tgcaggtagt	aggcatgatt	atcttttttt	103860
ttttgagatg	gagttctgct	ctgtcgcccc	ggctggagtg	caatggcgcg	gtctcggtctc	103920
actgcaacct	ccgggttcat	gccattctcc	tgcctcagcc	tcccaaatag	ctgggactac	103980
aggcgctgct	caccacaccc	ggctaatttt	tttgtatttt	tagtagagac	gggggtttcac	104040
catgttcgct	aggatggctc	cgatctcctg	actttgtgat	ccgcctgcct	cggcctccca	104100
aagtgtcggg	attacaggca	tgagccaccg	cgcccggaact	gattatctta	tttacacatg	104160
agaaaaccag	ggcttagaaa	ggttaggtaa	cttctcttag	gttgtacagt	aaatgtggac	104220
ctagaagcat	tttgacaaga	gcacctgttt	ttttttcttc	tctattagtt	tagaaattat	104280
atactcttaa	ttatcacctg	ggattttgat	tagacagcct	tcatgttctt	tttcatctta	104340
aatgttcttt	gtgtcttaaa	gggttaagt	atttcttcag	atcttttagt	tcactcatctc	104400
tcagtgaact	aaaatgaggt	ctaactctgt	actgaatcaa	gttttcagca	tgttattttcc	104460
ttcctccctc	cctccctcct	tcctccctc	aaccaggctc	ccgaggagct	gggattacag	104520
gcgcccgcga	ccactcctgg	ctaattttta	tatttttagta	gagacggggg	ttcaccatgt	104580
tggtcaggct	gtgtctgaac	tcctgacctc	aagtgaacca	cctgcctcgg	cctcccaaag	104640
tgctgggatt	acaggcatga	atcaccacac	ctgacggcat	gttattttca	tcgcaaagtt	104700
actgtaagct	gggagaagt	gcacacactt	gtactcccag	ctactcagga	agcttaagg	104760
gagaagattg	cttgagccca	ggagttttga	gaccaacctg	ggcaacacag	caagacccca	104820
gctcaaacaa	agaaaaaaag	ttattgaatt	ttttatttct	atggatcatt	ttttgtagtt	104880
tcttatctct	ttcacccttc	attcccactt	ttgateccat	cttttattta	tttagtttta	104940
ttaaatgtat	atttgtctga	taattctgct	atctacagtt	ttttgtggac	ctgactcagc	105000
atttctttgt	ttcttcggat	tcagactgtt	ggtggcttgt	gatttttagtg	atttttggcc	105060
gtgaacatgt	ttcttgga	tttgtctgtg	ggaattctct	gtgtactctg	tataaattaa	105120
gttacttcag	gtgttttgca	ttttcttttg	ccatgcacct	ggggcctggg	tcactaccct	105180
tctggtacca	cttaaaactg	aatttttgtc	ttgggtgctc	gtactgatcc	tgtatgagta	105240
caggtttata	cttactgtag	aaatatgggt	tttgattatg	gggtattgtc	ccagatgggt	105300
ctggagtatt	aatatgctct	ctgttaaa	taatgtgttg	tccctgtaaa	actccaaaat	105360
tctgaattcc	agaatactac	tggcccaaaa	tgtttaagat	aagggcactg	cctgtatttg	105420
tttctgcctc	ccactatttt	ccttagttta	acacaaactc	acctttttta	aaaacatttt	105480
gagagaattc	agtattggga	agagtttcta	acctgtttct	ggaaatggaa	gtccaaagtc	105540
tgtttctgta	attgtttttt	ttttgagatg	gagctcact	ctgtcaccca	ggctggagtg	105600
caatcagcta	ctctcagctc	actgcaacct	ccacctcccg	gggtcaagcg	attctcttgc	105660
ctcagccccc	tgagttagctg	ggattacagg	tgccaccac	catgcctggc	tgatttttgt	105720
attttttagaa	gagatgggg	ttcgccatgt	tggccaggct	gggtctgaac	tcctgacttt	105780
gtgatctgcc	cacctcagcc	tcccaaagt	ctaggattat	gtttctgtaa	ttgtaataca	105840
tttattgttt	ttagaaactg	tctttgcttt	agtggtaatt	ttcaataaaa	atagaaatag	105900

91/122

cagtggagtt	attaaaagag	cattagttac	atTTTTccct	ttttcattat	cttcaaatat	105960
tatatatagt	aagtttgacc	tttttaaaat	gtatacttgt	atcagtttta	acacatacat	106020
agattcctgt	aactgtcacc	actataaggg	taaagaacag	ttagttccct	cacctttgaa	106080
gtcaagcccc	acctctatcc	caacacttgg	caaccgctga	tctttctccg	tctcaatagc	106140
tttgcccttt	ctcttttttt	ttcttatttt	tttttttgag	acagcgctct	gctctgtcgc	106200
ccgagctgga	gtgcagtgag	gcaatctcgg	ctcactgcaa	cctccgcctc	ctgggttcaa	106260
gcagttctcc	tgccctagcc	tccctagtag	ctgggattat	aggcacgcac	caccacaccc	106320
ggctgatttt	tttgtatttt	tagtagaaat	gggggtttcac	catgttggcc	aggctgggtct	106380
caaactcttg	acctcaagtg	atccacctgc	ctcggcctcc	caaagtgtcg	ggattacagg	106440
cgtgagccac	tgtgcccaat	caggactttt	tttttttaaa	tttacattca	acttgtcatt	106500
tttttcttgt	atggatttg	ccttcagagt	cacacctaa	agccctttgc	ctaagcaaag	106560
gtcatgaaga	ttttctcata	tgtttccctt	taaaagtatt	gtgggtggcc	agggtgccatg	106620
gcttatgcct	gtaatctcag	cactttgaga	agctgaggtg	ggcagattac	gaggtcagga	106680
gatcgagacc	atcctggcta	atgcggtgaa	accccatctc	tactaaaaat	acaaaaaa	106740
aaaaaaatta	gccgggctg	gtggcgggca	cctgtagtcc	cagctacttg	agaggttgag	106800
gcaggagaat	agtgtgaacc	cgggaggtgg	agcttgca	gagccgagat	cgccgactg	106860
cactccagcc	tgggcaacac	agtgaactc	catctcaaaa	aaaaaaaaa	agtattatgg	106920
tttaacactt	ataggttaga	tatatatctt	ttttgagtta	atgtcgtata	agtagcagg	106980
ttacgtcaga	ttttttgttt	tttgtttatt	tttacatatg	gatgtctagt	tggttctaata	107040
ccattttgtg	aaaagacaac	ctttactcca	ttgaattgcc	tttgtacttt	tgccatattt	107100
gtctaggcct	gtttttggac	tcctttttct	gtttcatgat	gtgtgtgtct	attcctttgt	107160
taataccaca	tgggtctaat	tactgtatag	taagtcttaa	aattgggtaa	tgctggcctt	107220
ataaaacgaa	ttgggaagtt	tttattttta	ctcttatttc	cattttctag	aagagattgt	107280
gtagaattgg	tgtcattttc	tctttagata	tttggttgaa	ttgggaagtg	atgccatctg	107340
ggcctagggt	tttgtttttt	gtgtgtgaga	cagagtctca	cttctgtcac	ccaggttgga	107400
gtgcagtggg	gagatcttgg	cttactgcaa	cctctgcctc	ccaggttcaa	gttatcctcc	107460
tgccctagcc	tcccaaata	ctgggattac	aagcgtgtgc	caccatgccc	gactaatttt	107520
tgtattttta	atgcagacag	ggtttcacca	tgtagccaa	gctgggtctg	aacttgtgac	107580
ctcaagtgat	tagcccacct	tggcctccca	aagtgttagg	attatagatg	tgagccaccg	107640
tgcctggcag	gggcctaggg	ttttcttttt	cagagtattt	taaactatga	attcagatta	107700
tttaatagat	tttaagttatc	tttattgtatc	ttttcttctt	tgagtgaatt	tttactgtag	107760
tttatggcct	ttgagtaatt	aattgtattg	aattgtcaaa	tttatgagcg	tgtaattatt	107820
tatagcattt	cgggtttgta	gtgggtatccc	tcttttatct	ctgggtgttg	caattgtgtc	107880
ttgtttttct	ttgtcagatt	gtatagggat	ttattagtct	tttcaaagaa	ctagcttttg	107940
ttttgatatt	tctgttggtt	tgttttcaat	tttattgatt	ttctgtctct	tattatttct	108000
tttctattat	ttctgcttgc	tttgggttta	ttttactctt	ttttttttct	ccaagttgct	108060
taaagtagaa	acttagattt	ctgggttgag	acctttcttt	tctaagataa	gcatttaata	108120
ctgtaaattt	ccttctaacc	actgcttag	ttacaccccc	acaaattctg	gtattttgaa	108180
ctgagacaaa	atgaaatgtt	ctaatttccc	ttgaattcta	ttcttttacc	aatgaattat	108240
ttagaatat	gttatttagt	ttgcaagcaa	ttggagactt	ttttcctggt	atttttctac	108300
catttatctt	tcatttcatt	atattatggt	cagagaatat	attttgaatg	atttcattta	108360
ttaattttta	aaaataacat	taaaaaat	tttaaaatgt	gaatatacca	catacagtat	108420
aaagattgta	cattctgttt	ttggacagtt	ttctataaat	gtcaagttga	tttagttggg	108480
taatgatggg	gttcagtttt	tctttattct	tgctgatact	ttgtatgcag	ttatatcact	108540
ttattactca	gaagagtgtt	gaactttcca	actacaattt	ttttttccaa	ttttactttc	108600
agctctatct	ggttttgctt	catgtatttt	gaggctctgt	tgtaggtgt	gtacacattc	108660
aggatgat	cttctgggtg	aattgcctgt	tttatcatta	tgtaattccc	tctttatggg	108720
aattttcctt	gttctaagat	cagaaatata	tgttgtccaa	tttatataga	cactgcagct	108780
ttcatttgat	tagtgcttgc	atggcatatc	tttttccatt	tttttacttt	tgatctacct	108840
ttataattct	attttaaagg	ggcttcttgt	aggcagcata	tagttgggta	gtgttattta	108900
tttatttatt	tattttattt	tttatttatt	tattgagaca	gagttttgct	cttgttgccc	108960
aagctggagt	gcagtggtgc	aatcctggct	taccacaacc	tccacctcct	gggttgca	109020
gattctcctg	cctcagcctc	ccaagtagct	gggattacag	gcacgcgcac	catgcctggc	109080
tgattttttg	tatttttagt	agaaacggat	tttcaccatg	ttagccaggc	tcgtcttgaa	109140
ctcctgacct	caggtgatcc	acctgctttg	gcctcccaaa	gtgctgggat	tacaggcgtg	109200
agccactgca	ccgggtgag	tcatgttatt	tttaactctt	tctcacaata	cagggttttt	109260
gttggttaaat	ttaatatttt	taataataat	tttagtataa	ttatttacat	taaatgtaac	109320
tggtgcactg	gggtattttat	aatgtgtaaa	tataattatt	ggtattaata	taattatatt	109380
actcataata	atattaatat	ctttggattt	agattaccag	tttagtatat	gtttttctgt	109440
ttctccctct	ttgatttccc	cttttttgct	tttttttttt	ttttaattct	tatttttttt	109500

92/122

tagtattttgt	tgatcattct	tgggtgtttc	ttggagaggg	ggattttggca	gggtcatagg	109560
acaatagttg	aggggaaggtc	agcagataaa	catgtgaaca	aggtctctgg	ttttcctaga	109620
cagaggaccc	tgcggccttc	tgcatgtgtt	gtgtccctgg	gtacttgaga	ttagggagtg	109680
gtgatgactc	ttaacgagca	tgtgccttc	aagcatctgt	ttaacaaagc	acatcttgca	109740
ccacccttaa	tccatttaac	cctgagtggt	aatagcacat	gtttcagaga	gcagggggtt	109800
gggggtaagg	ttatagatta	acagcatccc	aaggcagaag	aatttttctt	agtacagaac	109860
aaaatggagt	ctcccatgtc	tacttctttc	tacacagaca	cagtaacaat	ctgatctctc	109920
tttcttttcc	ccacatttcc	cccttttcta	ttcgacaaaa	ctgccatcgt	catcatggcc	109980
cgttctcaat	gagttgttgg	gtacacctcc	cagacggggt	ggcagctggg	cagaggggct	110040
cctcacttcc	cagatggggc	agccgggcag	aggcgccccc	cacctcccag	acggggcagt	110100
ggccggggcg	aggcgccccc	cacctccctc	ccggatgggg	cggctggccg	ggcgggggct	110160
gacccccac	ctccctcccg	gacggggcgg	ctggccgggc	gggggctgac	ccccacctc	110220
cctcccagat	ggggcggtcg	gccgggcggg	ggctgcggcc	cacctccctc	ccggaggggg	110280
cggctgcggg	gctgaggggc	tcctcacttc	gcagaccggg	cggctgccgg	gcggaggggc	110340
tcctcacttc	tcagacgggg	cggccgggca	gagacgctcc	tcacctccca	gatgggggtg	110400
cggtcggggc	gagacactcc	tcagttccca	gacggggctc	cggccgggca	gaggcgctcc	110460
tcacctccca	gacggggcgg	cggggcagag	gtggtcccca	catctcagac	gatgggctgc	110520
cgggcagaga	cactcctcac	ttcctagacg	ggatggcagc	cgggaagagg	tgctcctcac	110580
ttcccgacg	gggcggccgg	tcagaggggc	tcctcacatc	ccagacgatg	ggcgggctagg	110640
cagagacgct	cctcacttcc	cggacggggg	ggcgccgggg	cagaggctgc	aatctcggca	110700
ctttggggag	ccaaggcagg	cggctgggaa	gtggaggttg	tagggagctg	agatcacgcc	110760
actgcactcc	agcctgggca	acattgagca	ttgagtggc	gagactccgt	ctgcaatcct	110820
ggcacctcgg	gaggccgagg	caggcagatc	actcgcggtc	aggagctgga	gaccagcccc	110880
gccaacacag	cgaaaccccc	tctccacca	aaaatgcaaa	aaccagtcag	gtgtggcggc	110940
gtgcgcctgc	aatcccaggc	actctgcagg	ctgaggcagg	agaatcaggc	agggagggtg	111000
cagtgagccg	agatggcggc	agtacagtc	agcctcggct	ttcacaaact	tggtggcctg	111060
agagggagag	cggggagagg	gagagggaga	cgagggagag	cccccttttt	gctttctttt	111120
ggattatattg	aatttttctt	ttaaatttatt	tatcttactt	atatttttat	ttttttgagt	111180
gattctcctg	ccacagctcc	caagtagctg	ggactgcagg	catgtgccac	tacaccagc	111240
taattttttt	gtatttttag	tagagacagg	gtttccaccat	attggccagg	ctggtcttga	111300
actcttgacc	tcaagtgate	cacctgcctc	ggcctcccaa	agtgtctgga	ttacaggcgt	111360
gagccaccat	gccctgcctt	tttctagaat	ttatatattg	agttcttgat	tgtatctttt	111420
tatgtaggct	tttttagtgg	ttctctagga	attacaatat	acataacttt	cacagtgtac	111480
tcacatttaa	ttttttgtaa	cttcaagtgg	aatgtagaaa	acttaaccac	cataaaaata	111540
gaactagggg	tgaggttaaa	aaagagagag	aaaagaaatg	taataaagat	ttaataaac	111600
cgtttttttt	tttttttctc	tttttttttt	gagacagagt	ctctctttct	gttaccaggc	111660
tggagtgcag	tggcgtgate	ttggctcact	gcaacctccg	cctcctgggt	tcaagtgttt	111720
ctctgcctc	agcctactga	gtagctggga	ttaggtgctc	gcgccaccat	gcccagctaa	111780
tttttgtatt	tttagtagag	acggtttcac	ttgtttggcc	aggatggtct	cgattttctg	111840
accttgtgat	tcgctctcct	cagcctccca	aagtgtctgg	attacaggcg	tgagccaccg	111900
cgcccggtta	agtctttaaa	tatttttttg	acattgcact	ttttctcttt	tccttctagg	111960
attttagtaa	cccaaagtgt	agttttgtta	ttgtttggca	ggttcctgag	gctttcctta	112020
cttctttaaa	tttttttttc	ctgttggtca	gcttcgaaaa	tttctattca	tctgtcttca	112080
aattcactgg	ttctttcccg	ttatttccat	tctgttattg	agtctttgta	gtgaatttta	112140
aattttgttt	attatgtttt	ttagttctaa	aattttcttt	ttttgtgtat	gtcttatact	112200
ttgctcctga	aaactcttatt	tgtttcagga	gtgatcttat	ttcttagagc	atggtttttag	112260
tagctactta	aaatttggtt	tatcatccca	gcataatgtg	cctcttgatt	gtctttctc	112320
ttgtgagata	atgggatttt	ctggttcttt	atatgacaat	taattttgga	ttgtatcttg	112380
gacagtttga	cttacgttac	atgattctga	atcttggtta	aatcctgtgg	aaaatattga	112440
agtttttgct	ttaacaagca	ggtgacctag	ttaggttcag	tcacaaaatt	ctaagcagca	112500
ttctgtcggc	tctggttcca	tcacagttc	agttttgtat	cttatctgct	tatgtgcctt	112560
tctgtgtcca	gtctgggacc	tggccaatgg	tcaggtccca	aagcctttgt	acacttttag	112620
aagcagggcc	atgcacaccc	agctcacgag	tggcccgggg	agtgcacata	caactcgacg	112680
ttttcatggg	ctccttcttt	tctgtgatgt	ccctgacacg	ttctgccttc	taagaacctc	112740
cctttatccc	tttctgttcg	tctggctaga	aagtcagggc	tttagattcc	ctatacttca	112800
gcacacttcc	tgtagctatg	tcaacctctg	tggccacgac	ttcttcttct	tgggactgca	112860
gtttctcttg	tcagaaagta	ggattcttgg	agctgctgtc	attgctgctg	tggctgctct	112920
gatgtgcct	gggagtcgaa	ggagagaaag	gaacaaaaca	aaacaaccca	ggggatttcc	112980
tccactctct	ttgatccgtg	agagccccc	ttcctgttcc	tcagaccaga	aatagagggc	113040
ctgtcttgga	acttcttctt	tgtgcatctg	gtgtgcagtt	tcagcttttg	agtcagggcc	113100

93/122

aggaggtgct	ggacaaactt	gtcaggagta	cggaggtact	gcaagttctg	attacttttc	113160
tcagtcacc	tgcttccaag	tccttggatg	catttgtcca	ttgttttgag	ttgcattcca	113220
tgggagagac	agaagagtgt	gcttatttca	tcttgacata	cttatttagga	tttcatatca	113280
aatcaacgga	tgatattctc	tatattaatt	tgctgttttc	cctttagcaa	gcacattagg	113340
aaaataaacac	tttaacaccc	gcctttgggtg	gtttctgtca	taattatttaa	tacttgactt	113400
tttttttttt	tttgagacgg	agtctcactc	tgctctttga	ggcattgtcc	ccataaactt	113460
ttggtaaagc	atcaataatt	ttatctttca	tccacacaag	cttcaccata	aatttgatgt	113520
ttattcttcc	attttagcag	aattcatggt	gctccaatag	gggctgtctt	caaactgatg	113580
ttttctcctt	cttagtgcc	cagagtagat	cctgttcaga	tacgttataa	caggttaata	113640
tgagtttatt	ttgggtgtaa	agtactttga	aattcatgca	tagttttttc	atcatatgca	113700
ttttccatag	ctttgaacac	ccccatgtaa	ctctcctctt	ccacaaacca	aacaatgaaa	113760
aagcaccttt	gtgatggaag	tttattttgc	aataggaact	cacagtgatc	taagccctgc	113820
tattcatgaa	cataattcat	tactggagtc	caagttgctt	tttggttttt	gaagttctct	113880
tcttcccttg	caggtataga	acaagatgca	gtgaataact	ttaccaaata	tatatctcca	113940
gatgctgcta	aaccaatacc	aattacagaa	gcaatgagaa	atgacatcat	aggtaagcag	114000
tgcttgaaac	tatggcaaaa	aaaaaatgac	aaaaaatgca	cagaactgac	aattttcgtt	114060
attgactaag	ataatttttt	cttaacatgg	aatttagcag	ttcccttctt	aatttgtttt	114120
ctgagtattt	tttatatcgg	atttatagtc	actttaaaag	tttctcggct	gcattctggtg	114180
cgaggggtctt	tgcttgggct	agatgggctg	cagtgtagcg	ggtgctcagg	cctgcccgt	114240
gctgagcagc	cgggccggcg	ggcggctacg	ctaaccggca	cagaccaccg	gatggactgg	114300
ccggcagccc	cgcaccagt	cacgaagtgg	gcgggacaga	aacttctggg	ggtggaagtc	114360
cagtgaagct	aaaagccggt	accaaagtct	ctaggcatca	gggctgcagc	ccaagagtct	114420
cacgaccagt	gggcaactgg	atggccagac	agggtgtctca	gtggtggcct	ctccgtctca	114480
gggcttcatc	ccacttctca	gtgggcctga	cgtccctggg	caccctggat	gtctacctgc	114540
attagccaga	gccatcacat	ggcctgtgac	ttgccttttt	ttgccagttg	attgtgccac	114600
acacagtgct	atttctgtgt	catttggcac	agctggaggt	gcaaggagga	gggcagcctc	114660
atgtccagtc	ccagtttcac	gtaactttat	tcttctgaat	aaagacaatt	tgctaaagctt	114720
aaaaaaaaaa	aaaaaaaaaa	agtttttctt	atatgttgga	cccaaattct	taggctttta	114780
cctgaataac	aatgacagca	agatcaataa	atagtacaca	tttattaaac	actcactgtg	114840
tcccagacaa	tattccaagc	actttttatg	gatagactca	ttttaacttc	taaagaactt	114900
tgttatagat	atacagttat	tttatagatg	aagaaactga	agcacagaga	agtttaagtgc	114960
tttgtccagg	gtaacagctc	agatatggca	gagtcaggat	ttgaaactag	accctcacat	115020
accttaactg	ctgtgctgtg	gcagtgtttt	tcatactgta	gggtgggacc	agccttctct	115080
tatgccctca	ccccctgcca	aaaaaaaaaa	aaaaaaaaaa	aaatatatat	atatatatat	115140
atatatatat	atatatatat	aatatatata	tataataaat	atatatatat	ataaaatata	115200
tgtattagta	tatatgcata	tatagtatat	attatatatt	agtatatata	ctaatatata	115260
atatacatat	tagtgtgtgt	atatatatat	atactagaat	aaaaaaatca	aagtatctca	115320
gagtagtaag	gacaaacatt	tcagaaaaat	gttttccatta	tatatacatg	tatgtatgtg	115380
tatgctgatt	caacaaatat	atttcttata	ggttatagca	aaatagtttg	aaagctttta	115440
ctgtgtttta	tcaggaagac	cttaggtgaa	cgtatatcca	cagataaaaag	aggttattta	115500
ttcattcaat	aaatattaca	ttctcataag	tcctaataat	atgtattttt	attcttcaaa	115560
aaagttagta	tttgtgattt	atgaaataag	acatgttctt	gcacttttag	cagatctgtc	115620
ccgatgttgg	gcttctttaa	tccttagtgt	gggtgctttg	cactcactca	ctgtggggga	115680
cagcaagacc	cctgttagtc	tcagctgtgt	ttcttaaat	ggcccactgt	accttcagtc	115740
tagctattct	ggggtccatg	tcagtgtggc	tccattttcc	ttttctttct	cccacacaga	115800
tacctataac	ggctataaca	taggcctggt	ggctgttggt	ggcttatccc	tatctgcttg	115860
tatttaaggg	gtactgtttc	actgagtttt	gctgacagat	ggtgtcatga	gatttgagggt	115920
tttctgtgtt	gttgctctat	ttttatgtgg	gaatttgcta	ctatcatcat	ccctagacca	115980
gcttttccta	gtaatacaac	agggatgttc	tgactgatta	gagtttgcct	gtttgaagaa	116040
ttggttggtg	agtgattttt	ttttgagggg	agtctgtacc	agttaatagc	ctgactggcg	116100
tggtgataac	aagggaagcag	tttcaagtca	aataaaacac	ttaaaatgaa	accacactgc	116160
aactctcttt	cttttactta	agcttaatca	gatgtaatcc	catgaaggaa	catgaaggaa	116220
aagtcttctg	aaggatcaag	ttgataacat	tttgtgatca	aagaatttga	gaaaacctct	116280
atcccagtg	ctatcattat	atattttagg	atgttaatta	cctgtgtggc	tttaggcaag	116340
tcatttttcc	tccttgagcc	ccattcttaa	tcctgtccaa	attatttgte	tcctcttgca	116400
ggttgactat	tttaatatag	ctgtccttca	ccttgagtttt	gttcaaaggga	gccttactct	116460
tagctcttac	tgtgtaccca	ctttgcatag	tcttggtttta	aatgtaatcc	ttggattttt	116520
gggtgtgcta	actaattact	gtttttatgt	gaggatttag	agtgatccag	aatctatact	116580
tgcactacct	ccttcatctt	ccacaaatgt	ttgaagtgg	agaattttta	aaaactttga	116640
agggtacagct	gacagaat	gctgatggtt	tggaagtgg	tggtatgaga	gggaaaaaaa	116700

94/122

ggaataaaagc	atgactgcat	tttttgtttg	tttgtttgtt	tgttttttgag	acggaggtctc	116760
actctcgcca	ggctggagtg	cagtggcgctg	atcttggctc	acggcaacct	ccgcctcctg	116820
ggttcaagcg	attcccctgc	ctcagcctcc	caagtagctg	ggactacagg	cgctcgccac	116880
cacgcctggc	taattttttt	ttttgtattt	tagtagaaac	gggggtttcac	cggtgtggcc	116940
aggatggctc	ccatctcctg	acctcatgat	ctactcacct	tggcctccca	aagtgtctgag	117000
gttacaggca	tatatataag	catataaaagt	gtgttatagc	atacaaacag	gtatatatat	117060
aaacatgcag	tccacacagc	tgataggaat	gaggcagtag	tgaaggagaa	gttgatgtag	117120
gagaggggac	agttgttaca	ggaaagaagt	ctggaggcag	aagggatgaa	ttccagtgct	117180
cacatagaag	attgcttaga	tgggagcaag	gacaatttat	ctagagtcac	aggaaagaat	117240
gcagtacacg	ggtagagatg	caggtgagtt	gaaagatgtg	agagatgatg	gaaataattt	117300
tctgattgct	tctatattct	caaggaagca	ggaagcaaag	tcctcagcaa	agagaataga	117360
agaggtgtta	aatattttgag	aaaggagatg	tactgtagaa	aaaaaaaaaa	ctcagtttctc	117420
ccttctgaac	tctcacaaaa	cagaaccctt	ccatgactct	agttgtgtgg	ggtttttttcc	117480
ctgtcagcta	ccaatttctgc	agatgattgt	tcagtgaaca	ccaactgggt	gtcctctaaag	117540
tcagttcagt	tctcacactg	tttacctgga	gatagcatca	gatcccacag	attgaggact	117600
ctgtcccaca	agactgcctc	cacttcagat	gccagtctca	agtacaagtt	gtggcctgtg	117660
cttctgactg	accttctata	aattggagtt	cccacagtcc	cctccttggg	ttcaataaat	117720
ttgttagagc	agctctcaga	actcagggaa	atgctttaca	tatatattacc	cattttattat	117780
aaaggatatt	acaaaggata	cagattgaac	aggcagatgg	aagagatgca	tgggcaagggt	117840
atgggagagg	ggcacagagc	ttccatgcac	tctccagggtc	atgccaccct	ccaagaacct	117900
ctacagattt	agctattcag	aagccccctt	ccccattctg	tccttttggg	ttttttgtgg	117960
agacttcatt	atataggcat	gattgatcat	tggctattgg	tgatcagctc	aaccttcagc	118020
cccccatcc	cgggagggtg	gtgggtaggg	ctgaaagtcc	caaacgtgta	attctgcctt	118080
ggctcttctg	gtgattagcc	ctcatcctaa	agctctttag	aggccacagc	cacaagtcac	118140
ctcattagcc	ttcaaaagaa	tccagagatt	ccatgaattt	taggcgctgt	atgctaagaa	118200
actggctaaa	ggccagttgc	aatgtctcag	gcctgtaatc	ccagcacttt	gggaggctga	118260
ggcaggagga	tcgtttcagg	ccatgagatc	aaaaccagcc	tggctaacat	agtgaagacc	118320
ccttacaaaa	aatttaaaaa	ttggccaggc	gtaatagctc	ttgtctgtag	tctcagctac	118380
tcagaagggt	gaggatcact	gagccctgga	gttgaaggca	gcagtgaagg	atgatcgctc	118440
cactgactcc	ggcttgggtg	acaaaagtga	accttgtctc	agaagaaaaa	ggaaaaaaa	118500
aaaactgggc	aaagactaaa	taacatattt	cacagtatca	cagattttgta	ttgtctaggga	118560
aagtgaatgt	aaacagacca	ggacactagt	atgatccctt	ggtttcatga	aggtcccact	118620
aaagtcatga	acacaaagtg	agactaggca	tcagtgtata	tggtttttcc	agccatgttt	118680
aacagctagc	taaatagcta	attgtttcgc	tgcagtttat	tttagcagtt	ccttatttta	118740
gcacatttca	tgtttttaaaa	tttctacaaa	taaacatttta	ataaaactttt	ttacagataa	118800
cttcacaaat	ccataattttt	ttaagttaca	atcccagaaa	tagaattgct	cattgaaagg	118860
gtatgtttcat	ttttaaagtt	atgctagaaa	ctgccaaaat	gccttcagaa	aaaggtgttt	118920
gtatccccac	taacactagt	gttagttttc	ttgtgccctt	gctcaagtat	acataattatt	118980
aaaaacaatg	ttgggccagt	ttactagata	aaaggtgtag	tgcctcctta	ttctaattcta	119040
tttgattact	agtgaagtatg	tatgtctttt	cacggttggtc	atttttatgtt	tgttcctttg	119100
tggattgtca	tgctcctttgc	tcattttttct	tttggaaacat	ttcttagtag	tttataagag	119160
ctcttggtat	tttaatgata	gtaacctttt	aactgtcatg	catgctgcaa	atcttttttcc	119220
tgtttgtttg	cctttgtatt	ttgttttttg	agggtttcta	tgtataggaa	ttaaaatttta	119280
tgttgttaaa	tcttttgatt	tctgcttttg	catatgtact	tcaaaaagact	ttctatttta	119340
agatcaagtg	ttacctgtat	tttcttttag	ttctatttaa	aacctcttaa	tttatatgcc	119400
tgtgctgtta	actcccaagt	tgattcacaa	gtgtgtatac	atagtttgaa	tttagtggca	119460
atttaattat	ttacaaactc	ttttgcagca	aggattttgtg	gagaagatgg	acaggtggat	119520
cccaactgtt	tcgttttggc	acagtccata	gtcttttagtg	caatggagca	agagtaagtt	119580
agttcatatt	ttcacattgt	gcacccctagg	gaatttgggt	tcattgttag	gaatgggctt	119640
cactcagcta	aaaacaaagt	atttttgaga	atttaaatat	tttggatatt	tacaagatca	119700
tataaagcat	actctatctt	ggttaacagt	ttcttttaaa	tataaattat	gtgaactctt	119760
aaaattttca	tttctatttt	caatgttaat	atttctctaa	ttaaaaataat	ttgttttttag	119820
ttctgaaata	atttggggag	tgattgagtc	tgtagtgatt	atgactatta	gaattgggtt	119880
atttattttaa	ataatgcatg	tcttcagatg	gctctcctaa	tttggttagtt	aggctttaag	119940
ctaaatggat	gctatataac	taaatccaca	tagattttgtt	gaaatggctc	cagaggtttt	120000
ttagattttat	tactgtctatg	tgcccttaaa	taagacgtgg	ctattctttc	acttaacatt	120060
tatcagaaga	gtgctctgtg	taagacgtgg	ttaggcatag	tgccagtctt	gaagggaagt	120120
acagcctaatt	aaaagacata	gggcatgttg	tttgggtact	gtaatatgaa	gtggcatgtg	120180
ttaaatgtca	ggggagaact	acaaagtcat	aaaaaggtgg	gagagattac	atacaggtaa	120240
aggaatcagg	aatgacacca	tggggagtaa	ggtagtgttg	acctaggcct	ttaagataca	120300

95/122

atagggacag	tatggaaaga	gtatatTTTT	cccacttaaa	ctcttttcctt	ggtcggtccc	120360
tcaaatTTTT	ccttttTgtc	atgtgcaggg	acttttagtga	gtttctgcga	agtcaccatt	120420
tctgtaaata	ccagattgaa	gtgctgacca	gtggaactgt	ttacctggct	gacattctct	120480
tctgtgagtc	agccctcttt	tatttctctg	aggtaaagtc	tgcatttctt	ttcacactct	120540
attcgagcat	tccagcctct	aactatcaat	gctggggccc	tgtctatagg	aaataacaca	120600
gaagagccaa	gtcatttcca	aaaagatgta	tcattgtttc	aagttgtttc	tgatggcaag	120660
agtaatttaa	taatataatta	gagagaacat	gaaaattcaa	tgtattaaat	aactctaatt	120720
ttgagaaacc	taattaaact	actgcatgta	agagagtgc	tgTTTTtaat	tatttggagc	120780
tattttaaaa	ccacagaatt	tgaaacttgc	ttccagtgc	taaattgcag	accagacttc	120840
agaagagaaa	aaaagtagta	aattttttct	tatgctcatc	atTTTtactt	tagtcacttg	120900
ataggattgc	ccagtgaaga	agcatttgca	acagacaatg	agtataattaa	tctttttgag	120960
gcatacagtt	tagtataatg	ctctttgtta	ggcttcaaca	agtgaattta	ttttgttgga	121020
aagcaaatga	ctattaagta	gaaagaggat	tcccagcttc	acaaagcagt	aatttagaca	121080
ctcgattctg	cctctttaca	agaatacagg	tactcagttg	atTTTgtttc	tcactccctt	121140
tctttgctat	aagtttaaat	caacaatttg	tttaggttaa	tatgtcctca	tggaatggtg	121200
gaaatgatca	gatataaaat	atTTTgtttg	gttagtttac	tctttatatg	tttgctggca	121260
aggaaccaca	aatccagttt	agtataaatt	ttactctagt	tcactaaaag	tttgcatcca	121320
gctgtgtagg	tagtgtttgt	ttcttgttaa	ctTTTTtttc	gtctaaaaga	atactttaa	121380
acttttcaat	ctcaaatgac	tgtaaacttg	tgacaggtgt	taacagaaga	agtagatctt	121440
tttgtTTTT	gcttatgacc	tgtattttaa	tatttgagct	tatagattag	agattgtgag	121500
agaaatctgt	ttatagtctt	atTTTccctt	gtgtattttt	tcttcctagt	acatggaaaa	121560
agaggatgca	gtgaatatct	tacaattctg	gttggcagca	gataacttcc	agtctcagct	121620
tgctgccaaa	aagggccaat	atgatggaca	ggaggcacag	aatgatgcc	tgattttata	121680
tgacaagtga	gttatattga	tagatggatt	cagcagatac	ttattgaaca	tttgatatgt	121740
tttgtggaaa	taaagatgaa	taaactcagt	ctctgttgtc	aaggagctca	caggaggcag	121800
cataaaagct	gcttttatat	ggtgtttgta	aagctttggg	ggttcttaga	acaaaagttt	121860
ctgctgggaa	agggggaggtg	tatgtggggt	aaacaggatg	gcaatgggtg	tgctcaagga	121920
gtgtttccca	gaagagagat	tttgtttgga	tcccaaagaa	agaagggaat	tttgctaccc	121980
agagaaggca	gaaaacaaca	ttctaggcaa	aggcattggc	ccagaagcca	tggaaacgta	122040
ggggaaagtg	gcactttcaa	gaaacttgag	tttagataat	caaaggagtg	gggaataaat	122100
atgaggatgc	tgggtactaat	tggaaatagc	tgtaagggac	cttgaatgcc	tatttttggg	122160
tatattatac	tttctgtata	aatctgctca	ggcacgttgt	taattagttt	tttattagtt	122220
ttcactgaaa	atgagaggat	ggaaacatca	tacagttaac	aaaattgaaa	atatctgggtc	122280
agccagatga	tgagcttgtg	gccagctctg	taacgtatgg	tattcttttc	atttaacttt	122340
cttactctcg	taaaaaaagt	aattcgtggt	cgggcacggg	ggctcactcc	tgtaatcaca	122400
acactttgag	aggcagaggg	aggtgaatcg	cttgagccca	ggaatttgag	accagcctgg	122460
gcaacatggc	aaaaccgcgc	tttactaaaa	atacaaaaat	tagctgagcg	tgatggcgtg	122520
cgctgttgt	cctagctact	taggggcctg	aggcagaagg	atcacctgag	ccttgggagg	122580
tcgaggtgc	agtgcactgt	gatccactgt	actccacctt	gggcagggca	gtagagttag	122640
accctgtctc	caaaaaaaat	aaaaacaaca	aaggtaattt	gttatttgta	tccttaagca	122700
aatgctaaag	gggttaacttg	gggatagaga	aaagtccaca	gatgttaggg	tttgaagaca	122760
ctaatagtat	ctaggccagt	ggttcctgaa	cattagtctg	tgggctcttg	ctgggctgtc	122820
tgcataggaa	tcacctgaga	gcttattaaa	aataggtttt	caggctgggt	gcgggtggctc	122880
acgcctataa	tcccagcact	ttgggaggct	gaggcaggcg	gattacttga	ggtcaggcgt	122940
tcaagaccag	cctggccaac	atggtaaaac	cccgtctcta	ctaaaaatac	aagaattagc	123000
caggcatgat	ggcacacacc	tgtaatccca	gctactcagg	aggctgagga	aggagaattg	123060
ctcgagcccg	ggagggtggag	gttgcagtga	gcggagatca	tgccactgca	ctccaggctg	123120
gctgacagag	ggagactctg	tctcagaaaa	aaaaaaaaaa	ataggTTTT	agtctgggta	123180
ccggtggctc	acacctgtaa	tcccagcact	ttgggaggcc	aaggcaggca	gatcacttga	123240
ggtcaggagt	ttgagaactg	cctggccaac	atagtgaaac	cttgtctcta	ctagaaacta	123300
caaaaaatta	actgggcatt	ttgacgggtg	cctataatcc	cagctactag	ggaggctgag	123360
gcaggagaat	tgcttgaacc	cgggaggcag	aggctgcat	ctcaaaaaaa	aaaaaaaaaa	123420
aaaggTTTT	agtccccctg	tctcagaaat	tctgattctg	caggTTTTgag	gtgtgaccag	123480
gaatctttat	ttttagaaga	cataccagat	aattctgata	aatagccagt	ttagggatgt	123540
agtctaattt	tcctattttg	caagtaagga	aaataaggcc	cagagaggta	atgattttct	123600
caaagtcaca	gacaaagtta	gtggcagaat	ttggactgta	atgcagttct	taattgtctg	123660
tccagtgttt	attctgggtac	agtatgtttg	tagaagggtat	tacgtaagaa	acattgttat	123720
atagatgttg	agataggaag	agtttacatt	tagaaatttg	gtctaaaatg	cctgaacatt	123780
caagtcgtgg	aggagtattg	accaacttac	tcaatacaac	ataggagatt	cacattttgt	123840
tacaaaaatg	ctgattttaaa	aggagagttt	tctTTTTttt	cttctTTTTt	attttttgag	123900

96/122

atggagtctt	gctctgtcac	ccaggctaga	gtgcagtgac	acgatctcag	ctcactgcaa	123960
cctccacctc	ctgggttcaa	gcgggttctcc	tgccctcagcc	tcctgagtag	ctgggattac	124020
aggtgggggc	caccacgccc	agctaatttt	tgtattttta	gtagagacag	ggtttcacca	124080
tggtggccag	gccgggtcttg	aactcctgac	ctcaagtgat	ccaccaccca	ctgcctccca	124140
aagtgtctgg	attataggcg	tgagccactg	tgcccagcct	gcttggtttt	gtatcatata	124200
tatgcatcat	cataatcatg	cattatcaac	ctttgtattt	ctgtcaggac	atagaaacca	124260
ttagagtgtc	tggaagagag	cctttttttt	tttctcgcat	ttaatgcttt	ttttggtatt	124320
catttcataa	tcagcttacc	aaaacattac	ctgcattata	ccccatcaag	gtagaaatct	124380
ttgtgttatc	aatattgggt	actccctttc	cacaccgagt	catcagtaag	tcctgttcta	124440
tccaaatagg	tcatatgcat	ctagctcacc	cctcagtgct	gttttggttt	gaatttgtac	124500
atgtttactc	ctgatgcctt	gtagtatatga	tgatgtgttc	ttattttatt	ctgtgcatac	124560
aagttctcag	ctcgcttttt	agggaaaatg	accatgtcct	cctttcctat	aaattccttt	124620
ctatctctca	agtcctcaac	agagaatagg	taccataaaa	tatgtgattg	ttagtttctt	124680
tgccctcagtt	gtagtctgat	ccttacagct	tttaaacaac	agtagagttc	accgtcaaga	124740
actaaggatg	gttggcaggc	agatagaaaag	gtagcaagtt	gacccaacta	tctctgggga	124800
agtgggaaca	aagaaaaggtt	acatcagcac	tgctcatcaca	tagctctata	gttctaggcc	124860
tgagggtctca	atcaagtagc	cttgtataag	attctctgga	ggagggtgctg	aaagttgctt	124920
atacttgcta	tggaatttga	ttttactctg	gatattcttt	taccatagggt	acttctccct	124980
ccaagccaca	catcctcttg	gatttgatga	tggtgtacga	ttagaaaattg	aatccaatat	125040
ctgcagggaa	ggtgggccac	tccccaaactg	tttcacaaact	ccattacgtc	aggcctggac	125100
aacctggag	aaggtaaccc	agaacttcaa	acgtatcaaa	ctacaagaag	ttttattggt	125160
agaactcata	aaatataagg	tgggaaaacc	aagcagaata	gcacagtggg	aattgaagca	125220
gtccagcaaa	gtgattaaga	gcagaggcct	tgagtctggc	ctggtatgta	cagtcacgtg	125280
ccacataaca	ttttagtcaa	cagtggactg	cgtgtacgat	ggtcctgtac	gattataatg	125340
gatcaaagct	ggtagtgcaa	taataacaaa	agttagaaaa	aataaaatttt	aataagtaaa	125400
aaagaaaaaaa	gaaaaaactaa	aaagataaaa	gaacaaaaaca	gaacaaaaatta	aaaaaaatta	125460
taatggagct	gaaaaatctc	tgttgcctca	tatttactgt	actatacttt	taatcattat	125520
tttagagtgc	tccttctact	tactaagaaa	acagttaact	gtaaaacagc	ttcagacagg	125580
tccttcagga	ggtttccaga	aggaggcatt	gttatcaaaag	gagatgacgg	ctccatgcgt	125640
gttactgccc	ctgaagacct	tccagtggga	caagatgttg	aggtgaaaga	aagtgttatt	125700
gatgatcctg	accctgtgta	ggcttaggct	aagtgtgggtg	tttgtcttag	tttttaacaa	125760
acaaatttaa	aaagaaaaaa	aaaattaaaa	atagaaaaaa	gcttataaaa	taaggatata	125820
atgaaaatat	ttttgtacag	ctgtatatgt	ttgtgtttta	agctgttatg	acaacagagt	125880
caaaaaagcta	aaaaaaagtaa	aacagttaaa	aagttacagt	aaagctaattt	attattaaag	125940
aaaaaaatttt	taaataaaatt	tagtgtagcc	taagtgtaca	gtgtaagtct	acagttagtg	126000
acaataatgt	gctaggcctt	cacattcact	taccactcac	tcgctgactc	accagagca	126060
acttccagtc	ttgcaagctc	cattcatggt	aagtgcccta	tacagatgta	ccatttttta	126120
tcttttatac	tgtattttta	ctgtgccttt	tctgtatttg	tgtttaataa	cacaaattct	126180
taccattgca	atagtggcct	acgatattca	ttatagttaac	atgtgataca	ggtttgtagc	126240
ccaaaagcaa	taggttgtag	catatagcca	aggggtgtag	taggccatac	catctagggt	126300
tgtataagta	cactctgtga	tgtagcaca	atggcaagca	gcctaacgga	aattctgttt	126360
attgattgat	tgattgattg	attgattgag	acagagtttc	actccattgt	ccaggctgga	126420
gtgcagtggc	acagtcttgg	cacactgcaa	cctctgcctc	ccagggttcaa	ccaattatcc	126480
tgccctcatcc	tcccaagtag	ctgggattac	aggcaggcac	caccatacct	ggctaatttt	126540
tgtatttttag	tagagacagg	gtttcaccat	tttgccagg	ctgttctcga	actcctgacc	126600
ttaagtgtac	tgcttgcttt	ggcctccgaa	agtgtcggga	ttacaggcat	gagctaccat	126660
gcctggggcag	tactttaaag	tctctaattg	atctgttaaag	atctgttaaag	tgacgataat	126720
atgcacgttt	acctcaaagt	tacttttagt	attaaagtaa	ggtaattgtat	ataaaaataca	126780
tattaacata	gtacctgaca	catggtaagc	atcaaaaaat	gttaactact	tttattacta	126840
ttattattac	gtatttttaa	ataatttagag	agcagtatca	aaaattagct	gggcgtagtg	126900
gcatgcacct	atagttccag	ctactcagga	ggctgaagct	ggaggattgc	atgagcctgg	126960
gaattaaagg	ctgcagtggg	ccgtgttcat	gccctgcac	tccagccttg	gtgacagagc	127020
aagaccctgt	cttgaacaat	taaagaaggc	attatgccgc	aacgttagct	tagaaatgat	127080
ccacatatat	caccagtaac	tgtcaacagg	attggaaacc	tagttttggg	tattatgatc	127140
acaaggtatt	attaatagct	tattaataat	aaagcgttgg	ctaggcacgg	cgactcacat	127200
ctgtaattccc	gaggccttgg	gaggccttgg	tggttggtatc	acctgagggtc	aggagtttga	127260
gaccagcctg	accaacatgg	agaaacccca	tctctactaa	aaatacaaaa	ttagccgggc	127320
gtgggtgggtc	atgcctgtaa	tcccagctac	ttaggaggct	gaggcaggaa	aatctcttga	127380
acccggggagg	cagaggttgc	agtgagctga	gatcgcacca	ttgcactcca	gcctgggcaa	127440
caagagcaaa	actccgtctc	aaaaatataa	ttataataaa	taaataaaag	taaagtattg	127500

97/122

atgtttgtga	atgattttatt	cttctaata	actagaggag	atgtttccag	gaatttcaga	127560
gccagtggg	ttatgttgct	tgtatgtgtc	atgtgtatcc	aggtgaaaaa	acttaattaa	127620
acgctattat	ataataccat	acataaaaa	tgaatttttag	gaatactgaa	gaatgacata	127680
tagaagtcaa	atcattaaat	agctagtagt	aaacagaata	gagtgtcagc	tggtacccaa	127740
tgatgataat	attttccacga	ttaaaatttaa	accttttctg	attttaaagg	aaaagtccag	127800
atctgtatca	tataaagaat	gtaaaattttc	agggttaataa	aattaaaatg	cagagagaaa	127860
aatgcaaaaa	tagttctttac	tagatgtgtg	tatgtaaggga	acttagacta	attttaagaa	127920
cactgtcaag	accctggtag	ttaggttagga	aaaaagacat	gaatgattca	ttcaacaaaa	127980
actttgagta	tttctgtgct	agatggtagt	gttacagtgg	taaacaaaaat	aaatgtgttt	128040
ctgctatcct	ggagcttagt	ctacaaaaaa	ggtacatatt	ggccgggcac	ggtggctcac	128100
gcctgtaatc	ctagcacttt	ggaagatcga	ggcgggtgga	tcacctgagg	tcaggagttc	128160
aagaccagct	tggccaacat	ggcgaaaccc	cgtctctact	aaaaatacaa	aaattaaactg	128220
ggtgtggtgg	cggacacctg	taatcccagc	tactcgggag	gctgaggcag	gagaaactct	128280
tgaaacctggg	agacagaggt	tccagttagt	cgagatcatg	ccactgcatt	ccagcccggg	128340
ggacaaaagc	gaaaatacgt	ctcaaaaaaa	caaaaacaaa	caacaaaggc	acgtattaaa	128400
tacgaacata	aataattttaca	aattatactg	aataagttct	catgtttatt	atttgcttgt	128460
ccagttacaa	acttttccct	cgtagaatta	gaaataaaaa	taataaacat	gagaactcat	128520
tcagtataat	taataatttat	taaatgtaaa	taaaacatc	tatgtacaat	taggcattta	128580
tttaagaatt	atttgaaaaa	aaaacaatgt	ggaaacagat	attttgatat	attgctagtg	128640
attgaaattg	ataatgttct	tttgaagagt	aaagtgacca	tatatattaa	agttaaaatt	128700
taactcagca	atcacacgcc	tggtaggtta	tcttaaggaa	atcagtttga	aagtaaaatc	128760
aatatatgca	caaagacttt	aacattttatc	ataaacccaga	aaaatcgagt	ttcaaatatt	128820
atcctatgga	ctatttttctg	ctaaaaagta	ttaatatcaa	ctttatgtaa	tactttctgtg	128880
acaaatattt	tggggggagaa	aaccacaacaa	aattacatgc	attgtaat	tttttttttt	128940
tttttttttt	gacagtcctg	ctccagcgtc	caggctggag	tgcatgggtg	caatctcggc	129000
tcactgcaac	ctccatctcc	caggttcaag	caattctcct	gcctcaggcc	tcccagtag	129060
ctgggattac	aggcgtcac	caccatgcct	agctaatttt	tatagttttt	agtagagatg	129120
gggtttcatc	atgttggcca	ggctggtctt	gaactcctgg	tctcaagtga	tccgtctgcc	129180
tcggcctcct	agagtgtgta	gattacaggt	gtaagccact	gcacccagcc	ttatgcatta	129240
taattttaa	ttgtaaagta	tacaaaaggga	taatacttgt	agtacaacaa	gaagtaaaaa	129300
catttgttat	aggtagttaa	catttgtaac	cagtagaatt	ataggtaaaa	tttattttatt	129360
taaaacagtt	ttagtggat	ttgatttcaa	ctttaaaata	atgcttttca	tctctatcag	129420
gtctttttgc	ctggcttttt	gtccagcaat	ctttattata	aatatttgaa	tgatctcatc	129480
cattcgggtc	gaggagatga	atttctgggc	gggaactgtg	cgctgactgc	tcctggctct	129540
gttggccctc	ctgatgagtc	tcacccaggg	agttctgaca	gctctgcgtc	tcaggatttg	129600
actgattgcg	tctgccatta	gggagaaaa	catacacatc	ctttccttca	catcccagta	129660
acagatccta	ttattttgtaa	attttaagtt	gtggaaaaaa	aagataaaa	ccaggcacag	129720
tggcctgtgc	ctgtaatccc	agcactttgg	gaggctgcgg	tgggcggatc	acacgaggtc	129780
aggaattcga	gaccagcctg	gccgacatgg	tgaiaacccca	tctctactaa	aaatacaaaa	129840
attagccggg	catggtggca	ggcacctgta	atcctagcta	cttgggaggc	tgaggcagga	129900
gaatcgcttg	aaccaggag	gcagaggttg	caatgaacca	aaatcacgcc	actgcactcc	129960
agcctgggtg	acaaagttag	actgtgtctc	aaaaaaaaaa	aaaaaaagaga	gaaataaaaa	130020
tagcctactt	actatcttct	aatcaaaagca	cttaaaaatat	actgtattgt	actgtattgt	130080
aaagtatcat	gctgtttcat	ttaggccatt	attctatttg	aatctgtggc	tggtttctctt	130140
aataaaatcaa	gtaatatgga	atatattcat	agcctctgaa	gagctcttta	tgtaagtatt	130200
tatttaggat	actttttgta	aaataagtga	atgaattctt	aggtctcctt	tttttttctt	130260
ttcttgagac	agggtctcct	cgctgcaacc	tggaaaattct	gggctcaa	aatccaccca	130320
ccacagctc	ctgaatagct	gggactagag	gcattgcacca	ccacgcctgg	ctaatttgaa	130380
attttttttt	ggccaggcat	gatggttcac	gcctgtaatc	ccagcacttt	gggagaccga	130440
ggcaggcaga	tcacgaggtc	gggagatgga	gaccagcctg	gccaacgtgg	tgaaaccccg	130500
tctctactaa	aaatacaaaa	attagctggt	tatggtggct	catgcctgta	atcccagcta	130560
cttgggaagg	tgaggcagga	gaatggcttc	aaccaggag	tcggagggtg	cagtgaagccg	130620
agatcacgcc	actgcactcc	tgcatggtga	cagagtgaga	ctccatctca	aaaaaaattt	130680
tttttttaaa	tgatggagtc	ttgctgtgtt	gctcaggctg	gtcttgaacc	cctgacctca	130740
aatgccgcct	gcttcagcct	aagtttcttt	tttttttgta	aagagacagg	gtcttgctat	130800
gttggccagg	ctctgcctca	actcctggct	tcaagcagtc	ctcccacctt	ggcctctcaa	130860
agtgtggtga	ttacaggcgt	gaaccactac	ctataatgtt	gtgtttcact	caaggccttt	130920
tgatttcggt	ttgcattacc	gtgccacatt	gtgcatttcc	ttgacctttt	ttgggttttt	130980
tggagtgcct	tcatatgtta	aaccatacct	gattctcctc	aaaatcacac	aaagtagaat	131040
atcctaagac	aagaaatcta	aggaggcata	aagaagttaa	ctggttttat	taaactcaca	131100

98/122

cagtaaatga	tagagccaga	aatattcccc	ttctagtgtt	cttcaccatc	agcttaaatgt	131160
agcataataa	tttttctaatt	actgttgaca	aataaataac	cctttgaatt	ttcaataactg	131220
ggccttggat	aaatttttcct	aattttgtaag	agagtattat	cgtattgcca	tttacaagc	131280
tctcctgagt	atcctttttct	tctgttaagt	ttacctagga	gataaaactgc	tgagtatggt	131340
tgccattttg	gttttttgat	ataggttaga	atgtcttgg	ttttttttt	ttttttttt	131400
gtttttgttg	ttgtcattgt	ttgagacagc	atcttgctct	gtcgcccagg	ctggagtgc	131460
atggcacgat	cgtggctcac	tgcaacctcc	acctcccggg	ttcaagcaat	tctcctgcct	131520
cagcttcctg	agtagctggg	attacaggca	tgtgcaacca	cacctggcta	atttttgtgt	131580
ttttagtaga	gaagggttt	caccatgttg	gtcaggctgg	tattgaactg	ctgacctcat	131640
gatccacctg	cctcggcctc	ccaaagtgtc	gggattgcag	gcatgagcca	ctgcacctgg	131700
ctgaatgtct	tgtttttgat	taggcactta	agaaaggcct	aggtactaac	cataaaatat	131760
atttttatac	cctttgttga	tactatatat	atagaaaact	gcacttatca	taaccttaga	131820
caccttgaag	aatgttcaca	agcagaacta	acccatgtga	cccagcatcc	agatcaaaaa	131880
cagcattatc	agccccctc	gaagccccct	tgggccccct	ccattcactg	tcctcttctgt	131940
caccagggtg	gtactatcc	tgacttttga	tggcatagat	tagcattacc	tgttcttctgt	132000
atttttataa	taaaaccata	ctgtgtatcc	ttttcttcta	cagctttatt	gtgctaattc	132060
acatttcatc	catacaattc	agtgggtttt	atatggctac	agagtttaggt	aaccattacc	132120
acattcgatt	tagaacattt	ttttcactcc	agatagaaac	cccccttact	taaactccaa	132180
atccccact	ccaccagccc	taggcagcca	ctagtctact	ttttatctct	atagagacaa	132240
tagatttgct	tattctggac	atttcataaa	catggaaccg	tatattatgt	ggctttttgt	132300
tgccaactgt	ccttcactta	gcatcatgtg	ttcaaaagag	catcatgtta	tccatgtttg	132360
gcattgtatc	gaattttatt	cctcattatg	gccaataatc	ccattgcaag	gatttatgac	132420
atttttattg	aattgtaccc	tcctttctgc	catttatcaa	taatgtact	gtgacctatt	132480
gtgtacaagt	ttttgtgtgg	atacagggtt	tctttttgtt	tttaaatttg	aggtggagtc	132540
ttgtctgtct	gcccaggctg	gagtgcagtg	gcacaactct	ggctcactgc	aacctctgtc	132600
tctgggttcc	aagcagtctc	cctgcctcag	cctcccaggt	atctgggact	ataggcacgc	132660
accaccacgc	ccagctaatt	ttttagtaga	gatgggggtt	caccatgttg	gccagctggg	132720
tctcgaactc	ttgacctcaa	gtgatccacc	catctcggcc	tcccaaagtg	ctgggattac	132780
aggggtgagc	cactatgccc	ggctgtgggt	ttcatttctt	ttgttgtata	tacataggag	132840
tagaatttgt	gagtcacag	gtaactctta	aacttatgtg	aaaactgcca	gattgttttc	132900
cgaaaaggct	gcaccatttt	gcaatcccac	cagcattgtg	tgagttttac	agcttctcca	132960
catttccattg	gaacttatta	tctgtttggc	tgtttttaaa	aatgatagtc	attccaataa	133020
gttctacttc	agtgtgggtt	ttgcacttct	ctgatgagta	atgatgttga	gcatcttttc	133080
atttgcttat	tggcctttgt	tctagctttg	gaaaaattgt	tattcaaate	ccttggccat	133140
tttttttttt	attttttttt	tttttagagac	aagtctcact	ctgtcagcca	ctgtcagcca	133200
ggctggagta	caatgggtgtg	gtctcagctc	actgcaacct	ccgcctcctg	tgttcaagtg	133260
attctcctgc	ctcagcctcc	cgagtagctg	ggattacatt	tcaggcacct	gccagcatgc	133320
cgggctgatt	tttgtatttt	tactagtgc	aggggttcac	catgttagcc	aggctgggtc	133380
caaactcctg	acctcaggtg	atctgcctgc	ctaggcttcc	caaagtgcgt	ggattacagg	133440
cgtgagccat	tgggcccagc	ctagattttc	ttttttcttt	ttttttttga	gaaggagtct	133500
tgctcttggt	gcccaggctg	gagtgcattg	gcacaactct	ggctcactgc	aacctctgcc	133560
tcctgggttc	aagcgatttt	cctgcctcag	cctccccagt	agctgggatt	acagggtgct	133620
accaccacac	ccagctaact	tttgtatttt	ttttagagac	aggggtttcac	catgttgccc	133680
aggctgggtc	caactcctga	cctcaggtga	tcacacctgc	ttggcctccc	gaagtgcctg	133740
gattaccggc	atgagctacc	aggcccagcc	aattttctca	ttatattgcc	caggctgggtc	133800
tcaaactcct	gggttcaagt	gacccctcct	ccttggcctc	ccaaagtgtg	gggagtacag	133860
gcgtgagcca	ccttgctcag	cccctttgcc	cattttttaa	ttagattgcc	tttttatatt	133920
gagtttcagg	agtcctttat	atattctaga	taaatgtccc	ttatcaaatt	atattatttc	133980
caggtatttt	cttcattctg	tgagttgtct	ttcctctacc	ttttaaaaaa	gggtgggtttt	134040
tgtttggttg	tttgtttgtt	tttttaagat	aaggctctcat	tctgctgccc	aggctggagt	134100
gcagtggcac	aatcacagct	cactgccacc	tcaacttcc	gggccgaagt	gatcctctta	134160
cttcagcctc	ctgaatagct	agggccatag	atacacacta	tcacacccag	cttttttttt	134220
ctgtttgtag	agacagatct	tactgtgttg	cccaagtggg	tctcaaactc	taggctcaaa	134280
gtgattctcc	cacctctgcc	tcccagagtg	ctgggattac	aggtgtgagc	cacacgcaac	134340
ctgtcttttc	actaatata	gtgtcttctt	gcttcagcct	cccagtagc	tgggattaca	134400
ggcaccaccc	accatgcctg	gctaattttt	ttgtcatttt	agtagagaca	gtgtttccac	134460
atgttcaccc	ggctgggtct	gaactcctga	cctcaggtga	ttcacctgcc	atggcctccc	134520
aaagtgcctg	gattacaggc	gtgagccact	gcacccggcc	aaaatattgc	cttcttaaca	134580
gtattgtctt	ctaatttgtg	aacatggatg	tatcttcatg	tatttatgtg	ttctttcatt	134640
tcagcagaat	tttgtagttt	tcagagtaga	agcctttcac	ctccttgggt	catttattcc	134700

99/122

tatgttttaa	gttcttttcg	attccattat	aaatagaatt	gttttcttaa	tttcattttc	134760
agattgtttg	atgagagagc	atagaaatac	aagtgttttt	tacatgttga	tcttgcaact	134820
tcaactttga	taaatctgat	tgtttagctct	aatagttttc	ttgtggattc	tttaggattt	134880
tcaatatata	agatcatgtc	atttatggat	agagatagtt	ttttttctgg	ctagaactta	134940
cagagcaatg	atgagtagaa	gtggcagaag	caaaaatctt	tgtcttggtt	cctatctgac	135000
agggaaagct	ttcagtttca	tcattttaata	tgatgttagg	tggtgggttt	caataaatgc	135060
cttttttcag	attcaggaat	ttccctatca	ttcctgattt	tttaaggctt	tttttttttt	135120
ttaaatcatg	aaaggggtgt	gaatatgtgc	atgttctttc	tgatcagta	taaatgatcc	135180
tatggatttt	gggtttttatt	ctgttgatgt	gaaatattaa	ttgattttca	gatgttaaac	135240
caaccttgca	tacctgagat	gaatctcact	tggtcatggt	gtataatctt	ttcaatatgc	135300
tgctggattc	cattttactgg	tattttgttg	aagattttgt	atctgaacgc	ttaagataac	135360
atttacactc	tatcagaaat	gaattgacca	taaatgtgag	agtgtatttg	tgggttcttg	135420
attctcttcc	attccaaaga	tagacataca	tccgtctgta	tgtctgtctt	tatgccagta	135480
ccataacttc	ttgattacta	ttgctttgta	ataagttttg	aaatcagaaa	gtataaatga	135540
gatttttggt	tctgagtaac	agtcctcata	gaattagttg	ggaaatatcc	cctctttatt	135600
ctggtccctc	tttctttttt	gtttaactgt	gtatcttgga	gattgttctt	tctcaacaca	135660
tgagagccgc	tttccctacc	ctcccacccc	tgctatagag	aggtctataa	gtgtctgttc	135720
aaattatttt	tttacttaac	cttactacta	tgcggggaca	ttaagcttgt	ttatgtcttt	135780
tatttttaaac	aatgctgcag	tgaataatct	tgatataaag	tcattttcca	tcaatataag	135840
tctctctgta	actgaatttt	tagaagtgga	atttctaggt	caacctatgg	ctctgtattt	135900
cacaaaaata	ccaattctgg	tttttcttgt	ggaggtgggg	agtagggagt	agaatgctgg	135960
aggagaactt	gctgtactca	gctggctagt	cattttagaa	aggtttcttt	agcttctttt	136020
tgtcatatgg	cctcaccaag	aatcaaaaac	attcctattt	accctgtaaa	catggggctt	136080
tactacccaa	gatacatatt	tctggatgta	tgacagcttt	tcataattga	gaaataatgc	136140
tgtgagtaca	gcacatttgt	tggaaacttag	gtcgttaaga	atgtcttata	aattcataca	136200
ttatacattt	tatttttatt	tattttttag	tttttgatac	agagtcttcc	tctgtcgccc	136260
aggccagcgt	gcagtggtag	aatcttggct	cattgcgacc	tccatctcct	gggtctcaagt	136320
gattctcatg	tctcagcctc	cagagttagct	atggttacag	gcattgcacca	ccatgcccg	136380
ctaatttttt	tattttttagt	agaaactggg	tttcaccata	ttgaccatgc	tggcctcgaa	136440
ctcttggcct	caagtgatcg	gcctgcctca	gcctcccaaa	gtgctgggat	ccttgtattg	136500
ggtaaaagat	gaatattgag	ggctgcatgg	ggctcatac	ctgtaatccc	agcactttct	136560
gagactgagg	tgggaggagt	cctggagccc	aggaggggtga	ggctgcagtg	agttgtgac	136620
gcgccattgc	acttcaacct	aggaattata	ggcttcagtc	actgtgccc	gcattgtacat	136680
tttaaatattg	tgctttctct	ttttagctat	agtatgaggt	tacatttcag	agtcattggt	136740
gttaagcatc	tttaattgta	tgaggttagg	tgaaagttac	ttctatttca	aacactgaag	136800
aaaattttgt	acaaatctgt	cacattccaa	gcccaggact	gattgtttca	tatacttcta	136860
attttacaat	ttctattgta	gtccagtgtg	aaaaaagcca	gtattaaaa	actgaaaaat	136920
tttgatgaag	cgataattgt	ggatgcggca	agtcctggat	cagaatcttt	atatcaacgg	136980
acatatgccg	ggtaagctta	gctcatgcct	agaattttta	caagtgtaaa	taactttgca	137040
tcttttaaat	tttttaatta	aattttacat	ttttttctaa	tctattatta	tatgcccgga	137100
actttcactt	agagtgtgca	gtataatgtg	gtggttaagt	ataaaggctc	tggagtgact	137160
tcctgggttt	taatcttggc	tctgccattt	attggcagcc	gctaacctct	tggatatctca	137220
gtttcttcat	ctgtaaaatg	agaataataa	agtgtaaaag	tgccaacatc	atttactctg	137280
ggctgcataa	ctgatacttg	gaaaaagtat	tcctttgagt	tttaagaatta	agttgggttat	137340
tcatttttagc	ttgtaataaa	aagatagtga	ttcataggat	atgccactta	ctgaaattta	137400
ccacagatcc	aatcataaaa	tcactttctc	ttccctaaag	atagcttgat	taacatgtaa	137460
aggtgtgtaa	aggcttgatt	acactaccct	gatccgtacc	ccagttccca	gcagcaccat	137520
gaaaaaggga	tttcaacata	tttaattact	ttcagttaga	agtaacagtg	gtaggccagg	137580
cgcagtggct	cacacctgta	atcccagcac	tttgggaggc	cgaggtgggc	ggatcacgag	137640
gtcaggagat	tgagaccatc	ctggctaaca	cgatgaaacc	ccgtctctac	taaaaataca	137700
aaaaattagc	cgggcatggt	ggcaggcacc	tgtagtccca	gctacttggg	aggctgagac	137760
aggagaatgg	cgtgagcccg	ggaggcggag	cttgtagattg	gcttagattg	tgccactgca	137820
ctccagcctg	cgcagtggag	cgagactctt	gtctcaaaaa	aaaagaaagt	aacagtggta	137880
ttgggagact	gaggagccta	gaaagtactt	gaaggaaagta	aaaggtttgt	ttgaccacat	137940
tgtatttgga	aagccagctt	tttcagctgt	gtcagctttg	tgtagtgatt	tttagttctt	138000
cttttagaaa	ataacggaca	aggccgggca	cggtggctca	cgcctgtaat	cccaccactt	138060
tgggaggccg	agacggggcg	attacctgat	ctcaggagtt	cgagaccagc	ctgggcaaca	138120
tgggtgaaacc	ccgtctctac	taaaatacaa	aaagttagcc	gggcgtgggtg	gcgtgtgcct	138180
gtagtcaccg	ctactccgga	ggctgaggca	ggagaattgc	ttgaaccccg	gaggcggagg	138240
ttgcagttag	ccaagatcac	accattgcac	tgcagcctgc	gagacagagt	aagactctgt	138300

100/122

ctcaaaaaat	aataataaaa	taaaaaagaa	tggacagtaa	acctaataatga	gttcattccc	138360
aaagatgatg	ttattcttaa	gggatgggtc	atattatttaa	gaccttacat	aaagtctatc	138420
aattgcgtaga	tttttcactt	ctgtaattgt	gtgtatgtat	aatgtaaata	tatatgtttt	138480
tgttttgttt	tgggtttttg	agacggagtc	tcgctctgtt	gctcaggctg	gaatgcagtg	138540
gtgcaatctc	agctctctgc	aacctctgtc	tcccagggtc	aagcgtttct	tctgcctcat	138600
cctcccaagt	agctgggact	acaggcacgt	gccaccacgc	ccggctaatt	ttttgtattt	138660
ttagtagaga	tgggggtttca	ccgtgttagc	caggatgggtc	tcaatctcct	gacctcgtga	138720
tccacccgcc	ttggcttccc	aaagtgttgc	tattacaggc	atgagccacc	acaccagca	138780
tgtatttttt	aaatgtataa	aatgaagcag	aaaagagaaa	tgataatttt	tcttcatctt	138840
gaaagattat	cttcaccagg	cgcagtggct	cacacttgta	atcccagcac	tttgggaggc	138900
ctcggcaggc	ggctcacttg	agttcgaaac	cagcctggcc	gacatggtga	aactccgtct	138960
ctactaaaaa	taaataaata	aagatgggtt	taatatatgt	tttagtttta	tgatttttagc	139020
atctttctga	aaattttctc	aaggcaagta	aaattgtatc	agttggtata	ttggtaacca	139080
tctatgaaat	aacttattag	gaagatatct	ctaaaataag	atcactttgc	ctaaaataaa	139140
ctgatatatt	gatgttcaca	gaatttttct	tttaaccgac	ttgataaatg	cattattctt	139200
gacgtcaagt	gatccacctt	cctcagcctc	ccaaagtgtc	gggattacac	acatgagcca	139260
ccgcacctgg	cattattctt	ataaaagggt	aaatttctag	ttaagttaa	tgtcctcttt	139320
gtcatgttac	cattgcttat	ttcttccctt	tctactcac	agtaatcatt	cttatgggtat	139380
gcacttttgt	ttgcttattt	ttatgtaatt	gatattacgc	tccattctgt	acgttgtagt	139440
ttcattcaca	gtgagttttg	gacattccta	tgttcatcta	tacagactta	cttcatttta	139500
actacactgt	agtattccgt	atgtaatat	tactataact	catcactgta	gcagagcatc	139560
tcatagtcta	tgtattactg	ttttgccatt	ttggtatcaa	tgagtattta	agtcattttg	139620
agtttttccc	tcttataccc	agtattacag	aggatctctt	tttatatgct	tctttgtacc	139680
aaagaggcaga	ttaaaaaatt	tttttttgaa	aaaatttttg	aaaaaaaatg	aaatgaagtc	139740
tcaattgttt	gcccaggctg	gtctcaaact	cctaggctca	agcaatcctt	ccatcttggc	139800
ctcccaaagt	gtgggggtta	caggcatgag	ccaccatgcc	tggcctacat	tttaaatctt	139860
gatagctctt	acaattttact	ttgtaaagta	tctgcatcat	tttatgttct	caccagtctt	139920
taataagaat	acttcatact	tttggctgga	cacagtggct	cacgcctgta	atcccagcac	139980
tttgggaggc	cgaggcgggc	agatcaagag	atcgagacca	ccctggccaa	tatggtgaaa	140040
ccctgtctct	actaaaaata	caaaaattag	ctgggcctgg	tggcgacccc	gtagtcccag	140100
ctactcgaga	ggctgagaca	ggagaatcac	ttgaaccggg	gagggtggagg	ttgcagtga	140160
cttagatcac	accactgcac	tccagcctag	caacagagtg	agactctgtc	tcaaaaaaaa	140220
aaaagaatac	ttcagactta	attttttttc	cagttcttaag	tgtttgctaa	tgagattgag	140280
ttctcttttg	tattgtctct	gattgttcag	gtttttctt	ttatgaattg	actgttcac	140340
tctttttcac	attattttctg	ttgggtgatt	ttattagtga	cttggtaaaa	ttctgtatat	140400
tttttcagca	tgacacttca	ttattcaaaa	aaaaaaaaaag	attctctatg	tttctcgata	140460
ctaatacttg	gttggttaata	ccttaaaaa	aagaccctta	ctgtattttt	tgtttttttt	140520
tttttttttt	tttttttttt	tttgagatag	agttctgtct	tgttgcccag	gctggagtg	140580
aatgggtatga	tctcggctct	cagctcactg	caactgcaac	ctctacctcc	ctgttttcaag	140640
caattctcct	gccttagcct	cccaagtagc	tgggattaca	ggcatccacc	accacaccca	140700
gctaattttt	gtattttttag	tagagacagg	gtttcaccat	gttggccagg	ctgggtctcaa	140760
actactggcc	tcaagtgatc	cgctgcctc	ggcatcccaa	agtactggga	ttacaggcat	140820
gagccacagt	gcctagccac	tttttgcttt	tttaactttgt	tttatagtac	tatagtttta	140880
gtataaacag	atgtatgtat	acacacaact	atggctttat	aatatgtttc	agtcattgtt	140940
agagcaaggc	ctaccttttg	gggtgcttct	ttacaaaatt	gtcttggtta	ttcttggtgc	141000
ttttttctta	tttgtgaatt	ttagaattgt	gaattacctg	ttgactcacc	atgttttgta	141060
aactgaggat	tttgaatgga	attgcactca	attaaagatt	atcttgcttt	ctgtgcagca	141120
atgtttttatt	tcaaataatc	cctactttta	attacttagg	atagctataa	attgtgtttc	141180
tggcttttcta	gatttagatg	aaacgcttta	aattgattgt	tttctcctaa	atttaaaact	141240
gattgttaga	agttaaagtc	ttctgttcat	tcttattttg	gaagatgaca	tttgggaagag	141300
tcagtgaact	ggggcaattc	atccgagaat	ctgagcctga	acctgatgta	aggaaatcaa	141360
aagggtttgtg	gtgtttttat	acttcataat	aagcctttac	tcacattagt	gattgactgt	141420
aagtcaaaga	ccacttaagg	tttaaactgt	ttattttgta	aagtaaccac	tgtatctttc	141480
accttgtgtt	tatagtcaga	agtaagtaca	agggcttctc	gtagtcacat	ctttatgcaa	141540
tctctcttga	atcaaaagtt	agtgaacttg	tttggccact	ccagaaggca	catgaattag	141600
aaaaagcatt	gtctattttc	ttatttaagt	gcaaaaatac	cgacctaaagt	tggaactaat	141660
gtttgagacc	gtttattttta	ttaaattata	ttttttctct	tttctttttt	ttttttgaga	141720
cagttcttgc	tctgtcaccc	agaccggagt	gcagtgggtc	gaccgcacct	cactgcaacc	141780
tctgcttctc	aggttcaagc	gatttttctg	cctcatcctc	ctgagttagc	gggactacaa	141840
gtgcgcacca	ccacacctgg	ctaatttttg	tatttttagc	agagatgagg	tttcaccacg	141900

101/122

ttggctagggc	tggtctcata	ctcctgacct	caagcaatcc	atccgccttg	gcttcccaaa	141960
gtgctgggat	tacaagtgtg	agccaccatg	cctggcctta	ttaaattatt	tttattaaat	142020
ttcctcaaga	ttgatgaaag	taatgaaata	taaaagtaat	gaaatatatg	tggaaaatag	142080
actggattaa	gaaaatgtgg	cacatatata	ccatggatac	tatgcagcca	taaaaaagga	142140
tgagttcatg	tcctttgtag	ggacatggat	gaagctggaa	accatcattc	tgagcaaaact	142200
gtctcaagga	tagaaaacca	aacaccgcat	gctctcactc	ataggtggga	attgaacaat	142260
gagaacactt	ggacacaggg	tggggaacat	cacacgctgg	ggcctgtcgt	gggggtggggg	142320
gctgggggag	gaatagcatt	aggagatata	cctaataata	atgacgagtt	aatgggtgca	142380
gcacaccaac	atggtacatg	tatacatatg	taacaaagct	gcacgttggt	cacatgtacc	142440
ctagaactta	aagtataata	aattttaaaaa	aaataaatat	atgtggaaaa	tattaatagg	142500
tcaaaattca	aattgttcat	ttaatcagaa	gagtagttta	gtcaaattca	aggggttagac	142560
aacagaaatc	ttttttgtca	agtgcattct	ttgtgactga	tttcattttc	ttcctggttt	142620
acacaggaag	atttcagaaa	caaagtgtga	tccgtgacag	atggatatcta	gaagttttta	142680
gtttgggtga	attgcagata	ttttattgag	taaaagatac	taatttttgt	aagaagaaaa	142740
attcaatttt	gataagtatg	tttaagatta	agagctattg	gccaggcgct	gtggctcatg	142800
cctgtaatcc	tagcactttg	ggaagctgga	gcagggtgggt	cacgagggtca	agagattgag	142860
accatcctgg	ccaacatggg	gaaaccctgt	ctctactaaa	ttagccaggc	gtgggtggcac	142920
atgcctgtgc	accgcctcc	gggtttaagc	gatcctactg	cctcaggctc	ctgagtagct	142980
gggattacag	gcgccatggc	taatttttgc	atttttagta	gagacagggt	ttcactacat	143040
tggtccaggct	gggtctgggt	caaactcctg	acctcagggtg	atctgcccgc	cttagcctcc	143100
caaagtgtcg	ggattacagg	catgattcac	catgtctggc	catttatctt	attttctttt	143160
tttttttttt	ttttgtttga	gacggagtct	tgctgtgtcg	cccagagctg	gagtgcaatg	143220
gtgcgatctc	agctcactgc	aacctctgcc	tcctgggttc	aagcaattct	cctgcctcag	143280
tcttccaagt	agctgggatt	acaggcgctg	gccaccacat	ctagctaatt	tttgtatttt	143340
tagtagagac	agggtttcac	catgttgccc	aggctgggtc	cggaaactct	gacctcgtaa	143400
tctgccacc	ctggcctccc	aaagtgtctg	gattacaagg	gtgagccact	gtgccagcc	143460
atcttatttt	ctttcttttt	ttttgtcggg	tggtgggggg	acagagtcta	gctctgtcgc	143520
caggcttgge	tactgcaac	ctctgcccc	caggttctag	caattattct	gcctcagcct	143580
cccaagtagc	tgggattata	ggcacctgcc	accacgcctg	gctaattttt	tggtattttt	143640
agtagagatg	gggttttgc	atgttgacca	tgttggcctc	aagtgatccg	cccaccttgg	143700
cctcccaag	tactgggctt	acaggcgctg	gctgttattg	ggtaaaagaa	caatattggg	143760
ggctgcatgg	tgggtcatac	ctgtaatctg	agcactttgt	gagactgaga	tgggaaggagt	143820
gttggagccc	aggagggtga	ggctgcggtc	gcagtgaatt	gtgatcacgc	cattgcactt	143880
ccacctaggt	aatggagcaa	gacctgtctc	ctaaaaaaca	aaacacaatt	tttttaagga	143940
atactgggaa	gaggtcagtg	gtgggttttag	aacagaggaa	gtgccagatg	acctttgtga	144000
ggcattggcc	aggaagaact	ctacagtgtc	tttaggtagc	ttctgtccat	aaggataatg	144060
gggtctcctc	cccagtatta	atagaaaatc	tctgagctgt	ttttttttgt	ttgtttgttt	144120
tgtttttttt	tcctgagatg	gagtctctct	ctgtcgccca	ggctggagtg	ctgtggcgcg	144180
atcttggctc	ctgccaagct	ctgcctccca	gtgtcacacc	attctcctgc	ctcagcctcc	144240
caagtagctg	ggactacagg	tgtccaccac	cacgcccagc	taattttttg	ttattttttg	144300
tagagatggg	gtttcaccat	gtcagccagg	atgggtctcg	tctcctgacc	tcgtgatccg	144360
ctcgctctg	ccttgcaaaag	tgttgaggtt	acaggcgctg	gccaccgtgc	ctggcctggg	144420
ttttttgttg	ttgttattta	tttattttat	tattttattt	ttgagacaga	ctctcgctct	144480
gtcgcccggt	ctggagtgtg	gtggcacgat	gtcggtcac	tgcaagctct	gcctgccagg	144540
ttcaagccat	tctcctgcct	cagcctcctg	agtagcaggg	accacaggcg	ctcgccacca	144600
cgccccgcta	atttttttga	tttttagaag	agacgggggt	tcaccgcatt	agccaggatg	144660
gtctcgatct	cctgatgtcg	tgatccgccc	acctcggtct	cccaaagtgc	tgggattaca	144720
gggtgtgagcc	accgtgcctg	gcctgatttt	tttttttttt	taatctgggtc	tcataacctc	144780
gacagctcat	gaagaagtgc	tcctgcttca	tatgtatatg	tgtagcata	gtgtaacat	144840
agcataggtg	ttcgggtgtt	gcagttttctg	ttgtttttat	atgaattaag	gtgtattatg	144900
agcagttgaa	gatatatagg	aaattttttc	ccaaaccact	atctctgtct	gttctattca	144960
ttcagtcctg	ttatgttatt	ccttcattca	ttcattttat	agaacagtg	agtgccctact	145020
gtatgcatct	attgttcttg	gtcctgggga	agaaaacaaa	gttctctgct	tcattggaact	145080
tacattatat	tggcggagac	agtaacagac	aaacaaatgt	agcctgtgta	catgtgttac	145140
atgaaaagca	gggtaggggg	ctgggagaga	gtagtaggga	gtgctatttt	cgagggtgggt	145200
gtcaggaaag	gcctcactga	ggagggtggc	tttttagatg	acctgagcgc	agcggggggc	145260
taagcccagg	cagcatgtgg	aggaagagtg	ttcttggtga	aaggaacaag	gatagaggcc	145320
cgaagctaga	gagctcagca	tgatcaagga	acagcaagcc	ccgtgtgggt	ggaatggagt	145380
gagcaaagga	atgagcagta	gaaggtgagt	gagttgggag	gtcaccagag	accatggcaa	145440
ggacttgaaa	gtgtcagggg	cacattggaa	gttgaggacg	ggaaatgatg	ggatttatgt	145500

102/122

ttttatggtt	agtgttttta	agggattgct	ctatcagcta	tttggaaaat	145560
gcttcaagaa	gagaagcaga	gaaacaacat	tcttgccata	gtcatagtct	145620
tgatgggtgg	gtggattagg	ctggtagtg	aagaccagtc	cagttcgggt	145680
ggtagaggca	aaaagattat	atttctacca	gcaagcccat	ctatgaagtt	145740
ttaatTTaat	tgagacatgc	ccacataaac	taataaatag	gaatttctgc	145800
aacacccctg	tatatcctgg	ttcttctttt	agttgtccag	atgtctcttt	145860
ttttttgggtg	gtgtaggagc	ctagagattg	aattttattca	cccaaaaaggc	145920
ttactatgtg	ccaggcacta	tgctgaatgc	caaggatgta	aataagaggg	145980
gtctgtttta	ctccagcttg	gttccctttt	aatgaccctg	acttggttaag	146040
atcctacaga	atgtttaatc	ttctgtactt	tcctgggtgt	gttatttagc	146100
ttccttgaca	tttctgttaa	actggaagtt	acacctatag	tcttgatgat	146160
catttttagat	tagaacacat	catgtgtgt	atatgggtgt	tttgaaagcc	146220
ttgggtctgta	cattaaaatg	ttgcttgaat	ggatacacat	aaaatttaac	146280
ttagagatga	gaagaaagag	gtgcctttta	cttttcaata	taccttttcc	146340
gaactttctt	gccctatgca	tacgttattg	cttaatcatc	cacctcatct	146400
ggctttctgt	tgcatTTgga	atgaaatcta	gcctctttgc	tgttacctgt	146460
tgctggcctc	tatcacctta	ctttgaacca	ctcctttcat	ggactgagct	146520
tatcttttct	tcttttgctg	aagtttcttc	actttgagtg	cctctgcagt	146580
tggtgtggc	aagccctgcc	atggctttca	tgcaaggatg	gttccctcct	146640
tatttctct	tcagagaggg	accttcccaa	ctccgatgat	ctaaaatcct	146700
cactcactac	cacttctttc	ttttcttttc	cttttatctt	tttttttttt	146760
gagataggg	cttgctctgt	tgcccaggct	ggaatcacga	ctcactgcag	146820
ttgggtcaa	atgatcctct	cacctcagcc	tctcgagtag	ctggaactgc	146880
caccatactt	ggcttattat	tttacttttt	gtagagacag	ggtttcacca	146940
caagctcctg	ccgcaagcaa	tccacatctc	tcagcctccc	aaagtattgg	147000
gtgagccact	actcctggcc	tattttctta	ttcactgtct	aaaattatct	147060
ttacatact	tgtttatagc	ttatttctca	gctggacatg	gtgcctcaca	147120
caatactttg	ggaggctggg	ttggagaatt	ggttgagccc	aggacttcaa	147180
ggcaacaaag	tgagaccctg	tctataaaaa	attgtttaaa	aattagctgg	147240
acatgcctgt	ggtcccagct	acttgggagg	cagagggtgg	agaatcgctt	147300
ggttgaggcg	acggtgagcc	atgattgtgc	cactgcactc	tagcctagt	147360
accatgtgtc	taaaaagtaa	ataaaaatag	tttctctttc	atgactagaa	147420
atgtgggagc	ggagtTTgtc	tatactattt	ggcactatat	ttcctgattc	147480
ctagcacat	ggtaagtact	ccttaaatat	ttattgactg	aattatttaa	147540
ttcattttgg	gattatctga	gtggtaaagt	tacggattat	atttatgtaa	147600
ttttttaaac	ttggttgccc	tttgccacac	tgacatagac	actaagtttt	147660
ttacttccga	ggatactcac	agaggccatt	ctcttctcaa	tccccaata	147720
tttagcactt	tcaagctaatt	gcaattctta	gatgatgtat	ctgtgtatat	147780
ttctacaaat	gtagaaattg	aagtctgggc	acagtggctc	tcacctgtaa	147840
ttgggaggcc	aaggcgagcg	gatcactgag	gacaagagtt	aagaccagcc	147900
ggtaaagcct	tgccctctatt	aaaaatacaa	caattagggc	cgggcgtgg	147960
ataaatccca	gcacgttggg	aggccaaggc	aggcagatca	cgaggctcagg	148020
tatcctggct	aacacagtga	aaccccatct	ctactaaaaa	tacaaaaaat	148080
gggtggcacg	cgcttgtagt	cccagctatc	gggaggctga	ggcagggtgaa	148140
cggggaggcg	gaggttgcaa	tgagctgaga	ttgcaccgct	gaactccagc	148200
gagggagact	ctgtctcaaa	aaaaaaaaaa	aaaaacaatt	agccaggcgt	148260
tcgagtacct	gtaatcccag	ctactaggga	ggctgaggga	ggagaatcac	148320
gaggtggagt	ttgcagcggg	ctgataatgc	accactacat	tccagcctgg	148380
gagactctgt	cttaaaaaaa	aaaaaaaaagaa	agaaagaaat	tgaggaatgt	148440
ttctgtgatt	tgtttaggaat	cacacagcag	gttagtagca	actacagggc	148500
ataccacct	tgacaatggg	ttgtttacag	ttcggtctcc	cttctctgc	148560
ttccttattg	agggcagctg	gaaagaattt	tcatcattta	ctagcctata	148620
gagttttgaa	accttgataa	tagagcacag	aggaaaagac	tgagttttct	148680
agtcctgtct	ctatggccca	ggctggagt	cagtgcacac	atctcagctg	148740
tgccctccca	ggttcaagca	attctgcctc	agcctctcga	gtagctgaga	148800
ttgtcaccac	gcccagctaa	ttttctgttt	ttgtttcggt	ttgttttttt	148860
ttctgtctct	gtcaccaggg	ctggagtga	gtgggtgcag	gttggctcac	148920
ttctcctggg	ttcaagcaat	tcttctgcct	cagcctcccc	agtagctggg	148980
gtgccacca	tccctagttc	atttttgtat	gttttagtaga	gatgggggtt	149040
tcagggtg	tctcgaaact	ctgatctcag	gtgatctact	cgtctcagtt	149100

103/122

tcccaaagtg	ctgggattat	tggcacacgc	ctatTTTTgt	atTTTTtagt	gagacggggg	149160
ttcaccatgt	tggttagact	ggtctcaaac	ttctgacctc	aagtgatttg	cccgccccag	149220
cctcccaaag	tgctgggatt	acaggcgtga	gccaccgtgc	ccagccaaga	ttgagttttg	149280
aaaagagcct	tctgagatta	tgagaagggc	aagcaagata	acttaagaag	ttacattaaa	149340
atcatctaag	agacagtgt	acaagaagga	attgtaaaat	gatgttatga	gcacgtgccc	149400
aatgtagtgg	caatcccttg	tgcttcgata	cattggtggg	agacaaaact	gtacttaaat	149460
tgataaatcc	cttacatgtc	atTTTtaagga	gcttagactg	actcccatca	tgtagacatc	149520
agagattttc	TTTTTTTTtt	TTTTTTTTtt	TTTTTTTTtt	tttTgtgacag	agtttttTctc	149580
ttgttgccga	ggctggagtg	caatggcggt	tctcggctc	accacaacct	ccacctccca	149640
ggttcaagca	attctcctgc	ctcagcctcc	cgagtagctg	ggattacagc	catgcaccac	149700
cacgcctggc	taattttgt	TTTTtagtag	agacgggggt	tctccatgtt	gtggctgggc	149760
tgaactcct	gacctcaggt	gatcctcccg	cctcagccac	ccaaagtTct	gaaattaccg	149820
gcgtgagcca	ccgcgccag	cccagagatt	tctaaacaga	gttctaacca	gatgcttttc	149880
cctgtcagta	gaattgagaat	gaattggagg	tgggagagac	tggcatgagg	gacaccagtc	149940
agccagtggg	attagctggg	aatgttgata	ggagaagaaa	aagattcaaa	gttaggtagt	150000
ggtagcaaga	attagagggg	aggtcggatt	tatgatattg	ccaaggttga	attctaaggt	150060
gaaattttgt	ggcagatttc	atgtgtaaat	tggaaggtga	gattgagttt	ttttaactatg	150120
ggttttctaa	catgtcaata	gagtactct	gcaggggggc	ctgacgagag	aacagtgcat	150180
ggggtgattc	aacagccagt	tgagccttca	tgcagagcat	ttaacactgt	gactctgtag	150240
actctggttg	gcagtaaaat	ttcattaaac	caatatttaa	acccttaggt	aataataaaa	150300
attgagggaa	aaggatccag	gttttgattt	ttttatgaat	tcagttattg	aattaaacag	150360
gaccttgcc	caagaaataa	tctaccaaca	attaacttgt	tttaaagcaa	agttaggaag	150420
tgagcatgtt	caaattatta	aataaaaaag	taagctgtgt	atTtcattca	tagaaataga	150480
ggctggccta	cttcggatga	ttctcagcat	gtgattacag	atgtgggctt	atacatccta	150540
gggagttaag	gcgtactctg	gcttgatag	agtagagctc	tttgaaactc	ttctctcacc	150600
cagctagttt	atagatacta	gagaactaga	atgtagcagc	atactctgtc	ttagaggacc	150660
ttttatatag	gagctggtct	ggaagggttg	aaaacataac	aaatgtgttg	gtgtctccca	150720
atgtattgct	agattcttac	ccaagagcat	tatcctgggt	agggtttggg	ttggttttgt	150780
ttgtttttt	aatgtttgcc	acaaactaac	actagatgtt	agttctttca	tcaagtggag	150840
agagtgaag	aaaagtcag	aactctgaaa	caccttttca	aaagtttttc	aagcattgat	150900
gtttgcaagt	taaattgctct	gttatgtaag	caatataatc	agtttttatt	aatgtaacat	150960
tccttagtgt	tttgggggat	cacacaaaaa	agaatatcca	tatctggaag	caacagcttt	151020
taaataagag	cattgtgggtg	gtgggtggta	tagtggtttt	tttttttttt	tttgagttgg	151080
agtcctcgct	tgttgcccag	gttgaggtgc	agtggcacga	tctcagctcg	cttcaacctc	151140
tgctccagg	ttcaagcaat	tctctcgct	cagcctctcg	agtagctggg	attataggca	151200
cctgctacca	tgcttggtg	atTTTTatta	tttttagtaga	gacaggtttc	accatgttgg	151260
ccaggctggg	cttgaactct	taacctcagg	tgaatcaccc	acctcggcct	cccaaagtgc	151320
tggaaattaca	ggcatgaacc	accatggcca	gccaaataag	agcattttta	atgtaaaatt	151380
atgcatgaaa	tgtacattca	atTTTgtctt	tgTTTactag	gatccatgtt	ctcaaaagct	151440
atgaagaaat	gggtgcaagg	aaatactgat	gaggtaaatc	ctaccttag	gataaaaaaga	151500
tttctgttta	taagtgccac	cctcatgtaa	gtgaggttta	aaatTTTcct	tttcttttagg	151560
tcccatgttt	aagcagcatg	gcaatttat	gttctcttac	ccagaatgta	ccaagaaagg	151620
gtggctccctt	cttaacatct	aacaattgcc	tggtagtgc	agtgaaggta	tcttcagtca	151680
gaggctagga	ccactgaagg	atatacatgc	attcaagttt	ccatcagcca	gcaggcatca	151740
gtaatcagtg	tgtagatcaa	aagctcaaat	gtttccttcc	ccactggcag	ttttacttca	151800
agtagtggag	gcttgctttt	ttaatagtta	attaagtaca	ttgagagatg	ggaggtgaaa	151860
aaaggaaaaat	gttttatttt	gaccatctaa	tatgaaaagta	gttcggtgtt	aggtatccag	151920
tagttgacac	tgggaagacag	ggaatgacat	gttaatatcc	atagccagag	ggtggcccag	151980
gttttttctgt	acatgggaat	gaaattctta	tccaaataag	tagaaattat	gtgcgtaagc	152040
catttgtttaa	gagcactgag	tatgtgcac	tcgatccatc	taatgaataa	ccattatcac	152100
cagtttaaat	tattttcttt	aggcccagga	agagctagct	tggaaagattg	ctaaaattgat	152160
agtcagtgac	attatgcagc	aggctcagta	tgatcaaccg	ttagagaaat	ctacaaagg	152220
aaggatgact	tcgttttTgtg	taaactaaaa	agtattattt	tccaggtgta	aaaataaaaa	152280
agaacataag	gggtttcttt	gcctttgaag	gattaactgc	tgtggggatt	accttcttat	152340
cataagcaac	tagaaaaattg	acaaactaaa	tgaacaactg	gtttgcatat	attggacaat	152400
gggcaataca	gggaaaccat	ggaaaccaaa	cagagcccag	tagtcttgct	gaacgaaaga	152460
gttaaataatc	aaagttcagg	ccaggtgcag	tggctcacgc	ctgtaatccc	agcactttgg	152520
gaggccaagg	cgggtgaatc	acttgaggtc	aggagttcaa	gaccagcctg	gccaacatgg	152580
tgaaccctg	tcttagccgg	gtgtgggtggc	aggcacctgt	aatcccaact	atttggggagg	152640
ctgaggcagg	agaatcgctt	gaaccaggga	ggcggagggtt	gcagtgagcc	gagatcacac	152700

104/122

cactgcactc	cagcctgggc	gacgagcgaa	accccatctt	aaaaaaaaaa	tcaaagttca	152760
gagagctcaa	tttgagtaga	agttgtagga	taaggtagca	gaaaagagga	agctgcccag	152820
aaagaaagcc	gtagagatat	ttagagagat	tcccatggat	ccttggccta	ggagtgatct	152880
gtatatgtgt	ggggtgaaaa	cgcatgtgtc	caggtagaga	acccccaga	aattagtagg	152940
ctgaatgatt	gctggaacat	agggctaaga	aaagttcatg	gccagaagga	tctggccaga	153000
gtagagagac	ttagtaatac	acaaggcatt	gggtagtgtc	ttcacagagg	ttatgcctta	153060
ctactgaaga	taaattagtc	ctagagtaca	agcacctgaa	ccaagtttca	aagcaaattt	153120
ttaaagggtc	aaattaccta	acaactgcat	gccaaaacaa	aggcctaacc	ctctttacag	153180
taacacaaca	aaattcagca	cttcacagtg	aaagtttaga	atgtctgacg	tccaggctgg	153240
gcgcagtgcc	tcatgcctgt	aatcccagca	ctttgggagg	ccgaggcagg	tagatgacct	153300
gaggtcagga	gttcaagacc	agcctggcta	acatgggtga	accccgctct	tattaaaaat	153360
acaaaaactt	agccaggcat	ggtggccggc	acctgtgatc	ccggctactt	gggaggctga	153420
ggcaggagaa	tgcctgaac	ccaggagggtg	aaagttgcag	tgagccgaga	tgcgacct	153480
gcactctggt	ctgggcaaaa	agagcaaaac	tcaggctcaa	aaaaaaaaaa	gaatgtctga	153540
cgtcaatcac	aaattacca	gcatgacatg	aaagttgacct	ataaccagga	gaaaactcaa	153600
tctatagaaa	cagacccaga	tgtgagaaag	atgatgaatt	tagcagacaa	agaccatcaa	153660
gtggctatctt	ttaaatttaa	aaatatgttc	aagtggttaga	gtgcagtgcc	tcatgctgtg	153720
aatcccagca	ctttgggagg	ccaaggtggg	taggagttca	agaccagctt	ggccaatatg	153780
gtgaaacccc	ttctctacta	aaaatacaaa	aaaattagct	gggcatgggtg	gcagggtgct	153840
atagtcccag	ctatatggga	ggctgaggca	caagaatcac	ttgaaccccg	gaggtggagg	153900
ttgaggttgc	agtaagccga	gattgtgcca	cttgactccc	agcctggaca	acagagttag	153960
actctgtctc	aaaaaaaaaa	aaaaaaaaag	taaagaaaaa	aagagtataa	tgagaaaaat	154020
gcaaaatagt	tttaaaagaa	ccaaatggaa	tttcttaaaa	taaaaaatac	cagaaatggg	154080
ggccggggcgt	ggtagctcac	gtctataatc	ccagcacttt	gtggggggtg	aggcaggcag	154140
atcaccttag	atcggtagtt	caaggccagc	ctgaccaaca	tggagaaacc	tcatctctac	154200
taaaaataga	aaattagctg	ggcgtgggtg	cgcattgcct	gtaatcccag	ctacttggga	154260
ggctgaggca	ggagaattgc	ttgaaccccg	gaggcagagg	ttgcgggtgag	ctgagattgc	154320
accagtgcac	tccagcttgg	gccacaagag	tgaaactccg	tctcaaaaaa	aaaacaaaaa	154380
aaaacagtag	actcgaagaa	ctagctgagt	ttttctttac	tttaggcagt	aaagtgtgacc	154440
ttttgcagggt	gactacttta	gttcctcatg	tcctctcatg	tagatcagag	aaattcgaca	154500
ccaaaacccc	aaaagaaaaa	ccccttctaa	tcctcattcc	atgattttat	gaatgcatga	154560
agtcctaggg	ctgcgaagga	atactcattc	tctttatcct	gtgttgatac	ctctctgctt	154620
caacctccaa	ctcgacattt	gcctatagga	tgtacttgga	cattcagcat	aaactacctc	154680
acaccattac	tgaattgctt	catgtgcaca	tgtcccagtc	cacaataacc	gggaccttgt	154740
cttccgtgat	atttgtccgc	agtgtctgtg	ctacaggagg	gagtcagtga	atgtctgcat	154800
gtgtgtcttt	accatccctc	ttgaatatgc	tctagggtta	attcctagaa	gtagaattac	154860
tctattgaaa	attggcaata	tttttcattc	taatatctat	tgccaacatg	ggaaagcaag	154920
tctggatgcc	agtccttggt	atatgcccct	tggttaagtt	acgtaacctc	tttaagcttc	154980
tggtcactca	tattttaaca	aggaaaaatta	caatatattta	cctcacaaaa	ttgtagttag	155040
cttctggctg	tcttaaaact	tggtatatag	taaacactaa	gtgttggtgt	ccatccttaa	155100
tttgtaataa	taggtcactt	gttagagaaa	tgcaccttac	cattttcttt	tcttttcttt	155160
tttcagttat	gactcaaaac	ttgagataaa	ggaaatctgc	ttgtgaaaaa	taagagaact	155220
tttttccctt	gggtggattc	ttcaacacag	ccaatgaaaa	cagcactata	tttctgatct	155280
gtcactgttg	tttccaggag	agaatgggag	acaatcctag	acttccacca	taatgcagtt	155340
acctgtaggc	ataattgatg	cacatgatgt	tcacacagtg	agagtcttaa	agatacaaaa	155400
tggtattggt	tacattacta	gaaaattatt	agttttccaa	tggcaataac	ccattttatga	155460
gagtggttta	gcctactgga	atagacaggg	accacatcct	ctgggaagca	gataagcata	155520
gaactgatac	ttgatgcaca	ctcgtagtgg	taactcatcc	ctaatacagca	ttgtaaagca	155580
gggtgccagag	gtgggttgct	ttgtccttcc	aaagcagggtg	agtcagcccc	accgagagcc	155640
aggcagcttt	gagtggcagc	gtgggtgctag	cagcttcagc	ggaacaggggt	gagagttaat	155700
tatgcagtct	tcttgacagc	ggcatttaatt	tggaaggaaa	ctgacaagtc	atgggtcaag	155760
tttcagtgc	ttcctccttc	ctctgatggc	agtatatagt	tttcacattt	taattcctcc	155820
tcctgagatg	cactataactt	aaaaccattc	tctcccctgc	taacagaagg	gtgtgaatct	155880
gggttacttt	gagcattagg	atttgcccc	ttggaattct	gcactccagt	tacttaactt	155940
tcctctcaga	atacatgtgg	aaagaaagaa	agaaatagcg	atgactccac	ttttgcccc	156000
gtggcacctt	gaacaaagca	gttcttccca	aattataactt	tttttttttt	taaaataagg	156060
gagcaggatg	actggggaga	gagaaacatt	tgactttgac	tgcctcccc	attctttgct	156120
gtgagctgga	aagtgtgcag	ttggctgctc	ttcttctcct	ttcttttagga	tagtaagaga	156180
ctcactcact	gcacttctgc	tcagtgggtg	tctgcactcg	gatcacacag	ccatcagcag	156240
gactgcccag	ttgggtgagca	cactccattg	accacgcggc	gccagcgctt	cctcaatgca	156300

105/122

catgattgag	aggaaagaaa	gttctcttag	atgttactgc	ttttgctcag	actttgcaaa	156360
aaaaaaaaata	tatatatata	tgtataaata	tataattatt	aatcactttt	gtccttgaga	156420
aagtcttgaa	tgaacagaga	atttattcca	ttgcaatatt	tgattgtata	gaggcacact	156480
gtttcatcga	cagaagaagc	aaaaaggctt	tgtgtaagtt	tttggtaacta	tgtaccacct	156540
ctgttattct	ttttaaagctg	aagtattcat	gtacttaaac	catattatat	tttaattgtgt	156600
ttgatttttaa	aatatatata	tatgaattct	atttaaaatt	gtgtcaactt	tctgctttca	156660
gggcatttat	ggctcttctg	ttgaaatata	ttgatctttc	caaataatttt	catttgcttt	156720
ctaaaaaccc	agaacatgag	ccactactgg	actttgcctt	gtgtttgaag	tgtatggcat	156780
aaacccaagg	tttttattag	tcactctatg	tggtattaat	tcattttgtt	cttttaacaa	156840
aataatttcca	tccacttcac	attgcttcaa	tctttaacag	aaaagcaata	taaaggttat	156900
agaataaaat	gtggtttttg	gcaactcttg	ctgcctctgc	atgttttgga	ataacaattt	156960
ctacaagact	ctaggctgtt	taaactagtg	ctttcagtta	agataaaattc	taatcatttc	157020
tttgaatata	ctttttgtgc	ttctgagcta	gagatgccaa	gtagttgtaa	actgcttata	157080
aagagaatag	cagcaaattt	gagactcggc	tacttttttc	tgccccacct	gctttgagac	157140
acagaagcgg	agtgtggccc	gaaattatta	gccagattta	atatttgatc	taaagtaggt	157200
ccttgtactc	attttaaagt	tggaatttga	ttcctccaac	attgagcacc	caccatgttc	157260
caggctctgt	gcactgtgcc	cacaaaataa	tgtctccctg	tggagttttt	atgggttcaa	157320
ataatcagtt	gaacacccct	catctttatc	atgttgttga	cattgacaca	aattgttttaa	157380
aaagaaaaga	tattagagag	aaagtggtag	ctttgtaact	tgatgtgtct	tcattcattcg	157440
gtaagatttg	atgaaagttaa	aaagcaaattg	tcagccaaat	ccagtgaaca	gcaataaaac	157500
agggagtaac	tttttataac	tttttctact	tggatttcaa	cattcagtag	agcttttcga	157560
aatgtaagta	gtttacagta	ctggagggtt	gactagttca	gtaggaattt	ggagggggaag	157620
gtcattctga	attgtaacaa	agtacaaact	tctttgctgt	tttatttaag	tactgagagc	157680
taagcacctg	atgaagtgac	tgacctctct	ccagtgcacg	tggttggtga	cctgcctgac	157740
ttcaggagtg	gggtttatgt	ttctacacag	tgaccttttc	tctcgccctc	tcctccctct	157800
tgcccacaca	cagcttgatt	ggacctgggt	gcaactcctg	atccagacag	gcccagacac	157860
gttcttaatg	ttaagaattt	tggggccggg	cacggtggct	catgcctgta	attgcaacac	157920
tttgggaggc	cgagacaggc	ggatcacttg	aggtcagggg	ttcgaggcca	gcctggccaa	157980
catggtgaaa	ccctgtcttt	actaaaaata	caaaaattag	ctgggcatgg	tggcgcacgc	158040
ctgtaatccc	agcttgctgg	gtggctgaga	caggggaatc	gcttgaacct	ggagggggag	158100
gttgtgcaat	gagccgagac	cgtgtcactg	cattccagcc	tgggtgacag	agggagactc	158160
tgtctccaaa	aataaaaaata	agaaaaagaa	ttttgggcta	ggtgcagtgg	ctcacgcctg	158220
taattacagc	attttgggaag	gcccagatg	ggcagatcac	ttgaggacag	gagttcgaga	158280
ccagcctgga	caactccttg	aaactccatc	tctactaaaa	agacaaaagt	tagccagatg	158340
tggtgatggg	cacctataat	cctagctcct	cgggaggctg	gggcaggaga	atcacttgaa	158400
cccaggaagc	agagattgca	gtgagccaag	atcacatctc	tgactccag	cctgggcaac	158460
agagcaagac	tctgtctcaa	aaaaaaaaaga	atttggccag	gcgcagtgg	tcacgcctgt	158520
aatcccagca	ctttgggagg	ccaaggcagg	catagcacga	ggtcaggaga	tcgagattgt	158580
cctggctaac	atggtgaaac	cctgtctcta	ctaaaaatac	aaaacattag	ccgggtgtgg	158640
tgggtgggcac	ctgtagtccc	agctactagg	gaggctgagg	cagaggaagg	atgtgaaccc	158700
aggaggcgga	gcttgacgta	agccaagatc	gtgccactgc	actacagtct	gggcgacaga	158760
gtgagactcc	gtctcaaaaa	aaaaaagaat	tttggccggg	tgcggtggca	catgcctgta	158820
gtcccagcac	tttgggagac	caaagtgggc	ggattacctg	aggtcaggag	ttcaagacca	158880
gtccggccaa	tatggcgaaa	ccctgtctct	tactaaaaaa	aatacaaaaa	ttagccaggt	158940
gtggtggcgg	gcacctgggg	aggctgaggc	agggagaaat	gcttgaaccg	gggaggcaga	159000
ggttgacagta	agccaagatc	gtgccactgc	actccagagc	aagactcttt	ctcaaaaaaa	159060
aaaaaaaagg	aattttgcat	ggggaaggag	agatactgtt	caccatctgg	aatggtgctt	159120
ggatgtggca	cttacaaaat	caggagccag	cactgcatgg	acaaacagaa	gcatgtgggc	159180
ctgagatagc	aggtaccttg	ataaccctga	agacatcctt	ggtttctgca	tctattcctg	159240
catccttgca	ttggactaca	ttaatctgtc	agttatcctt	ataatgattt	ttgatttttt	159300
ttttttgaga	tggagtttcg	ctcttgcttc	ctaggctgga	gtgcaatggc	acgatctcgg	159360
ctcaccacaa	cctccacctc	ccagggttcaa	gtgattctgc	tgcttcagcc	tcctgagtaa	159420
ctgggattac	aggcatgcgc	caccacacct	ggctaatttt	gtatttttag	tagagacggg	159480
gtttctccat	gttggtcagg	ctggctctga	actcccaacc	tcagggtgatc	accctgtctc	159540
ggcctcccaa	agtctgggga	ttacaggcgt	aagccatggt	acccggtctg	ttttttgatt	159600
ttttgaaacc	agtctgaagt	gagttttttt	aattacgtga	aaggagtttg	gctaaaaatac	159660
tgccatactg	ccctaattgcc	taatgattat	gtattctcag	catgtctgca	aagtactgct	159720
gatttctgga	gaataatttt	tctttagtaa	acttcactta	agtcgtcatg	tgtattctct	159780
caaaatggta	tcctaacctg	atggagctaa	aagacacccc	ttgtttttat	aacaagcagt	159840
tactgaggcc	caggaagggg	agaagtccct	ggcttgtgag	atgatcacca	ttagaactca	159900

106/122

```

ggcctggggcc agtgcctttt catgcttctc agatccttcc aaagaataat gaagattata 159960
accgctttta gcaattgtaa taaaccacaga aatagaaagc tttttgggta gactactggg 160020
agaagtttgg cgggagagat aattttttaca aaatttgtaa atacctgcca attctatata 160080
ctaggcaagg tctctggcct tgtaaaaccc ctcaagggtta caactttggg ggccccacact 160140
aatagttacc cactgaggcc ctctccgggt gaacattgag cactagagga agccccctctg 160200
cttgggagagg actgggcgtg gtgcagagta ggagcgggta tactgtggat tctgggcagg 160260
tggagatggc cagtgatgtc caataaagga cactggagggg agcagtgtga gtaaaggccc 160320
tgaggggcatt catgttcagg gaggggttgc gcccactggc ttgcttggca cacaggagag 160380
tgggtattcc tgccttagta actttatgta aacaagtatt tcctcagtct gtccctctca 160440
aactgcctgc tctggcacat tcagaatgtc acagaactca cctggatgca ttcagccctt 160500
tgcctaaagg tgacagtgc tctccttccc caccaccacc ctcataccac tgaagcacct 160560
gtcagactgg cccagctgtg gggcaaggag cctagagagg gcttagtttc agcttgaaag 160620
gagctgggat ttaccaagaa gcaaattgaga gacgaggatt gcaacaactg tgccatttcc 160680
ccagcttcag ctgactcctg tatattgact gtgccttcag actcatcctg aagtgacccc 160740
aggctggcct ctcccacatc acagtaagaa ttccacacac catacaactt ggaaagaggc 160800
tccagctgaa ggaagcccca cacttcttcc aagtttttct tagtcttctc ttcttggcaa 160860
agagttactt ttgtttcttc taattatgta actattgggt tagtaaatat tcacccattc 160920
agtccacctg taagtggcag gcactgttta cagggaacaca ggaaggaata aaaacttgca 160980
ggcaccttgg agcttgcatt ctattgaaga ggtaattggaa gttgggatag cagctaaact 161040
atgctgggat tggccaggcg cagtgggtca cactgttaat cccagcactt tggaggccaa 161100
gggtgggcaga tcatgaagtc aggagatcga gaccatcctg gctaacatgg tgaaaccccc 161160
tctctactaa aagtaaaaaa aaaaattagc cagggtgtggg ggcgggcgcc tgtagtcca 161220
gctacttggg aggctgaggc aggagaatgg tgtgaaccca ggaggcgaag attgcagtga 161280
gccgagatgg caccactgca ctccagcctg ggtgacagag cgagactctg tctcagaaaa 161340
aaaaaatatg ctggtagttt tgattcaaga tggccttttg agcccatgat ttaggtctcg 161400
taccaccaa ggtctactgg aaacatcag gctctcctgc tatagacca tagggagagc 161460
tgcagccgag agggggagct gaagagaagt gccccttctg tgtcctgtca gcctcatcct 161520
tccgcaagga ccagttgctg tgccactcca ttcacttgc gcaagactgg aggtttttcc 161580
tcaggtgttg agcacctggt ttacaagatg tcagcatctt gatgcctgag accatcaagg 161640
caagtctctg aacagggtt accttagagt aaggcttaga agaggccgta aagtcaagt 161700
cagctccgtg gctctgcaga gctttgggac atgtgaattc ttaaaaaaca gactattgta 161760
cagttactat atgcatgcag tataaaatta taaccttgga aaatcctagc tagctgttga 161820
gctaattcca taaagtaatc agctcctgag ttctgcagtg gtaataataa tcagcataat 161880
gagtaaacaa tggctgtgcc aggcagcgtc tcatttgatc cttgtgataa tcttgaagt 161940
actgatttcc tcccttcttt aaacaaagtt tttttttttt ttttagagag ggtctcacta 162000
tggtgcccag gctagtcttg aattc 162025

```

<210> 37
<211> 1350
<212> DNA
<213> Homo Sapien

<220>
<221> CDS
<222> (213) ... (920)

<300>
<308> GenBank AJ242973
<309> 1999-10-26

```

<400> 37
gcgggccgct cgacgtgaca gccgggtacgc ccgggttttg gcaacctcga ttacggggcg 60
cctccaggcc cgccagcagc gccccgcgcc gcccgcgcc gcccctgccg ccccccggtt 120
ccggccgagg accccactct ctgccgttcc ggctgcggct ccgctgccgg tagcgccgtc 180
ccccgggacc acccttcggc tggcgccctc cc atg ctc tcg gcc acc cgg agg 233
Met Leu Ser Ala Thr Arg Arg
1 5

```

```

gct tgc cag ctc ctc ctc ctc cac agc ctc ttt ccc gtc ccg agg atg 281
Ala Cys Gln Leu Leu Leu Leu His Ser Leu Phe Pro Val Pro Arg Met

```

107/122

10	15	20	
ggc aac tcg gcc tcg aac atc gtc agc ccc cag gag gcc ttg ccg ggc Gly Asn Ser Ala Ser Asn Ile Val Ser Pro Gln Glu Ala Leu Pro Gly 25 30 35			329
cgg aag gaa cag acc cct gta gcg gcc aaa cat cat gtc aat ggc aac Arg Lys Glu Gln Thr Pro Val Ala Ala Lys His His Val Asn Gly Asn 40 45 50 55			377
aga aca gtc gaa cct ttc cca gag gga aca cag atg gct gta ttt gga Arg Thr Val Glu Pro Phe Pro Glu Gly Thr Gln Met Ala Val Phe Gly 60 65 70			425
atg gga tgt ttc tgg gga gct gaa agg aaa ttc tgg gtc ttg aaa gga Met Gly Cys Phe Trp Gly Ala Glu Arg Lys Phe Trp Val Leu Lys Gly 75 80 85			473
gtg tat tca act caa gtt ggt ttt gca gga ggc tat act tca aat cct Val Tyr Ser Thr Gln Val Gly Phe Ala Gly Gly Tyr Thr Ser Asn Pro 90 95 100			521
act tat aaa gaa gtc tgc tca gaa aaa act ggc cat gca gaa gtc gtc Thr Tyr Lys Glu Val Cys Ser Glu Lys Thr Gly His Ala Glu Val Val 105 110 115			569
cga gtg gtg tac cag cca gaa cac atg agt ttt gag gaa ctg ctc aag Arg Val Val Tyr Gln Pro Glu His Met Ser Phe Glu Glu Leu Leu Lys 120 125 130 135			617
gtc ttc tgg gag aat cac gac ccg acc caa ggt atg cgc cag ggg aac Val Phe Trp Glu Asn His Asp Pro Thr Gln Gly Met Arg Gln Gly Asn 140 145 150			665
gac cat ggc act cag tac cgc tcg gcc atc tac ccg acc tct gcc aag Asp His Gly Thr Gln Tyr Arg Ser Ala Ile Tyr Pro Thr Ser Ala Lys 155 160 165			713
caa atg gag gca gcc ctg agc tcc aaa gag aac tac caa aag gtt ctt Gln Met Glu Ala Ala Leu Ser Ser Lys Glu Asn Tyr Gln Lys Val Leu 170 175 180			761
tca gag cac ggc ttc ggc ccc atc act acc gac atc cgg gag gga cag Ser Glu His Gly Phe Gly Pro Ile Thr Thr Asp Ile Arg Glu Gly Gln 185 190 195			809
act ttc tac tat gcg gaa gac tac cac cag cag tac ctg agc aag aac Thr Phe Tyr Tyr Ala Glu Asp Tyr His Gln Gln Tyr Leu Ser Lys Asn 200 205 210 215			857
ccc aat ggc tac tgc ggc ctt ggg ggc acc ggc gtg tcc tgc cca gtg Pro Asn Gly Tyr Cys Gly Leu Gly Gly Thr Gly Val Ser Cys Pro Val 220 225 230			905
ggt att aaa aaa taa ttgctcccca catggtgggc ctttgagggtt ccagtaaaaa Gly Ile Lys Lys * 235			960
tgctttcaac aaattgggca atgcttgtgt gattcacaat cgtggcattt aaagtgcaca aagtacaaag gaatttatac agattggggtt taccgaagta taatctatag gaggcgcgat			1020 1080

108/122

```

ggcaagttga taaaatgtga cttatctcct aataagttat ggtgggagtg gagctgtgcg 1140
gtttcctgtg tcttctgggg tctgagtga gtagcaggg atgctgtgtt cacccttctt 1200
ggtagaagct aaggtgtgag ctgggaggtt gctggacagg atggggggacc ccagaagtcc 1260
tttatctgtg ctctctgccc gccagtgcct tacaatttgc aaacgtgtat agcctcagtg 1320
actcattcgc tgaaatcctt cgctttacca 1350

```

<210> 38
 <211> 235
 <212> PRT
 <213> Homo Sapien

```

<400> 38
Met Leu Ser Ala Thr Arg Arg Ala Cys Gln Leu Leu Leu Leu His Ser
1      5      10      15
Leu Phe Pro Val Pro Arg Met Gly Asn Ser Ala Ser Asn Ile Val Ser
20     25     30
Pro Gln Glu Ala Leu Pro Gly Arg Lys Glu Gln Thr Pro Val Ala Ala
35     40     45
Lys His His Val Asn Gly Asn Arg Thr Val Glu Pro Phe Pro Glu Gly
50     55     60
Thr Gln Met Ala Val Phe Gly Met Gly Cys Phe Trp Gly Ala Glu Arg
65     70     75     80
Lys Phe Trp Val Leu Lys Gly Val Tyr Ser Thr Gln Val Gly Phe Ala
85     90     95
Gly Gly Tyr Thr Ser Asn Pro Thr Tyr Lys Glu Val Cys Ser Glu Lys
100    105    110
Thr Gly His Ala Glu Val Val Arg Val Val Tyr Gln Pro Glu His Met
115    120    125
Ser Phe Glu Glu Leu Leu Lys Val Phe Trp Glu Asn His Asp Pro Thr
130    135    140
Gln Gly Met Arg Gln Gly Asn Asp His Gly Thr Gln Tyr Arg Ser Ala
145    150    155    160
Ile Tyr Pro Thr Ser Ala Lys Gln Met Glu Ala Ala Leu Ser Ser Lys
165    170    175
Glu Asn Tyr Gln Lys Val Leu Ser Glu His Gly Phe Gly Pro Ile Thr
180    185    190
Thr Asp Ile Arg Glu Gly Gln Thr Phe Tyr Tyr Ala Glu Asp Tyr His
195    200    205
Gln Gln Tyr Leu Ser Lys Asn Pro Asn Gly Tyr Cys Gly Leu Gly Gly
210    215    220
Thr Gly Val Ser Cys Pro Val Gly Ile Lys Lys
225    230    235

```

<210> 39
 <211> 481
 <212> DNA
 <213> Homo Sapien

<300>
 <308> GenBank AW195104
 <309> 1999-11-29

```

<400> 39
ggcattattg gactgtaggt ttttattaaa acaaacattt ctcatagctc taagcaaagc 60
attagaattc atcaagcgga ctcacatctt ttctctgcac agagaggggc tgaaaaggga 120
gagaaagtcc cttatgtatg tctagatttg gtaaagcgaa ggatttcagc gaatgagtca 180
ctgaggctat acacgtttgc aaattgtaag gcaactggcg gcagagagca cagataaagg 240
acttctgggg tccccatcc tgtccagcaa cctcccagct cacaccttag cttctaccaa 300
gaagggtgaa cacagcatcc ctgctatctt cactcagacc ccagaaaacc cagggaaacc 360
cgacagctcc actccacca taacttatta ggagataagt cacattttat caacttgcca 420

```


109/122

tcgcgcctcc tatagattat acttcggttaa acccaatctg tataaattcc tttgtacttt 480
g 481

<210> 40
<211> 390
<212> DNA
<213> Homo Sapien

<300>
<308> GenBank AW874187
<309> 2000-05-22

<400> 40
tttttttttat tggactgtag gtttttatta aaacaaacat ttctcatagc tctaagcaaa 60
gcattagaat tcatcaagcg gactcacatc ttttctctgc acagagaggg ctgaaaaggg 120
agagaaagcc ccttatgtat gtctagattt ggtaaagcga aggatttcag cgaatgagtc 180
actgaggcta tacacgtttg caaattgtaa ggcaactggcg ggcagagagc acagataaag 240
gacttttggg ggtcccccat tctgtccag caacctccca gctcacacct tagcttctac 300
caagaagggg tgaacacagc atccctgcta tcttctactca gacccccaga agacacagga 360
aaccgcacag ctccactccc accataactt 390

<210> 41
<211> 43
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide Primer

<400> 41
agcggataac aatttcacac agggagctag cttggaagat tgc 43

<210> 42
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide Primer

<400> 42
gtccaatata tgcaaacagt tg 22

<210> 43
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide Primer

<400> 43
agcggataac aatttcacac agg 23

<210> 44
<211> 18
<212> DNA
<213> Artificial Sequence

<220>

110/122

<223> Oligonucleotide Primer

<400> 44
actgagcctg ctgcataa 18

<210> 45
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide Primer

<400> 45
tctcaatcat gtgcattgag g 21

<210> 46
<211> 43
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide Primer

<400> 46
agcggataac aatttcacac agggatcaca cagccatcag cag 43

<210> 47
<211> 23
<212> DNA
<213> oligonucleotide primer

<400> 47
agcggataac aatttcacac agg 23

<210> 48
<211> 18
<212> DNA
<213> Oligonucleotide primer

<400> 48
ctggcgccac gtggtcaa 18

<210> 49
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide Primer

<400> 49
tttctctgca cagagagggc 20

<210> 50
<211> 44
<212> DNA
<213> Artificial Sequence

<220>

111/122

<223> Oligonucleotide Primer

<400> 50

agcggataac aatttcacac agggctgaaa tccttcgctt tacc

44

<210> 51

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide Primer

<400> 51

agcggataac aatttcacac agg

23

<210> 52

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide Primer

<400> 52

ctgaaaaggg agagaaag

18

<210> 53

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide Primer

<400> 53

tcccaaagtg ctggaattac

20

<210> 54

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide Primer

<400> 54

gtccaatata tgcaaacagt tg

22

<210> 55

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide Primer

<400> 55

cccacagcag ttaatccttc

20

112/122

<210> 56
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 56
gcgctcctgt cggtgccca 18

<210> 57
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 57
gcctgactgg tggggccc 18

<210> 58
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 58
catgcatgca cggtc 15

<210> 59
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 59
cagagagtac ccctcgaccg tgcgatgcatg 30

<210> 60
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 60
catgcatgca cggtt 15

<210> 61
<211> 30
<212> DNA
<213> Artificial Sequence

113/122

<220>
<223> Oligonucleotide primer

<400> 61
gtacgtacgt gccaaactccc catgagagac 30

<210> 62
<211> 14
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 62
catgcatgca cggt 14

<210> 63
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 63
gcctgactgg tggggccc 18

<210> 64
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 64
gtgctgcagg tgtaaacttg taccag 26

<210> 65
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 65
cacggatccg gtagcagcgg tagagttg 28

<210> 66
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 66
actgggcatg tggagacag 19

114/122

<210> 67
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 67
gcactttctt gccatgag 18

<210> 68
<211> 14
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 68
tcagtcacga cggt 14

<210> 69
<211> 14
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 69
cggataacaa ttct 14

<210> 70
<211> 37
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 70
caatttcacg gctggatgca atctgggcta tgagatc 37

<210> 71
<211> 37
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 71
caatttcaca cagcggatgc ttcttttggc tctgact 37

<210> 72
<211> 40
<212> DNA
<213> Artificial Sequence

115/122

<220>
<223> Oligonucleotide primer

<400> 72
tcagtcacga cgttggatgc caataaaagt gactctcagc 40

<210> 73
<211> 37
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 73
cggataacaa tttcggatgc actgggagca ttgaggc 37

<210> 74
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 74
tcagtcacga cgttggatga gcagatccct ggacaggc 38

<210> 75
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 75
cggataacaa tttcggatgg acaaaatacc tgtattcc 38

<210> 76
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 76
tcagtcacga cgttggatgc agagcagctc cgagtc 36

<210> 77
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 77
cagcggatgat cattggatgc aggaagctct gg 32

116/122

<210> 78
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 78
tcagtcacga cgttggatgc ccacatgccca cccactac 38

<210> 79
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 79
cggataacaa tttcggatgc ccgtcaggta ccacg 35

<210> 80
<211> 37
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 80
tcagtcacga cgttggatgc ccacagtgga gcttcag 37

<210> 81
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 81
gctcatacct tgcaggatga cg 22

<210> 82
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 82
tcagtcacga cgttggatga ccagctgttc gtgttc 36

<210> 83
<211> 34
<212> DNA
<213> Artificial Sequence

117/122

<220>
<223> Oligonucleotide primer

<400> 83
tacatggagt tcggggatgc acacggcgac tctc 34

<210> 84
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 84
tcagtcacga cggttgatgg ggaagagcag agatatacgt 40

<210> 85
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 85
gaggggctga tccaggatgg gtgctccac 29

<210> 86
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 86
tgaagcactt gaaggatgag ggtgtctgcg 30

<210> 87
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 87
cggataacaa ttccggatgc tgcgtgatga tgaaatcg 38

<210> 88
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 88
gatgaagctc ccaggatgcc agaggc 26

118/122

<210> 89
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 89
gccgccggtg taggatgctg ctggtgc 27

<210> 90
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide Template

<400> 90
cgcagggttt cctcgctgca ctgggcatgt g 31

<210> 91
<211> 43
<212> DNA
<213> Artificial Sequence

<220>
<223> Biotinylated primer

<400> 91
tgcttatccc tgtagctacc ctgtcttggc cttgcagatc caa 43

<210> 92
<211> 42
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 92
agcggataac aatttcacac aggccatcac accgcggtac tg 42

<210> 93
<211> 44
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 93
cccagtcacg acgttgtaaa acgtcttggc cttgcagatc caag 44

<210> 94
<211> 42
<212> DNA
<213> Artificial Sequence

119/122

<220>
 <223> Oligonucleotide primer

 <400> 94
 agcggataac aatttcacac aggccatcac accgcggtac tg 42

 <210> 95
 <211> 20
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Oligonucleotide primer

 <400> 95
 ctccagctgg gcaggagtgc 20

 <210> 96
 <211> 17
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Oligonucleotide primer

 <400> 96
 cacttcagtc gtcacct 17

 <210> 97
 <211> 23
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Biotinylated primer

 <400> 97
 cccagtcacg acgttgtaaa acg 23

 <210> 98
 <211> 100
 <212> DNA
 <213> Homo sapien

 <400> 98
 cctttgagaa agggctctgc ttgagttgta gaaagaaccg ctgcaacaat ctgggctatg 60
 agatcaataa agtcagagcc aaaagaagca gcaaaatgta 100

 <210> 99
 <211> 100
 <212> DNA
 <213> Homo sapien

 <400> 99
 cctttgagaa agggctctgc ttgagttgta gaaagaaccg ctgcaacaat ctgggctatg 60
 agatcagtaa agtcagagcc aaaagaagca gcaaaatgta 100

 <210> 100
 <211> 100
 <212> DNA

120/122

<213> Homo sapien

<400> 100

gaattattttt tgtgttttcta aaactatggt tcccaataaaa agtgactctc agcgagcctc 60
aatgctccca gtgctattca tgggcagctc tctgggctca 100

<210> 101

<211> 100

<212> DNA

<213> Homo sapien

<400> 101

gaattattttt tgtgttttcta aaactatggt tcccaataaaa agtgactctc agcaagcctc 60
aatgctccca gtgctattca tgggcagctc tctgggctca 100

<210> 102

<211> 84

<212> DNA

<213> Homo sapien

<400> 102

taataggact acttctaate tgtaagagca gatccctgga caggcgagga atacaggtat 60
tttgccttg aagtaacctt tcag 84

<210> 103

<211> 84

<212> DNA

<213> Homo sapien

<400> 103

taataggact acttctaate tgtaagagca gatccctgga caggcaagga atacaggtat 60
tttgccttg aagtaacctt tcag 84

<210> 104

<211> 100

<212> DNA

<213> Homo sapien

<400> 104

ctcaccatgg gcatttgatt gcagagcagc tccgagtccg tccagagctt cctgcagtca 60
atgatcaccg ctgtgggcat ccctgaggtc atgtctcgta 100

<210> 105

<211> 100

<212> DNA

<213> Homo sapien

<400> 105

ctcaccatgg gcatttgatt gcagagcagc tccgagtcca tccagagctt cctgcagtca 60
atgatcaccg ctgtgggcat ccctgaggtc atgtctcgta 100

<210> 106

<211> 100

<212> DNA

<213> Homo sapien

<400> 106

agcaaggact cctgcaaggg ggacagtggg ggccacatg ccaccacta ccagggcacg 60
tggtacctga cgggcatcgt cagctggggc cagggctgcg 100

121/122

<210> 107
 <211> 100
 <212> DNA
 <213> Homo sapien

<400> 107
 agcaaggact cctgcaaggg ggacagtggg ggcacacatg ccaccacta ccggggcacg 60
 tggtagctga cgggcatcgt cagctggggc cagggtgctg 100

<210> 108
 <211> 100
 <212> DNA
 <213> Homo sapien

<400> 108
 caataactct aatgcagcgg aagatgacct gccacacagt gagcttcagg gcgtgggtgcc 60
 ccggggcgctc aacctgcaag gtatgagcat accccccttc 100

<210> 109
 <211> 100
 <212> DNA
 <213> Homo sapien

<400> 109
 caataactct aatgcagcgg aagatgacct gccacacagt gagcttcagg gcttgggtgcc 60
 ccggggcgctc aacctgcaag gtatgagcat accccccttc 100

<210> 110
 <211> 100
 <212> DNA
 <213> Homo sapien

<400> 110
 ttgaagcttt gggctacgtg gatgaccagc tgttcgtgtt ctatgatcat gagagtcgcc 60
 gtgtggagcc ccgaactcca tgggtttcca gtagaatttc 100

<210> 111
 <211> 100
 <212> DNA
 <213> Homo sapien

<400> 111
 ttgaagcttt gggctacgtg gatgaccagc tgttcgtgtt ctatgatgat gagagtcgcc 60
 gtgtggagcc ccgaactcca tgggtttcca gtagaatttc 100

<210> 112
 <211> 100
 <212> DNA
 <213> Homo sapien

<400> 112
 ggataacctt ggctgtaccc cctggggaag agcagagata tacgtgccag gtggagcacc 60
 caggcctgga tcagcccctc attgtgatct gggagccctc 100

<210> 113
 <211> 100
 <212> DNA
 <213> Homo sapien

<400> 113

122/122

ggataacctt ggctgtaccc cctggggaag agcagagata tacgtaccag gtggagcacc 60
caggcctgga tcagcccttc attgtgatct gggagccctc 100

<210> 114
<211> 80
<212> DNA
<213> Homo sapien

<400> 114
tgaagcactt gaaggagaag gtgtctgcgg gagccgattt catcatcacg cagcttttct 60
ttgaggctga cacattcttc 80

<210> 115
<211> 80
<212> DNA
<213> Homo sapien

<400> 115
tgaagcactt gaaggagaag gtgtctgcgg gagtcgattt catcatcacg cagcttttct 60
ttgaggctga cacattcttc 80

<210> 116
<211> 80
<212> DNA
<213> Homo sapien

<400> 116
tccagatgaa gctcccagaa tgccagaggc tgctccccgc gtggcccctg caccagcagc 60
tcctacaccg gcggcccctg 80

<210> 117
<211> 80
<212> DNA
<213> Homo sapien

<400> 117
tccagatgaa gctcccagaa tgccagaggc tgctcccccc gtggcccctg caccagcagc 60
tcctacaccg gcggcccctg 80

<210> 118
<211> 48
<212> DNA
<213> Artificial Sequence

<220>
<223> Hair pin structure

<400> 118
cagagagtac ccctcaaccg tgcattcatg aaacatgcat gcacgggt 48

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
19 April 2001 (19.04.2001)

PCT

(10) International Publication Number
WO 01/027857 A3

(51) International Patent Classification⁷: **G06F 19/00**

US 09/663,968 (CIP)

Filed on 19 September 2000 (19.09.2000)

(21) International Application Number: **PCT/US00/28413**

US 60/217,251 (CIP)

Filed on 10 July 2000 (10.07.2000)

(22) International Filing Date: 13 October 2000 (13.10.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

60/159,176	13 October 1999 (13.10.1999)	US
60/217,658	10 July 2000 (10.07.2000)	US
60/217,251	10 July 2000 (10.07.2000)	US
09/663,968	19 September 2000 (19.09.2000)	US

(71) Applicant (for all designated States except US): **SE-QUENOM, INC.** [US/US]; 3595 John Hopkins Court, San Diego, CA 92121 (US).

(72) Inventors; and


(75) Inventors/Applicants (for US only): **BRAUN, Andreas** [DE/US]; 11237-6 Carmel Creek Road, San Diego, CA 92130 (US). **KÖSTER, Hubert** [DE/CH]; Via Delle Scuole 1, CH-6900 Lugano-Cassarate (CH). **VAN DEN BOOM, Dirk** [DE/DE]; Eppendorfer Weg 205 D, D-20253 Hamburg (DE). **PING, Yip** [US/US]; 3641 Copley Avenue, San Diego, CA 92116 (US). **RODI, Charlie** [US/US]; 13823 Recuerdo Drive, Del Mar, CA 92014 (US). **HE, Liyan** [CN/US]; 10948 Creek Bridge Place, San Diego, CA 92128 (US). **CHIU, Norman** [CA/US]; 1128 Caminito Alvarez, San Diego, CA 92126 (US). **JURINKE, Christian** [DE/DE]; Rombergstrasse 22, 20255 Hamburg (DE).

(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier applications:

US	60/159,176 (CIP)
Filed on	13 October 1999 (13.10.1999)
US	60/217,658 (CIP)
Filed on	10 July 2000 (10.07.2000)

[Continued on next page]

(54) Title: **METHODS FOR GENERATING DATABASES AND DATABASES FOR IDENTIFYING POLYMORPHIC GENETIC MARKERS**



(57) Abstract: Process and methods for creating a database of genomic samples from healthy human donors. methods that use the database to identify and correlate polymorphic genetic markers and other markers with diseases and conditions are provided.

WO 01/027857 A3



(74) Agents: SEIDMAN, Stephanie, L. et al.; Heller Ehrman White & McAuliffe, Suite 700, 4250 Executive Square, La Jolla, CA 92037 (US).

(81) Designated States (national): AE, AG, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LI, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian

patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

(88) Date of publication of the international search report:

3 October 2002

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

INTERNATIONAL SEARCH REPORT

Intern Application No
PCT/US 00/28413

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 G06F19/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

WPI Data, EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 99 05323 A (AFFYMETRIX INC) 4 February 1999 (1999-02-04) abstract; claims 1,4	1-100
X	WO 97 40462 A (SPECTRA BIOMEDICAL INC) 30 October 1997 (1997-10-30) page 4, line 2 - line 22 page 7, line 3 -page 8, line 4	1-100
X	WO 98 24935 A (AN GANG ;HARA MARK O (US); RALPH DAVID (US); VELTRI ROBERT (US); U) 11 June 1998 (1998-06-11) page 4, line 27 -page 5, line 6 page 6, line 14 - line 18	1-100
	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"Z" document member of the same patent family

Date of the actual completion of the international search

10 September 2001

Date of mailing of the international search report

28/09/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Fillooy García, E

INTERNATIONAL SEARCH REPORT

Intern. # Application No

PCT/US 00/28413

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	COLLINS F S ET AL: "A DNA Polymorphism Discovery Resource for Research on Human Genetic Variation" GENOME RESEARCH, vol. 8, 1998, pages 1229-1231, XP002177106 the whole document	1-100
P,X	WO 00 51053 A (BRYANT STEPHEN PAUL ;GEMINI RESEARCH LTD (GB); KELLY PAUL JAMES (G) 31 August 2000 (2000-08-31) abstract; claims 1-24	1-100
Y	WO 98 35609 A (HELMS RONALD W ;TOMASKO LISA (US); BIOMAR INTERNATIONAL INC (US);) 20 August 1998 (1998-08-20) abstract; claims 1-25	1-100
Y	SARKAR C ET AL: "Human Genetic Bi-allelic Sequences (HGBASE), a Database of Intra-genic Polymorphisms" MEM INST OSWALDO CRUZ, 'Online! vol. 93, no. 5, September 1998 (1998-09) - October 1998 (1998-10), pages 693-694, XP002177107 Rio de Janeiro Retrieved from the Internet: <URL:http://www.cgb.ki.se/cgb/groups/brook es/publications.htm> 'retrieved on 2001-09-05! the whole document	1-100
A	FOSTER M W AND FREEMAN W L: "Naming Names in Human Genetic Variation Research" GENOME RESEARCH, vol. 8, 1998, pages 755-757, XP002177108 the whole document	2,9,27, 55,72

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

Inter. 31 Application No
PCT/US 00/28413

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9905323 A	04-02-1999	EP 1002264 A	24-05-2000
		EP 1009861 A	21-06-2000
		EP 0998697 A	10-05-2000
		EP 1007737 A	14-06-2000
		WO 9905574 A	04-02-1999
		WO 9905324 A	04-02-1999
		WO 9905591 A	04-02-1999
		US 6229911 B	08-05-2001
		US 6188783 B	13-02-2001
WO 9740462 A	30-10-1997	AU 2734197 A	12-11-1997
		EP 0897567 A	24-02-1999
		JP 2000508912 T	18-07-2000
WO 9824935 A	11-06-1998	AU 722819 B	10-08-2000
		AU 5515198 A	29-06-1998
		EP 0960214 A	01-12-1999
		US 6190857 B	20-02-2001
WO 0051053 A	31-08-2000	AU 2815900 A	14-09-2000
WO 9835609 A	20-08-1998	US 6059724 A	09-05-2000
		AU 6151498 A	08-09-1998
		BR 9807366 A	18-04-2000
		CN 1268033 T	27-09-2000
		EP 0973435 A	26-01-2000

CORRECTED VERSION

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
19 April 2001 (19.04.2001)

PCT

(10) International Publication Number
WO 01/027857 A3

(51) International Patent Classification⁷: **G06F 19/00**

(21) International Application Number: **PCT/US00/28413**

(22) International Filing Date: **13 October 2000 (13.10.2000)**

(25) Filing Language: **English**

(26) Publication Language: **English**

(30) Priority Data:

60/159,176	13 October 1999 (13.10.1999)	US
60/217,658	10 July 2000 (10.07.2000)	US
60/217,251	10 July 2000 (10.07.2000)	US
09/663,968	19 September 2000 (19.09.2000)	US

(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier applications:

US	60/159,176 (CIP)
Filed on	13 October 1999 (13.10.1999)

US 60/217,658 (CIP)

Filed on 10 July 2000 (10.07.2000)

US 09/663,968 (CIP)

Filed on 19 September 2000 (19.09.2000)

US 60/217,251 (CIP)

Filed on 10 July 2000 (10.07.2000)


(71) Applicant (for all designated States except US): **SEQUENOM, INC.** [US/US]; 3595 John Hopkins Court, San Diego, CA 92121 (US).

(72) Inventors: and

(75) Inventors/Applicants (for US only): **BRAUN, Andreas** [DE/US]; 11237-6 Carmel Creek Road, San Diego, CA 92130 (US). **KÖSTER, Hubert** [DE/CH]; Via Delle Scuole 1, CH-6900 Lugano-Cassarate (CH). **VAN DEN BOOM, Dirk** [DE/DE]; Eppendorfer Weg 205 D, D-20253 Hamburg (DE). **PING, Yip** [US/US]; 3641 Copley Avenue, San Diego, CA 92116 (US). **RODI,**

[Continued on next page]

(54) Title: **METHODS FOR GENERATING DATABASES AND DATABASES FOR IDENTIFYING POLYMORPHIC GENETIC MARKERS**



(57) Abstract: Process and methods for creating a database of genomic samples from healthy human donors, methods that use the database to identify and correlate polymorphic genetic markers and other markers with diseases and conditions are provided.

WO 01/027857 A3



Charlie [US/US]: 13823 Recuerdo Drive, Del Mar, CA 92014 (US). **HE, Liyan** [CN/US]: 10948 Creek Bridge Place, San Diego, CA 92128 (US). **CHIU, Norman** [CA/US]: 1128 Caminito Alvarez, San Diego, CA 92126 (US). **JURINKE, Christian** [DE/DE]: Rombergstrasse 22, 20255 Hamburg (DE).

patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

(74) **Agents:** SEIDMAN, Stephanie, L. et al.: Heller Ehrman White & McAuliffe, Suite 700, 4250 Executive Square, La Jolla, CA 92037 (US).

(88) **Date of publication of the international search report:**

3 October 2002

(81) **Designated States (national):** AE, AG, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(48) **Date of publication of this corrected version:**

5 December 2002

(15) **Information about Correction:**

see PCT Gazette No. 49/2002 of 5 December 2002, Section II

(84) **Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

**METHODS FOR GENERATING DATABASES AND DATABASES FOR
IDENTIFYING POLYMORPHIC GENETIC MARKERS**

RELATED APPLICATIONS

Benefit of priority to the following applications is claimed herein:

- 5 U.S. provisional application Serial No. 60/217,658 to Andreas Braun, Hubert Koster; Dirk Van den Boom, filed July 10, entitled "METHODS FOR GENERATING DATABASES AND DATABASES FOR IDENTIFYING POLYMORPHIC GENETIC MARKERS"; U.S. provisional application Serial No. 60/159,176 to Andreas Braun, Hubert Koster, Dirk Van den Boom, filed October 10 13, 1999, entitled "METHODS FOR GENERATING DATABASES AND DATABASES FOR IDENTIFYING POLYMORPHIC GENETIC MARKERS"; U.S. provisional application Serial No. 60/217,251, filed July 10, 2000, to Andreas Braun, entitled "POLYMORPHIC KINASE ANCHOR PROTEIN GENE SEQUENCES, POLYMORPHIC KINASE ANCHOR PROTEINS AND METHODS OF DETECTING 15 POLYMORPHIC KINASE ANCHOR PROTEINS AND NUCLEIC ACIDS ENCODING THE SAME"; and U.S. application Serial No. 09/663,968, to Ping Yip, filed September 19, 2000, entitled "METHOD AND DEVICE FOR IDENTIFYING A BIOLOGICAL SAMPLE."

- Where permitted that above-noted applications and provisional 20 applications are incorporated by reference in their entirety.

FIELD OF THE INVENTION

- Process and methods for creating a database of genomic samples from healthy human donors. Methods that use the database to identify and correlate with polymorphic genetic markers and other markers with diseases and 25 conditions are provided.

BACKGROUND

- Diseases in all organisms have a genetic component, whether inherited or resulting from the body's response to environmental stresses, such as viruses and toxins. The ultimate goal of ongoing genomic research is to use this 30 information to develop new ways to identify, treat and potentially cure these diseases. The first step has been to screen disease tissue and identify genomic changes at the level of individual samples. The identification of these "disease"

markers has then fueled the development and commercialization of diagnostic tests that detect these errant genes or polymorphisms. With the increasing numbers of genetic markers, including single nucleotide polymorphisms (SNPs), microsatellites, tandem repeats, newly mapped introns and exons, the challenge to the medical and pharmaceutical communities is to identify genotypes which not only identify the disease but also follow the progression of the disease and are predictive of an organism's response to treatment.

Currently the pharmaceutical and biotechnology industries find a disease and then attempt to determine the genomic basis for the disease. This approach is time consuming and expensive and in many cases involves the investigator guessing as to what pathways might be involved in the disease.

Genomics

Presently the two main strategies employed in analyzing the available genomic information are the technology driven reverse genetics brute force strategy and the knowledge-based pathway oriented forward genetics strategy. The brute force approach yields large databases of sequence information but little information about the medical or other uses of the sequence information. Hence this strategy yields intangible products of questionable value. The knowledge-based strategy yields small databases that contain a lot of information about medical uses of particular DNA sequences and other products in the pathway and yield tangible products with a high value.

Polymorphisms

Polymorphisms have been known since 1901 with the identification of blood types. In the 1950's they were identified on the level of proteins using large population genetic studies. In the 1980's and 1990's many of the known protein polymorphisms were correlated with genetic loci on genomic DNA. For example, the gene dose of the apolipoprotein E type 4 allele was correlated with the risk of Alzheimer's disease in late onset families (see, *e.g.*, Corder *et al.* (1993) *Science* 261: 921-923; mutation in blood coagulation factor V was associated with resistance to activated protein C (see, *e.g.*, Bertina *et al.* (1994) *Nature* 369:64-67); resistance to HIV-1 infection has been shown in caucasian individuals bearing mutant alleles of the CCR-5 chemokine receptor gene (s e,

e.g., Samson *et al.* (1996) *Nature* 382:722-725); and a hypermutable tract in antigen presenting cells (APC, such as macrophages), has been identified in familial colorectal cancer in individuals of Ashkenzi jewish background (see, *e.g.*, Laken *et al.* (1997) *Nature Genet.* 17:79-83). There may be more than three
5 million polymorphic sites in the human genome. Many have been identified, but not yet characterized or mapped or associated with a marker.

Single nucleotide polymorphisms (SNPs)

Much of the focus of genomics has been in the identification of SNPs, which are important for a variety of reasons. They allow indirect testing
10 (association of haplotypes) and direct testing (functional variants). They are the most abundant and stable genetic markers. Common diseases are best explained by common genetic alterations, and the natural variation in the human population aids in understanding disease, therapy and environmental interactions.

15 Currently, the only available method to identify SNPs in DNA is by sequencing, which is expensive, difficult and laborious. Furthermore, once a SNP is discovered it must be validated to determine if it is a real polymorphism and not a sequencing error. Also, discovered SNPs must then be evaluated to determine if they are associated with a particular phenotype. Thus, there is a
20 need to develop new paradigms for identifying the genomic basis for disease and markers thereof. Therefore, it is an object herein to provide methods for identifying the genomic basis of disease and markers thereof.

SUMMARY

Databases and methods using the databases are provided herein. The
25 databases comprise sets of parameters associated with subjects in populations selected only on the basis of being healthy (*i.e.*, where the subjects are mammals, such as humans, they are selected based upon apparent health and no detectable infections). The databases can be sorted based upon one or more of the selected parameters.

30 The databases are preferably relational databases, in which an index that represents each subject serves to relate parameters, which are the data, such as age, ethnicity, sex, medical history, etc. and ultimately genotypic information,

that was inputted into and stored in the database. The database can then be sorted according to these parameters. Initially, the parameter information is obtained from a questionnaire answered by each subject from whom a body tissue or body fluid sample is obtained. As additional information about each sample is obtained, this information can be entered into the database and can serve as a sorting parameter.

The databases obtained from healthy individuals have numerous uses, such as correlating known polymorphisms with a phenotype or disease. The databases can be used to identify alleles that are deleterious, that are beneficial, and that are correlated with diseases.

For purposes herein, genotypic information can be obtained by any method known to those of skill in the art, but is preferably obtained using mass spectrometry.

Also provided herein, is a new use for existing databases of subjects and genotypic and other parameters, such as age, ethnicity, race, and gender. Any database can be sorted according to the methods herein and alleles that exhibit statistically significant correlations with any of the sorting parameters can be identified. It is noted, however, is noted, that the databases provided herein and randomly selected databases will perform better in these methods, since disease-based databases suffer numerous limitations, including their relatively small size, the homogeneity of the selected disease population, and the masking effect of the polymorphism associated with the markers for which the database was selected. Hence, the healthy database provided herein, provides advantages not heretofore recognized or exploited. However, the methods provided herein can be used with a selected database, including disease-based databases, with or without sorting for the discovery and correlation of polymorphisms. In addition, the databases provided herein represent a greater genetic diversity than the unselected databases typically utilized for the discovery of polymorphisms and thus allow for the enhanced discovery and correlation of polymorphisms.

The databases provided herein can be used for taking an identified polymorphism, and ascertaining whether it changes in frequency when the data is sorted according to a selected parameter.

One use of these methods is correlating a selected marker with a particular parameter by following the occurrence of known genetic markers and then, having made this correlation, determining or identifying correlations with diseases. Examples of this use are p53 and Lipoprotein Lipase polymorphism.

- 5 As exemplified herein, known markers are shown to have particular correlation with certain groups, such as a particular ethnicity or race or one sex. Such correlations will then permit development of better diagnostic tests and treatment regimens.

- 10 These methods are valuable for identifying one or more genetic markers whose frequency changes within the population as a function of age, ethnic group, sex or some other criteria. This can allow the identification of previously unknown polymorphisms and ultimately a gene or pathway involved in the onset and progression of disease.

- 15 The databases and methods provided herein permit, among other things, identification of components, particularly key components, of a disease process by understanding its genetic underpinnings and also permit an understanding of processes, such as individual drug responses. The databases and methods provided herein also can be used in methods involving elucidation of pathological pathways, in developing new diagnostic assays, identifying new potential drug
20 targets, and in identifying new drug candidates.

The methods and databases can be used with experimental procedures, including, but are not limited to, *in silico* SNP identification, *in vitro* SNP identification/verification, genetic profiling of large populations, and in biostatistical analyses and interpretations.

- 25 Also provided herein, are combinations that contain a database provided herein and a biological sample from a subject in the database, and preferably biological samples from all subjects or a plurality of subjects in the database. Collections of the tissue and body fluid samples are also provided.

- 30 Also, provided herein, are methods for determining a genetic marker that correlates with age, comprising identifying a polymorphism and determining the frequency of the polymorphism with increasing age in a healthy population.

Further provided herein are methods for determining whether a genetic marker correlates with susceptibility to morbidity, early mortality, or morbidity and early mortality, comprising identifying a polymorphism and determining the frequency of the polymorphism with increasing age in a healthy population.

- 5 Any of the methods herein described can be used out in a multiplex format.

- Also provided are an apparatus and process for accurately identifying genetic information. It is another object of the herein that genetic information be extracted from genetic data in a highly automated manner. Therefore, to
10 overcome the deficiencies in the known conventional systems, a method and apparatus for identifying a biological sample is proposed.

- Briefly, the method and system for identifying a biological sample generates a data set indicative of the composition of the biological sample. In a particular example, the data set is DNA spectrometry data received from a mass
15 spectrometer. The data set is denoised, and a baseline is deleted. Since possible compositions of the biological sample may be known, expected peak areas may be determined. Using the expected peak areas, a residual baseline is generated to further correct the data set. Probable peaks are then identifiable in the corrected data set, which are used to identify the composition of the
20 biological sample. In a disclosed example, statistical methods are employed to determine the probability that a probable peak is an actual peak, not an actual peak, or that the data too inconclusive to call.

- Advantageously, the method and system for identifying a biological sample accurately makes composition calls in a highly automated manner. In
25 such a manner, complete SNP profile information, for example, may be collected efficiently. More importantly, the collected data is analyzed with highly accurate results. For example, when a particular composition is called, the result may be relied upon with great confidence. Such confidence is provided by the robust computational process employed .

- 30 **DESCRIPTION OF THE DRAWINGS**

Figure 1 depicts an exemplary sample bank. Panel 1 shows the samples as a function of sex and ethnicity. Panel 2 shows the caucasians as a function of age. Panel 3 shows the Hispanics as a function of age.

Figures 2A and 2C show an age- and sex-distribution of the 291S allele of the lipoprotein lipase gene in which a total of 436 males and 589 females were investigated. Figure 2B shows an age distribution for the 436 males.

Figure 3 is an exemplary questionnaire for population-based sample banking.

Figure 4 depicts processing and tracking of blood sample components.

Figure 5 depicts the allelic frequency of "sick" alleles and "healthy" alleles as a function of age. It is noted that the relative frequency of healthy alleles increases in a population with increasing age.

Figure 6 depicts the age-dependent distribution of ApoE genotypes (see, Schächter *et al.* (1994) *Nature Genetics* 6:29-32).

Figure 7A-D depicts age-related and genotype frequency of the p53 (tumor suppressor) codon 72 among the caucasian population in the database. *R72 and *P72 represent the frequency of the allele in the database population. R72, R72P, and P72 represent the genotypes of the individuals in the population. The frequency of the homozygous P72 allele drops from 6.7% to 3.7% with age.

Figure 8 depicts the allele and genotype frequencies of the p21 S31R allele as a function of age.

Figure 9 depicts the frequency of the FVII Allele 353Q in pooled versus individual samples.

Figure 10 depicts the frequency of the CETP (cholesterol ester transfer protein) allele in pooled versus individual samples

Figure 11 depicts the frequency of the plasminogen activator inhibitor-1 (PAI-1) 5G in pooled versus individual samples

Figure 12 shows mass spectra of the samples and the ethnic diversity of the PAI-1 alleles.

Figure 13 shows mass spectra of the samples and the ethnic diversity of the CETP 405 alleles.

Figure 14 shows mass spectra of the samples and the ethnic diversity of the Factor VII 353 alleles.

Figure 15 shows ethnic diversity of PAI-1, CETP and Factor VII using the pooled DNA samples.

5 Figure 16 shows the p53-Rb pathway and the relationships among the various factors in the pathway.

Figure 17, which is a block diagram of a computer constructed to provide and process the databases described herein, depicts a typical computer system for storing and sorting the databases provided herein and practicing the methods
10 provided herein.

Figure 18 is a flow diagram that illustrates the processing steps performed using the computer illustrated in Figure 17, to maintain and provide access to the databases for identifying polymorphic genetic markers.

Figure 19 is a histogram showing the allele and genotype distribution in
15 the age and sex stratified Caucasian population for the AKAP10-1 locus. Bright green bars show frequencies in individuals younger than 40 years. Dark green bars show frequencies in individuals older than 60 years.

Figure 20 is a histogram showing the allele and genotype distribution in the age and sex stratified Caucasian population for the AKAP10-5 locus. Bright
20 green bars show frequencies in individuals younger than 40 years; dark green bars show frequencies in individuals older than 60 years.

Figure 21 is a histogram showing the allele and genotype distribution in the age and sex stratified Caucasian population for the h-msrA locus. Genotype difference between male age groups is significant. Bright green bars show
25 frequencies in individuals younger than 40 years. Dark green bars show frequencies in individuals older than 60 years.

Figure 22A-D is a sample data collection questionnaire used for the healthy database.

Figure 23 is a flowchart showing processing performed by the computing
30 device of Figure 24 when performing genotyping of sense strands and antisense strands from assay fragments.

Figure 24 is a block diagram showing a system in accordance with the present invention;

Figure 25 is a flowchart of a method of identifying a biological sample in accordance with the present invention;

5 Figure 26 is a graphical representation of data from a mass spectrometer;
Figure 27 is a diagram of wavelet transformation of mass spectrometry data;

Figure 28 is a graphical representation of wavelet stage 0 hi data;

Figure 29 is a graphical representation of stage 0 noise profile;

10 Figure 30 is a graphical representation of generating stage noise standard deviations;

Figure 31 is a graphical representation of applying a threshold to data stages;

Figure 32 is a graphical representation of a sparse data set;

15 Figure 33 is a formula for signal shifting;

Figure 34 is a graphical representation of a wavelet transformation of a denoised and shifted signal;

Figure 35 is a graphical representation of a denoised and shifted signal;

Figure 36 is a graphical representation of removing peak sections;

20 Figure 37 is a graphical representation of generating a peak free signal ;

Figure 38 is a block diagram of a method of generating a baseline correction;

Figure 39 is a graphical representation of a baseline and signal;

Figure 40 is a graphical representation of a signal with baseline removed;

25 Figure 41 is a table showing compressed data;

Figure 42 is a flowchart of method for compressing data;

Figure 43 is a graphical representation of mass shifting;

Figure 44 is a graphical representation of determining peak width;

Figure 45 is a graphical representation of removing peaks;

30 Figure 46 is a graphical representation of a signal with peaks removed;

Figure 47 is a graphical representation of a residual baseline;

Figure 48 is a graphical representation of a signal with residual baseline removed;

Figure 49 is a graphical representation of determining peak height;

Figure 50 is a graphical representation of determining signal-to-noise for
5 each peak;

Figure 51 is a graphical representation of determining a residual error for each peak;

Figure 52 is a graphical representation of peak probabilities;

Figure 53 is a graphical representation of applying an allelic ratio to peak
10 probability;

Figure 54 is a graphical representation of determining peak probability

Figure 55 is a graphical representation of calling a genotype;

Figure 56 is a flowchart showing a statistical procedure for calling a
genotype;

15 Figure 57 is a flowchart showing processing performed by the computing device of Figure 1 when performing standardless genotyping; and

Figure 58 is graphical representation of applying an allelic ratio to peak probability for standardless genotype processing.

DETAILED DESCRIPTION

20 Definitions

Unless defined otherwise, all technical and scientific terms used herein have the same meaning as is commonly understood by one of ordinary skill in the art to which this invention belongs. All patents, applications, published applications and other publications and sequences from GenBank and other
25 databases referred to herein throughout the disclosure are incorporated by reference in their entirety.

As used herein, a biopolymer includes, but is not limited to, nucleic acid, proteins, polysaccharides, lipids and other macromolecules. Nucleic acids include DNA, RNA, and fragments thereof. Nucleic acids may be derived from
30 genomic DNA, RNA, mitochondrial nucleic acid, chloroplast nucleic acid and other organelles with separate genetic material.

As used herein, morbidity refers to conditions, such as diseases or disorders, that compromise the health and well-being of an organism, such as an animal. Morbidity susceptibility or morbidity-associated genes are genes that, when altered, for example, by a variation in nucleotide sequence, facilitate the expression of a specific disease clinical phenotype. Thus, morbidity susceptibility genes have the potential, upon alteration, of increasing the likelihood or general risk that an organism will develop a specific disease.

As used herein, mortality refers to the statistical likelihood that an organism, particularly an animal, will not survive a full predicted lifespan. Hence, a trait or a marker, such as a polymorphism, associated with increased mortality is observed at a lower frequency in older than younger segments of a population.

As used herein, a polymorphism, e.g. genetic variation, refers to a variation in the sequence of a gene in the genome amongst a population, such as allelic variations and other variations that arise or are observed. Thus, a polymorphism refers to the occurrence of two or more genetically determined alternative sequences or alleles in a population. These differences can occur in coding and non-coding portions of the genome, and can be manifested or detected as differences in nucleic acid sequences, gene expression, including, for example transcription, processing, translation, transport, protein processing, trafficking, DNA synthesis, expressed proteins, other gene products or products of biochemical pathways or in post-translational modifications and any other differences manifested amongst members of a population. A single nucleotide polymorphism (SNP) refers to a polymorphism that arises as the result of a single base change, such as an insertion, deletion or change in a base.

A polymorphic marker or site is the locus at which divergence occurs. Such site may be as small as one base pair (an SNP). Polymorphic markers include, but are not limited to, restriction fragment length polymorphisms, variable number of tandem repeats (VNTR's), hypervariable regions, minisatellites, dinucleotide repeats, trinucleotide repeats, tetranucleotide repeats and other repeating patterns, simple sequence repeats and insertional elements, such as Alu. Polymorphic forms also are manifested as different mendelian

alleles for a gene. Polymorphisms may be observed by differences in proteins, protein modifications, RNA expression modification, DNA and RNA methylation, regulatory factors that alter gene expression and DNA replication, and any other manifestation of alterations in genomic nucleic acid or organelle nucleic acids.

5 As used herein, a healthy population, refers to a population of organisms, including but are not limited to, animals, bacteria, viruses, parasites, plants, eubacteria, and others, that are disease free. The concept of disease-free is a function of the selected organism. For example, for mammals it refers to a subject not manifesting any disease state. Practically a healthy subject, when
10 human, is defined as human donor who passes blood bank criteria to donate blood for eventual use in the general population. These criteria are as follows: free of detectable viral, bacterial, mycoplasma, and parasitic infections; not anemic; and then further selected based upon a questionnaire regarding history (see Figure 3). Thus, a healthy population represents an unbiased population of
15 sufficient health to donate blood according to blood bank criteria, and not further selected for any disease state. Typically such individuals are not taking any medications. For plants, for example, it is a plant population that does not manifest diseases pathology associated with plants. For bacteria it is a bacterial population replicating without environmental stress, such as selective agents,
20 heat and other pathogens.

 As used herein, a healthy database (or healthy patient database) refers to a database of profiles of subjects that have not been pre-selected for any particular disease. Hence, the subjects that serve as the source of data for the database are selected, according to predetermined criteria, to be healthy. In
25 contrast to other such databases that have been pre-selected for subjects with a particular disease or other characteristic, the subjects for the database provided herein are not so-selected. Also, if the subjects do manifest a disease or other condition, any polymorphism discovered or characterized should be related to an independent disease or condition. In a preferred embodiment, where the
30 subjects are human, a healthy subject manifests no disease symptoms and meets criteria, such as those set by blood banks for blood donors.

Thus, the subjects for the database are a population of any organism, including, but are not limited to, animals, plants, bacteria, viruses, parasites and any other organism or entity that has nucleic acid. Among preferred subjects are mammals, preferably, although not necessarily, humans. Such a database can
5 capture the diversity of the a population, thus providing for discovery of rare polymorphisms.

As used herein, a profile refers to information relating to, but not limited to and not necessarily including all of, age, sex, ethnicity, disease history, family history, phenotypic characteristics, such as height and weight and other relevant
10 parameters. A sample collect information form is shown in Figure 22, which illustrates profile intent.

As used herein, a disease state is a condition or abnormality or disorder that may be inherited or result from environmental stresses, such as toxins, bacterial, fungal and viral infections.

15 As used herein, set of non-selected subjects means that the subjects have not been pre-selected to share a common disease or other characteristic. They can be selected to be healthy as defined herein.

As used herein, a phenotype refers to a set of parameters that includes any distinguishable trait of an organism. A phenotype can be physical traits and
20 can be, in instances in which the subject is an animal, a mental trait, such as emotional traits. Some phenotypes can be determined by observation elicited by questionnaires (see, *e.g.*, Figures 3 and 22) or by referring to prior medical and other records. For purposes herein, a phenotype is a parameter around which the database can be sorted.

25 As used herein, a parameter is any input data that will serve as a basis for sorting the database. These parameters will include phenotypic traits, medical histories, family histories and any other such information elicited from a subject or observed about the subject. A parameter may describe the subject, some historical or current environmental or social influence experienced by the
30 subject, or a condition or nvironmental influence on someone related to th subject. Paramaters include, but are not limited to, any of those described herein, and known to those of skill in the art.

As used herein, haplotype refers to two or more polymorphisms located on a single DNA strand. Hence, haplotyping refers to identification of two or more polymorphisms on a single DNA strand. Haplotypes can be indicative of a phenotype. For some disorders a single polymorphism may suffice to indicate a trait; for others a plurality (i.e., a haplotype) may be needed. Haplotyping can be performed by isolating nucleic acid and separating the strands. In addition, when using enzymes such as certain nucleases, that produce, different size fragments from each strand, strand separation is not needed for haplotyping.

As used herein, pattern with reference to a mass spectrum or mass spectrometric analyses, refers to a characteristic distribution and number of signals (such peaks or digital representations thereof).

As used herein, signal in the context of a mass spectrum and analysis thereof refers to the output data, which the number or relative number of molecules having a particular mass. Signals include "peaks" and digital representations thereof.

As used herein, adaptor, when used with reference to haplotyping using Fen ligase, refers to a nucleic acid that specifically hybridizes to a polymorphism of interest. An adaptor can be partially double-stranded. An adaptor complex is formed when an adaptor hybridizes to its target.

As used herein, a target nucleic acid refers to any nucleic acid of interest in a sample. It can contain one or more nucleotides.

As used herein, standardless analysis refers to a determination based upon an internal standard. For example, the frequency of a polymorphism can be determined herein by comparing signals within a single mass spectrum.

As used herein, amplifying refers to means for increasing the amount of a bipolymer, especially nucleic acids. Based on the 5' and 3' primers that are chosen, amplification also serves to restrict and define the region of the genome which is subject to analysis. Amplification can be done by any means known to those skilled in the art, including use of the polymerase chain reaction (PCR) etc. Amplification, .g., PCR must be done quantitatively when the frequency of polymorphism is required to be determined.

As used herein, cleaving refers to non-specific and specific fragmentation of a biopolymer.

As used herein, multiplexing refers to the simultaneous detection of more than one polymorphism. Methods for performing multiplexed reactions, particularly in conjunction with mass spectrometry are known (see, *e.g.*, U.S. Patent Nos. 6,043,031, 5,547,835 and International PCT application No. WO 97/37041).

As used herein, reference to mass spectrometry encompasses any suitable mass spectrometric format known to those of skill in the art. Such formats include, but are not limited to, Matrix-Assisted Laser Desorption/Ionization, Time-of-Flight (MALDI-TOF), Electrospray (ES), IR-MALDI (see, *e.g.*, published International PCT application No.99/57318 and U.S. Patent No. 5,118,937), Ion Cyclotron Resonance (ICR), Fourier Transform and combinations thereof. MALDI, particular UV and IR, are among the preferred formats.

As used herein, mass spectrum refers to the presentation of data obtained from analyzing a biopolymer or fragment thereof by mass spectrometry either graphically or encoded numerically.

As used herein, a blood component is a component that is separated from blood and includes, but is not limited to red blood cells and platelets, blood clotting factors, plasma, enzymes, plasminogen, immunoglobulins. A cellular blood component is a component of blood, such as a red blood cell, that is a cell. A blood protein is a protein that is normally found in blood. Examples of such proteins are blood factors VII and VIII. Such proteins and components are well-known to those of skill in the art.

As used herein, plasma can be prepared by any method known to those of skill in the art. For example, it can be prepared by centrifuging blood at a force that pellets the red cells and forms an interface between the red cells and the buffy coat, which contains leukocytes, above which is the plasma. For example, typical platelet concentrates contain at least about 10% plasma.

Blood may be separated into its components, including, but not limited to, plasma, platelets and red blood cells by any method known to those of skill in the art. For example, blood can be centrifuged for a sufficient time and at a

sufficient acceleration to form a pellet containing the red blood cells. Leukocytes collect primarily at the interface of the pellet and supernatant in the buffy coat region. The supernatant, which contains plasma, platelets, and other blood components, may then be removed and centrifuged at a higher acceleration,

5 whereby the platelets pellet.

As used herein, p53 is a cell cycle control protein that assesses DNA damage and acts as a transcription factor regulation gene which control cell growth, DNA repair and apoptosis. The p53 mutations have been found in a wide variety of different cancers, including all of the different types of leukemia,
10 with varying frequency. The loss of normal p53 functions results in genomic instability and uncontrolled growth of the host cell.

As used herein, p21 is a cyclin-dependent kinase inhibitor, associated with G1 phase arrest of normal cells. Expression triggers apoptosis or programmed cell death and has been associated with Wilms' tumor, a pediatric
15 kidney cancer.

As used herein, Factor VII is a serine protease involved the extrinsic blood coagulation cascade. This factor is activated by thrombin and works with tissue factor (Factor III) in the processing of Factor X to Factor Xa. Evidence has supported an association between polymorphisms in the gene and increase
20 Factor VII activity which can result in an elevated risk of ischemic cardiovascular disease including myocardial infarction.

As used herein, a relational database stores information in a form representative of matrices, such as two-dimensional tables, including rows and columns of data, or higher dimensional matrices. For example, in one
25 embodiment, the relational database has separate tables each with a parameter. The tables are linked with a record number, which also acts as an index. The database can be searched or sorted by using data in the tables and is stored in any suitable storage medium, such as floppy disk, CD rom disk, hard drive or other suitable medium.

30 As used herein, a bar codes refers any array of optically readable marks of any desired size and shape that are arranged in a reference context or frame of, preferably, although not necessarily, one or more columns and on or more

rows. For purposes herein, the bar code refers to any symbology, not necessary "bar" but may include dots, characters or any symbol or symbols.

As used herein, symbology refers to an identifier code or symbol, such as a bar code, that is linked to a sample. The index will reference each such
5 symbology. The symbology is any code known or designed by the user. The symbols are associated with information stored in the database. For example, each sample can be uniquely identified with an encoded symbology. The parameters, such as the answers to the questions and subsequent genotypic and other information obtained upon analysis of the samples is included in the
10 database and associated with the symbology. The database is stored on any suitable recording medium, such as a hard drive, a floppy disk, a tape, a CD ROM, a DVD disk and any other suitable medium.

DATABASES

Human genotyping is currently dependent on collaborations with
15 hospitals, tissues banks and research institutions that provide samples of disease tissue. This approach is based on the concept that the onset and/or progression of diseases can be correlated with the presence of a polymorphisms or other genetic markers. This approach does not consider that disease correlated with the presence of specific markers and the absence of specific markers. It is
20 shown herein that identification and scoring of the appearance and disappearance of markers is possible only if these markers are measured in the background of healthy subjects where the onset of disease does not mask the change in polymorphism occurrence. Databases of information from disease populations suffer from small sample size, selection bias and heterogeneity. The
25 databases provided herein from healthy populations solve these problems by permitting large sample bands, simple selection methods and diluted heterogeneity.

Provided herein are first databases of parameters, associated with non-selected, particularly healthy, subjects. Also provided are combinations of the
30 databases with indexed samples obtained from each of the subjects. Further provided are databases produced from the first databases. These contain in addition to the original parameters information, such as genotypic information,

including, but are not limited to, genomic sequence information, derived from the samples.

The databases, which are herein designated healthy databases, are so-designated because they are not obtained from subjects pre-selected for a particular disease. Hence, although individual members may have a disease, the collection of individuals is not selected to have a particular disease.

The subjects from whom the parameters are obtained comprise either a set of subjects who are randomly selected across, preferably, all populations, or are pre-selected to be disease-free or healthy. As a result, the database is not selected to be representative of any pre-selected phenotype, genotype, disease or other characteristic. Typically the number of subjects from which the database is prepared is selected to produce statistically significant results when used in the methods provided herein. Preferably, the number of subjects will be greater than 100, more preferably greater than 200, yet more preferably greater than 1000. The precise number can be empirically determined based upon the frequency of the parameter(s) that be used to sort the database. Generally the population can have at least 50, at least 100, at least 200, at least 500, at least 1000, at least 5000 or at least 10,000 or more subjects.

Upon identification of a collection of subjects, information about each subject is recorded and associated with each subject as a database. The information associated with each of the subjects, includes, but is not limited to, information related to historical characteristics of the subjects, phenotypic characteristics and also genotypic characteristics, medical characteristics and any other traits and characteristics about the subject that can be determined. This information will serve as the basis for sorting the database.

In an exemplary embodiment, the subjects are mammals, such as humans, and the information relates to one or more of parameters, such as age, sex, medical history, ethnicity and any other factor. Such information, when the animals are humans, for example, can be obtained by a questionnaire, and by observations about the individual, such as hair color, eye color and other characteristics. Genotypic information will be obtained from tissue or other body and body fluid samples from the subject.

The healthy genomic database can include profiles and polymorphisms from healthy individuals from a library of blood samples where each sample in the library is an individual and separate blood or other tissue sample. Each sample in the database is profiled as to the sex, age, ethnic group, and disease history of the donor.

The databases are generated by first identifying healthy populations of subjects and obtaining information about each subject that will serve as the sorting parameters for the database. This information is preferably entered into a storage medium, such as the memory of a computer.

The information obtained about each subject in a population used for generating the database is stored in a computer memory or other suitable storage medium. The information is linked to an identifier associated with each subject. Hence the database will identify a subject, for example by a datapoint representative of a bar code, and then all information, such as the information from a questionnaire, regarding the individual is associated with the datapoint. As the information is collected the database is generated.

Thus, for example, profile information, such as subject histories obtained from questionnaires, is collected in the database. The resulting database can be sorted as desired, using standard software, such as by age, sex and/or ethnicity.

An exemplary questionnaire for subjects from whom samples are to be obtained is shown in Figures 22A-D. Each questionnaire preferably is identified by a bar code, particularly a machine readable bar code for entry into the database. After a subject provides data and is deemed to be healthy (*i.e.*, meets standards for blood donation), the data in the questionnaire is entered into the database and is associated with the bar code. A tissue, cell or blood sample is obtained from the subject.

Figure 4 exemplifies processing and tracking of blood sample components. Each component is tracked with a bar code, dated, is entered into the database and associated with the subject and the profile of the subject.

Typically, the whole blood is centrifuged to produce plasma, red blood cells (which pellet) and leukocytes found in the buffy coat which layers in between.

Various samples are obtained and coded with a bar code and stored for use as needed.

Samples are collected from the subjects. The samples include, but are not limited to, tissues, cells, and fluids, such as nucleic acid, blood, plasma,
5 amniotic fluid, synovial fluid, urine, saliva, aqueous humor, sweat, sperm samples and cerebral spinal fluid. It is understood that the particular set of samples depends upon the organisms in the population.

Once samples are obtained the collection can be stored and, in preferred embodiments, each sample is indexed with an identifier, particularly a machine
10 readable code, such as a bar code. For analyses, the samples or components of the samples, particularly biopolymers and small molecules, such as nucleic acids and/or proteins and metabolites, are isolated.

After samples are analyzed, this information is entered into the database in the memory of the storage medium and associated with each subject. This
15 information includes, but is not limited to, genotypic information. Particularly, nucleic acid sequence information and other information indicative of polymorphisms, such as masses of PCR fragments, peptide fragment sequences or masses, spectra of biopolymers and small molecules and other indicia of the structure or function of a gene, gene product or other marker from which the
20 existence of a polymorphism within the population can be inferred.

In an exemplary embodiment, a database can be derived from a collection of blood samples. For example, Figure 1 (see, also Figure 10) shows the status of a collection of over 5000 individual samples. The samples were processed in the laboratory following SOP (standard operating procedure) guidelines. Any
25 standard blood processing protocol may be used.

For the exemplary database described herein, the following criteria were used to select subjects:

No testing is done for infectious agents.

Age: At least 17 years old

30 Weight: Minimum of 110 pounds

Permanently Disqualified:

History of hepatitis (after age 11)

Leukemia Lymphoma

Human immunodeficiency virus (HIV), AIDS

Chronic kidney disease

Temporarily Disqualified:

- 5 Pregnancy - until six weeks after delivery, miscarriage or abortion
Major surgery or transfusions - for one year
Mononucleosis - until complete recovery
Prior whole blood donation - for eight weeks
Antibiotics by injection for one week; by mouth, for forty-eight hours,
10 except antibiotics for skin complexion;

5 year Deferment:

Internal cancer and skin cancer if it has been removed, is healed and
there is no recurrence

- These correspond to blood bank criteria for donating blood and represent a
15 healthy population as defined herein for a human healthy database.

Structure of the database

- Any suitable database structure and format known to those of skill in the
art may be employed. For example, a relational database is a preferred format in
which data is stored as matrices or tables of the parameters linked by an indexer
20 that identifies each subject. Software for preparing and manipulating, including
sorting the database, can be readily developed or adapted from commercially
available software, such as Microsoft Access.

Quality control

- Quality control procedures can be implemented. For example, after
25 collection of samples, the quality of the collection in the bank can be assessed.
For example, mix-up of samples can be checked by testing for known markers,
such as sex. After samples are separated by ethnicity, samples are randomly
tested for a marker associated with a particular ethnicity, such as HLA DQA1
group specific component, to assess whether the samples have been properly
30 sorted by ethnic group. An exemplary sample bank is depicted in Figure 4.

Obtaining genotypic data and other parameters for the database

After informational and historical parameters are entered into the database, material from samples obtained from each subject, is analyzed. Analyzed material include proteins, metabolites, nucleic acids, lipids and any
5 other desired constituent of the material. For example, nucleic acids, such as genomic DNA, can be analyzed by sequencing.

Sequencing can be performed using any method known to those of skill in the art. For example, if a polymorphism is identified or known, and it is desired to assess its frequency or presence among the subjects in the database, the
10 region of interest from each sample can be isolated, such as by PCR or restriction fragments, hybridization or other suitable method known to those of skill in the art and sequenced. For purposes herein, sequencing analysis is preferably effected using mass spectrometry (see, *e.g.*, U.S. Patent Nos. 5,547,835, 5,622,824, 5,851,765, and 5,928,906). Nucleic acids can also be
15 sequence by hybridization (see, *e.g.*, U.S. Patent Nos. 5,503,980, 5,631,134, 5,795,714) and including analysis by mass spectrometry (see, U.S. application Serial Nos. 08/419,994 and 09/395,409).

In other detection methods, it is necessary to first amplify prior to identifying the allelic variant. Amplification can be performed, *e.g.*, by PCR
20 and/or LCR, according to methods known in the art. In one embodiment, genomic DNA of a cell is exposed to two PCR primers and amplification for a number of cycles sufficient to produce the required amount of amplified DNA. In preferred embodiments, the primers are located between 150 and 350 base pairs apart.

Alternative amplification methods include: self sustained sequence
25 replication (Guatelli, J. C. et al., 1990, Proc. Natl. Acad. Sci. U.S.A. 87:1874-1878), transcriptional amplification system (Kwoh, D. Y. et al., 1989, Proc. Natl. Acad. Sci. U.S.A. 86:1173-1177), Q-Beta Replicase (Lizardi, P. M. et al., 1988, Bio/Technology 6:1197), or any other nucleic acid amplification
30 method, followed by the detection of the amplified molecules using techniques well known to those of skill in the art. These detection schemes are especially

useful for the detection of nucleic acid molecules if such molecules are present in very low numbers.

- Nucleic acids can also be analyzed by detection methods and protocols, particularly those that rely on mass spectrometry (see, *e.g.*, U.S. Patent No. 5,605,798, 6,043,031, allowed copending U.S. application Serial No. 08/744,481, U.S. application Serial No. 08/990,851 and International PCT application No. WO 99/31273, International PCT application No. WO 98/20019). These methods can be automated (see, *e.g.*, copending U.S. application Serial No. 09/285,481 and published International PCT application No. PCT/US00/08111, which describes an automated process line). Preferred among the methods of analysis herein are those involving the primer oligo base extension (PROBE) reaction with mass spectrometry for detection (described herein and elsewhere, see *e.g.*, U.S. Patent No. 6,043,031; see, also U.S. application Serial Nos. 09/287,681, 09/287,682, 09/287,141 and 09/287,679, allowed copending U.S. application Serial No. 08/744,481, International PCT application No. PCT/US97/20444, published as International PCT application No. WO 98/20019, and based upon U.S. application Serial Nos. 08/744,481, 08/744,590, 08/746,036, 08/746,055, 08/786,988, 08/787,639, 08/933,792, 08/746,055, 08/786,988 and 08/787,639; see, also U.S. application Serial No. 09/074,936, U.S. Patent No. 6,024,925, and U.S. application Serial Nos. 08/746,055 and 08/786,988, and published International PCT application No. WO 98/20020)

- A preferred format for performing the analyses is a chip based format in which the biopolymer is linked to a solid support, such as a silicon or silicon-coated substrate, preferably in the form of an array. More preferably, when analyses are performed using mass spectrometry, particularly MALDI, small nanoliter volumes of sample are loaded on, such that the resulting spot is about, or smaller than, the size of the laser spot. It has been found that when this is achieved, the results from the mass spectrometric analysis are quantitative. The area under the signals in the resulting mass spectra are proportional to concentration (when normalized and corrected for background). Methods for preparing and using such chips are described in U.S. Patent No. 6,024,925, co-

pending U.S. application Serial Nos. 08/786,988, 09/364,774, 09/371,150 and 09/297,575; see, also U.S. application Serial No. PCT/US97/20195, which published as WO 98/20020. Chips and kits for performing these analyses are commercially available from SEQUENOM under the trademark MassARRAY.

- 5 MassArray relies on the fidelity of the enzymatic primer extension reactions combined with the miniaturized array and MALDI-TOF (Matrix-Assisted Laser Desorption Ionization-Time of Flight) mass spectrometry to deliver results rapidly. It accurately distinguishes single base changes in the size of DNA fragments associated with genetic variants without tags.

- 10 The methods provided herein permit quantitative determination of alleles. The areas under the signals in the mass spectra can be used for quantitative determinations. The frequency is determined from the ratio of the signal to the total area of all of the spectrum and corrected for background. This is possible because of the PROBE technology as described in the above applications
- 15 incorporated by reference herein.

- Additional methods of analyzing nucleic acids include amplification- based methods including polymerase chain reaction (PCR), ligase chain reaction (LCR), mini-PCR, rolling circle amplification, autocatalytic methods, such as those using *Q β* replicase, TAS, 3SR, and any other suitable method known to those of skill
- 20 in the art.

Other methods for analysis and identification and detection of polymorphisms, include but are not limited to, allele specific probes, Southern analyses, and other such analyses.

- The methods described below provide ways to fragment given amplified
- 25 or non-amplified nucleotide sequences thereby producing a set of mass signals when mass spectrometry is used to analyze the fragment mixtures.

- Amplified fragments are yielded by standard polymerase chain methods (US 4,683,195 and 4,683,202). The fragmentation method involves the use of enzymes that cleave single or double strands of DNA and enzymes that ligate
- 30 DNA. The cleavage enzymes can be glycosylases, nickases, and site-specific and non site-specific nucleases with the most preferred enzymes being glycosylases, nickases, and site-specific nucleases.

Glycosylase Fragmentation Method

DNA glycosylases specifically remove a certain type of nucleobase from a given DNA fragment. These enzymes can thereby produce abasic sites, which can be recognized either by another cleavage enzyme, cleaving the exposed
5 phosphate backbone specifically at the abasic site and producing a set of nucleobase specific fragments indicative of the sequence, or by chemical means, such as alkaline solutions and or heat. The use of one combination of a DNA glycosylase and its targeted nucleotide would be sufficient to generate a base specific signature pattern of any given target region.

- 10 Numerous DNA glycosylases are known. For example, a DNA glycosylase can be uracil-DNA glycosylase (UDG), 3-methyladenine DNA glycosylase, 3-methyladenine DNA glycosylase II, pyrimidine hydrate-DNA glycosylase, FaPy-DNA glycosylase, thymine mismatch-DNA glycosylase, hypoxanthine-DNA glycosylase, 5-Hydroxymethyluracil DNA glycosylase (HmUDG), 5-
15 Hydroxymethylcytosine DNA glycosylase, or 1,N6-ethenoadenine DNA glycosylase (see, *e.g.*, U.S. Patent Nos. 5,536,649, 5,888, 795, 5,952,176 and 6,099,553, International PCT application Nos. WO 97/03210, WO 99/54501; see, also, Eftedal et al. (1993) Nucleic Acids Res 21:2095-2101, Bjelland and Seeberg (1987) Nucleic Acids Res. 15:2787-2801, Saparbaev et al.
20 (1995) Nucleic Acids Res. 23:3750-3755, Bessho (1999) Nucleic Acids Res. 27:979-983) corresponding to the enzyme's modified nucleotide or nucleotide analog target. A preferred glycosylase is uracil-DNA glycosylase (UDG).

- Uracil, for example, can be incorporated into an amplified DNA molecule by amplifying the DNA in the presence of normal DNA precursor nucleotides
25 (e.g. dCTP, dATP, and dGTP) and dUTP. When the amplified product is treated with UDG, uracil residues are cleaved. Subsequent chemical treatment of the products from the UDG reaction results in the cleavage of the phosphate backbone and the generation of nucleobase specific fragments. Moreover, the separation of the complementary strands of the amplified product prior to
30 glycosylase treatment allows complementary patterns of fragmentation to be generated. Thus, the use of dUTP and Uracil DNA glycosylase allows the generation of T specific fragments for the complementary strands, thus providing

information on the T as well as the A positions within a given sequence. Similar to this, a C-specific reaction on both (complementary) strands (i.e. with a C-specific glycosylase) yields information on C as well as G positions within a given sequence if the fragmentation patterns of both amplification strands are
 5 analyzed separately. Thus, with the glycosylase method and mass spectrometry, a full series of A, C, G and T specific fragmentation patterns can be analyzed.

Nickase Fragmentation Method

A DNA nickase, or DNase, can be used recognize and cleave one strand
 10 of a DNA duplex. Numerous nickases are known. Among these, for example, are nickase NY2A nickase and NYS1 nickase (Megabase) with the following cleavage sites:

NY2A: 5'...R AG...3'

3'...Y TC...5' where R = A or G and Y = C or T

15 NYS1: 5'... CC[A/G/T]...3'

3'... GG[T/C/A]...5'.

Fen-Ligase Fragmentation Method

The Fen-ligase method involves two enzymes: Fen-1 enzyme and a ligase. The Fen-1 enzyme is a site-specific nuclease known as a "flap" endonuclease
 20 (US 5,843,669, 5,874,283, and 6,090,606). This enzymes recognizes and cleaves DNA "flaps" created by the overlap of two oligonucleotides hybridized to a target DNA strand. This cleavage is highly specific and can recognize single base pair mutations, permitting detection of a single homologue from an individual heterozygous at one SNP of interest and then genotyping that
 25 homologue at other SNPs occurring within the fragment. Fen-1 enzymes can be Fen-1 like nucleases e.g. human, murine, and *Xenopus* XPG enzymes and yeast RAD2 nucleases or Fen-1 endonucleases from, for example, *M. jannaschii*, *P. furiosus*, and *P. woesei*. Among preferred enzymes are the Fen-1 enzymes.

The ligase enzyme forms a phosphodiester bond between two double
 30 stranded nucleic acid fragments. The ligase can be DNA Ligase I or DNA Ligase III (see, e.g., U.S. Patent Nos. US 5,506,137, 5,700,672, 5,858,705 and 5,976,806; see, also, Waga, *et al.* (1994) J. Biol. Chem. 269:10923-10934, Li

et al. (1994) *Nucleic Acids Res.* 22:632-638, Arrand et al. (1986) *J. Biol. Chem.* 261:9079-9082, Lehman (1974) *Science* 186:790-797, Higgins and Cozzarelli (1979) *Methods Enzymol.* 68:50-71, Lasko et al. (1990) *Mutation Res.* 236:277-287, and Lindahl and Barnes (1992) *Ann. Rev. Biochem.* 61:251-281).

- 5 Thermostable ligase (Epicenter Technologies), where "thermostable" denotes that the ligase retains activity even after exposure to temperatures necessary to separate two strands of DNA, are among preferred ligases for use herein.

Type IIS Enzyme Fragmentation Method

- 10 Restriction enzymes bind specifically to and cleave double-stranded DNA at specific sites within or adjacent to a particular recognition sequence. These enzymes have been classified into three groups (e.g. Types I, II, and III) as known to those of skill in the art. Because of the properties of type I and type III enzymes, they have not been widely used in molecular biological applications.
- 15 Thus, for this invention type II enzymes are preferred. Of the thousands of restriction enzymes known in the arts, there are 179 different type II specificities. Of the 179 unique type II restriction endonucleases, 31 have a 4-base recognition sequence, 11 have a 5-base recognition sequence, 127 have a 6-base recognition sequence, and 10 have recognition sequences of greater than
- 20 six bases (US 5,604,098). Of category type II enzymes, type IIS is preferred.

 Type IIS enzymes can be *Alw* XI, *Bbv* I, *Bce* 83, *Bpm* I, *Bsg* I, *Bsm* AI, *Bsm* FI, *Bsa* I, *Bcc* I, *Bcg* I, *Ear* I, *Eco* 57I, *Esp* 3I, *Fau* I, *Fok* I, *Gsu* I, *Hga* I, *Mme* I, *Mbo* II, *Sap* I, and the like. The preferred type IIS enzyme is *Fok* I.

- The *Fok* I enzyme endonuclease is an exemplary well characterized
- 25 member of the Type IIS class (see, e.g., U.S. Patent Nos. 5,714,330, 5,604,098, 5,436,150, 6,054,276 and 5,871,911; see, also, Szybalski et al. (1991) *Gene* 100:13-26, Wilson and Murray (1991) *Ann. Rev. Genet.* 25:585-627, Sugisaki et al. (1981) *Gene* 16:73-78, Podhajska and Szalski (1985) *Gene* 40:175-182. *Fok* I recognizes the sequence 5'GGATG-3' and cleaves DNA
- 30 accordingly. Type IIS restriction sites can be introduced into DNA targets by incorporating the site into primers used to amplify such targets. Fragments produced by digestion with *Fok* I are site specific and can be analyzed by mass

spectrometry methods such as MALDI-TOF mass spectrometry, ESI-TOF mass spectrometry, and any other type of mass spectrometry well known to those of skill in the art.

Once a polymorphism has been found to correlate with a parameter
5 such as age. The possibility of false results due to allelic dropout is examined by doing comparative PCR in an adjacent region of the genome.

Analyses

In using the database, allelic frequencies can be determined across the population by analyzing each sample in the population individually, determining
10 the presence or absence of allele or marker of interest in each individual sample, and then determining the frequency of the marker in the population. The database can then be sorted (stratified) to identify any correlations between the allele and a selected parameter using standard statistical analysis. If a correlation is observed, such as a decrease in a particular marker with age or
15 correlation with sex or other parameter, then the marker is a candidate for further study, such as genetic mapping to identify a gene or pathway in which it is involved. The marker may then be correlated, for example, with a disease. Haplotyping can also be carried out. Genetic mapping can be effected using standard methods and may also require use of databases of others, such as
20 databases previously determined to be associated with a disorder.

Exemplary analyses have been performed and these are shown in the figures, and discussed herein.

Sample pooling

It has been found that using the databases provided herein, or any other
25 database of such information, substantially the same frequencies that were obtained by examining each sample separately can be obtained by pooling samples, such as in batches of 10, 20, 50, 100, 200, 500, 1000 or any other number. A precise number may be determined empirically if necessary, and can be as low as 3.

In one embodiment, the frequency of genotypic and other markers can be obtained by pooling samples. To do this a target population and a genetic variation to be assessed is selected, a plurality of samples of biopolymers are obtained from members of the population, and the biopolymer from which the
5 marker or genotype can be inferred is determined or detected. A comparison of samples tested in pools and individually and the sorted results therefrom are shown in Figure 9, which shows frequency of the factor VII Allele 353Q. Figure 10 depicts the frequency of the CETP Allele CETP in pooled versus individual samples. Figure 15 shows ethnic diversity among various ethnic groups in the
10 database using pooled DNA samples to obtain the data. Figures 12-14 show mass spectra for these samples.

Pooling of test samples has application not only to the healthy databases provided herein, but also to use in gathering data for entry into any database of subjects and genotypic information, including typical databases derived from
15 diseased populations. What is demonstrated herein, is the finding that the results achieved are statistically the same as the results that would be achieved if each sample is analyzed separately. Analysis of pooled samples by a method, such as the mass spectrometric methods provided herein, permits resolution of such data and quantitation of the results.

20 For factor VII the R53Q acid polymorphism was assessed. In Figure 9, the "individual" data represent allelic frequency observed in 92 individuals reactions. The pooled data represent the allelic frequency of the same 92 individuals pooled into a single probe reaction. The concentration of DNA in the samples of individual donors is 250 nanograms. The total concentration of DNA
25 in the pooled samples is also 250 nanograms, where the concentration of any individual DNA is 2.7 nanograms.

It also was shown that it is possible to reduce the DNA concentration of individuals in a pooled samples from 2.7 nanograms to 0.27 nanograms without any change in the quality of the spectrum or the ability to quantitate the amount
30 of sample detected. Hence low concentrations of sample may be used in the pooling methods.

Use of the databases and markers identified thereby

The successful use of genomics requires a scientific hypothesis (*i.e.*, common genetic variation, such as a SNP), a study design (*i.e.*, complex disorders), samples and technology, such as the chip-based mass spectrometric analyses (see, *e.g.*, U.S. Patent No. 5,605,798, U.S. Patent No. 5,777,324, U.S. Patent No. 6,043,031, allowed copending U.S. application Serial No. 08/744,481, U.S. application Serial No. 08/990,851, International PCT application No. WO 98/20019, copending U.S. application Serial No. 09/285,481, which describes an automated process line for analyses; see, also, U.S. application Serial Nos. 08/617,256, 09/287,681, 09/287,682, 09/287,141 and 09/287,679, allowed copending U.S. application Serial No. 08/744,481, International PCT application No. PCT/US97/20444, published as International PCT application No. WO 98/20019, and based upon U.S. application Serial Nos. 08/744,481, 08/744,590, 08/746,036, 08/746,055, 08/786,988, 08/787,639, 08/933,792, 08/746,055, 09/266,409, 08/786,988 and 08/787,639; see, also U.S. application Serial No. 09/074,936). All of these aspects can be used in conjunction with the databases provided herein and samples in the collection.

The databases and markers identified thereby can be used, for example, for identification of previously unidentified or unknown genetic markers and to identify new uses for known markers. As markers are identified, these may be entered into the database to use as sorting parameters from which additional correlations may be determined.

Previously unidentified or unknown genetic markers

The samples in the healthy databases can be used to identify new polymorphisms and genetic markers, using any mapping, sequencing, amplification and other methodologies, and in looking for polymorphisms among the population in the database. The thus-identified polymorphism can then be entered into the database for each sample, and the database sorted (stratified) using that polymorphism as a sorting parameter to identify any patterns and correlations that emerge, such as age correlated changes in the frequency of the identified marker. If a correlation is identified, the locus of the marker can be mapped and its function or effect assessed or deduced.

Thus, the databases here provide means for:

identification of significantly different allelic frequencies of genetic factors by comparing the occurrence or disappearance of the markers with increasing age in population and then associating the markers with a disease or a

5 biochemical pathway;

identification of significantly different allelic frequencies of disease causing genetic factors by comparing the male with the female population or comparing other selected stratified populations and associating the markers with a disease or a biochemical pathway;

10 identification of significantly different allelic frequencies of disease causing genetic factors by comparing different ethnic groups and associating the markers with a disease or a biochemical pathway that is known to occur in high frequency in the ethnic group;

profiling potentially functional variants of genes through the general
15 panmixed population stratified according to age, sex, and ethnic origin and thereby demonstrating the contribution of the variant genes to the physical condition of the investigated population;

identification of functionally relevant gene variants by gene disequilibrium analysis performed within the general panmixed population stratified according
20 to age, sex, and ethnic origin and thereby demonstrating their contribution to the physical condition of investigated population;

identification of potentially functional variants of chromosomes or parts of chromosomes by linkage disequilibrium analysis performed within the general panmixed population stratified according to age, sex, and ethnic origin and
25 thereby demonstrating their contribution to the physical condition of investigated population.

Uses of the identified markers and known markers

The databases may also be used in conjunction with known markers and sorted to identify any correlations. For example, the databases can be used for:

30 determination and evaluation of the penetrance of medically relevant polymorphic markers;

determination and evaluation of the diagnostic specificity of medically relevant genetic factors;

determination and evaluation of the positive predictive value of medically relevant genetic factors;

- 5 determination and evaluation of the onset of complex diseases, such as, but are not limited to, diabetes, hypertension, autoimmune diseases, arteriosclerosis, cancer and other diseases within the general population with respect to their causative genetic factors;

- 10 delineation of the appropriate strategies for preventive disease treatment;
delineation of appropriate timelines for primary disease intervention;
validation of medically relevant genetic factors identified in isolated populations regarding their general applicability;

- 15 validation of disease pathways including all potential target structures identified in isolated populations regarding their general applicability; and
validation of appropriate drug targets identified in isolated populations regarding their general applicability.

- 20 Among the diseases and disorders for which polymorphisms may be linked include, those linked to inborn errors of metabolism, acquired metabolic disorders, intermediary metabolism, oncogenesis pathways, blood clotting pathways, and DNA synthetic and repair pathways DNA repair/replication/transcription factors and activities, *e.g.*, such as genes related to oncogenesis, aging and genes involved in blood clotting and the related biochemical pathways that are related to thrombosis, embolism, stroke, myocardial infarction, angiogenesis and oncogenesis.

- 25 For example, a number of diseases are caused by or involve deficient or defective enzymes in intermediary metabolism (see, *e.g.*, Tables 1 and 2, below) that result, upon ingestion of the enzyme substrates, in accumulation of harmful metabolites that damage organs and tissues, particularly an infant's developing brain and other organs, resulting in mental retardation and other developmental
30 disorders.

Identification of markers and genes for such disorders is of great interest.

Model systems

Several gene systems, p21, p53 and Lipoprotein Lipase polymorphism (N291S), were selected. The p53 gene is a tumor suppressor gene that is
5 mutated in diverse tumor types. One common allelic variant occurs at codon 72. A polymorphism that has been identified in the p53 gene, i.e., the R72P allele, results in an amino acid exchange, arginine to proline, at codon 72 of the gene.

Using diseased populations, it has been shown that there are ethnic differences in the allelic distribution of these alleles among African-Americans
10 and Caucasians in the U.S. The results here support this finding and also demonstrate that the results obtained with a healthy database are meaningful (see, Figure 7B).

The 291S allele leads to reduced levels of high density lipoprotein cholesterol (HDL-C) that is associated with an increased risk of males for
15 arteriosclerosis and in particular myocardial infarction (see, Reymer *et al.* (1995) *Nature Genetics* 10:28-34).

Both genetic polymorphisms were profiled within a part of the Caucasian population-based sample bank. For the polymorphism located in the lipoprotein lipase gene a total of 1025 unselected individuals (436 males and 589 females)
20 were tested. Genomic DNA was isolated from blood samples obtained from the individuals.

As shown in the Examples and figures, an exemplary database containing about 5000 subjects, answers to the questionnaire (see Figure 3), and genotypic information has been stratified. A particular known allele has been selected, and
25 the samples tested for the marker using mass spectrometric analyses, particularly PROBE (see the EXAMPLES) to identify polymorphisms in each sample. The population in the database has been sorted according to various parameters and correlations have been observed. For example, FIGURES 2A-C, show sorting of the data by age and sex for the Lipoprotein Lipase gene in the
30 Caucasian population in the database. The results show a decrease in the frequency of the allele with age in males but no such decrease in females. Other

alleles that have been tested against the database, include, alleles of p53, p21 and factor VII. Results when sorted by age are shown in the figures.

These examples demonstrate an effect of altered frequency of disease causing genetic factors within the general population. The scientific

5 interpretation of those results allows prediction of medical relevance of polymorphic genetic alterations. In addition, conclusions can be drawn with regard to their penetrance, diagnostic specificity, positive predictive value, onset of disease, most appropriate onset of preventive strategies, and the general applicability of genetic alterations identified in isolated populations to panmixed
10 populations.

Therefore, an age- and sex-stratified population-based sample bank that is ethnically homogenous is a suitable tool for rapid identification and validation of genetic factors regarding their potential medical utility.

15 Exemplary computer system for creating, storing and processing the databases Systems

Systems, including computers, containing the databases are provided herein. The computers and databases can be used in conjunction, for example, with the APL system (see, copending U.S. application Serial No. 09/285,481),
20 which is an automated system for analyzing biopolymers, particularly nucleic acids. Results from the APL system can be entered into the database.

Any suitable computer system may be used. The computer system may be integrated into systems for sample analysis, such as the automated process line described herein (see, *e.g.*, copending U.S. application Serial No.
25 09/285,481).

Figure 17 is a block diagram of a computer constructed in to provide and process the databases described herein. The processing that maintains the database and performs the methods and procedures may be performed on multiple computers all having a similar construction, or may be performed by a
30 single, integrated computer. For example, the computer through which data is added to the database may be separate from the computer through which the database is sorted, or may be integrated with it. In either arrangement, the

computers performing the processing may have a construction as illustrated in Figure 17.

Figure 17 is a block diagram of an exemplary computer 1700 that maintains the database described above and performs the methods and
5 procedures. Each computer 1700 operates under control of a central processor unit (CPU) 1702, such as a "Pentium" microprocessor and associated integrated circuit chips, available from Intel Corporation of Santa Clara, California, USA. A computer user can input commands and data from a keyboard and display
10 mouse 1704 and can view inputs and computer output at a display 1706. The display is typically a video monitor or flat panel display device. The computer 1700 also includes a direct access storage device (DASD) 1707, such as a fixed hard disk drive. The memory 1708 typically comprises volatile semiconductor random access memory (RAM). Each computer preferably includes a program
15 product reader 1710 that accepts a program product storage device 1712, from which the program product reader can read data (and to which it can optionally write data). The program product reader can comprise, for example, a disk drive, and the program product storage device can comprise removable storage media such as a magnetic floppy disk, an optical CD-ROM disc, a CD-R disc, a CD-RW disc, or a DVD data disc. If desired, the computers can be connected so
20 they can communicate with each other, and with other connected computers, over a network 1713. Each computer 1700 can communicate with the other connected computers over the network 1713 through a network interface 1714 that enables communication over a connection 1716 between the network and the computer.

25 The computer 1700 operates under control of programming steps that are temporarily stored in the memory 1708 in accordance with conventional computer construction. When the programming steps are executed by the CPU 1702, the pertinent system components perform their respective functions. Thus, the programming steps implement the functionality of the system as
30 described above. The programming steps can be received from the DASD 1707, through the program product reader 1712, or through the network connection 1716. The storage drive 1710 can receive a program product, read

programming steps recorded thereon and transfer the programming steps into the memory 1708 for execution by the CPU 1702. As noted above, the program product storage device 1710 can comprise any one of multiple removable media having recorded computer-readable instructions, including

5 magnetic floppy disks and CD-ROM storage discs. Other suitable program product storage devices can include magnetic tape and semiconductor memory chips. In this way, the processing steps necessary for operation can be embodied on a program product.

Alternatively, the program steps can be received into the operating

10 memory 1708 over the network 1713. In the network method, the computer receives data including program steps into the memory 1708 through the network interface 1714 after network communication has been established over the network connection 1716 by well-known methods that will be understood by those skilled in the art without further explanation. The program steps are then

15 executed by the CPU 1702 to implement the processing of the Garment Database system.

It should be understood that all of the computers of the system preferably have a construction similar to that shown in Figure 17, so that details described with respect to the Figure 17 computer 1700 will be understood to apply to all

20 computers of the system 1700. This is indicated by multiple computers 1700 shown connected to the network 1713. Any one of the computers 1700 can have an alternative construction, so long as they can communicate with the other computers and support the functionality described herein.

Figure 18 is a flow diagram that illustrates the processing steps

25 performed using the computer illustrated in Figure 17, to maintain and provide access to the databases, such as for identifying polymorphic genetic markers. In particular, the information contained in the database is stored in computers having a construction similar to that illustrated in Figure 17. The first step for maintaining the database, as indicated in Figure 18, is to identify healthy

30 members of a population. As noted above, the population members are subjects that are selected only on the basis of being healthy, and where the subjects are mammals, such as humans, they are preferably selected based upon apparent

health and the absence of detectable infections. The step of identifying is represented by the flow diagram box numbered 1802.

The next step, represented by the flow diagram box numbered 1804, is to obtain identifying and historical information and data relating to the identified
5 members of the population. The information and data comprise parameters for each of the population members, such as member age, ethnicity, sex, medical history, and ultimately genotypic information. Initially, the parameter information is obtained from a questionnaire answered by each member, from whom a body tissue or body fluid sample also is obtained. The step of entering and storing
10 these parameters into the database of the computer is represented by the flow diagram box numbered 1806. As additional information about each population member and corresponding sample is obtained, this information can be inputted into the database and can serve as a sorting parameter.

In the next step, represented by the flow diagram box numbered 1808,
15 the parameters of the members are associated with an indexer. This step may be executed as part of the database storage operation, such as when a new data record is stored according to the relational database structure and is automatically linked with other records according to that structure. The step 1806 also may be executed as part of a conventional data sorting or retrieval
20 process, in which the database entries are searched according to an input search or indexing key value to determine attributes of the data. For example, such search and sort techniques may be used to follow the occurrence of known genetic markers and then determine if there is a correlation with diseases for which they have been implicated. Examples of this use are for assessing the
25 frequencies of the p53 and Lipoprotein Lipase polymorphisms.

Such searching of the database also may be valuable for identifying one or more genetic markers whose frequency changes within the population as a function of age, ethnic group, sex, or some other criteria. This can allow the identification of previously unknown polymorphisms and, ultimately,
30 identification of a gene or pathway involved in the onset and progression of disease.

In addition, the database can be used for taking an identified polymorphism and ascertaining whether it changes in frequency when the data is sorted according to a selected parameter.

In this way, the databases and methods provided herein permit, among
5 other things, identification of components, particularly key components, of a disease process by understanding its genetic underpinnings, and also an understanding of processes, such as individual drug responses. The databases and methods provided herein also can be used in methods involving elucidation of pathological pathways, in developing new diagnostic assays, identifying new
10 potential drug targets, and in identifying new drug candidates.

Morbidity and/or early mortality associated polymorphisms

A database containing information provided by a population of healthy blood donors who were not selected for any particular disease to can be used to
15 identify polymorphisms and the alleles in which they are present, whose frequency decreases with age. These may represent morbidity susceptibility markers and genes.

Polymorphisms of the genome can lead to altered gene function, protein function or genome instability. To identify those polymorphisms which have a clinical relevance/utility is the goal of a world-wide scientific effort. It can be
20 expected that the discovery of such polymorphisms will have a fundamental impact on the identification and development of novel drug compounds to cure diseases. However, the strategy to identify valuable polymorphisms is cumbersome and dependent upon the availability of many large patient and control cohorts to show disease association. In particular, genes that cause a
25 general risk of the population to suffer from any disease (morbidity susceptibility genes) will escape these case/control studies entirely.

Here described is a screening strategy to identify morbidity susceptibility genes underlying a variety of different diseases. The definition of a morbidity susceptibility gene is a gene that is expressed in many different cell types or
30 tissues (housekeeping gene) and its altered function can facilitate the expression of a clinical phenotype caused by disease-specific susceptibility genes that are involved in a pathway specific for this disorder. In other words, these morbidity

susceptibility genes predispose people to develop a distinct disease according to their genetic make-up for this disease.

Candidates for morbidity susceptibility genes can be found at the bottom level of pathways involving transcription, translation, heat-shock proteins, protein trafficking, DNA repair, assembly systems for subcellular structures (e.g. mitochondria, peroxysomes and other cellular microbodies), receptor signaling cascades, immunology, etc. Those pathways control the quality of life at the cellular level as well as for the entire organism. Mutations/polymorphisms located in genes encoding proteins for those pathways can reduce the fitness of cells and make the organism more susceptible to express the clinical phenotype caused by the action of a disease-specific susceptibility gene. Therefore, these morbidity susceptibility genes can be potentially involved in a whole variety of different complex diseases if not in all. Disease-specific susceptibility genes are involved in pathways that can be considered as disease-specific pathways like glucose-, lipid, hormone metabolism, etc.

The exemplified method permit, among other things, identification of genes and/or gene products involved in a man's general susceptibility to morbidity and/or mortality; use of these genes and/or gene products in studies to elucidate the genetic underpinnings of human diseases; use of these genes and/or gene products in combinatorial statistical analyses without or together with disease-specific susceptibility genes; use of these genes and/or gene products to predict penetrance of disease susceptibility genes; use of these genes and/or gene products in predisposition and/or acute medical diagnostics and use of these genes and/or gene products to develop drugs to cure diseases and/or to extend the life span of humans.

SCREENING PROCESS

The healthy population stratified by age, gender and ethnicity, etc. is a very efficient and a universal screening tool for morbidity associated genes. Changes of allelic frequencies in the young compared to the old population are expected to indicate putative morbidity susceptibility genes. Individual samples of this healthy population base can be pooled to further increase the throughput. In a proof of principle experiment pools of young and old Caucasian females and

males were applied to screen more than 400 randomly chosen single nucleotide polymorphisms located in many different genes. Candidate polymorphisms were identified if the allelic difference was greater than 8% between young and old for both or only one of the genders. The initial results were assayed again in at least one independent subsequent experiments. Repeated experiments are necessary to recognize unstable biochemical reactions, which occur with a frequency of about 2-3% and can mimic age-related allelic frequency differences. Average frequency differences and standard deviations are calculated after successful reproducibility of initial results. The final allelic frequency is then compared to a reference population of Caucasian CEPH sample pool. The result should show similar allelic frequencies in the young Caucasian population. Subsequently, the exact allele frequencies of candidates including genotype information were obtained by analyzing all individual samples. This procedure is straight forward with regard to time and cost. It enables the screening of an enormous number of SNPs. So far, several markers with a highly significant association to age were identified and described below.

In general at least 5 individuals in a stratified population need to be screened to produce statistically significant results. The frequency of the allele is determined for an age stratified population. Chi square analysis is then performed on the allelic frequencies to determine if the difference between age groups is statistically significant. A p value less than of 0.1 is considered to represent a statistically significant difference. More preferably the p value should be less than 0.05.

Clinical Trials

The identification of markers whose frequency in a population decreases with age also allows for better designed and balanced clinical trials. Currently, if a clinical trial utilizes a marker as a significant endpoint in a study and the marker disappears with age, then the results of the study may be inaccurate. By using methods provided herein, it can be ascertained that if a marker decreases in frequency with age. This information can be considered and controlled when designing the study. For, example, an age independent marker could be substituted in its place.

The following examples are included for illustrative purposes only and are not intended to limit the scope of the invention.

EXAMPLE 1

This example describes the use of a database containing information
5 provided by a population of healthy blood donors who were not selected for any particular disease to determine the distribution of allelic frequencies of known genetic markers with age and by sex in a Caucasian subpopulation of the database. The results described in this example demonstrate that a disease-related genetic marker or polymorphism can be identified by sorting a healthy
10 database by a parameter or parameters, such as age, sex and ethnicity.

Generating a database

Blood was obtained by venous puncture from human subjects who met blood bank criteria for donating blood. The blood samples were preserved with EDTA at pH 8.0 and labeled. Each donor provided information such as age, sex,
15 ethnicity, medical history and family medical history. Each sample was labeled with a barcode representing identifying information. A database was generated by entering, for each donor, the subject identifier and information corresponding to that subject into the memory of a computer storage medium using commercially available software, e.g., Microsoft Access.

20 Model genetic markers

The frequencies of polymorphisms known to be associated at some level with disease were determined in a subpopulation of the subjects represented in the database. These known polymorphisms occur in the p21, p53 and Lipoprotein Lipase genes. Specifically, the N291S polymorphism (N291S) of the
25 Lipoprotein Lipase gene, which results in a substitution of a serine for an asparagine at amino acid codon 291, leads to reduced levels of high density lipoprotein cholesterol (HDL-C) that is associated with an increased risk of males for arteriosclerosis and in particular myocardial infarction (see, Reymer *et al.* (1995) *Nature Genetics* 10:28-34).

30 The p53 gene encodes a cell cycle control protein that assesses DNA damage and acts as a transcription factor regulating genes that control cell growth, DNA repair and apoptosis (programmed cell death). Mutations in the

p53 gene have been found in a wide variety of different cancers, including different types of leukemia, with varying frequency. The loss of normal p53 function results in genomic instability and uncontrolled cell growth. A polymorphism that has been identified in the p53 gene, i.e., the R72P allele, results in the substitution of a proline for an arginine at amino acid codon 72 of the gene.

The p21 gene encodes a cyclin-dependent kinase inhibitor associated with G1 phase arrest of normal cells. Expression of the p21 gene triggers apoptosis. Polymorphisms of the p21 gene have been associated with Wilms' tumor, a pediatric kidney cancer. One polymorphism of the p21 gene, the S31R polymorphism, results in a substitution of an arginine for a serine at amino acid codon 31.

Database analysis

Sorting of subjects according to specific parameters

The genetic polymorphisms were profiled within segments of the Caucasian subpopulation of the sample bank. For p53 profiling, the genomic DNA isolated from blood from a total of 1277 Caucasian subjects age 18-59 years and 457 Caucasian subjects age 60-79 years was analyzed. For p21 profiling, the genomic DNA isolated from blood from a total of 910 Caucasian subjects age 18-49 years and 824 Caucasian subjects age 50-79 years was analyzed. For lipoprotein lipase gene profiling, the genomic DNA from a total of 1464 Caucasian females and 1470 Caucasian males under 60 years of age and a total of 478 Caucasian females and 560 Caucasian males over 60 years of age was analyzed.

Isolation and analysis of genomic DNA

Genomic DNA was isolated from blood samples obtained from the individuals. Ten milliliters of whole blood from each individual was centrifuged at 2000 x g. One milliliter of the buffy coat was added to 9 ml of 155 mM NH_4Cl , 10 mM KHCO_3 , and 0.1 mM Na_2EDTA , incubated 10 min at room temperature and centrifuged for 10 min at 2000 x g. The supernatant was removed, and the white cell pellet was washed in 155 mM NH_4Cl , 10 mM KHCO_3 and 0.1 mM Na_2EDTA and resuspended in 4.5 ml of 50 mM Tris, 5 mM

EDTA and 1% SDS. Proteins were precipitated from the cell lysate by 6 mM ammonium acetate, pH 7.3, and then separated from the nucleic acids by centrifugation at 3000 x g. The nucleic acid was recovered from the supernatant by the addition of an equal volume of 100% isopropanol and centrifugation at 2000 x g. The dried nucleic acid pellet was hydrated in 10 mM Tris, pH 7.6, and 1 mM Na₂EDTA and stored at 4° C.

Assays of the genomic DNA to determine the presence or absence of the known genetic markers were developed using the BiomassPROBE™ detection method (primer oligo base extension) reaction. This method uses a single detection primer followed by an oligonucleotide extension step to give products, which can be readily resolved by mass spectrometry, and, in particular, MALDI-TOF mass spectrometry. The products differ in length depending on the presence or absence of a polymorphism. In this method, a detection primer anneals adjacent to the site of a variable nucleotide or sequence of nucleotides and the primer is extended using a DNA polymerase in the presence of one or more dideoxynTPs and, optionally, one or more deoxyNTPs. The resulting products are resolved by MALDI-TOF mass spectrometry. The mass of the products as measured by MALDI-TOF mass spectrometry makes possible the determination of the nucleotide(s) present at the variable site.

First, each of the Caucasian genomic DNA samples was subjected to nucleic acid amplification using primers corresponding to sites 5' and 3' of the polymorphic sites of the p21 (S31R allele), p53 (R72P allele) and Lipoprotein Lipase (N291S allele) genes. One primer in each primer pair was biotinylated to permit immobilization of the amplification product to a solid support. Specifically, the polymerase chain reaction primers used for amplification of the relevant segments of the p21, p53 and lipoprotein lipase genes are shown below: US4p21c31-2F (SEQ ID NO: 9) and US5p21-2R (SEQ ID NO: 10) for p21 gene amplification; US4-p53-ex4-F (also shown as p53-ex4US4 (SEQ ID NO: 2)) and US5-p53/2-4R (also shown as US5P53/4R (SEQ ID NO: 3)) for p53 gene amplification; and US4-LPL-F2 (SEQ ID NO: 16) and US5-LPL-R2 (SEQ ID NO: 17) for lipoprotein lipase gene amplification.

Amplification of the respective DNA sequences was conducted according to standard protocols. For example, primers may be used in a concentration of 8 pmol. The reaction mixture (e.g., total volume 50 μ l) may contain Taq-polymerase including 10x buffer and dTNPs. Cycling conditions for
5 polymerase chain reaction amplification may typically be initially 5 min. at 95°C, followed by 1 min. at 94°C, 45 sec at 53°C, and 30 sec at 72°C for 40 cycles with a final extension time of 5 min at 72°C. Amplification products may be purified by using Qiagen's PCR purification kit (No. 28106) according to manufacturer's instructions. The elution of the purified products from the
10 column can be done in 50 μ l TE-buffer (10mM Tris, 1 mM EDTA, pH 7.5).

The purified amplification products were immobilized via a biotin-avidin linkage to streptavidin-coated beads and the double-stranded DNA was denatured. A detection primer was then annealed to the immobilized DNA using conditions such as, for example, the following: 50 μ l annealing buffer (20 mM
15 Tris, 10 mM KCl, 10 mM (NH₄)₂SO₄, 2 mM MgSO₂, 1% Triton X-100, pH 8) at 50°C for 10 min, followed by washing of the beads three times with 200 μ l washing buffer (40 mM Tris, 1 mM EDTA, 50 mM NaCl, 0.1% Tween 20, pH 8.8) and once in 200 μ l TE buffer.

The PROBE extension reaction was performed, for example, by using
20 some components of the DNA sequencing kit from USB (No. 70770) and dNTPs or ddNTPs from Pharmacia. An exemplary protocol could include a total reaction volume of 45 μ l, containing of 21 μ l water, 6 μ l Sequenase-buffer, 3 μ l 10 mM DTT solution, 4.5 μ l, 0.5 mM of three dNTPs, 4.5 μ l, 2 mM the missing one ddNTP, 5.5 μ l glycerol enzyme dilution buffer, 0.25 μ l Sequenase 2.0, and 0.25
25 pyrophosphatase. The reaction can then by pipetted on ice and incubated for 15 min at room temperature and for 5 min at 37°C. The beads may be washed three times with 200 μ l washing buffer and once with 60 μ l of a 70 mM NH₄-Citrate solution.

The DNA was denatured to release the extended primers from the
30 immobilized template. Each of the resulting extension products was separately analyzed by MALDI-TOF mass spectrometry using 3-hydroxypicolinic acid (3-HPA) as matrix and a UV laser.

Specifically, the primers used in the PROBE reactions are as shown below: P21/31-3 (SEQ ID NO: 12) for PROBE analysis of the p21 polymorphic site; P53/72 (SEQ ID NO: 4) for PROBE analysis of the p53 polymorphic site; and LPL-2 for PROBE analysis of the lipoprotein lipase gene polymorphic site. In the PROBE analysis of the p21 polymorphic site, the extension reaction was performed using dideoxy-C. The products resulting from the reaction conducted on a "wild-type" allele template (wherein codon 31 encodes a serine) and from the reaction conducted on a polymorphic S31R allele template (wherein codon 31 encodes an arginine) are shown below and designated as P21/31-3 Ser (wt) (SEQ ID NO: 13) and P21/31-3 Arg (SEQ ID NO: 14), respectively. The masses for each product as can be measured by MALDI-TOF mass spectrometry are also provided (i.e., 4900.2 Da for the wild-type product and 5213.4 Da for the polymorphic product).

In the PROBE analysis of the p53 polymorphic site, the extension reaction was performed using dideoxy-C. The products resulting from the reaction conducted on a "wild-type" allele template (wherein codon 72 encodes an arginine) and from the reaction conducted on a polymorphic R72P allele template (wherein codon 72 encodes a proline) are shown below and designated as Cod72 G Arg (wt) and Cod72 C Pro, respectively. The masses for each product as can be measured by MALDI-TOF mass spectrometry are also provided (i.e., 5734.8 Da for the wild-type product and 5405.6 Da for the polymorphic product).

In the PROBE analysis of the lipoprotein lipase gene polymorphic site, the extension reaction was performed using a mixture of ddA and ddT. The products resulting from the reaction conducted on a "wild-type" allele template (wherein codon 291 encodes an asparagine) and from the reaction conducted on a polymorphic N291S allele template (wherein codon 291 encodes a serine) are shown below and designated as 291Asn and 291Ser, respectively. The masses for each product as can be measured by MALDI-TOF mass spectrometry are also provided (i.e., 6438.2 Da for the wild-type product and 6758.4 Da for the polymorphic product).

P53-1 (R72P)

Primers (SEQ ID NOs: 2-4)

Masses

Biotinylated US5 primer is used in the PCR amplification.

LPL-1 (N291S)

25 Amino acid exchange asparagine to serine at codon 291 of the
lipoprotein lipase gene.

PCR Product length: 251 bp (SEQ ID NO: 15)

US4-LPL-F2 (SEQ ID NO: 16)

Primers (SEQ ID NOs: 16-18):

US4-LPL-F2 ccc agt cac gac gtt gta aaa cgg cgc tcc att cat ctc ttc

US5-LPL-R2 agc gga taa caa ttt cac aca ggg ggc atc tga gaa cga gtc

LPL-2 caa tct ggg cta tga gat ca

Masses

Allele	Product Termination: ddA, ddT	SEQ #	Length	Mass
LPL-2	caatctgggctatgagatca	19	20	6141
291 Asn	caatctgggctatgagatcaa	20	21	6438.2
5 291 Ser	caatctgggctatgagatcagt	21	22	6758.4

Biotinylated US5 primer is used in the PCR amplification.

P21-1 (S31R)

Amino acid exchange serine to arginine at codon 31 of the tumor

10 suppressor gene p21. Product length: 207 bp (SEQ ID NO: 8)

US4p21c31-2F

gtcc gtcagaaccc atgcggcagc
p21/31-3 31S
15 aaggcctgcc gccgcctctt cggcccagtg gacaqcaqc agctgagccg cgactgtgat
a 31R
gcgctaattgg cgggctgcat ccaggaggcc cgtgagcgat ggaacttcga ctttgtcacc
gagacaccac tggaggg
US5p21-2R

Primers (SEQ ID NOs: 9-11)

20 US4p21c31-2F ccc agt cac gac gtt gta aaa cgg tcc gtc aga acc cat gcg g

US5p21-2R agc qga taa caa ttt cac aca ggc tcc agt ggt gtc tcg gtg ac

P21/31-3 cag cga gca gct gag

Masses

Allele	Product Termination: ddC	SEQ #	Length	Mass
25 p21/31-3	cagcgagcagctgag	12	15	4627
P21/31-3 Ser (wt)	cagcgagcagctgagc	13	16	4900.2
P21/31-3 Arg	cagcgagcagctgagac	14	17	5213.4

Biotinylated US5 primer is used in the PCR amplification.

30 Each of the Caucasian subject DNA samples was individually
analyzed by MALDI-TOF mass spectrometry to determine the identity of
the nucleotide at the polymorphic sites. The genotypic results of each
assay can be entered into the database. The results were then sorted
according to age and/or sex to determine the distribution of allelic
35 frequencies by age and/or sex. As depicted in the Figures showing

histograms of the results, in each case, there was a differential distribution of the allelic frequencies of the genetic markers for the p21, p53 and lipoprotein lipase gene polymorphisms.

Figure 8 shows the results of the p21 genetic marker assays
5 reveals a statistically significant decrease (from 13.3% to 9.2%) in the frequency of the heterozygous genotype (S31R) in Caucasians with age (18-49 years of age compared to 50-79 years of age). The frequencies of the homozygous (S31 and R31) genotypes for the two age groups are also shown, as are the overall frequencies of the S31 and R31 alleles in
10 the two age groups (designated as *S31 and *R31, respectively in the Figure).

Figures 7A-C shows the results of the p53 genetic marker assays and reveals a statistically significant decrease (from 6.7% to 3.7%) in the frequency of the homozygous polymorphic genotype (P72) in Caucasians
15 with age (18-59 years of age compared to 60-79 years of age). The frequencies of the homozygous "wild-type" genotype (R72) and the heterozygous genotype (R72P) for the two age groups are also shown, as are the overall frequencies of the R72 and P72 alleles in the two age groups (designated as *R72 and *P72, respectively in the Figure). These
20 results are consistent with the observation that allele is not benign, as p53 regulates expression of a second protein, p21, which inhibits cyclin-dependent kinases (CDKs) needed to drive cells through the cell-cycle (a mutation in either gene can disrupt the cell cycle leading to increased cell division).

25 Figure 2C shows the results of the lipoprotein lipase gene genetic marker assays reveals a statistically significant decrease (from 1.97% to 0.54%) in the frequency of the polymorphic allele (S291) in Caucasian males with age (see also Reymer *et al.* (1995) *Nature Genetics* 10:28-34).

The frequencies of this allele in Caucasian females of different age groups are also shown.

EXAMPLE 2

This example describes the use of MALDI-TOF mass spectrometry
5 to analyze DNA samples of a number of subjects as individual samples
and as pooled samples of multiple subjects to assess the presence or
absence of a polymorphic allele (the 353Q allele) of the Factor VII gene
and determine the frequency of the allele in the group of subjects. The
results of this study show that essentially the same allelic frequency can
10 be obtained by analyzing pooled DNA samples as by analyzing each
sample separately and thereby demonstrate the quantitative nature of
MALDI-TOF mass spectrometry in the analysis of nucleic acids.

Factor VII

Factor VII is a serine protease involved in the extrinsic blood
15 coagulation cascade. This factor is activated by thrombin and works with
tissue factor (Factor III) in the processing of Factor X to Factor Xa. There
is evidence that supports an association between polymorphisms in the
Factor VII gene and increased Factor VII activity which can result in an
elevated risk of ischemic cardiovascular disease, including myocardial
20 infarction. The polymorphism investigated in this study is R353Q (i.e., a
substitution of a glutamic acid residue for an arginine residue at codon
353 of the Factor VII gene) (see Table 5).

Analysis of DNA samples for the presence or absence of the 353Q allele of the Factor VII gene

25 Genomic DNA was isolated from separate blood samples obtained
from a large number of subjects divided into multiple groups of 92
subjects per group. Each sample of genomic DNA was analyzed using
the BiomassPROBE™ assay as described in Example 1 to determine the
30 presence or absence of the 353Q polymorphism of the Factor VII gene.

First, DNA from each sample was amplified in a polymerase chain reaction using primers F7-353FUS4 (SEQ ID NO: 24) and F7-353RUS5 (SEQ ID NO: 26) as shown below and using standard conditions, for example, as described in Example 1. One of the primers was biotinylated
5 to permit immobilization of the amplification product to a solid support. The purified amplification products were immobilized via a biotin-avidin linkage to streptavidin-coated beads and the double-stranded DNA was denatured. A detection primer was then annealed to the immobilized DNA using conditions such as, for example, described in Example 1. The
10 detection primer is shown as F7-353-P (SEQ ID NO: 27) below. The PROBE extension reaction was carried out using conditions, for example, such as those described in Example 1. The reaction was performed using ddG.

The DNA was denatured to release the extended primers from the
15 immobilized template. Each of the resulting extension products was separately analyzed by MALDI-TOF mass spectrometry. A matrix such as 3-hydroxypicolinic acid (3-HPA) and a UV laser could be used in the MALDI-TOF mass spectrometric analysis. The products resulting from the reaction conducted on a "wild-type" allele template (wherein codon 353
20 encodes an arginine) and from the reaction conducted on a polymorphic 353Q allele template (wherein codon 353 encodes a glutamic acid) are shown below and designated as 353 CGG and 353 CAG, respectively. The masses for each product as can be measured by MALDI-TOF mass spectrometry are also provided (i.e., 5646.8 Da for the wild-type product
25 and 5960 Da for the polymorphic product).

The MALDI-TOF mass spectrometric analyses of the PROBE reactions of each DNA sample were first conducted separately on each sample (250 nanograms total concentration of DNA per analysis). The allelic frequency of the 353Q polymorphism in the group of 92 subjects

was calculated based on the number of individual subjects in which it was detected.

Next, the samples from 92 subjects were pooled (250 nanograms total concentration of DNA in which the concentration of any individual DNA is 2.7 nanograms) and the pool of DNA was subjected to MALDI-TOF mass spectrometric analysis. The area under the signal corresponding to the mass of the 353Q polymorphism PROBE extension product in the resulting spectrum was integrated in order to quantitate the amount of DNA present. The ratio of this amount to total DNA was used to determine the allelic frequency of the 353Q polymorphism in the group of subjects. This type of individual sample vs. pooled sample analysis was repeated for numerous different groups of 92 different samples.

The frequencies calculated based on individual MALDI-TOF mass spectrometric analysis of the 92 separate samples of each group of 92 are compared to those calculated based on MALDI-TOF mass spectrometric analysis of pools of DNA from 92 samples in Figure 9. These comparisons are shown as "pairs" of bar graphs in the Figure, each pair being labeled as a separate "pool" number, e.g., P1, P16, P2, etc. Thus, for example, for P1, the allelic frequency of the polymorphism calculated by separate analysis of each of the 92 samples was 11.41% and the frequency calculated by analysis of a pool of all of the 92 DNA samples was 12.09%.

The similarity in frequencies calculated by analyzing separate DNA samples individually and by pooling the DNA samples demonstrates that it is possible, through the quantitative nature of MALDI-TOF mass spectrometry, to analyze pooled samples and obtain accurate frequency determinations. The ability to analyze pooled DNA samples significantly reduces the time and costs involved in the use of the non-selected, healthy databases as described herein. It has also been shown that it is

possible to decrease the DNA concentration of the individual samples in a pooled mixture from 2.7 nanograms to 0.27 nanograms without any change in the quality of the spectrum or the ability to quantitate the amount of sample detected.

5 Factor VII R353Q PROBE Assay

PROBE Assay for *cod353* CGG>CAG (Arg>Gln), Exon 9 G>A.

PCR fragment: 134 bp (incl. US tags; SEQ ID Nos. 22 and 23)

Frequency of A allele: Europeans about 0.1, Japanese/Chinese about 0.03-0.05 (Thromb. Haemost. 1995, 73:617-22; Diabetologia 1998,

10 41:760-6):

F7-353FUS4>

1201 GTGCCGGCTA CTCGGATGGC AGCAAGGACT CCTGCAAGGG GGACAGTGGGA
GGCCCACATG

F7-353-P>

A

<F7-353RUS5

15 1261 CCACCCACTA CCGGGGCACG TGGTACCTGA CGGGCATCGT CAGCTGGGGC
CAGGGCTGCG

Primers (SEQ ID Nos: 24-26)

Tm⁹⁰

F7-353FUS4 CCC AGT CAC GAC GTT GTA AAA CGA TGG CAG CAA GGA CTC CTG 64°C

F7-353-P CAC ATG CCA CCC ACT ACC

20 F7-353RUS5 AGC GGA TAA CAA TTT CAC ACA GGT GAC GAT GCC CGT CAG GTA C 64°C

Masses

Allele	Product Termination: ddG	SEQ #	Length	Mass
F7-353-P	atgccaccactacc	27	18	5333.6
353 CGG	cacatgccaccactaccg	28	19	5646.8
25 353 CAG	cacatgccaccactaccag	29	20	5960
US5-bio bio-	agcggataacaatttcacacagg	30	23	7648.6

Conclusion

The above examples demonstrate an effect of altered frequency of
30 disease causing genetic factors within the general population.

Interpretation of those results allows prediction of the medical relevance of polymorphic genetic alterations. In addition, conclusions can be drawn with regard to their penetrance, diagnostic specificity, positive predictive value, onset of disease, most appropriate onset of preventive strategies,

and the general applicability of genetic alterations identified in isolated populations to panmixed populations. Therefore, an age- and sex-stratified population-based sample bank that is ethnically homogenous is a suitable tool for rapid identification and validation of genetic factors regarding their potential medical utility.

EXAMPLE 3

MORBIDITY AND MORTALITY MARKERS

Sample Bank and Initial Screening

Healthy samples were obtained through the blood bank of San Bernardino, CA. Donors signed prior to the blood collection a consent form and agreed that their blood will be used in genetic studies with regard to human aging. All samples were anonymized. Tracking back of samples is not possible.

Isolation of DNA from blood samples of a healthy donor population

Blood is obtained from a donor by venous puncture and preserved with 1mM EDTA pH 8.0. Ten milliliters of whole blood from each donor was centrifuged at 2000x g. One milliliter of the buffy coat was added to 9 milliliters of 155mM NH_4Cl , 10mM KHCO_3 , and 0.1mM Na_2EDTA , incubated 10 minutes at room temperature and centrifuged for 10 minutes at 2000x g. The supernatant was removed, and the white cell pellet was washed in 155mM NH_4Cl , 10mM KHCO_3 , and 0.1mM Na_2EDTA and resuspended in 4.5 milliliters of 50mM Tris, 5mM EDTA, and 1% SDS. Proteins were precipitated from the cell lysate by 6M Ammonium Acetate, pH 7.3, and separated from the nucleic acid by centrifugation 3000x g. The nucleic acid was recovered from the supernatant by the addition of an equal volume of 100% isopropanol and centrifugation at 2000x g. The dried nucleic acid pellet was hydrated in 10mM Tris pH 7.6 and 1mM Na_2EDTA and stored at 4C.

In this study, samples were pooled as shown in Table 1. Both parents of the blood donors were of Caucasian origin.

Table 1

Pool ID	Sex	Age-range	# individuals
SP1	Female	18-39 years	276
SP2	Males	18-39 years	276
SP3	Females	60-69 years	184
SP4	Males	60-79 years	368

- More than 400 SNPs were tested using all four pools. After one test run 34 assays were selected to be re-assayed at least once. Finally, 10 assays showed repeatedly differences in allele frequencies of several percent and, therefore, fulfilled the criteria to be tested using the individual samples. Average allele frequency and standard deviation is tabulated in Table 2.

Table 2

Assay ID	SP1	SP1-STD	SP2	SP2-STD	SP3	SP3-STD	SP4	SP4-STD
47861	0.457	0.028	0.433	0.042	0.384	0.034	0.380	0.015
47751	0.276	0.007	0.403	0.006	0.428	0.052	0.400	0.097
48319	0.676	0.013	0.627	0.018	0.755	0.009	0.686	0.034
48070	0.581	0.034	0.617	0.045	0.561	n.a.	0.539	0.032
49807	0.504	0.034	0.422	0.020	0.477	0.030	0.556	0.005
49534	0.537	0.017	0.503	n.a.	0.623	0.023	0.535	0.009
49733	0.560	0.006	0.527	0.059	0.546	0.032	0.436	0.016
49947	0.754	0.008	0.763	0.047	0.736	0.052	0.689	0.025
50128	0.401	0.022	0.363	0.001	0.294	0.059	0.345	0.013

63306	0.697	0.012	0.674	0.013	0.712	0.017	0.719	0.005
-------	-------	-------	-------	-------	-------	-------	-------	-------

So far, 7 out of the 10 potential morbidity markers were fully analyzed. Additional information about genes in which these SNPs are located was gathered through publicly databases like Genbank.

AKAPS

Candidate morbidity and mortality markers include housekeeping genes, such as genes involved in signal transduction. Among such genes are the A-kinase anchoring proteins (AKAPs) genes, which participate in signal transduction pathways involving protein phosphorylation. Protein phosphorylation is an important mechanism for enzyme regulation and the transduction of extracellular signals across the cell membrane in eukaryotic cells. A wide variety of cellular substrates, including enzymes, membrane receptors, ion channels and transcription factors, can be phosphorylated in response to extracellular signals that interact with cells. A key enzyme in the phosphorylation of cellular proteins in response to hormones and neurotransmitters is cyclic AMP (cAMP)-dependent protein kinase (PKA). Upon activation by cAMP, PKA thus mediates a variety of cellular responses to such extracellular signals. An array of PKA isozymes are expressed in mammalian cells. The PKAs usually exist as inactive tetramers containing a regulatory (R) subunit dimer and two catalytic (C) subunits. Genes encoding three C subunits ($C\alpha$, $C\beta$ and $C\gamma$) and four R subunits ($R\text{I}\alpha$, $R\text{I}\beta$, $R\text{II}\alpha$ and $R\text{II}\beta$) have been identified [see Takio *et al.* (1982) *Proc. Natl. Acad. Sci. U.S. A.* 79:2544-2548; Lee *et al.* (1983) *Proc. Natl. Acad. Sci. U.S. A.* 80:3608-3612; Jahnsen *et al.* (1996) *J. Biol. Chem.* 261:12352-12361; Clegg *et al.* (1988) *Proc. Natl. Acad. Sci. U.S. A.* 85:3703-3707; and Scott (1991) *Pharmacol. Ther.* 50:123-145]. The type I (RI) α and type II (RII) α subunits are distributed ubiquitously, whereas $R\text{I}\beta$ and $R\text{II}\beta$ are present mainly in brain [see. *e.g.*, Miki and Eddy

(1999) *J. Biol. Chem.* 274:29057-29062]. The type I PKA holoenzyme (RI α and RI β) is predominantly cytoplasmic, whereas the majority of type II PKA (RII α and RII β) associates with cellular structures and organelles [Scott (1991) *Pharmacol. Ther.* 50:123-145]. Many hormones and other
5 signals act through receptors to generate cAMP which binds to the R subunits of PKA and releases and activates the C subunits to phosphorylate proteins. Because protein kinases and their substrates are widely distributed throughout cells, there are mechanisms in place in cells to localize protein kinase-mediated responses to different signals. One
10 such mechanism involves subcellular targeting of PKAs through association with anchoring proteins, referred to as A-kinase anchoring proteins (AKAPs), that place PKAs in close proximity to specific organelles or cytoskeletal components and particular substrates thereby providing for more specific PKA interactions and localized responses [see,
15 *e.g.*, Scott *et al.* (1990) *J. Biol. Chem.* 265:21561-21566; Bregman *et al.* (1991) *J. Biol. Chem.* 266:7207-7213; and Miki and Eddy (1999) *J. Biol. Chem.* 274:29057-29062]. Anchoring not only places the kinase close to preferred substrates, but also positions the PKA holoenzyme at sites where it can optimally respond to fluctuations in the second messenger
20 cAMP [Mochly-Rosen (1995) *Science* 268:247-251; Faux and Scott (1996) *Trends Biochem. Sci.* 21:312-315; Hubbard and Cohen (1993) *Trends Biochem. Sci.* 18:172-177].

Up to 75% of type II PKA is localized to various intracellular sites through association of the regulatory subunit (RII) with AKAPs [see, *e.g.*,
25 Hausken *et al.* (1996) *J. Biol. Chem.* 271:29016-29022]. RII subunits of PKA bind to AKAPs with nanomolar affinity [Carr *et al.* (1992) *J. Biol. Chem.* 267:13376-13382], and many AKAP-RII complexes have been isolated from cell extracts. RI subunits of PKA bind to AKAPs with only micromolar affinity [Burton *et al.* (1997) *Proc. Natl. Acad. Sci. U.S.A.*

94:11067-11072]. Evidence of binding of a PKA RI subunit to an AKAP has been reported [Miki and Eddy (1998) *J. Biol. Chem* 273:34384-34390] in which RI α -specific and RI α /RII α dual specificity PKA anchoring domains were identified on FSC1/AKAP82. Additional dual specific

5 AKAPs, referred to as D-AKAP1 and D-AKAP2, which interact with the type I and type II regulatory subunits of PKA have also been reported [Huang *et al.* (1997) *J. Biol. Chem.* 272:8057-8064; Huang *et al.* (1997) *Proc. Natl. Acad. Sci. U.S.A.* 94:11184-11189].

More than 20 AKAPs have been reported in different tissues and

10 species. Complementary DNAs (cDNAs) encoding AKAPs have been isolated from diverse species, ranging from *Caenorhabditis elegans* and *Drosophila* to human [see, *e.g.*, Colledge and Scott (1999) *Trends Cell Biol.* 9:216-221]. Regions within AKAPs that mediate association with RII subunits of PKA have been identified. These regions of approximately

15 10-18 amino acid residues vary substantially in primary sequence, but secondary structure predictions indicate that they are likely to form an amphipathic helix with hydrophobic residues aligned along one face of the helix and charged residues along the other [Carr *et al.* (1991) *J. Biol. Chem.* 266:14188-14192; Carr *et al.* (1992) *J. Biol. Chem.* 267:13376-

20 13382]. Hydrophobic amino acids with a long aliphatic side chain, *e.g.*, valine, leucine or isoleucine, may participate in binding to RII subunits [Glantz *et al.* (1993) *J. Biol. Chem.* 268:12796-12804].

Many AKAPs also have the ability to bind to multiple proteins, including other signaling enzymes. For example, AKAP79 binds to PKA,

25 protein kinase C (PKC) and the protein phosphatase calcineurin (PP2B) [Coghlan *et al.* (1995) *Science* 267:108-112 and Klauck *et al.* (1996) *Science* 271:1589-1592]. Therefore, the targeting of AKAP79 to neuronal postsynaptic membranes brings together enzymes with opposite catalytic activities in a single complex.

AKAPs thus serve as potential regulatory mechanisms that increase the selectivity and intensity of a cAMP-mediated response. There is a need, therefore, to identify and elucidate the structural and functional properties of AKAPs in order to gain a complete understanding of the important role these proteins play in the basic functioning of cells.

AKAP10

The sequence of a human AKAP10 cDNA (also referred to as D-AKAP2) is available in the GenBank database, at accession numbers AF037439 (SEQ ID NO: 31) and NM 007202. The AKAP10 gene is located on chromosome 17.

The sequence of a mouse D-AKAP2 cDNA is also available in the GenBank database (see accession number AF021833). The mouse D-AKAP2 protein contains an RGS domain near the amino terminus that is characteristic of proteins that interact with $G\alpha$ subunits and possess GTPase activating protein-like activity [Huang *et al.* (1997) *Proc. Natl. Acad. Sci. U.S.A.* 94:11184-11189]. The human AKAP10 protein also has sequences homologous to RGS domains. The carboxy-terminal 40 residues of the mouse D-AKAP2 protein are responsible for the interaction with the regulatory subunits of PKA. This sequence is fairly well conserved between the mouse D-AKAP2 and human AKAP10 proteins.

Polymorphisms of the human AKAP10 gene and polymorphic AKAP10 proteins

Polymorphisms of AKAP genes that alter gene expression, regulation, protein structure and/or protein function are more likely to have a significant effect on the regulation of enzyme (particularly PKA) activity, cellular transduction of signals and responses thereto and on the basic functioning of cells than polymorphisms that do not alter gene and/or protein function. Included in the polymorphic AKAPs provided herein are human AKAP10 proteins containing differing amino acid residues at position number 646.

Amino acid 646 of the human AKAP10 protein is located in the carboxy-terminal region of the protein within a segment that participates in the binding of R-subunits of PKAs. This segment includes the carboxy-terminal 40 amino acids.

- 5 The amino acid residue reported for position 646 of the human AKAP10 protein is an isoleucine. Polymorphic human AKAP10 proteins provided herein have the amino acid sequence but contain residues other than isoleucine at amino acid position 646 of the protein. In particular embodiments of the polymorphic human AKAP10 proteins provided
- 10 herein, the amino acid at position 646 is a valine, leucine or phenylalanine residue.

An A to G transition at nucleotide 2073 of the human AKAP10 coding sequence

- As described herein, an allele of the human AKAP10 gene that
- 15 contains a specific polymorphism at position 2073 of the coding sequence and thereby encodes a valine at position 646 has been detected in varying frequencies in DNA samples from younger and older segments of the human population. In this allele, the A at position 2073 of the AKAP10 gene coding sequence is changed from an A to a G, giving rise
- 20 to an altered sequence in which the codon for amino acid 646 changes from ATT, coding for isoleucine, to GTT, coding for valine.

Morbidity marker 1: human protein kinase A anchoring protein (AKAP10-1)

- PCR Amplification and BiomassPROBE assay detection of AKAP10-1 in a
- 25 healthy donor population

PCR Amplification of donor population for AKAP 10

- PCR primers were synthesized by OPERON using phosphoramidite chemistry. Amplification of the AKAP10 target sequence was carried out in single 50 μ l PCR reaction with 100ng-1ug of pooled human genomic
- 30 DNAs in a 50 μ l PCR reaction. Individual DNA concentrations within the

- pooled samples were present in equal concentration with the final concentration ranging from 1-25ng. Each reaction containing IX PCR buffer (Qiagen, Valencia, CA), 200uM dNTPs, 1U Hotstar Taq polymerase (Qiagen, Valencia, CA), 4mM MgCl₂, and 25pmol of the
- 5 forward primer containing the universal primer sequence and the target specific sequence 5'-TCTCAATCATGTGCATTGAGG-3'(SEQ ID NO: 45), 2pmol of the reverse primer
- 5'-AGCGGATAACAATTTACACAGGGATCACACAGCCATCAGCAG-3' (SEQ ID NO: 46), and 10pmol of a biotinylated universal primer
- 10 complementary to the 5' end of the PCR amplicon 5'-AGCGGATAACAATTTACACAGG-3'(SEQ ID NO: 47). After an initial round of amplification with the target with the specific forward and reverse primer, the 5' biotinylated universal primer then hybridized and acted as a reverse primer thereby introducing a 3' biotin capture moiety
- 15 into the molecule. The amplification protocol results in a 5'-biotinylated double stranded DNA amplicon and dramatically reduces the cost of high throughput genotyping by eliminating the need to 5' biotin label each forward primer used in a genotyping. Thermal cycling was performed in 0.2mL tubes or 96 well plate using an MJ Research Thermal Cycler
- 20 (calculated temperature) with the following cycling parameters: 94° C for 5 min; 45 cycles: 94° C for 20 sec, 56° C for 30 sec, 72° C for 60 sec; 72° C 3min.

Immobilization of DNA

- The 50μl PCR reaction was added to 25ul of streptavidin coated magnetic
- 25 bead (Dyna) prewashed three times and resuspended in 1M NH₄Cl, 0.06M NH₄OH. The PCR amplicons were allowed to bind to the beads for 15 minutes at room temperature. The beads were then collected with a magnet and the supernatant containing unbound DNA was removed. The unbound strand was release from the double stranded amplicons by

incubation in 100mM NaOH and washing of the beads three times with 10mM Tris pH 8.0.

BiomassPROBE assay analysis of donor population for AKAP10-1 (clone 48319)

- 5 Genotyping using the BiomassPROBE assay methods was carried out by resuspending the DNA coated magnetic beads in 26mM Tris-HCl pH 9.5, 6.5 mM MgCl₂ and 50mM each of dTTP and 50mM each of ddCTP, ddATP, ddGTP, 2.5U of a thermostable DNA polymerase (Amersham) and 20pmol of a template specific oligonucleotide PROBE
- 10 primer 5'-CTGGCGCCCACGTGGTCAA-3' (SEQ ID NO: 48) (Operon). Primer extension occurs with three cycles of oligonucleotide primer hybridization and extension. The extension products were analyzed after denaturation from the template with 50mM NH₄Cl and transfer of 150nL each sample to a silicon chip preloaded with 150nL of H3PA matrix
- 15 material. The sample material was allowed to crystallize and was analyzed by MALDI-TOF (Bruker, PerSeptive). The SNP that is present in AKAP10-1 is a T to C transversion at nucleotide number 156277 of the sequence of a genomic clone of the AKAP10 gene (GenBank Accession No. AC005730) (SEQ ID NO: 36). SEQ ID NO: 35: represents the
- 20 nucleotide sequence of human chromosome 17, which contains the genomic nucleotide sequence of the human AKAP10 gene, and SEQ ID NO: 36 represents the nucleotide sequence of human chromosome 17, which contains the genomic nucleotide sequence of the human AKAP10-1 allele. The mass of the primer used in the BioMass probe reaction was
- 25 5500.6 daltons. In the presence of the SNP, the primer is extended by the addition of ddC, which has a mass of 5773.8. The wildtype gene results in the addition of dT and ddG to the primer to produce an extension product having a mass of 6101 daltons.

The frequency of the SNP was measured in a population of age selected healthy individuals. Five hundred fifty-two (552) individuals between the ages of 18-39 years (276 females, 276 males) and 552 individuals between the ages of 60-79 (184 females between the ages of 60-69, 368 males between the age of 60-79) were tested for the presence of the polymorphism localized in the non-translated 3' region of AKAP 10. Differences in the frequency of this polymorphism with increasing age groups were observed among healthy individuals. Statistical analysis showed that the significance level for differences in the allelic frequency for alleles between the "younger" and the "older" populations was $p = 0.0009$ and for genotypes was $p = 0.003$. Differences between age groups are significant. For the total population allele significance is $p = 0.0009$, and genotype significance is $p = 0.003$.

This marker led to the best significant result with regard to allele and genotype frequencies in the age-stratified population. Figure 19 shows the allele and genotype frequency in both genders as well as in the entire population. For latter the significance for alleles was $p = 0.0009$ and for genotypes was $p = 0.003$. The young and old populations were in Hardy-Weinberg equilibrium. A preferential change of one particular genotype was not seen.

The polymorphism is localized in the non-translated 3'-region of the gene encoding the human protein kinase A anchoring protein (AKAP10). The gene is located on chromosome 17. Its structure includes 15 exons and 14 intervening sequences (introns). The encoded protein is responsible for the sub-cellular localization of the cAMP-dependent protein kinase and, therefore, plays a key role in the G-protein mediated receptor-signaling pathway (Huang et al. PNAS (1007) 94:11184-11189). Since its localization is outside the coding region, this polymorphism is most likely in linkage disequilibrium (LD) with other non-synonymous

polymorphisms that could cause amino acid substitutions and subsequently alter the function of the protein. Sequence comparison of different Genbank database entries concerning this gene revealed further six potential polymorphisms of which two are supposed to change the
 5 respective amino acid (see Table 3).

Table 3

Exon	Codon	Nucleotides	Amino acid
3	100	GCT > GCC	Ala > Ala
4	177	AGT > GTG	Met > Val
8	424	GGG > GGC	Gly > Gly
10	524	CCG > CTG	Pro > Leu
12	591	GTG > GTC	Val > Val
12	599	CGC > CGA	Arg > Arg

15 Morbidity marker 2: human protein kinase A anchoring protein (AKAP10-5)

Discovery of AKAP10-5 Allele (SEQ ID NO: 33)

Genomic DNA was isolated from blood (as described above) of seventeen (17) individuals with a genotype CC at the AKAP10-1 gene
 20 locus and a single heterozygous individual (CT) (as described). A target sequence in the AKAP10-1 gene which encodes the C-terminal PKA binding domain was amplified using the polymerase chain reaction. PCR primers were synthesized by OPERON using phosphoramidite chemistry. Amplification of the AKAP10-1 target sequence was carried out in
 25 individual 50 μ l PCR reaction with 25ng of human genomic DNA templates. Each reaction containing 1 X PCR buffer (Qiagen, Valencia, CA), 200 μ M dNTPs, 1U Hotstar Taq polymerase (Qiagen, Valencia, CA), 4mM MgCl₂, 25pmol of the forward primer (Ex13F) containing the universal primer sequence and the target specific sequence 5'-TCC CAA
 30 AGT GCT GGA ATT AC-3' (SEQ ID NO: 53), and 2pmol of the reverse

primer (Ex14R) 5'-GTC CAA TAT ATG CAA ACA GTT G-3' (SEQ ID NO: 54). Thermal cycling was performed in 0.2mL tubes or 96 well plate using an MJ Research Thermal Cycler (MJ Research, Waltham, MA) (calculated temperature) with the following cycling parameters: 94° C for 5 min; 45 cycles; 94° C for 20 sec, 56° C for 30 sec, 72° C for 60 sec; 72° C 3min. After amplification the amplicons were purified using a chromatography (Mo Bio Laboratories (Solana Beach, CA)).

The sequence of the 18 amplicons, representing the target region, was determined using a standard Sanger cycle sequencing method with 25nmol of the PCR amplicon, 3.2uM DNA sequencing primer 5'-CCC ACA GCA GTT AAT CCT TC-3'(SEQ ID NO: 55), and chain terminating dRhodamine labeled 2', 3' dideoxynucleotides (PE Biosystems, Foster City, CA) using the following cycling parameters: 96° C for 15 seconds; 25 cycles: 55° C for 15 seconds, 60° C for 4 minutes. The sequencing products precipitated by 0.3M NaOAc and ethanol. The precipitate was centrifuged and dried. The pellets were resuspended in deionized formamide and separated on a 5% polyacrylimide gel. The sequence was determined using the "Sequencher" software (Gene Codes, Ann Arbor, MI).

The sequence of all 17 of the amplicons, which are homozygous for the AKAP10-1 SNP of the amplicons, revealed a polymorphism at nucleotide position 152171 (numbering for GenBank Accession No. AC005730 for AKAP10 genomic clone (SEQ ID NO: 35)) with A replaced by G. This SNP can also be designated as located at nucleotide 2073 of a cDNA clone of the wildtype AKAP10 (GenBank Accession No. AF037439) (SEQ ID NO: 31). The amino acid sequence of the human AKAP10 protein is provided as SEQ ID NO: 32. This single nucleotide polymorphism was designated as AKAP10-5 (SEQ ID NO: 33) and resulted in a substitution of a valine for an isoleucine residue at amino

acid position 646 of the amino acid sequence of human AKAP10 (SEQ ID NO: 32).

PCR Amplification and BiomassPROBE assay detection of AKAP10-5 in a healthy donor population

5 The healthy population stratified by age is a very efficient and a universal screening tool for morbidity associated genes by allowing for the detection of changes of allelic frequencies in the young compared to the old population. Individual samples of this healthy population base can be pooled to further increase the throughput.

10 Healthy samples were obtained through the blood bank of San Bernardino, CA. Both parents of the blood donors were of Caucasian origin. Practically a healthy subject, when human, is defined as human donor who passes blood bank criteria to donate blood for eventual use in the general population. These criteria are as follows: free of detectable
15 viral, bacterial, mycoplasma, and parasitic infections; not anemic; and then further selected based upon a questionnaire regarding history (see Figure 3). Thus, a healthy population represents an unbiased population of sufficient health to donate blood according to blood bank criteria, and not further selected for any disease state. Typically such individuals are
20 not taking any medications.

 PCR primers were synthesized by OPERON using phosphoramidite chemistry. Amplification of the AKAP10 target sequence was carried out in a single 50 μ l PCR reaction with 100ng- 1 μ g of pooled human genomic DNAs in a 50 μ l PCR reaction. Individual DNA concentrations within the
25 pooled samples were present in equal concentration with the final concentration ranging from 1-25ng. Each reaction contained 1X PCR buffer (Qiagen, Valencia, CA), 200 μ M dNTPs, 1U Hotstar Taq polymerase (Qiagen, Valencia, CA), 4mM MgCl₂, and 25pmol of the forward primer containing the universal primer sequence and the target specific
30 sequence 5'-AGCGGATAACAATTTACACAGGGAGCTAGCTTGGAAGAT

TGC-3' (SEQ ID NO: 41), 2pmol of the reverse primer 5'-GTCCAATATATGCAAACAGTTG-3' (SEQ ID NO: 54), and 10pmol of a biotinylated universal primer complementary to the 5' end of the PCR amplicon BIO:5'-AGCGGATAACAATTTACACAGG-3' (SEQ ID NO: 43).

- 5 After an initial round of amplification with the target with the specific forward and reverse primer, the 5' biotinylated universal primer can then be hybridized and acted as a forward primer thereby introducing a 5' biotin capture moiety into the molecule. The amplification protocol resulted in a 5'-biotinylated double stranded DNA amplicon and
- 10 dramatically reduced the cost of high throughput genotyping by eliminating the need to 5' biotin label every forward primer used in a genotyping.

- Thermal cycling was performed in 0.2mL tubes or 96 well plate using an MJ Research Thermal Cycler (calculated temperature) with the
- 15 following cycling parameters: 94° C for 5 min; 45 cycles: 94° C for 20 sec, 56° C for 30 sec; 72° C for 60 sec; 72° C 3min.

Immobilization of DNA

- The 50 μ L PCR reaction was added to 25 μ L of streptavidin coated magnetic beads (Dynal, Oslo, Norway), which were prewashed three
- 20 times and resuspended in 1M NH₄Cl, 0.06M NH₄OH. The 5' end of one strand of the double stranded PCR amplicons were allowed to bind to the beads for 15 minutes at room temperature. The beads were then collected with a magnet and the supernatant containing unbound DNA was removed. The hybridized but unbound strand was released from the
- 25 double stranded amplicons by incubation in 100mM NaOH and washing of the beads three times with 10mM Tris pH 8.0.

Detection of AKAP10-5 using BiomassPROBE™ Assay

BiomassPROBE™ assay of primer extension analysis (see, U.S. Patent No. 6,043,031) of donor population for AKAP 10-5 (SEQ ID NO:

33) was performed. Genotyping using these methods was carried out by resuspending the DNA coated magnetic beads in 26mM Tris-HCL pH 9.5, 6.5 mM MgCl₂, 50mM dTTP, 50mM each of ddCTP, ddATP, ddGTP, 2.5U of a thermostable DNA polymerase (Ambersham), and 20pmol of a

5 template specific oligonucleotide PROBE primer

5'-ACTGAGCCTGCTGCATAA-3' (SEQ ID NO: 44) (Operon). Primer extension occurs with three cycles of oligonucleotide primer with hybridization and extension. The extension products were analyzed after denaturation from the template with 50 mM NH₄Cl and transfer of 150 nL

10 of each sample to a silicon chip preloaded with 150 nl of H3PA matrix material. The sample material was allowed to crystallize and analyzed by MALDI-TOF (Bruker, PerSeptive). The primer has a mass of 5483.6 daltons. The SNP results in the additional of a ddC to the primer, giving a mass of 5756.8 daltons for the extended product. The wild type results in

15 the addition a T and ddG to the primer giving a mass of 6101 daltons.

The frequency of the SNP was measured in a population of age selected healthy individuals. Seven hundred thirteen (713) individuals under 40 years of age (360 females, 353 males) and 703 individuals over 60 years of age (322 females, 381 males) were tested for the presence of

20 the SNP, AKAP10-5 (SEQ ID NO: 33). Results are presented below in Table 1.

TABLE 1					
AKAP10-5 (2073V) frequency comparison in 2 age groups					
			<40	>60	delta G allele
25	Female	Alleles			
		*G	38.6	34.6	4.0
		*A	61.4	65.4	
		Genotypes			
		G	13.9	11.8	2.1
		GA	49.4	45.7	
		A	36.7	42.5	

5	Male	Alleles	*G	41.4	37.0	4.4
			*A	58.6	63.0	
		Genotypes	G	18.4	10.8	7.7
			GA	45.9	52.5	
			A	35.7	36.7	
10	Total	Alleles	*G	40.0	35.9	4.1
			*A	60.0	64.1	
		Genotypes	G	16.1	11.2	4.9
			GA	47.7	49.4	
			A	36.2	39.4	

Figure 20 graphically shows these results of allele and genotype distribution in the age and sex stratified Caucasian population.

Morbidity marker 3: human methionine sulfoxide reductase A (msrA)

The age-related allele and genotype frequency of this marker in both genders and the entire population is shown in Figure 21. The decrease of the homozygous CC genotype in the older male population is highly significant.

Methionine sulfoxide reductase A (#63306)

PCR Amplification and BiomassPROBE assay detection of the human methionine sulfoxide reductase A (h-msr-A) in a healthy donor population

PCR Amplification of donor population for h-msr-A

PCR primers were synthesized by OPERON using phosphoramidite chemistry. Amplification of the AKAP10 target sequence was carried out in single 50 μ l PCR reaction with 100ng-1 μ g of pooled human genomic DNA templates in a 50 μ l PCR reaction. Individual DNA concentrations within the pooled samples were present in an equal concentration with

- the final concentration ranging from 1-25ng. Each reaction containing 1 X PCR buffer (Qiagen, Valencia, CA), 200 μ M dNTPs, 1U Hotstar Taq polymerase (Qiagen, Valencia, CA), 4mM MgCl₂, 25pmol of the forward primer containing the universal primer sequence and the target specific
- 5 sequence 5'-TTTCTCTGCACAGAGAGGC-3' (SEQ ID NO: 49), 2pmol of the reverse primer
- 5'-AGCGGATAACAATTTTCACACAGGGCTGAAATCCTTCGCTTTACC-3' (SEQ ID NO: 50), and 10pmol of a biotinylated universal primer complementary to the 5' end of the PCR amplicon
- 10 5'-AGCGGATAACAATTTTCACACAGG-3' (SEQ ID NO: 51). After an initial round of amplification of the target with the specific forward and reverse primers, the 5' biotinylated universal primer was then hybridized and acted as a reverse primer thereby introducing a 3' biotin capture moiety into the molecule. The amplification protocol results in a 5'-biotinylated
- 15 double stranded DNA amplicon and and dramatically reduces the cost of high throughput genotyping by eliminating the need to 5' biotin label each forward primer used in a genotyping. Thermal cycling was performed in 0.2mL tubes or 96 well plate using an MJ Research Thermal Cycler (calculated temperature) with the following cycling parameters: 94° C for
- 20 5 min; 45 cycles: 94° C for 20 sec, 56° C for 30 sec, 72° C for 60 sec; 72° C 3min.

Immobilization of DNA

- The 50 μ L PCR reaction was added to 25 μ L of streptavidin coated magnetic bead (Dynal) prewashed three times and resuspended in 1M
- 25 NH₄Cl, 0.06M NH₄OH. The PCR amplicons were allowed to bind to the beads for 15 minutes at room temperature. The beads were then collected with a magnet and the supernatant containing unbound DNA was removed. The unbound strand was release from the double stranded

amplicons by incubation in 100mM NaOH and washing of the beads three times with 10mM Tris pH 8.0.

BiomassPROBE assay analysis of donor population for h-msr A

- Genotyping using the BiomassPROBE assay methods was carried
- 5 out by resuspending the he DNA coated magnetic beads in 26mM Tris-HCl pH 9.5, 6.5 mM MgCl₂, 50mM of dTTPs and 50mM each of ddCTP, ddATP, ddGTP, 2.5U of a thermostable DNA polymerase (Amersham), and 20pmol of a template specific oligonucleotide PROBE primer 5'-CTGAAAAGGGAGAGAAAG-3' (Operon) (SEQ ID NO: 52).
- 10 Primer extension occurs with three cycles of oligonucleotide primer with hybridization and extension. The extension products were analyzed after denaturation from the template with 50mM NH₄Cl and transfer of 150nl each sample to a silicon chip preloaded with 150nl of H3PA matrix material. The sample material was allowed to crystallize and analyzed by
- 15 MALDI-TOF (Bruker, PerSeptive). The SNP is represented as a T to C tranversion in the sequence of two ESTs. The wild type is represented by having a T at position 128 of GenBank Accession No. AW 195104, which represents the nucleotide sequence of an EST which is a portion of the wild type human msrA gene (SEQ ID NO: 39). The SNP is presented
- 20 as a C at position 129 of GenBank Accession No. AW 874187, which represents the nucleotide sequence of an EST which is a portion of an allele of the human msrA gene (SEQ ID NO: 40).

- In a genomic sequence the SNP is represented as an A to G transversion. The primer utilized in the BioMass probe reaction had a
- 25 mass of 5654.8 daltons. In the presence of the SNP the primer is extended by the incorporation of a ddC and has a mass of 5928. In the presence of the wildtype the primer is extended by adding a dT and a DDC to produce a mass of 6232.1 daltons.

The frequency of the SNP was measured in a population of age selected healthy individuals. Five hundred fifty-two (552) individuals between the ages of 18-39 years (276 females, 276 males and 552 individuals between the age of 60-79 (184 females between the ages of 5 60-69, 368 males between the age of 60-79) were tested for the presence of the polymorphism localized in the nontranslated 3' region of h-msr-A.

Genotype difference between male age group among healthy individuals is significant. For the male population allele significance is 10 $p = 0.0009$ and genotype significance is $p = 0.003$. The age-related allele and genotype frequency of this marker in both genders and the entire population is shown in Figure 21. The decrease of the homozygous CC genotype in the older male population is highly significant.

The polymorphism is localized in the non-translated 3'-region of the 15 gene encoding the human methionine sulfoxide reductase (h-msrA). The exact localization is 451 base pairs downstream the stop codon (TAA). It is very likely that this SNP is in linkage disequilibrium (LD) with another polymorphism more upstream in the coding or promoter region; thus, it is not directly cause morbidity. The enzyme methionine sulfoxide reductase 20 has been proposed to exhibit multiple biological functions. It may serve to repair oxidative protein damage but also play an important role in the regulation of proteins by activation or inactivation of their biological functions (Moskovitz et al. (1990) PNAS 95:14071-14075). It has also been shown that its activity is significantly reduced in brain tissues of 25 Alzheimer patients (Gabbita et al., (1999) J. Neurochem 73:1660-1666). It is scientifically conceivable that proteins involved in the metabolism of reactive oxygen species are associated to disease.

CONCLUSION

The use of the healthy population provides for the identification of morbidity markers. The identification of proteins involved in the G-protein coupled signaling transduction pathway or in the detoxification of oxidative stress can be considered as convincing results. Further confirmation and validation of other potential polymorphisms already identified *in silico* in the gene encoding the human protein kinase A anchoring protein could even provide stronger association to morbidity and demonstrate that this gene product is a suitable pharmaceutical or diagnostic target.

EXAMPLE 4

MALDI-TOF Mass Spectrometry Analysis

All of the products of the enzyme assays listed below were analyzed by MALDI-TOF mass spectrometry. A diluted matrix solution (0.15 μ L) containing of 10:1 3-hydroxypicolinic acid:ammonium citrate in 1:1 water:acetonitrile diluted 2.5-fold with water was pipetted onto a SpectroChip (Sequenom, Inc.) and was allowed to crystallize. Then, 0.15 μ L of sample was added. A linear PerSeptive Voyager DE mass spectrometer or Bruker Biflex MALDI-TOF mass spectrometer, operating in positive ion mode, was used for the measurements. The sample plates were kept at 18.2 kV for 400 nm after each UV laser shot (approximate 250 laser shots total), and then the target voltage was raised to 20 kV. The original spectra were digitized at 500 MHz.

EXAMPLE 5

Sample Conditioning

Where indicated in the examples below, the products of the enzymatic digestions were purified with ZipTips (Millipore, Bedford, MA). The ZipTips were pre-wetted with 10 μ L 50% acetonitrile and equilibrated 4 times with 10 μ L 0.1 M TEAAc. The oligonucleotide fragments were

- bound to the C18 in the ZipTip material by continuous aspiration and dispersion of each sample into the ZipTip. Each digested oligonucleotide was conditioned by washing with 10 μ L 0.1 M TEAAc, followed by 4 washing steps with 10 μ L H₂O. DNA fragments were eluted from the
- 5 Ziptip with 7 μ L 50% acetonitrile.

Any method for condition the samples may be employed. Methods for conditioning, which generally is used to increase peak resolution, are well known (see, *e.g.*, International PCT application No. WO 98/20019).

EXAMPLE 6

10 DNA Glycosylase-Mediated Sequence Analysis

DNA Glycosylases modifies DNA at each position that a specific nucleobase resides in the DNA, thereby producing abasic sites. In a subsequent reaction with another enzyme, a chemical, or heat, the phosphate backbone at each abasic site can be cleaved.

- 15 The glycosylase utilized in the following procedures was uracil-DNA glycosylase (UDG). Uracil bases were incorporated into DNA fragments in each position that a thymine base would normally occupy by amplifying a DNA target sequence in the presence of uracil. Each uracil substituted DNA amplicon was incubated with UDG, which cleaved each uracil base
- 20 in the amplicon, and was then subjected to conditions that effected backbone cleavage at each abasic site, which produced DNA fragments. DNA fragments were subjected to MALDI-TOF mass spectrometry analysis. Genetic variability in the target DNA was then assessed by analyzing mass spectra.

- 25 Glycosylases specific for nucleotide analogs or modified nucleotides, as described herein, can be substituted for UDG in the following procedures. The glycosylase methods described hereafter, in conjunction with phosphate backbone cleavage and MALDI, can be used to analyze DNA fragments for the purposes of SNP scanning, bacteria

typing, methylation analysis, microsatellite analysis, genotyping, and nucleotide sequencing and re-sequencing.

A. Genotyping

A glycosylase procedure was used to genotype the DNA sequence encoding UCP-2 (Uncoupling Protein 2). The sequence for UCP-2 is deposited in GenBank under accession number AF096289. The sequence variation genotyped in the following procedure was a cytosine (C-allele) to thymine (T-allele) variation at nucleotide position 4790, which results in a alanine to valine mutation at position 55 in the UCP-2 polypeptide.

DNA was amplified using a PCR procedure with a 50 μ L reaction volume containing of 5 pmol biotinylated primer having the sequence 5'-TGCTTATCCCTGTAGCTACCCTGTCTTGGCCTTGCAGATCCAA-3' (SEQ ID NO: 91), 15 pmol non-biotinylated primer having the sequence 5'-AGCGGATAACAATTTACACAGGCCATCACACCGCGGTACTG-3' (SEQ ID NO: 92), 200 μ M dATP, 200 μ M dCTP, 200 μ M dGTP, 600 μ M dUTP (to fully replace dTTP), 1.5 mM to 3 mM $MgCl_2$, 1 U of HotStarTaq polymerase, and 25 ng of CEPH DNA. Amplification was effected with 45 cycles at an annealing temperature of 56°C.

The amplification product was then immobilized onto a solid support by incubating 50 μ L of the amplification reaction with 5 μ L of prewashed Dynabeads for 20 minutes at room temperature. The supernatant was removed, and the beads were incubated with 50 μ L of 0.1 M NaOH for 5 minutes at room temperature to denature the double-stranded PCR product in such a fashion that single-stranded DNA was linked to the beads. The beads were then neutralized by three washes with 50 μ L 10 mM TrisHCl (pH 8). The beads were resuspended in 10 μ L of a 60mM TrisHCl/1mM EDTA (pH 7.9) solution, and 1 U uracil DNA glycosylase was added to the solution for 45 minutes at 37°C to remove uracil nucleotides present in the single-stranded DNA linked to the beads.

The beads were then washed two times with 25 μ L of 10 mM TrisHCl (pH 8) and once with 10 μ L of water. The biotinylated strands were then eluted from the beads with 12 μ L of 2 M NH_4OH at 60°C for 10 minutes. The backbone of the DNA was cleaved by incubating the samples for 10 min at 95°C (with a closed lid), and ammonia was evaporated from the samples by incubating the samples for 11 min at 80°C.

The cleavage fragments were then analyzed by MALDI-TOF mass spectrometry as described in Example 4. The T-allele generated a unique fragment of 3254 Daltons. The C-allele generated a unique fragment of 4788 Daltons. These fragments were distinguishable in mass spectra. Thus, the above-identified procedure was successfully utilized to genotype individuals heterozygous for the C-allele and T-allele in UCP-2.

B. Glycosylase Analysis Utilizing Pooled DNA Samples

The glycosylase assay was conducted using pooled samples to detect genetic variability at the UCP-2 locus. DNA of known genotype was pooled from eleven individuals and was diluted to a fixed concentration of 5 ng/ μ L. The procedure provided in Example 3A was followed using 2 pmol of forward primer having a sequence of 5'-CCCAGTCACGACGTTGTAAAACGTCTTGGCCTTGACAGATCCAAG-3' (SEQ ID NO: 93) and 15 pmol of reverse primer having the sequence 5'-AGCGGATAACAATTTACACAGGCCATCACACCGCGGTACTG-3' (SEQ ID NO: 94). In addition, 5 pmol of biotinylated primer having the sequence 5'-bioCCCAGTCACGACGTTGTAAAACG 3' (SEQ ID NO: 97) may be introduced to the PCR reaction after about two cycles. The fragments were analyzed via MALDI-TOF mass spectroscopy (Example 4). As determined in Example 3A, the T-allele, which generated a unique fragment of 3254 Daltons, could be distinguished in mass spectra from the C-allele, which generated a unique fragment of 4788 Daltons. Allelic frequency in the pooled samples was quantified by integrating the area

under each signal corresponding to an allelic fragment. Integration was accomplished by hand calculations using equations well known to those skilled in the art. In the pool of eleven samples, this procedure suggested that 40.9% of the individuals harbored the T allele and 59.09% of the
5 individuals harbored the C allele.

C. Glycosylase-Mediated Microsatellite Analysis

A glycosylase procedure was utilized to identify microsatellites of the Bradykinin Receptor 2 (BKR-2) sequence. The sequence for BKR-2 is deposited in GenBank under accession number X86173. BKR-2 includes
10 a SNP in the promoter region, which is a C to T variation, as well as a SNP in a repeated unit, which is a G to T variation. The procedure provided in Example 3A was utilized to identify the SNP in the promotor region, the SNP in the microsatellite repeat region, and the number of repeated units in the microsatellite region of BKR-2. Specifically, a
15 forward PCR primer having the sequence 5'-CTCCAGCTGGGCAGGAGTGC-3' (SEQ ID NO: 95) and a reverse primer having the sequence 5'-CACTTCAGTCGCTCCCT-3' (SEQ ID NO: 96) were utilized to amplify BKR-2 DNA in the presence of uracil. The amplicon was fragmented by UDG followed by backbone cleavage. The
20 cleavage fragments were analyzed by MALDI-TOF mass spectrometry as described in Example 4.

With regard to the SNP in the BKR-2 promotor region having a C to T variation, the C-allele generated a unique fragment having a mass of 7342.4 Daltons and the T-allele generated a unique fragment having a
25 mass of 7053.2 Daltons. These fragments were distinguishable in mass spectra. Thus, the above-identified procedure was successfully utilized to genotype individuals heterozygous for the C-allele and T-allele in the promotor region of BKR-2.

With regard to the SNP in the BKR-2 repeat region having a G to T variation, the T-allele generated a unique fragment having a mass of 1784 Daltons, which was readily detected in a mass spectrum. Hence, the presence of the T-allele was indicative of the G to T sequence variation in
5 the repeat region of BKR-2.

In addition, the number of repeat regions was distinguished between individuals having two repeat sequences and individuals having three repeat sequences in BKR-2. The DNA of these individuals did not harbor the G to T sequence variation in the repeat sequence as each
10 repeat sequence contained a G at the SNP locus. The number of repeat regions was determined in individual samples by calculating the area under a signal corresponding to a unique DNA fragment having a mass of 2771.6 Daltons. This signal in spectra generated from individuals having two repeat regions had an area that was thirty-three percent less than the
15 area under the same signal in spectra generated from individuals having three repeat regions. Thus, the procedures discussed above can be utilized to genotype individuals for the number of repeat sequences present in BKR-2.

D. Bisulfite Treatment Coupled with Glycosylase Digestion

20 Bisulfite treatment of genomic DNA can be utilized to analyze positions of methylated cytosine residues within the DNA. Treating nucleic acids with bisulfite deaminates cytosine residues to uracil residues, while methylated cytosine remains unmodified. Thus, by comparing the sequence of a PCR product generated from genomic DNA
25 that is not treated with bisulfite with the sequence of a PCR product generated from genomic DNA that is treated with bisulfite, the degree of methylation in a nucleic acid as well as the positions where cytosine is methylated can be deduced.

Genomic DNA (2 μ g) was digested by incubation with 1 μ L of a restriction enzyme at 37°C for 2 hours. An aliquot of 3 M NaOH was added to yield a final concentration of 0.3M NaOH in the digestion solution. The reaction was incubated at 37°C for 15 minutes followed by
5 treatment with 5.35M urea, 4.44M bisulfite, and 10mM hydroquinone, where the final concentration of hydroquinone is 0.5 mM.

The sample that was treated with bisulfite (sample A) was compared to the same digestion sample that had not undergone bisulfite treatment (sample B). After sample A was treated with bisulfite as
10 described above, sample A and sample B were amplified by a standard PCR procedure. The PCR procedure included the step of overlaying each sample with mineral oil and then subjecting the sample to thermocycling (20 cycles of 15 minutes at 55°C followed by 30 seconds at 95°C). The PCR reaction contained four nucleotide bases, C, A, G, and U. The
15 mineral oil was removed from each sample, and the PCR products were purified with glassmilk. Sodium iodide (3 volumes) and glassmilk (5 μ L) were added to samples A and B. The samples were then placed on ice for 8 minutes, washed with 420 μ L cold buffer, centrifuged for 10 seconds, and the supernatant fractions were removed. This process was
20 repeated twice and then 25 μ L of water was added. Samples were incubated for 5 minutes at 37 °C, were centrifuged for 20 seconds, and the supernatant fraction was collected, and then this incubation/centrifugation/supernatant fraction collection procedure was repeated. 50 μ L 0.1 M NaOH was then added to the samples to denature
25 the DNA. The samples were incubated at room temperature for 5 minutes, washed three times with 50 μ L of 10 mM TrisHCl (pH 8), and resuspended in 10 μ L 60mM TrisHCl/1mM EDTA, pH 7.9.

The sequence of PCR products from sample A and sample B were then treated with 2U of UDG (MBI Fermentas) and then subjected to

- backbone cleavage, as described herein. The resulting fragments from each of sample A and sample B were analyzed by MALDI-TOF mass spectroscopy as described in Example 4. Sample A gave rise to a greater number of fragments than the number of fragments arising from sample
- 5 B, indicative that the nucleic acid harbored at least one methylated cytosine moiety.

EXAMPLE 7

Fen-Ligase-Mediated Haplotyping

- Haplotyping procedures permit the selection of a fragment from one of an
- 10 individual's two homologous chromosomes and to genotype linked SNPs on that fragment. The direct resolution of haplotypes can yield increased information content, improving the diagnosis of any linked disease genes or identifying linkages associated with those diseases. In previous studies, haplotypes were typically reconstructed indirectly through
- 15 pedigree analysis (in cases where pedigrees were available) through laborious and unreliable allele-specific PCR or through single-molecule dilution methods well known in the art.

- A haplotyping procedure was used to determine the presence of two SNPs, referred to as SNP1 and SNP2, located on one strand in a DNA
- 20 sample. The haplotyping procedure used in this assay utilized Fen-1, a site-specific "flap" endonuclease that cleaves DNA "flaps" created by the overlap of two oligonucleotides hybridized to a target DNA strand. The two overlapping oligonucleotides in this example were short arm and long arm allele-specific adaptors. The target DNA was an amplified nucleic
- 25 acid that had been denatured and contained SNP1 and SNP2.

The short arm adaptor included a unique sequence not found in the target DNA. The 3' distal nucleotide of the short arm adaptor was identical to one of the SNP1 alleles. Moreover, the long arm adaptor included two regions: a 3' region complementary to the short arm and a

5' gene-specific region complementary to the fragment of interest adjacent to the SNP. If there was a match between the adaptor and one of the homologues, the Fen enzyme recognized and cleaved the overlapping flap. The short arm of the adaptor was then ligated to the remainder of
5 the target fragment (minus the SNP site). This ligated fragment was used as the forward primer for a second PCR reaction in which only the ligated homologue was amplified. The second PCR product (PCR2) was then analyzed by mass spectrometry. If there was no match between the adaptors and the target DNA, there was no overlap, no cleavage by Fen-
10 1, and thus no PCR2 product of interest.

If there was more than one SNP in the sequence of interest, the second SNP (SNP2) was found by using an adaptor that was specific for SNP2 and hybridizing the adaptor to the PCR2 product containing the first SNP. The Fen-ligase and amplification procedures were repeated for the
15 PCR2 product containing the first SNP. If the amplified product yielded a second SNP, then SNP1 and SNP2 were on the same fragment.

If the SNP is unknown, then four allele-specific adaptors (e.g. C, G, A, and T) can be used to hybridize with the target DNA. The substrates are then treated with the Fen-ligase protocol, including amplification. The
20 PCR2 products may be analyzed by PROBE, as described herein, to determine which adaptors were hybridized to the DNA target and thus identify the SNPs in the sequence.

A Fen-ligase assay was used to detect two SNPs present in Factor VII. These SNPs are located 814 base pairs apart from each other. SNP1
25 was located at position 8401 (C to T), and SNP2 was located at 9215 (G to A) (SEQ ID #).

A. First Amplification Step

A PCR product (PCR1) was generated for a known heterozygous individual at SNP1, a short distance from the 5' end of the SNP.

Specifically, a 10 μ L PCR reaction was performed by mixing 1.5 mM $MgCl_2$, 200 μ M of each dNTP, 0.5 U HotStar polymerase, 0.1 μ M of a forward primer having the sequence 5'-GCG CTC CTG TCG GTG CCA (SEQ ID NO: 56), 0.1 μ M of a reverse primer having the sequence 5'-GCC
5 TGA CTG GTG GGG CCC (SEQ ID NO: 57), and 1 ng of genomic DNA. The annealing temperature was 58°C, and the amplification process yielded fragments that were 861 bp in length.

The PCR1 reaction mixture was divided in half and was treated with an exonuclease 1/SAP mixture (0.22 μ L mixture/5 μ L PCR1 reaction)
10 which contained 1.0 μ L SAP and 0.1 μ L exon1. The exonuclease treatment was done for 30 minutes at 37°C and then 20 minutes at 85°C to denature the DNA.

B. Adaptor Oligonucleotides

A solution of allele-specific adaptors (C and T), containing of one
15 long and one short oligonucleotide per adaptor, was prepared. The long arm and short arm oligonucleotides of each adaptor (10 μ M) were mixed in a 1:1 ratio and heated for 30 seconds at 95°C. The temperature was reduced in 2°C increments to 37°C for annealing. The C-adaptor had a short arm sequence of 5'-CAT GCA TGC ACG GTC (SEQ ID NO: 58) and
20 a long arm sequence of 5'-CAG AGA GTA CCC CTC GAC CGT GCA TGC ATG (SEQ ID NO: 59). Hence, the long arm of the adaptor was 30 bp (15 bp gene-specific), and the short arm was 15bp. The T-adaptor had a short arm sequence of 5'-CAT GCA TGC ACG GTT (SEQ ID NO: 60) and a long arm sequence of 5'-GTA CGT ACG TGC CAA CTC CCC ATG AGA
25 GAC (SEQ ID NO: 61). The adaptor could also have a hairpin structure in which the short and long arm are separated by a loop containing of 3 to 10 nucleotides (SEQ ID NO: 118).

C. FEN-ligase reaction

In two tubes (one tube for each allele-specific adaptor per sample) was placed a solution (Solution A) containing of 3.5 μ l 10 mM 16%PEG/50 mM MOPS, 1.2 μ l 25 mM $MgCl_2$, 1.5 μ l 10X Ampligase Buffer, and 2.5 μ l PCR1. Each tube containing Solution A was incubated at 95°C for 5 minutes to denature the PCR1 product. A second solution (Solution B) containing of 1.65 μ l Ampligase (Thermostable ligase, Epicentre Technologies), 1.65 μ l 200ng/ μ l MFEN (from *Methanococcus jannaschii*), and 3.0 μ l of an allele specific adaptor (C or T) was prepared. Thus, different variations of Solution B, each variation containing of different allele-specific adaptors, were made. Solution B was added to Solution A at 95°C and incubated at 55°C for 3 hours. The total reaction volume was 15.0 μ l per adaptor-specific reaction. For a bi-allelic system, 2 x 15.0 μ l reactions were required.

The Fen-ligase reaction in each tube was then deactivated by adding 8.0 μ l 10 mM EDTA. Then, 1.0 μ l exoIII/Buffer (70%/30%) solution was added to each sample and incubated 30 minutes at 37°C, 20 minutes at 70°C (to deactivate exoIII), and 5 minutes at 95°C (to denature the sample and dissociate unused adaptor from template). The samples were cooled in an ice slurry and purified on UltraClean PCR Clean-up (MoBio) spin columns which removed all fragments less than 100 base pairs in length. The fragments were eluted with 50 μ l H_2O .

D. Second Amplification Step

A second amplification reaction (PCR2) was conducted in each sample tube using the short arm adaptor (C or T) sequence as the forward primer (minus the SNP1 site). Only the ligated homologue was amplified. A standard PCR reaction was conducted with a total volume of 10.0 μ l containing of 1X Buffer (final concentration), 1.5 mM final concentration $MgCl_2$, 200 μ M final concentration dNTPs, 0.5 U HotStar polymerase, 0.1 μ M final concentration forward primer 5'-CAT GCA TGC ACG GT (SEQ ID

NO: 62), 0.1 μ M final concentration reverse primer 5'-GCC TGA CTG GTG GGG CCC (SEQ ID NO: 63), and 1.0 μ l of the purified FEN-ligase reaction solution. The annealing temperature was 58°C. The PCR2 product was analyzed by MALDI TOF mass spectroscopy as described in Example 4.

- 5 The mass spectrum of Fen SNP1 showed a mass of 6084.08 Daltons, representing the C allele.

E. Genotyping Additional SNPs

- The second SNP (SNP2) can be found by using an adaptor that is specific for SNP2 and hybridizing that adaptor to the PCR2 product
10 containing the first SNP. The Fen-ligase and amplification procedures are repeated for the PCR2 product containing the first SNP. If the amplified product yields a second SNP, then SN1 and SN2 are on the same fragment. The mass spectrum of SNP2, representing the T allele, showed a mass of 6359.88 Daltons.

- 15 This assay can also be performed upon pooled DNA to yield haplotype frequencies as described herein. The Fen-ligase assay can be used to analyze multiplexes as described herein.

EXAMPLE 8

Nickase-Mediated Sequence Analysis

- 20 A DNA nickase, or DNase, was used to recognize and cleave one strand of a DNA duplex. Two nickases used were NY2A nickase and NYS1 nickase (Megabase) which cleave DNA at the following sites:

NY2A: 5'...R AG...3'

3'...Y↓TC...5' where R = A or G and Y = C or T

- 25 NYS1: 5'...↓CC[A/G/T]...3'

3'... GG[T/C/A]...5'.

A. Nickase Digestion

Tris-HCl (10 mM), KCl (10 mM, pH 8.3), magnesium acetate (25 mM), BSA (1 mg/mL), and 6 U of Cvi NY2A or Cvi NYS1 Nickase (Megabase Research) were added to 25 pmol of double-stranded
5 oligonucleotide template having a sequence of 5'-CGC AGG GTT TCC TCG TCG CAC TGG GCA TGT G-3' (SEQ ID NO: 90, Operon, Alameda, CA) synthesized using standard phosphoramidite chemistry. With a total volume of 20 μ L, the reaction mixture was incubated at 37°C for 5 hours, and the digestion products were purified using ZipTips (Millipore, Bedford,
10 MA) as described in Example 5. The samples were analyzed by MALDI-TOF mass spectroscopy as described in Example 1. The nickase Cvi NY2A yielded three fragments with masses 4049.76 Daltons, 5473.14 Daltons, and 9540.71 Daltons. The Cvi NYS1 nickase yielded fragments with masses 2063.18 Daltons, 3056.48 Daltons, 6492.81 Daltons, and
15 7450.14 Daltons.

B. Nickase Digestion of Pooled Samples

DQA (HLA ClassII-DQ Alpha, expected fragment size = 225bp) was amplified from the genomic DNA of 100 healthy individuals. DQA was amplified using standard PCR chemistry in a reaction having a total
20 volume of 50 μ L containing of 10 mM Tris-HCl, 10 mM KCl (pH 8.3), 2.5 mM MgCl₂, 200 μ M of each dNTP, 10 pmol of a forward primer having the sequence 5'-GTG CTG CAG GTG TAA ACT TGT ACC AG-3' (SEQ ID NO: 64), 10 pmol of a reverse primer having the sequence 5'-CAC GGA TCC GGT AGC AGC GGT AGA GTT G-3' (SEQ ID NO: 65), 1 U DNA
25 polymerase (Stoffel fragment, Perkin Elme r), and 200ng human genomic DNA (2ng DNA/individual). The template was denatured at 94°C for 5 minutes. Thermal cycling was continued with a touch-down program that included 45 cycles of 20 seconds at 94°C, 30 seconds at 56 C, 1

minute at 72°C, and a final extension of 3 minutes at 72°C. The crude PCR product was used in the subsequent nickase reaction.

The unpurified PCR product was subjected to nickase digestion. Tris-HCl (10 mM), KCl (10 mM, pH 8.3), magnesium acetate (25mM),
5 BSA (1 mg/mL), and 5 U of Cvi NY2A or Cvi NYS1 Nickase (Megabase Research) were added to 25 pmol of the amplified template with a total reaction volume of 20 μ L. The mixture was then incubated at 37°C for 5 hours. The digestion products were purified with either ZipTips (Millipore, Bedford, MA) as described in Example 5. The samples were analyzed by
10 MALDI-TOF mass spectroscopy as described in Example 4. This assay can also be used to do multiplexing and standardless genotyping as described herein.

To simplify the nickase mass spectrum, the two complementary strands can be separated after digestion by using a single-stranded
15 undigested PCR product as a capture probe. This probe (preparation shown below in Example 8C) can be hybridized to the nickase fragments in hybridization buffer containing 200 mM sodium citrate and 1% blocking reagent (Boehringer Mannheim). The reaction is heated to 95°C for 5 minutes and cooled to room temperature over 30 minutes by using a
20 thermal cycler (PTC-200 DNA engine, MJ Research, Waltham, MA). The capture probe-nickase fragment is immobilized on 140 μ g of streptavidin-coated magnetic beads. The beads are subsequently washed three times with 70 mM ammonium citrate. The captured single-stranded nickase fragments are eluted by heating to 80°C for 5 minutes in 5 μ L of 50 mM
25 ammonium hydroxide.

C. Preparation of Capture Probe

The capture probe is prepared by amplifying the human β -globin gene (3' end of intron 1 to 5' end of exon 2) via PCR methods in a total volume of 50 μ L containing of GeneAmp 1XPCR Buffer II, 10 mM Tris-

HCl, pH 8.3, 50 mM KCl, 2 mM MgCl₂, 0.2 mM dNTP mix, 10pmol of each primer (forward primer 5'-ACTGGGCATGTGGAGACAG-3' (SEQ ID NO: 66) and biotinylated reverse primer bio5'-GCACTTTCTTGCCATGAG-3' (SEQ ID: 67), 2 U of AmpliTaq Gold, and 200 ng of human genomic
5 DNA. The template is denatured at 94°C for 8 minutes. Thermal cycling is continued with a touch-down program that included 11 cycles of 20 seconds at 94°C, 30 seconds at 64°C, 1 minute at 72°C; and a final extension of 5 minutes at 72°C. The amplicon is purified using UltraClean™ PCR clean-up kit (MO Bio Laboratories, Solano Beach, CA).

10

EXAMPLE 9

Multiplex Type IIS SNP Assay

A Type IIS assay was used to identify human gene sequences with known SNPs. The Type IIS enzyme used in this assay was Fok I which
15 effected double-stranded cleavage of the target DNA. The assay involved the steps of amplification and Fok I treatment of the amplicon. In the amplification step, the primers were designed so that each PCR product of a designated gene target was less than 100 bases such that a Fok I recognition sequence was incorporated at the 5' and 3' end of the
20 amplicon. Therefore, the fragments that were cleaved by Fok I included a center fragment containing the SNP of interest.

Ten human gene targets with known SNPs were analyzed by this assay. Sequences of the ten gene targets, as well as the primers used to amplify the target regions, are found in Table 5. The ten targets were
25 lipoprotein lipase, prothrombin, factor V, cholesterol ester transfer protein (CETP), factor VII, factor XIII, HLA-H exon 2, HLA-H exon 4, methylenetetrahydrofolate reductase (MTHR), and P53 exon 4 codon 72.

Amplification of the ten human gene sequences were carried out in a single 50 µL volume PCR reaction with 20 ng of human genomic DNA

template in 5 PCR reaction tubes. Each reaction vial contained 1X PCR buffer (Qiagen), 200 μ M dNTPs, 1U Hotstar Taq polymerase (Qiagen), 4 mM MgCl₂, and 10pmol of each primer. US8, having sequence of 5'TCAGTCACGACGTT3'(SEQ ID NO: 68), and US9, having sequence of 5'CGGATAACAATTTC3'(SEQ ID NO: 69), were used for the forward and reverse primers respectively. Moreover, the primers were designed such that a Fok I recognition site was incorporated at the 5' and 3' ends of the amplicon. Thermal cycling was performed in 0.2 mL tubes or a 96 well plate using a MJ Research Thermal Cycler (calculated temperature) with the following cycling parameters: 94°C for 5 minutes; 45 cycles: 94°C for 20 seconds, 56°C for 20 seconds, 72°C for 60 seconds; and 72°C for 3 minutes.

Following PCR, the sample was treated with 0.2 U Exonuclease I (Amersham Pharmacia) and S Alkaline Phosphatase (Amersham Pharmacia) to remove the unincorporated primers and dNTPs. Typically, 0.2 U of exonuclease I and SAP were added to 5 μ L of the PCR sample. The sample was then incubated at 37°C for 15 minutes. Exonuclease I and SAP were then inactivated by heating the sample up to 85°C for 15 minutes. Fok I digestion was performed by adding 2 U of Fok I (New England Biolab) to the 5 μ L PCR sample and incubating at 37°C for 30 minutes. Since the Fok I restriction sites are located on both sides of the amplicon, the 5' and 3' cutoff fragments have higher masses than the center fragment containing the SNP. The sample was then purified by anion exchange and analyzed by MALDI-TOF mass spectrometry as described in Example 4. The masses of the gene fragments from this multiplexing experiment are listed in Table 6. These gene fragments were resolved in mass spectra thereby allowing multiplex analysis of sequence variability in these genes.

Table 5
Genes for Multiplex Type IIS Assay

5

10

15

Gene	Sequence	Seq. ID No.	Primers	Seq. ID No.
Lipoprotein Lipase (Asn291Ser)	cctttgagaa agggctctgc ttgagttgta gaaagaaccg ctgcaacaat <u>ctgggctatg agatca(a>g)taa agtcaagacc</u> <u>aaaagaagca gcaaaatgta</u>	98-99	5' caatttcacgctggatgcaatct gggctatgagatc 3'	70
			5' caatttcacacagcggatgcttct tttgctctgact 3'	71
Prothrombin	26731 gaattatttt tgtgtttcta aaactatggt tccaataaa <u>agtgaactctc</u> 26781 <u>agg(g>a)agcctc aatgctccca</u> <u>gtgctattca tgggcagctc tctgggctca</u>	100-101	5' tcagtcacgacgttggatgcca <u>taaaagtgaactctcagc 3'</u>	72
			5' cggataacaatttcggatgcaact <u>gggagcattgaggc 3'</u>	73
Factor V (Arg506Gln)	taataggact acttctaact tgtaagagca <u>gatccctgga caggc(g>a)agga</u> <u>atcacgggat ttgtccttg aagtaacctt tcag</u>	102-103	5' tcagtcacgacgttggatgagca <u>gatccctggacaggc 3'</u>	74
			5' cggataacaatttcggatggaca <u>aaatacctgtattcc 3'</u>	75
Cholesterol ester transfer protein (CETP) (I405V)	1261 ctccatctgg gcatttgatt <u>gcagagcage</u> <u>tccgagtc(c>a) tccagagctt</u> 1311 <u>cctgcagtc aatgatcccg ctgtgggcat</u> ccctgaggtc atgtctcgta	104-105	5' tcagtcacgacgttggatgcaga <u>gcagctccgagtc 3'</u>	76
			5' <u>cagcggatgatcattggatgcagg</u> <u>agctctgg 3'</u>	77
Factor VII (R353Q)	1221 agcaaggact cctgcaaggg ggacagtgga <u>ggcccacatg ccacccacta</u> 1271 <u>cc(a>g)gggcacg tggtaacctga</u> <u>cgggcacgt cagctggggc cagggcctgcg</u>	106-107	5' tcagtcacgacgttggatgccca <u>catgccacccactac 3'</u>	78
			5' cggataacaatttcggatgcccg <u>tcaggatccacg 3'</u>	79
Factor XIII (V34L)	111 caataactct aatgcagcgg aagatgacct <u>gcccacatg gagcttcagg</u> 161 <u>gc(g>t)tggtgcc ccggggcgtc</u> <u>aacctgcaag gtatgagcat accccccttc</u>	108-109	5' tcagtcacgacgttggatgccca <u>cagtggagcttcag 3'</u>	80
			5' <u>gctcataccttcaggatgacg</u> 3'	81
HLA-H exon 2 (His63Asp)	361 ttgaagcttt gggctacgtg <u>gatgaccagc</u> <u>tgttcgtgtt ctatgat(c>g)at</u> 411 <u>gagagtcgcc gtgtggagcc ccgaactcca</u> <u>tggtttcca gtagaatttc</u>	110-111	5' tcagtcacgacgttggatgacca <u>gctgttcgtgttc 3'</u>	82
			5' <u>tacatggagttcggggatgcaca</u> <u>cggcgactctc 3'</u>	83
HLA-H exon 4 (Cys282Tyr)	1021 ggataacctt ggctgtaccc <u>cctggggaag</u> <u>agcagagata tacgt(g>a)ccag</u> 1071 <u>gtggagcacc caggcctgga tcagccctc</u> attgtgatct gggagccctc	112-113	5' tcagtcacgacgttggatgggga <u>agagcagagatatacgt 3'</u>	84
			5' <u>gaggggctgatccaggatgggt</u> <u>gctccac 3'</u>	85

Gene	Sequence	Seq. ID No.	Primers	Seq. ID No.
Methylenetetrahydrofolate reductase (MTHFR) (Ala222Val)	761 <u>tgagcactt gaagga gaag gtgtctcgg</u> gag(c>t) <u>cgattt catcatcacg</u>	114-115	5' <u>tcagtcacgacgttggatgggga</u> <u>agagcagagatatacgt</u> 3'	86
	811 <u>cagcttttct ttgaggctga cacattcttc</u>		5' <u>gaggggctgaccaggatgggt</u> <u>gctccac</u> 3'	87
P53 Exon4 Codon 72 (Arg72Pro)	12101 <u>tccagatgaa gctccagaa</u> <u>tgccagaggc tgctcccc(g>c)tc gtggcccctg</u>	116-117	5' <u>gatgaagctcccaggatgccag</u> <u>aggc</u> 3'	88
	12151 <u>caccagcagc tcctacaccg</u> <u>gcggcccctg</u>		5' <u>gccgccggtgtaggatgctgctg</u> <u>gtgc</u> 3'	89

Table 6
The mass of Center Fragments for Ten Different SNP Typing by
IIS Assay

Gene	LPL ^(Asn291Ser)		Prothrombin		FV ^(Asp506Gln)		CETP ^(405V)		FVII ^(R353Q)		FXIII ^(V34)	
Genotype	A	G	G	A	G	A	G	A	G	A	G	T
+ strand mass (Da)	6213	6229	5845	5829	5677	5661	3388	3372	6128	6112	5058	5033
- strand mass (Da)	6129	6114	5949	5964	5472	5487	3437	3452	6174	6189	4916	4940

Gene	H1ah2		H1ah4		MTHR ^(Ala222Val)		P53exon4 ^(Arg72Pro)	
Genotype	C	G	G	A	C	T	G	C
+ strand mass (Da)	5889	5929	4392	4376	4400	4415	4586	4546
- strand mass (Da)	5836	5796	4319	4334	4368	4352	4724	4764

EXAMPLE 10

Exemplary use of parental medical history parameter for stratification of healthy database

A healthy database can be used to associate a disease state with a specific allele (SNP) that has been found to show a strong association between age and the allele, in particular the homozygous genotype. The method involves using the same healthy database used to identify the age dependent association, however stratification is by information given by the donors about common disorders from which their parents suffered (the donor's familial history of disease). There are three possible answers a donor could give about the health status of their parents: neither were affected, one was affected or both were affected. Only donors above a certain minimum age, depending on the disease, are utilized, as the donors parents must be old enough to have exhibited clinical disease phenotypes. The genotype frequency in each of these groups is determined and compared with each other. If there is an association of the marker in the donor to a disease the frequency of the heterozygous genotype will be increased. The frequency of the homozygous genotype should not increase, as it should be significantly underrepresented in the healthy population.

EXAMPLE 11**Method and Device for Identifying a Biological Sample****Description**

In accordance with the present invention, a method and device for
5 identifying a biological sample is provided. Referring now to FIG. 24, an
apparatus 10 for identifying a biological sample is disclosed. The apparatus 10
for identifying a biological sample generally comprises a mass spectrometer 15
communicating with a computing device 20. In a preferred embodiment, the
mass spectrometer may be a MALDI-TOF mass spectrometer manufactured by
10 Bruker-Franzen Analytik GmbH; however, it will be appreciated that other mass
spectrometers can be substituted. The computing device 20 is preferably a
general purpose computing device. However, it will be appreciated that the
computing device could be alternatively configured, for example, it may be
integrated with the mass spectrometer or could be part of a computer in a larger
15 network system.

The apparatus 10 for identifying a biological sample may operate as an
automated identification system having a robot 25 with a robotic arm 27
configured to deliver a sample plate 29 into a receiving area 31 of the mass
spectrometer 15. In such a manner, the sample to be identified may be placed
20 on the plate 29 and automatically received into the mass spectrometer 15. The
biological sample is then processed in the mass spectrometer to generate data
indicative of the mass of DNA fragments in the biological sample. This data may
be sent directly to computing device 20, or may have some preprocessing or
filtering performed within the mass spectrometer. In a preferred embodiment,
25 the mass spectrometer 15 transmits unprocessed and unfiltered mass
spectrometry data to the computing device 20. However, it will be appreciated
that the analysis in the computing device may be adjusted to accommodate
preprocessing or filtering performed within the mass spectrometer.

Referring now to FIG. 25, a general method 35 for identifying a biological
30 sample is shown. In method 35, data is received into a computing device from a
test instrument in block 40. Preferably the data is received in a raw,
unprocessed and unfiltered form, but alternatively may have some form of

filtering or processing applied. The test instrument of a preferred embodiment is a mass spectrometer as described above. However, it will be appreciated that other test instruments could be substituted for the mass spectrometer.

The data generated by the test instrument, and in particular the mass spectrometer, includes information indicative of the identification of the biological sample. More specifically, the data is indicative of the DNA composition of the biological sample. Typically, mass spectrometry data gathered from DNA samples obtained from DNA amplification techniques are noisier than, for example, those from typical protein samples. This is due in part because protein samples are more readily prepared in more abundance, and protein samples are more easily ionizable as compared to DNA samples. Accordingly, conventional mass spectrometer data analysis techniques are generally ineffective for DNA analysis of a biological sample. To improve the analysis capability so that DNA composition data can be more readily discerned, a preferred embodiment uses wavelet technology for analyzing the DNA mass spectrometry data. Wavelets are an analytical tool for signal processing, numerical analysis, and mathematical modeling. Wavelet technology provides a basic expansion function which is applied to a data set. Using wavelet decomposition, the data set can be simultaneously analyzed in the time and frequency domains. Wavelet transformation is the technique of choice in the analysis of data that exhibit complicated time (mass) and frequency domain information, such as MALDI-TOF DNA data. Wavelet transforms as described herein have superior denoising properties as compared to conventional Fourier analysis techniques. Wavelet transformation has proven to be particularly effective in interpreting the inherently noisy MALDI-TOF spectra of DNA samples. In using wavelets, a "small wave" or "scaling function" is used to transform a data set into stages, with each stage representing a frequency component in the data set. Using wavelet transformation, mass spectrometry data can be processed, filtered, and analyzed with sufficient discrimination to be useful for identification of the DNA composition for a biological sample.

Referring again to FIG. 25, the data received in block 40 is denoised in block 45. The denoised data then has a baseline correction applied in block 50.

A baseline correction is generally necessary as data coming from the test instrument, in particular a mass spectrometer instrument, has data arranged in a generally exponentially decaying manner. This generally exponential decaying arrangement is not due to the composition of the biological sample, but is a
5 result of the physical properties and characteristics of the test instrument, and other chemicals involved in DNA sample preparation. Accordingly, baseline correction substantially corrects the data to remove a component of the data attributable to the test system, and sample preparation characteristics.

After denoising in block 45 and the baseline correction in block 50, a
10 signal remains which is generally indicative of the composition of the biological sample. However, due to the extraordinary discrimination required for analyzing the DNA composition of the biological sample, the composition is not readily apparent from the denoised and corrected signal. For example, although the signal may include peak areas, it is not yet clear whether these "putative" peaks
15 actually represent a DNA composition, or whether the putative peaks are result of a systemic or chemical aberration. Further, any call of the composition of the biological sample would have a probability of error which would be unacceptable for clinical or therapeutic purposes. In such critical situations, there needs to be a high degree of certainty that any call or identification of the sample is
20 accurate. Therefore, additional data processing and interpretation is necessary before the sample can be accurately and confidently identified.

Since the quantity of data resulting from each mass spectrometry test is typically thousands of data points, and an automated system may be set to perform hundreds or even thousands of tests per hour, the quantity of mass
25 spectrometry data generated is enormous. To facilitate efficient transmission and storage of the mass spectrometry data, block 55 shows that the denoised and baseline corrected data is compressed.

In a preferred embodiment, the biological sample is selected and processed to have only a limited range of possible compositions. Accordingly, it
30 is therefore known where peaks indicating composition should be located, if present. Taking advantage of knowing the location of these expected peaks, in block 60 the method 35 matches putative peaks in the processed signal to the

location of the expected peaks. In such a manner, the probability of each putative peak in the data being an actual peak indicative of the composition of the biological sample can be determined. Once the probability of each peak is determined in block 60, then in block 65 the method 35 statistically determines
5 the composition of the biological sample, and determines if confidence is high enough to calling a genotype.

Referring again to block 40, data is received from the test instrument, which is preferably a mass spectrometer. In a specific illustration, FIG. 26 shows an example of data from a mass spectrometer. The mass spectrometer
10 data 70 generally comprises data points distributed along an x-axis 71 and a y-axis 72. The x-axis 71 represents the mass of particles detected, while the y-axis 72 represents a numerical concentration of the particles. As can be seen in FIG. 26, the mass spectrometry data 70 is generally exponentially decaying with data at the left end of the x-axis 73 generally decaying in an exponential manner
15 toward data at the heavier end 74 of the x-axis 71. However, the general exponential presentation of the data is not indicative of the composition of the biological sample, but is more reflective of systematic error and characteristics. Further, as described above and illustrated in FIG. 26, considerable noise exists in the mass spectrometry DNA data 70.

Referring again to block 45, where the raw data received in block 40 is denoised, the denoising process will be described in more detail. As illustrated in FIG. 25, the denoising process generally entails 1) performing a wavelet transformation on the raw data to decompose the raw data into wavelet stage coefficients; 2) generating a noise profile from the highest stage of wavelet
25 coefficients; and 3) applying a scaled noise profile to other stages in the wavelet transformation. Each step of the denoising process is further described below.

Referring now to FIG. 27, the wavelet transformation of the raw mass spectrometry data is generally diagramed. Using wavelet transformation techniques, the mass spectrometry data 70 is sequentially transformed into
30 stages. In each stage the data is represented in a high stage and a low stage, with the low stage acting as the input to the next sequential stage. For example, the mass spectrometry data 70 is transformed into stage 0 high data

82 and stage 0 low data 83. The stage 0 low data 83 is then used as an input to the next level transformation to generate stage 1 high data 84 and stage 1 low data 85. In a similar manner, the stage 1 low data 85 is used as an input to be transformed into stage 2 high data 86 and stage 2 low data 87. The

5 transformation is continued until no more useful information can be derived by further wavelet transformation. For example, in the preferred embodiment a 24-point wavelet is used. More particularly a wavelet commonly referred to as the Daubechies 24 is used to decompose the raw data. However, it will be appreciated that other wavelets can be used for the wavelet transformation.

10 Since each stage in a wavelet transformation has one-half the data points of the previous stage, the wavelet transformation can be continued until the stage n low data 89 has around 50 points. Accordingly, the stage n high 88 would contain about 100 data points. Since the preferred wavelet is 24 points long, little data or information can be derived by continuing the wavelet transformation

15 on a data set of around 50 points.

FIG. 28 shows an example of stage 0 high data 95. Since stage 0 high data 95 is generally indicative of the highest frequencies in the mass spectrometry data, stage 0 high data 95 will closely relate to the quantity of high frequency noise in the mass spectrometry data. In FIG. 29, an exponential

20 fitting formula has been applied to the stage 0 high data 95 to generate a stage 0 noise profile 97. In particular, the exponential fitting formula is in the format $A_0 + A_1 \text{EXP}(-A_2 m)$. It will be appreciated that other exponential fitting formulas or other types of curve fits may be used.

Referring now to FIG. 30, noise profiles for the other high stages are

25 determined. Since the later data points in each stage will likely be representative of the level of noise in each stage, only the later data points in each stage are used to generate a standard deviation figure that is representative of the noise content in that particular stage. More particularly, in generating the noise profile for each remaining stage, only the last five percent of the data points in each

30 stage are analyzed to determine a standard deviation number. It will be appreciated that other numbers of points, or alternative methods could be used to generate such a standard deviation figure.

The standard deviation number for each stage is used with the stage 0 noise profile (the exponential curve) 97 to generate a scaled noise profile for each stage. For example, FIG. 30 shows that stage 1 high data 98 has stage 1 high data 103 with the last five percent of the data points represented by area 5 99. The points in area 99 are evaluated to determine a standard deviation number indicative of the noise content in stage 1 high data 103. The standard deviation number is then used with the stage 0 noise profile 97 to generate a stage 1 noise profile.

In a similar manner, stage 2 high 100 has stage 2 high data 104 with the 10 last five percent of points represented by area 101. The data points in area 101 are then used to calculate a standard deviation number which is then used to scale the stage 0 noise profile 97 to generate a noise profile for stage 2 data. This same process is continued for each of the stage high data as shown by the stage n high 105. For stage n high 105, stage n high data 108 has the last five 15 percent of data points indicated in area 106. The data points in area 106 are used to determine a standard deviation number for stage n. The stage n standard deviation number is then used with the stage 0 noise profile 97 to generate a noise profile for stage n. Accordingly, each of the high data stages has a noise profile.

20 FIG. 31 shows how the noise profile is applied to the data in each stage. Generally, the noise profile is used to generate a threshold which is applied to the data in each stage. Since the noise profile is already scaled to adjust for the noise content of each stage, calculating a threshold permits further adjustment to tune the quantity of noise removed. Wavelet coefficients below the threshold 25 are ignored while those above the threshold are retained. Accordingly, the remaining data has a substantial portion of the noise content removed.

Due to the characteristics of wavelet transformation, the lower stages, such as stage 0 and 1, will have more noise content than the later stages such as stage 2 or stage n. Indeed, stage n low data is likely to have little noise at 30 all. Therefore, in a preferred embodiment the noise profiles are applied more aggressively in the lower stages and less aggressively in the later stages. For example, FIG. 31 shows that stage 0 high threshold is determined by multiplying

the stage 0 noise profile by a factor of four. In such a manner, significant numbers of data points in stage 0 high data 95 will be below the threshold and therefore eliminated. Stage 1 high threshold 112 is set at two times the noise profile for the stage 1 high data, and stage 2 high threshold 114 is set equal to the noise profile for stage 2 high. Following this geometric progression, stage n high threshold 116 is therefore determined by scaling the noise profile for each respective stage n high by a factor equal to $(1/2^{n-2})$. It will be appreciated that other factors may be applied to scale the noise profile for each stage. For example, the noise profile may be scaled more or less aggressively to accommodate specific systemic characteristics or sample compositions. As indicated above, stage n low data does not have a noise profile applied as stage n low data 118 is assumed to have little or no noise content. After the scaled noise profiles have been applied to each high data stage, the mass spectrometry data 70 has been denoised and is ready for further processing. A wavelet transformation of the denoised signal results in the sparse data set 120 as shown in FIG. 31.

Referring again to FIG. 25, the mass spectrometry data received in block 40 has been denoised in block 45 and is now passed to block 50 for baseline correction. Before performing baseline correction, the artifacts introduced by the wavelet transformation procedure are preferably removed. Wavelet transformation results vary slightly depending upon which point of the wavelet is used as a starting point. For example, the preferred embodiment uses the 24-point Daubechies-24 wavelet. By starting the transformation at the 0 point of the wavelet, a slightly different result will be obtained than if starting at points 1 or 2 of the wavelet. Therefore, the denoised data is transformed using every available possible starting point, with the results averaged to determine a final denoised and shifted signal. For example, FIG. 33 shows that the wavelet coefficient is applied 24 different times and then the results averaged to generate the final data set. It will be appreciated that other techniques may be used to accommodate the slight error introduced due to wavelet shifting.

The formula 125 is generally indicated in FIG. 33. Once the signal has been denoised and shifted, a denoised and shifted signal 130 is generated as

shown in FIG. 58. FIG. 34 shows an example of the wavelet coefficient 135 data set from the denoised and shifted signal 130.

FIG. 36 shows that putative peak areas 145, 147, and 149 are located in the denoised and shifted signal 150. The putative peak areas are systematically
5 identified by taking a moving average along the signal 150 and identifying sections of the signal 150 which exceed a threshold related to the moving average. It will be appreciated that other methods can be used to identify putative peak areas in the signal 150.

Putative peak areas 145, 147 and 149 are removed from the signal 150
10 to create a peak-free signal 155 as shown in FIG. 37. The peak-free signal 155 is further analyzed to identify remaining minimum values 157, and the remaining minimum values 157 are connected to generate the peak-free signal 155.

FIG. 38 shows a process of using the peak-free signal 155 to generate a baseline 170 as shown in FIG. 39. As shown in block 162, a wavelet
15 transformation is performed on the peak-free signal 155. All the stages from the wavelet transformation are eliminated in block 164 except for the n low stage. The n low stage will generally indicate the lowest frequency component of the peak-free signal 155 and therefore will generally indicate the system exponential characteristics. Block 166 shows that a signal is reconstructed from the n low
20 coefficients and the baseline signal 170 is generated in block 168.

FIG. 39 shows a denoised and shifted data signal 172 positioned adjacent a correction baseline 170. The baseline correction 170 is subtracted from the denoised and shifted signal 172 to generate a signal 175 having a baseline correction applied as shown in FIG. 40. Although such a denoised, shifted, and
25 corrected signal is sufficient for most identification purposes, the putative peaks in signal 175 are not identifiable with sufficient accuracy or confidence to call the DNA composition of a biological sample.

Referring again to FIG. 25, the data from the baseline correction 50 is now compressed in block 55, the compression technique used in a preferred
30 embodiment is detailed in FIG. 41. In FIG. 41 the data in the baseline corrected data is presented in an array format 182 with x-axis points 183 having an associated data value 184. The x-axis is indexed by the non-zero wavelet

coefficients, and the associated value is the value of the wavelet coefficient. In the illustrated data example in table 182, the maximum value 184 is indicated to be 1000. Although a particularly advantageous compression technique for mass spectrometry data is shown, it will be appreciated that other compression techniques can be used. Although not preferred, the data may also be stored without compression.

In compressing the data according to a preferred embodiment, an intermediate format 186 is generated. The intermediate format 186 generally comprises a real number having a whole number portion 188 and a decimal portion 190. The whole number portion is the x-axis point 183 while the decimal portion is the value data 184 divided by the maximum data value. For example, in the data 182 a data value "25" is indicated at x-axis point "100". The intermediate value for this data point would be "100.025".

From the intermediate compressed data 186 the final compressed data 195 is generated. The first point of the intermediate data file becomes the starting point for the compressed data. Thereafter each data point in the compressed data 195 is calculated as follows: the whole number portion (left of the decimal) is replaced by the difference between the current and the last whole number. The remainder (right of the decimal) remains intact. For example, the starting point of the compressed data 195 is shown to be the same as the intermediate data point which is "100.025". The comparison between the first intermediate data point "100.025" and the second intermediate data point "150.220" is "50.220". Therefore, "50.220" becomes the second point of the compressed data 195. In a similar manner, the second intermediate point is "150.220" and the third intermediate data point is "500.0001". Therefore, the third compressed data becomes "350.000". The calculation for determining compressed data points is continued until the entire array of data points is converted to a single array of real numbers.

FIG. 42 generally describes the method of compressing mass spectrometry data, showing that the data file in block 201 is presented as an array of coefficients in block 202. The data starting point and maximum is determined as shown in block 203, and the intermediate real numbers are

calculated in block 204 as described above. With the intermediate data points generated, the compressed data is generated in block 205. The described compression method is highly advantageous and efficient for compressing data sets such as a processed data set from a mass spectrometry instrument. The method is particularly useful for data, such as mass spectrometry data, that uses large numbers and has been processed to have occasional lengthy gaps in x-axis data. Accordingly, an x-y data array for processed mass spectrometry data may be stored with an effective compression rate of 10x or more. Although the compression technique is applied to mass spectrometry data, it will be appreciated that the method may also advantageously be applied to other data sets.

Referring again to FIG. 25, peak heights are now determined in block 60. The first step in determining peak height is illustrated in FIG. 43 where the signal 210 is shifted left or right to correspond with the position of expected peaks. As the set of possible compositions in the biological sample is known before the mass spectrometry data is generated, the possible positioning of expected peaks is already known. These possible peaks are referred to as expected peaks, such as expected peaks 212, 214, and 216. Due to calibration or other errors in the test instrument data, the entire signal may be shifted left or right from its actual position, therefore, putative peaks located in the signal, such as putative peaks 218, 222, and 224 may be compared to the expected peaks 212, 214, and 216, respectively. The entire signal is then shifted such that the putative peaks align more closely with the expected peaks.

Once the putative peaks have been shifted to match expected peaks, the strongest putative peak is identified in FIG. 44. In a preferred embodiment, the strongest peak is calculated as a combination of analyzing the overall peak height and area beneath the peak. For example, a moderately high but wide peak would be stronger than a very high peak that is extremely narrow. With the strongest putative peak identified, such as putative peak 225, a Gaussian curve is fit to the peak 225. Once the Gaussian is fit, the width (W) of the Gaussian is determined and will be used as the peak width for future calculations.

As generally addressed above, the denoised, shifted, and baseline-corrected signal is not sufficiently processed for confidently calling the DNA composition of the biological sample. For example, although the baseline has generally been removed, there are still residual baseline effects present. These
5 residual baseline effects are therefore removed to increase the accuracy and confidence in making identifications.

To remove the residual baseline effects, FIG. 45 shows that the putative peaks 218, 222, and 224 are removed from the baseline corrected signal. The peaks are removed by identifying a center line 230, 232, and 234 of the
10 putative peaks 218, 222, and 224, respectively and removing an area to the left and to the right of the identified center line. For each putative peak, an area equal to twice the width (W) of the Gaussian is removed from the left of the center line, while an area equivalent to 50 daltons is removed from the right of the center line. It has been found that the area representing 50 daltons is
15 adequate to sufficiently remove the effect of salt adducts which may be associated with an actual peak. Such adducts appear to the right of an actual peak and are a natural effect from the chemistry involved in acquiring a mass spectrum. Although a 50 Dalton buffer has been selected, it will be appreciated that other ranges or methods can be used to reduce or eliminate adduct effects.

20 The peaks are removed and remaining minima 247 located as shown in FIG. 46 with the minima 247 connected to create signal 245. A quartic polynomial is applied to signal 245 to generate a residual baseline 250 as shown in FIG. 47. The residual baseline 250 is subtracted from the signal 225 to generate the final signal 255 as indicated in FIG. 48. Although the residual
25 baseline is the result of a quartic fit to signal 245, it will be appreciated that other techniques can be used to smooth or fit the residual baseline.

To determine peak height, as shown in FIG. 49, a Gaussian such as Gaussian 266, 268, and 270 is fit to each of the peaks, such as peaks 260, 262, and 264, respectively. Accordingly, the height of the Gaussian is
30 determined as height 272, 274, and 276. Once the height of each Gaussian peak is determined, then the method of identifying a biological compound 35 can move into the genotyping phase 65 as shown in FIG. 25.

An indication of the confidence that each putative peak is an actual peak can be discerned by calculating a signal-to-noise ratio for each putative peak. Accordingly, putative peaks with a strong signal-to-noise ratio are generally more likely to be an actual peak than a putative peak with a lower signal-to-noise ratio. As described above and shown in FIG. 50, the height of each peak, such as height 272, 274, and 276, is determined for each peak, with the height being an indicator of signal strength for each peak. The noise profile, such as noise profile 97, is extrapolated into noise profile 280 across the identified peaks. At the center line of each of the peaks, a noise value is determined, such as noise value 282, 283, and 284. With a signal values and a noise values generated, signal-to-noise ratios can be calculated for each peak. For example, the signal-to-noise ratio for the first peak in FIG. 50 would be calculated as signal value 272 divided by noise value 282, and in a similar manner the signal-to-noise ratio of the middle peak in FIG. 50 would be determined as signal 274 divided by noise value 283.

Although the signal-to-noise ratio is generally a useful indicator of the presence of an actual peak, further processing has been found to increase the confidence by which a sample can be identified. For example, the signal-to-noise ratio for each peak in the preferred embodiment is preferably adjusted by the goodness of fit between a Gaussian and each putative peak. It is a characteristic of a mass spectrometer that sample material is detected in a manner that generally complies with a normal distribution. Accordingly, greater confidence will be associated with a putative signal having a Gaussian shape than a signal that has a less normal distribution. The error resulting from having a non-Gaussian shape can be referred to as a "residual error".

Referring to FIG. 51, a residual error is calculated by taking a root mean square calculation between the Gaussian 293 and the putative peak 290 in the data signal. The calculation is performed on data within one width on either side of a center line of the Gaussian. The residual error is calculated as: $\sqrt{(G-R)^2/N}$ where G is the Gaussian signal value, R is the putative peak value, and N is the number of points from -W to +W. The calculated residual error is used to generate an adjusted signal-to-noise ratio, as described below.

An adjusted signal noise ratio is calculated for each putative peak using the formula $(S/N) * \exp(-0.1 * R)$, where S/N is the signal-to-noise ratio, and R is the residual error determined above. Although the preferred embodiment calculates an adjusted signal-to-noise ratio using a residual error for each peak, it will be appreciated that other techniques can be used to account for the goodness of fit between the Gaussian and the actual signal.

Referring now to FIG. 52, a probability is determined that a putative peak is an actual peak. In making the determination of peak probability, a probability profile 300 is generated where the adjusted signal-to-noise ratio is the x-axis and the probability is the y-axis. Probability is necessarily in the range between a 0% probability and a 100% probability, which is indicated as 1. Generally, the higher the adjusted signal-to-noise ratio, the greater the confidence that a putative peak is an actual peak.

At some target value for the adjusted signal-to-noise, it has been found that the probability is 100% that the putative peak is an actual peak and can confidently be used to identify the DNA composition of a biological sample. However, the target value of adjusted signal-to-noise ratio where the probability is assumed to be 100% is a variable parameter which is to be set according to application specific criteria. For example, the target signal-to-noise ratio will be adjusted depending upon trial experience, sample characteristics, and the acceptable error tolerance in the overall system. More specifically, for situations requiring a conservative approach where error cannot be tolerated, the target adjusted signal-to-noise ratio can be set to, for example, 10 and higher. Accordingly, 100% probability will not be assigned to a peak unless the adjusted signal-to-noise ratio is 10 or over.

In other situations, a more aggressive approach may be taken as sample data is more pronounced or the risk of error may be reduced. In such a situation, the system may be set to assume a 100% probability with a 5 or greater target signal-to-noise ratio. Of course, an intermediate signal-to-noise ratio target figure can be selected, such as 7, when a moderate risk of error can be assumed. Once the target adjusted signal-to-noise ratio is set for the method,

then for any adjusted signal-to-noise ratio a probability can be determined that a putative peak is an actual peak.

Due to the chemistry involved in performing an identification test, especially a mass spectrometry test of a sample prepared by DNA amplifications, the allelic ratio between the signal strength of the highest peak and the signal strength of the second (or third and so on) highest peak should fall within an expected ratio. If the allelic ratio falls outside of normal guidelines, the preferred embodiment imposes an allelic ratio penalty to the probability. For example, FIG. 53 shows an allelic penalty 315 which has an x-axis 317 that is the ratio between the signal strength of the second highest peak divided by signal strength of the highest peak. The y-axis 319 assigns a penalty between 0 and 1 depending on the determined allelic ratio. In the preferred embodiment, it is assumed that allelic ratios over 30% are within the expected range and therefore no penalty is applied. Between a ratio of 10% and 30%, the penalty is linearly increased until at allelic ratios below 10% it is assumed the second-highest peak is not real. For allelic ratios between 10% and 30%, the allelic penalty chart 315 is used to determine a penalty 319, which is multiplied by the peak probability determined in FIG. 52 to determine a final peak probability. Although the preferred embodiment incorporates an allelic ratio penalty to account for a possible chemistry error, it will be appreciated that other techniques may be used. Similar treatment will be applied to the other peaks.

With the peak probability of each peak determined, the statistical probability for various composition components may be determined. As an example, in order to determine the probability of each of three possible combinations of two peaks, -- peak G, peak C and combinations GG, CC and GC. FIG. 54 shows an example where a most probable peak 325 is determined to have a final peak probability of 90%. Peak 325 is positioned such that it represents a G component in the biological sample. Accordingly, it can be maintained that there is a 90% probability that G exists in the biological sample. Also in the example shown in FIG. 54, the second highest probability is peak 330 which has a peak probability of 20%. Peak 330 is at a position associated

with a C composition. Accordingly, it can be maintained that there is a 20% probability that C exists in the biological sample.

With the probability of G existing (90%) and the probability of C existing (20%) as a starting point, the probability of combinations of G and C existing can be calculated. For example, FIG. 54 indicates that the probability of GG existing 329 is calculated as 72%. This is calculated as the probability of GG is equal to the probability of G existing (90%) multiplied by the probability of C not existing (100% - 20%). So if the probability of G existing is 90% and the probability of C not existing is 80%, the probability of GG is 72%.

In a similar manner, the probability of CC existing is equivalent to the probability of C existing (20%) multiplied by the probability of G not existing (100% - 90%). As shown in FIG. 54, the probability of C existing is 20% while the probability of G not existing is 10%, so therefore the probability of CC is only 2%. Finally, the probability of GC existing is equal to the probability of G existing (90%) multiplied by the probability of C existing (20%). So if the probability of G existing is 90% and the probability of C existing is 20%, the probability of GC existing is 18%. In summary form, then, the probability of the composition of the biological sample is:

probability of GG: 72%;
probability of GC: 18%; and
probability of CC: 2%.

Once the probabilities of each of the possible combinations has been determined, FIG. 55 is used to decide whether or not sufficient confidence exists to call the genotype. FIG. 55 shows a call chart 335 which has an x-axis 337 which is the ratio of the highest combination probability to the second highest combination probability. The y-axis 339 simply indicates whether the ratio is sufficiently high to justify calling the genotype. The value of the ratio may be indicated by M 340. The value of M is set depending upon trial data, sample composition, and the ability to accept error. For example, the value M may be set relatively high, such as to a value 4 so that the highest probability must be at least four times greater than the second highest probability before confidence is established to call a genotype. However, if a certain level of error may be

acceptable, the value of M may be set to a more aggressive value, such as to 3, so that the ratio between the highest and second highest probabilities needs to be only a ratio of 3 or higher. Of course, moderate value may be selected for M when a moderate risk can be accepted. Using the example of FIG. 54, where
5 the probability of GG was 72% and the probability of GC was 18%, the ratio between 72% and 18% is 4.0, therefore, whether M is set to 3, 3.5, or 4, the system would call the genotype as GG. Although the preferred embodiment uses a ratio between the two highest peak probabilities to determine if a genotype confidently can be called, it will be appreciated that other methods
10 may be substituted. It will also be appreciated that the above techniques may be used for calculating probabilities and choosing genotypes (or more general DNA patterns) containing of combinations of more than two peaks.

Referring now to FIG. 56, a flow chart is shown generally defining the process of statistically calling genotype described above. In FIG. 56 block 402
15 shows that the height of each peak is determined and that in block 404 a noise profile is extrapolated for each peak. The signal is determined from the height of each peak in block 406 and the noise for each peak is determined using the noise profile in block 408. In block 410, the signal-to-noise ratio is calculated for each peak. To account for a non-Gaussian peak shape, a residual error is
20 determined in block 412 and an adjusted signal-to-noise ratio is calculated in block 414. Block 416 shows that a probability profile is developed, with the probability of each peak existing found in block 418. An allelic penalty may be applied in block 420, with the allelic penalty applied to the adjusted peak probability in block 422. The probability of each combination of components is
25 calculated in block 424 with the ratio between the two highest probabilities being determined in block 426. If the ratio of probabilities exceeds a threshold value then the genotype is called in block 428.

In another embodiment of the invention, the computing device 20 (Fig.
30 24) supports "standardless" genotyping by identifying data peaks that contain putative SNPs. Standardless genotyping is used, for example, where insufficient information is known about the samples to determine a distribution of expected

peak locations, against which an allelic penalty as described above can be reliably calculated. This permits the computing device to be used for identification of peaks that contain putative SNPs from data generated by any assay that fragments a targeted DNA molecule. For such standardless
5 genotyping, peaks that are associated with an area under the data curve that deviates significantly from the typical area of other peaks in the data spectrum are identified and their corresponding mass (location along the x-axis) is determined.

More particularly, peaks that deviate significantly from the average area
10 of other peaks in the data are identified, and the expected allelic ratio between data peaks is defined in terms of the ratio of the area under the data peaks. Theoretically, where each genetic loci has the same molar concentration of analyte, the area under each corresponding peak should be the same, thus producing a 1.0 ratio of the peak area between any two peaks. In accordance
15 with the invention, peaks having a smaller ratio relative to the other peaks in the data will not be recognized as peaks. More particularly, peaks having an area ratio smaller than 30% relative to a nominal value for peak area will be assigned an allelic penalty. The mass of the remaining peaks (their location along the x-axis of the data) will be determined based on oligonucleotide standards.

20 Fig. 57 shows a flow diagram representation of the processing by the computing device 20 (Fig. 24) when performing standardless genotyping. In the first operation, represented by the flow diagram box numbered 502, the computing device receives data from the mass spectrometer. Next, the height of each putative peak in the data sample is determined, as indicated by the block
25 504. After the height of each peak in the mass spectrometer data is determined, a de-noise process 505 is performed, beginning with an extrapolation of the noise profile (block 506), followed by finding the noise of each peak (block 508) and calculating the signal to noise ratio for each data sample (block 510). Each of these operations may be performed in accordance
30 with the description above for denoise operations 45 of Fig. 25. Other suitable denoise operations will occur to those skilled in the art.

The next operation is to find the residual error associated with each data point. This is represented by the block 512 in Figure 57. The next step, block 514, involves calculating an adjusted signal to noise ratio for each identified peak. A probability profile is developed next (block 516), followed by a
5 determination of the peak probabilities at block 518. In the preferred embodiment, the denoise operations of Fig. 57, comprising block 502 to block 518, comprise the corresponding operations described above in conjunction with Fig. 56 for block 402 through block 418, respectively.

The next action for the standardless genotype processing is to determine
10 an allelic penalty for each peak, indicated by the block 524. As noted above, the standardless genotype processing of Fig. 57 determines an allelic penalty by comparing area under the peaks. Therefore, rather than compare signal strength ratios to determine an allelic penalty, such as described above for Fig. 53, the standardless processing determines the area under each of the identified peaks
15 and compares the ratio of those areas. Determining the area under each peak may be computed using conventional numerical analysis techniques for calculating the area under a curve for experimental data.

Thus, the allelic penalty is assigned in accordance with Fig. 58, which shows that no penalty is assigned to peaks having a peak area relative to an
20 expected average area value that is greater than 0.30 (30%). The allelic penalty is applied to the peak probability value, which may be determined according to the process such as described in Fig. 52. It should be apparent from Fig. 58 that the allelic penalty imposed for peaks below a ratio of 30% is that such peaks will be removed from further measurement and processing. Other penalty
25 schemes, however, may be imposed in accordance with knowledge about the data being processed, as determined by those skilled in the art.

After the allelic penalty has been determined and applied, the standardless genotype processing compares the location of the remaining putative peaks to oligonucleotide standards to determine corresponding masses
30 in the processing for block 524. For standardless genotype data, the processing of the block 524 is performed to determine mass and genotype, rather than performing the operations corresponding to block 424, 426, and 428 of Fig. 33.

Techniques for performing such comparisons and determining mass will be known to those skilled in the art.

In another embodiment, the computing device 20 (Fig. 24) permits the detection and determination of the mass (location along the x-axis of the data) of the sense and antisense strand of fragments generated in the assay. If desired, the computing device may also detect and determine the quantity (area under each peak) of the respective sense and antisense strands, using a similar technique to that described above for standardless genotype processing. The data generated for each type of strand may then be combined to achieve a data redundancy and to thereby increase the confidence level of the determined genotype. This technique obviates primer peaks that are often observed in data from other diagnostic methods, thereby permitting a higher level of multiplexing. In addition, when quantitation is used in pooling experiments, the ratio of the measured peak areas is more reliably calculated than the peak identifying technique, due to data redundancy.

Fig. 23 is a flow diagram that illustrates the processing implemented by the computing device 20 to perform sense and antisense processing. In the first operation, represented by the flow diagram box numbered 602, the computing device receives data from the mass spectrometer. This data will include data for the sense strand and antisense strand of assay fragments. Next, the height of each putative peak in the data sample is determined, as indicated by the block 604. After the height of each peak in the mass spectrometer data is determined, a de-noise process 605 is performed, beginning with an operation that extrapolates the noise profile (block 606), followed by finding the noise of each peak (block 608) and calculating the signal to noise ratio for each data sample (block 610). Each of these operations may be performed in accordance with the description above for the denoise operations 45 of Fig. 25. Other suitable denoise operations will occur to those skilled in the art. The next operation is to find the residual error associated with each data point. This is represented by the block 612 in Figure 36.

After the residual error for the data of the sense strand and antisense strand has been performed, processing to identify the genotypes will be

performed for the sense strand and also for the antisense strand. Therefore, Fig. 23 shows that processing includes sense strand processing (block 630) and antisense strand processing (block 640). Each block 630, 640 includes processing that corresponds to adjusting the signal to noise ratio, developing a probability profile, determining an allelic penalty, adjusting the peak probability by the allelic penalty, calculating genotype probabilities, and testing genotype probability ratios, such as described above in conjunction with blocks 414 through 426 of Fig. 56. The processing of each block 630, 640 may, if desired, include standardless processing operations such as described above in conjunction with Fig. 57. The standardless processing may be included in place of or in addition to the processing operations of Fig. 56.

After the genotype probability processing is completed, the data from the sense strand and antisense strand processing is combined and compared to expected database values to obtain the benefits of data redundancy as between the sense strand and antisense strand. Those skilled in the art will understand techniques to take advantage of known data redundancies between a sense strand and antisense strand of assay fragments. This processing is represented by the block 650. After the data from the two strands is combined for processing, the genotype processing is performed (block 660) and the genotype is identified.

Since modifications will be apparent to those of skill in this art, it is intended that this invention be limited only by the scope of the appended claims.

WHAT IS CLAIMED IS:

1. A subcollection of samples from a target population, comprising:
a plurality of samples, wherein the samples are selected from the group
consisting of blood, tissue, body fluid, cell, seed, microbe, pathogen and
5 reproductive tissue samples; and
a symbology on the containers containing the samples, wherein the
symbology is representative of the source and/or history of each sample,
wherein:
the target population is a healthy population that has not been selected
10 for any disease state;
the collection comprises samples from the healthy population; and
the subcollection is obtained by sorting the collection according to
specified parameters.
2. The subcollection of claim 1, wherein the parameters are selected
15 from the group consisting of ethnicity, age, gender, height, weight, alcohol
intake, number of pregnancies, number of live births, vegetarians, type of
physical activity, state of residence and/or length of residence in a particular
state, educational level, age of parent at death, cause of parent death, former or
current smoker, length of time as a smoker, frequency of smoking, occurrence
20 of a disease in immediate family (parent, siblings, children), use of prescription
drugs and/or reason therefor, length and/or number of hospital stays and
exposure to environmental factors.
3. The subcollection of claim 1, wherein the symbology is a bar code.
4. A method of producing a database, comprising:
25 identifying healthy members of a population;
obtaining data comprising identifying information and obtaining historical
information and data relating to the identified members of the population and
their immediate family;
entering the data into a database for each member of the population and
30 associating the member and the data with an indexer.
5. The method of claim 4, further comprising:
obtaining a body tissue or body fluid sample;

analyzing the body tissue or body fluid in the sample; and
entering the results of the analysis for each member into the database
and associating each result with the indexer representative of each member.

6. A database produced by the method of claim 4.

5 7. A database produced by the method of claim 5.

8. A database, comprising:

datapoints representative of a plurality of healthy organisms from
whom biological samples are obtained,

10 wherein each datapoint is associated with data representative of
the organism type and other identifying information.

9. The database of claim 8, wherein the datapoints are answers to
questions regarding one or more of a parameters selected from the group
consisting of ethnicity, age, gender, height, weight, alcohol intake, number of
pregnancies, number of live births, vegetarians, type of physical activity, state of
15 residence and/or length of residence in a particular state, educational level, age
of parent at death, cause of parent death, former or current smoker, length of
time as a smoker, frequency of smoking, occurrence of a disease in immediate
family (parent, siblings, children), use of prescription drugs and/or reason
therefor, length and/or number of hospital stays and exposure to environmental
20 factors.

10. The database of claim 9, wherein the organisms are mammals and
the samples are body fluids or tissues.

11. The database of claim 9, wherein the samples are selected from
blood, blood fractions, cells and subcellular organelles.

25 12. The database of claim 8, further comprising,
phenotypic data from an organism.

13. The database of claim 12, wherein the data includes one of physical
characteristics, background data, medical data, and historical data.

30 14. The database of claim 8, further comprising,
genotypic data from nucleic acid obtained from an organism.

15. The database of claim 14, wherein genotypic data includes, genetic markers, non-coding regions, microsatellites, RFLPs, VNTRs, historical data of the organism, medical history, and phenotypic information.

16. The database of claim 8 that is a relational database.

5 17. The database of claim 16, wherein the data are related to an indexer datapoint representative of each organism from whom data is obtained.

18. A method of identifying polymorphisms that are candidate genetic markers, comprising:

identifying a polymorphism; and

10 identifying any pathway or gene linked to the locus of the polymorphism, wherein

the polymorphisms are identified in samples associated with a target population that comprises healthy subjects.

15 19. The method of claim 18, wherein the polymorphism is identified by detecting the presence of target nucleic acids in a sample by a method, comprising the steps of:

a) hybridizing a first oligonucleotide to the target nucleic acid;

b) hybridizing a second oligonucleotide to an adjacent region of the target nucleic acid;

20 c) ligating the hybridized oligonucleotides; and

c) detecting hybridized first oligonucleotide by mass spectrometry as an indication of the presence of the target nucleic acid.

20. The method of claim 18, wherein the polymorphism is identified by detecting target nucleic acids in a sample by a method, comprising the steps of:

25 a) hybridizing a first oligonucleotide to the target nucleic acid and hybridizing a second oligonucleotide to an adjacent region of the target nucleic acid;

b) contacting the hybridized first and second oligonucleotides with a cleavage enzyme to form a cleavage product; and

30 c) detecting the cleavage product by mass spectrometry as an indication of the presence of the target nucleic acid.

21. The method of claim 20 wherein the samples are from subjects in a healthy database.

22. The method of claim 18, wherein the polymorphism is identified by identifying target nucleic acids in a sample by primer oligo base extension
5 (probe).

23. The method of 22, wherein primer oligo base extension, comprises:

- a) obtaining a nucleic acid molecule that contains a target nucleotide;
- b) optionally immobilizing the nucleic acid molecule onto a solid support,
10 to produce an immobilized nucleic acid molecule;
- c) hybridizing the nucleic acid molecule with a primer oligonucleotide that is complementary to the nucleic acid molecule at a site adjacent to the target nucleotide;
- d) contacting the product of step c) with a composition comprising a
15 dideoxynucleoside triphosphate or a 3'-deoxynucleoside triphosphates and a polymerase, so that only a dideoxynucleoside or 3'-deoxynucleoside triphosphate that is complementary to the target nucleotide is extended onto the primer; and
- e) detecting the extended primer, thereby identifying the target nucleotide.

20 24. The method of claim 23, wherein detection of the extended primer is effected by mass spectrometry, comprising:
ionizing and volatilizing the product of step d) ; and
detecting the extended primer by mass spectrometry, thereby identifying the target nucleotide.

25 25. The method of claim 24, wherein;
samples are presented to the mass spectrometer as arrays on chips; and
each sample occupies a volume that is about the size of the laser spot projected by the laser in a mass spectrometer used in matrix-assisted laser desorption/ionization (MALDI) spectrometry.

26. A combination, comprising:
a database containing parameters associated with a datapoint representative of a subject from whom samples are obtained, wherein the subjects are healthy; and
- 5 an indexed collection of the samples, wherein the index identifies the subject from whom the sample was obtained.
- 27 The combination of claim 26, wherein the parameter is selected from the group consisting of ethnicity, age, gender, height, weight, alcohol intake, number of pregnancies, number of live births, vegetarians, type of
- 10 physical activity, state of residence and/or length of residence in a particular state, educational level, age of parent at death, cause of parent death, former or current smoker, length of time as a smoker, frequency of smoking, occurrence of disease in immediate family (parent, siblings, children), use of prescription drugs and/or reason therefor, length and/or number of hospital stays and
- 15 exposure to environmental factors.
28. The combination of claim 26, wherein the database further contains genotypic data for each subject.
29. The combination of claim 26, wherein the samples are blood.
- 30 A data storage medium, comprising the database of claim 8.
- 20 31. A computer system, comprising the database of claim 8.
32. A system for high throughput processing of biological samples, comprising:
- a process line comprising a plurality of processing stations, each of which performs a procedure on a biological sample contained in a
- 25 reaction vessel;
- a robotic system that transports the reaction vessel from processing station to processing station;
- a data analysis system that receives test results of the process line and automatically processes the test results to make a determination
- 30 regarding the biological sample in the reaction vessel;
- a control system that determines when the test at each processing station is complete and, in response, moves the reaction vessel to

the next test station, and continuously processes reaction vessels one after another until the control system receives a stop instruction; and

a database of claim 8, wherein the samples tested by the automated process line comprise samples from subjects in the database.

5

33. The system of claim 32, wherein one of the processing stations comprises a mass spectrometer.

34. The system of claim 32, wherein the data analysis system processes the test results by receiving test data from the mass spectrometer such that the test data for a biological sample contains one or more signals, whereupon the data analysis system determines the area under the curve of each signal and normalizes the results thereof and obtains a substantially quantitative result representative of the relative amounts of components in the tested sample.

10

35. A method for high throughput processing of biological samples, the method comprising:

15

transporting a reaction vessel along a system of claim 32, comprising a process line having a plurality of processing stations, each of which performs a procedure on one or more biological samples contained in the reaction vessel;

20

determining when the test procedure at each processing station is complete and, in response, moving the reaction vessel to the next processing station;

receiving test results of the process line and automatically processing the test results to make a data analysis determination regarding the biological samples in the reaction vessel; and

25

processing reaction vessels continuously one after another until receiving a stop instruction, wherein the samples tested by the automated process line comprise samples from subjects in the database.

30

36. The method of 35, wherein one of the processing stations comprises a mass spectrometer.

37. The method of claim 36, wherein the samples are analyzed by a method comprising primer oligo base extension (probe).

38. The method of claim 37, further comprising:

processing the test results by receiving test data from the mass spectrometer such that the test data for a biological sample contains one or more signals or numerical values representative of signals, whereupon the data analysis system determines the area under the curve of each signal and normalizes the results thereof and obtains a substantially quantitative result representative of the relative amounts of components in the tested sample.

39. The method of claim 37, wherein primer oligo base extension, comprises:

- a) obtaining a nucleic acid molecule that contains a target nucleotide;
- b) optionally immobilizing the nucleic acid molecule onto a solid support, to produce an immobilized nucleic acid molecule;
- c) hybridizing the nucleic acid molecule with a primer oligonucleotide that is complementary to the nucleic acid molecule at a site adjacent to the target nucleotide;
- d) contacting the product of step c) with composition comprising a dideoxynucleoside triphosphate or a 3'-deoxynucleoside triphosphates and a polymerase, so that only a dideoxynucleoside or 3'-deoxynucleoside triphosphate that is complementary to the target nucleotide is extended onto the primer; and
- e) detecting the primer, thereby identifying the target nucleotide.

40. The method of 39, wherein detection of the extended primer is effected by mass spectrometry, comprising:

- ionizing and volatilizing the product of step d); and
- detecting the extended primer by mass spectrometry, thereby identifying the target nucleotide.

41. The method of claim 36, wherein the target nucleic acids in the sample are detected and/or identified by a method, comprising the steps of:

- a) hybridizing a first oligonucleotide to the target nucleic acid;
- b) hybridizing a second oligonucleotide to an adjacent region of the target nucleic acid;

c) ligating then hybridized oligonucleotides; and
c) detecting hybridized first oligonucleotide by mass spectrometry as an indication of the presence of the target nucleic acid.

42. The method of claim 36, wherein the target nucleic acids in the
5 sample are detected and/or identified by a method, comprising the steps of:

a) hybridizing a first oligonucleotide to the target nucleic acid and hybridizing a second oligonucleotide to an adjacent region of the target nucleic acid;

b) contacting the hybridized first and second oligonucleotides with a
10 cleavage enzyme to form a cleavage product; and

c) detecting the cleavage product by mass spectrometry as an indication of the presence of the target nucleic acid.

43. A method of producing a database stored in a computer memory, comprising:

15 identifying healthy members of a population;

obtaining identifying and historical information and data relating to the identified members of the population;

entering the member-related data into the computer memory database for each identified member of the population and associating the member and the
20 data with an indexer.

44. The method of claim 43, further comprising:

obtaining a body tissue or body fluid sample of an identified member;

analyzing the body tissue or body fluid in the sample; and

entering the results of the analysis for each member into the computer
25 memory database and associating each result with the indexer representative of each member.

45. A database produced by the method of claim 43.

46. A database produced by the method of claim 44.

47. The database of claim 8, wherein:

30 the organisms are selected from among animals, bacteria, fungi, protozoans and parasites and

each datapoint is associated with parameters representative of the organism type and identifying information.

48. The database of claim 43, further comprising, phenotypic data regarding each subject.

5 49. The database of claim 47 that is a relational database and the parameters are the answers to the questions in the questionnaire.

50. The database of claim 8, further comprising, genotypic data of nucleic acid of the subject, wherein genotypic data includes, but is not limited to, genetic markers, non-coding regions,
10 microsatellites, restriction fragment length polymorphisms (RFLPs), variable number tandem repeats (VNTRs), historical day of the organism, the medical history of the subject, phenotypic information, and other information.

51. A database, comprising data records stored in computer memory, wherein the data records contain information that identifies healthy members of
15 a population, and also contain identifying and historical information and data relating to the identified members.

52. The database of claim 51, further comprising an index value for each identified member that associates each member of the population with the identifying and historical information and data.

20 53. A computer system, comprising the database of claim 51.

54. An automated process line, comprising the database of claim 51.

55. A method for determining a polymorphism that correlates with age, ethnicity or gender, comprising:

identifying a polymorphism; and
25 determining the frequency of the polymorphism with increasing age, with ethnicity or with gender in a healthy population.

56. A method for determining whether a polymorphism correlates with susceptibility to morbidity, early mortality, or morbidity and early mortality, comprising:

30 identifying a polymorphism; and
determining the frequency of the polymorphism with increasing age in a healthy population.

57. A high throughput method of determining frequencies of genetic variations, comprising:

selecting a healthy target population and a genetic variation to be assessed;

5 pooling a plurality of samples of biopolymers obtained from members of the population,

determining or detecting the biopolymer that comprises the variation by mass spectrometry;

obtaining a mass spectrum or a digital representation thereof; and

10 determining the frequency of the variation in the population.

58. The method of claim 57, wherein:

the variation is selected from the group consisting of an allelic variation, a post-translational modification, a nucleic modification, a label, a mass modification of a nucleic acid and methylation; and/or

15 the biopolymer is a nucleic acid, a protein, a polysaccharide, a lipid, a small organic metabolite or intermediate, wherein the concentration of biopolymer of interest is the same in each of the samples; and/or

the frequency is determined by assessing the method comprising determining the area under the peak in the mass spectrum or digital
20 representation thereof corresponding to the mass of the biopolymer comprising the genomic variation.

59. The method of claim 58, wherein the method for determining the frequency is effected by determining the ratio of the signal or the digital representation thereof to the total area of the entire mass spectrum, which is
25 corrected for background.

60. A method for discovery of a polymorphism in a population, comprising:

sorting the database of claim 8 according to a selected parameter to identify samples that match the selected parameter;

30 isolating a biopolymer from each identified sample;

optionally pooling each isolated biopolymer;

optionally amplifying the amount of biopolymer;

cleaving the pooled biopolymers to produce fragments thereof;

obtaining a mass spectrum of the resulting fragments and comparing the mass spectrum with a control mass spectrum to identify differences between the spectra and thereby identifying any polymorphisms; wherein:

5 the control mass spectrum is obtained from unsorted samples in the collection or samples sorted according to a different parameter.

61. The method of claim 60, wherein cleaving is effected by contacting the biopolymer with an enzyme.

62. The method of claim 61, wherein the enzyme is selected from the
10 group consisting of nucleotide glycosylase, a nickase and a type IIS restriction enzyme.

63. The method of claim 60, wherein the biopolymer is a nucleic acid or a protein.

64. The method of claim 60, wherein the the mass spectrometric
15 format is selected from among Matrix-Assisted Laser Desorption/Ionization, Time-of-Flight (MALDI-TOF), Electrospray (ES), IR-MALDI, Ion Cyclotron Resonance (ICR), Fourier Transform and combinations thereof.

65. A method for discovery of a polymorphism in a population, comprising:

20 obtaining samples of body tissue or fluid from a plurality of organisms;
 isolating a biopolymer from each sample;
 pooling each isolated biopolymer;
 optionally amplifying the amount of biopolymer;
 cleaving the pooled biopolymers to produce fragments thereof;
25 obtaining a mass spectrum of the resulting fragments;
 comparing the frequency of each fragment to identify fragments present in amounts lower than the average frequency, thereby identifying any polymorphisms.

66. The method of claim 65, wherein cleaving is effected by contacting
30 the biopolymer with an enzyme.

67. The method of claim 66, wherein the enzyme is selected from the group consisting of nucleotide glycosylase, a nickase and a type IIS restriction enzyme.

68. The method of claim 65, wherein the biopolymer is a nucleic acid
5 or a protein.

69. The method of claim 65, wherein the the mass spectrometric format is selected from among Matrix-Assisted Laser Desorption/Ionization, Time-of-Flight (MALDI-TOF), Electrospray (ES), IR-MALDI, Ion Cyclotron Resonance (ICR), Fourier Transform and combinations thereof.

10 70. The method of claim 65, wherein the samples are obtained from healthy subjects.

71. A method of correlating a polymorphism with a parameter, comprising:

15 sorting the database of claim 8 according to a selected parameter to identify samples that match the selected parameter;

isolating a biopolymer from each identified sample;

pooling each isolated biopolymer;

optionally amplifying the amount of biopolymer;

20 determining the frequency of the polymorphism in the pooled biopolymers, wherein:

an alteration of the frequency of the polymorphism compared to a control, indicates a correlation of the polymorphism with the selected parameter; and

25 the control is the frequency of the polymorphism in pooled biopolymers obtained from samples identified from an unsorted database or from a database sorting according to a different parameter.

72. The method claim 71, wherein the parameter is selected from the group consisting of ethnicity, age, gender, height, weight, alcohol intake, number of pregnancies, number of live births, vegetarians, type of physical activity, state of residence and/or length of residence in a particular state,
30 educational level, age of parent at death, cause of parent death, former or current smoker, length of time as a smoker, frequency of smoking, occurrence of a disease in immediate family (parent, siblings, children), use of prescription

drugs and/or reason therefor, length and/or number of hospital stays and exposure to environmental factors.

73. The method claim 72, wherein the parameter is occurrence of disease or a particular disease in an immediate family member, thereby
5 correlating the polymorphism with the disease.

74. The method of claim 71, wherein the pooled biopolymers are pooled nucleic acid molecules.

75. The method of claim 74, wherein the polymorphism is detected by primer oligo base extension (PROBE).

10 76. The method of 75, wherein primer oligo base extension, comprises:

a) optionally immobilizing the nucleic acid molecules onto a solid support, to produce immobilized nucleic acid molecules;

b) hybridizing the nucleic acid molecules with a primer oligonucleotide
15 that is complementary to the nucleic acid molecule at a site adjacent to the polymorphism;

c) contacting the product of step c) with composition comprising a dideoxynucleoside triphosphate or a 3'-deoxynucleoside triphosphates and a polymerase, so that only a dideoxynucleoside or 3'-deoxynucleoside triphosphate
20 that is complementary to the polymorphism is extended onto the primer; and

d) detecting the extended primer, thereby detecting the polymorphism in nucleic acid molecules in the pooled nucleic acids.

77. The method of claim 76, wherein detecting is effected by mass spectrometry.

25 78. The method of claim 71, wherein the frequency is percentage of nucleic acid molecules in the pooled nucleic acids that contain the polymorphism.

79. The method of claim 78, wherein the ratio is determined by obtaining mass spectra of the pooled nucleic acids.

30 80. The method of claim 72, wherein the parameter is age, thereby correlating the polymorphism with susceptibility to morbidity, early mortality or morbidity and early mortality.

81. A method for haplotyping polymorphisms in a nucleic acid, comprising:

- (a) sorting the database of claim 8 according to a selected parameter to identify samples that match the selected parameter;
- 5 (b) isolating nucleic acid from each identified sample;
- (c) optionally pooling each isolated nucleic acid;
- (d) amplifying the amount of nucleic acid;
- (e) forming single-stranded nucleic acid and splitting each single-strand into a separate reaction vessel;
- 10 (f) contacting each single-stranded nucleic acid with an adaptor nucleic acid to form an adaptor complex;
- (g) contacting the adaptor complex with a nuclease and a ligase;
- (h) contacting the products of step (g) with a mixture that is capable of amplifying a ligated adaptor to produce an extended product;
- 15 (i) obtaining a mass spectrum of each nucleic acid resulting from step (h) and detecting a polymorphism by identifying a signal corresponding to the extended product;
- (j) repeating steps (f) through (i) utilizing an adaptor nucleic acid able to hybridize with another adapter nucleic acid that hybridizes to a different
- 20 sequence on the same strand; whereby
- the polymorphisms are haplotyped by detecting more than one extended product.

82. The method of claim 1, wherein the nuclease is Fen-1.

83. A method for haplotyping polymorphisms in a population,
- 25 comprising:
- sorting the database of claim 8 according to a selected parameter to identify samples that match the selected parameter;
 - isolating a nucleic acid from each identified sample;
 - pooling each isolated nucleic acid;
 - 30 optionally amplifying the amount of nucleic acid;
 - contacting the nucleic acid with at least one enzyme to produce fragments thereof;

obtaining a mass spectrum of the resulting fragments; whereby:
the polymorphisms are detected by detecting signals corresponding to the
polymorphisms; and

the polymorphisms are haplotyped by determining from the mass
5 spectrum that the polymorphisms are located on the same strand of the nucleic
acid.

84. The method of claim 83, wherein the enzyme is a nickase.

85. The method of claim 84, wherein the nickase is selected from the
group consisting of NY2A and NYS1.

10 86. A method for detecting methylated nucleotides within a nucleic
acid sample, comprising:

splitting a nucleic acid sample into separate reaction vessels;

contacting nucleic acid in one reaction vessel with bisulfite;

amplifying the nucleic acid in each reaction vessel;

15 cleaving the nucleic acids in each reaction vessel to produce fragments
thereof;

obtaining a mass spectrum of the resulting fragments from one reaction
vessel and another mass spectrum of the resulting fragments from another
reaction vessel; whereby:

20 cytosine methylation is detected by identifying a difference in signals
between the mass spectra.

87. The method of claim 86, wherein:

the step of amplifying is carried out in the presence of uracil; and

the step of cleaving is effected by a uracil glycosylase.

25 88. A method for identifying a biological sample, comprising:
generating a data set indicative of the composition of the biological
sample;

denoising the data set to generate denoised data;

deleting the baseline from the denoised data to generate an intermediate

30 data
set;

defining putative peaks for the biological sample;

- using the putative peaks to generate a residual baseline;
removing the residual baseline from the intermediate data set to generate
a corrected data set;
locating, responsive to removing the residual baseline, a probable peak in
5 the
corrected data set; and
identifying, using the located probable peak, the biological sample;
wherein the generated biological sample data set comprises data from
sense
10 strands and antisense strands of assay fragments.
89. The method according to claim 88, wherein identifying includes
combining
data from the sense strands and the antisense strands, and comparing the data
against expected sense strand and antisense strand values, to identify the
15 biological
sample.
90. The method according to claim 88, wherein identifying includes
deriving a peak probability for the probable peak, in accordance with whether the
probable peak is from sense strand data or from antisense strand data.
- 20 91. The method according to claim 88, wherein identifying includes
deriving a peak probability for the probable peak and applying an allelic penalty in
response to a
ratio between a calculated area under the probable peak and a calculated
expected average area under all peaks in the data set.
- 25 92. A method for identifying a biological sample, comprising:
generating a data set indicative of the composition of the biological
sample;
denoising the data set to generate denoised data;
deleting the baseline from the denoised data to generate an intermediate
30 data
set;

defining putative peaks for the biological sample; using the
putative peaks to generate a residual baseline;
removing the residual baseline from the intermediate data set to generate
a

5 corrected data set;

locating, responsive to removing the residual baseline, a probable peak in
the corrected data set; and

identifying, using the located probable peak, the biological sample;

wherein identifying includes deriving a peak probability for the probable
10 peak and

applying an allelic penalty in response to a ratio between a calculated
area under the
probable peak and a calculated expected average area under all peaks in the data
set.

15 93. The method according to claim 92, wherein identifying includes
comparing

data from probable peaks that did not receive an applied allelic penalty to
determine their mass in accordance with oligonucleotide biological data.

94. The method according to claim 92, wherein the allelic penalty is
20 not applied to probable peaks whose ratio of area under the peak to the
expected area value is greater than 30%.

95. A method for detecting a polymorphism in a nucleic acid,
comprising:

25 amplifying a region of the nucleic acid to produce an amplicon, wherein
the resulting amplicon comprises one or more enzyme restriction sites;

contacting the amplicon with a restriction enzyme to produce fragments;
obtaining a mass spectrum of the resulting fragments and analyzing
signals in the mass spectrum by the method of claim 88; whereby:

the polymorphism is detected from the pattern of the signals.

30 96. A subcollection of samples from a target population, comprising:
a plurality of samples, wherein the samples are selected from the group
consisting of nucleic acids, fetal tissue, protein samples; and

a symbology on the containers containing the samples, wherein the symbology is representative of the source and/or history of each sample, wherein:

the target population is a healthy population that has not been selected
5 for any disease state;

the collection comprises samples from the healthy population; and

the subcollection is obtained by sorting the collection according to specified parameters.

97. The combination of claim 26, wherein the samples are selected
10 selected from the group consisting of nucleic acids, fetal tissue, protein, tissue, body fluid, cell, seed, microbe, pathogen and reproductive tissue samples.

98. A combination, comprising the database of claim 8 and a mass spectrometer.

99. The combination of claim 98 that is an automated process line for
15 analyzing biological samples.

100. A system for high throughput processing of biological samples, comprising:

a database of claim 8, wherein the samples tested by the automated process line comprise samples from subjects in the database; and
20 a mass spectrometry for analysis of biopolymers in the samples.

DNA Bank




FIG. 1A

Caucasians

Number of Samples	2801
-------------------	------




FIG. 1B

Hispanics

Number of Samples	495
-------------------	-----






FIG. IC



age- and sex-distribution of the 291S allele of the lipoprotein lipase gene. A total of 436 males and 586 females were investigated.

FIG. 2A



Age- related distribution of the 291S allele of the lipoprotein lipase gene within the male Caucasian population. A total of 436 males were tested.

FIG. 2B




FIG. 2C

Questionnaire for
Population-Based
Sample Banking

Data Collection Form

Collection Information

Consent Form Signed Yes No

Date of Collection (MM/DD/YY)___/___/98

Time of Sample Collection(nearest hour in 24 hour clock format)_____

Initials of Data Collector_____Collecting Agency_____

(DO NOT COMPLETE: (For Date Entry Only)Sample_____intact_____lost_____broken



Affix Barcode Here

Donor information

Sex: ☐ Male ☐ Female

Date of Birth (MM/YY)___/___

In which state do you live? _____ How long have you lived there ? _____ Years

What is your highest grade you completed in school?

☐ less than 8th grade ☐ 8th,9th,10th or 11th grade ☐ high school graduate or equivalency

☐ some college 2 yr degree ☐ college graduate 4 yr degree ☐ post graduate education or degree

To the best of your knowledge what is the Ethnic Origin of your:

Father

Mother

- | | | |
|--------------------------|--------------------------|-----------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | Caucasian (please check specific geographic area below if known) |
| <input type="checkbox"/> | <input type="checkbox"/> | Northern Europe (Austria,Denmark,Finland,France,Germany,Netherlands,Norway,Sweden,Switzerland,U.K.) |
| <input type="checkbox"/> | <input type="checkbox"/> | Southern Europe (Greece,Italy,Spain) |
| <input type="checkbox"/> | <input type="checkbox"/> | Eastern Europe (Czechoslovakia,Hungary,Poland,Russia,Yugoslavia) |
| <input type="checkbox"/> | <input type="checkbox"/> | Middle Eastern (Israel,Egypt,Iran,Iraq,Jordan,Syria, other Arab States) |
| <input type="checkbox"/> | <input type="checkbox"/> | African-American |
| <input type="checkbox"/> | <input type="checkbox"/> | Hispanic (please check specific geographic area below if known) |
| <input type="checkbox"/> | <input type="checkbox"/> | Mexico |
| <input type="checkbox"/> | <input type="checkbox"/> | Central America,South American |
| <input type="checkbox"/> | <input type="checkbox"/> | Cuba,Puerto Rico, other Caribbean |
| <input type="checkbox"/> | <input type="checkbox"/> | Asian (please check specific geographic area below if known) |
| <input type="checkbox"/> | <input type="checkbox"/> | Japanese |
| <input type="checkbox"/> | <input type="checkbox"/> | Chinese |
| <input type="checkbox"/> | <input type="checkbox"/> | Korean |
| <input type="checkbox"/> | <input type="checkbox"/> | Vietnamese |
| <input type="checkbox"/> | <input type="checkbox"/> | other Asian |
| <input type="checkbox"/> | <input type="checkbox"/> | Other _____ |
| <input type="checkbox"/> | <input type="checkbox"/> | Don't know |

Health information: Have you or has anyone in your immediate family(parents,brothers,sisters, or your children) had the following? Check all that apply

Disease: _____ You _____ Mother _____ Father _____ Sister _____ Brother _____ Child _____


Heart Disease Stroke or Arteriosclerosis
Cancer (Specify type if known)
Alzheimer's Disease or Dementia
Chronic inflammatory or Autoimmune Disease
Nervous System Disease like Multiple Sclerosis
Other (please specify)

Additional health information details you would like to provide:

FIG. 3

SUBSTITUTE SHEET (RULE 26)

Sample Banks



4
E.G.

Age-Related Distribution of "Sick" and "Healthy" Alleles in a "Healthy" Population




FIG. 5




FIG. 6




FIG. 7A





FIG. 7B

FIG. 7C

P53 PP vs. PR/RR Genotype Distribution
By Age cut point = 59



Sample Size : 1735

χ^2 : 5.2 (1 d.f.), $P = 0.02$

Genomic Organization of the p53 Gene




FIG. 7D




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12B




FIG. 12D




FIG. 12A






FIG. 12C



African Ile 43.6% Val 56.4%

FIG. 13A

FIG. 13B




Caucasian Ile 63.0% Val 37.0%

FIG. 13C


Hispanic Ile 70.1% Val 29.9%

FIG. 13D




Asian Arg>95% Glu<5%

FIG. 14B




Hispanic Arg 89.2% Glu 10.8%

FIG. 14D



African Arg>95% Glu<5%

FIG. 14A



Caucasian Arg 88.5% Glu 11.5%

FIG. 14C





FIG. 15

**FIG. 16**




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 2I

[illegible]

Donor Information											
Date of Birth		Height		Weight		What Physical activity do you do on a regular basis?		Are you a vegetarian?		If Female:	
Month	Year	Fl	Inches	(lb)							
JAN											
FEB											
MAR											
APR											
MAY											
JUN											
JUL											
AUG											
SEP											
OCT											
NOV											
DEC											

Sex: ☐ Male ☐ Female

Running ☐ Swimming ☐ Biking ☐ Gymnastics ☐ Other ☐ None

Are you a vegetarian? ☐ Yes ☐ No

If Female: How many times have you been pregnant? ☐ 0 ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 10 ☐ 11 ☐ 12 ☐ 13 ☐ 14 ☐ 15 ☐ 16 ☐ 17 ☐ 18 ☐ 19 ☐ 20 ☐ 21 ☐ 22 ☐ 23 ☐ 24 ☐ 25 ☐ 26 ☐ 27 ☐ 28 ☐ 29 ☐ 30 ☐ 31 ☐ 32 ☐ 33 ☐ 34 ☐ 35 ☐ 36 ☐ 37 ☐ 38 ☐ 39 ☐ 40 ☐ 41 ☐ 42 ☐ 43 ☐ 44 ☐ 45 ☐ 46 ☐ 47 ☐ 48 ☐ 49 ☐ 50 ☐ 51 ☐ 52 ☐ 53 ☐ 54 ☐ 55 ☐ 56 ☐ 57 ☐ 58 ☐ 59 ☐ 60 ☐ 61 ☐ 62 ☐ 63 ☐ 64 ☐ 65 ☐ 66 ☐ 67 ☐ 68 ☐ 69 ☐ 70 ☐ 71 ☐ 72 ☐ 73 ☐ 74 ☐ 75 ☐ 76 ☐ 77 ☐ 78 ☐ 79 ☐ 80 ☐ 81 ☐ 82 ☐ 83 ☐ 84 ☐ 85 ☐ 86 ☐ 87 ☐ 88 ☐ 89 ☐ 90 ☐ 91 ☐ 92 ☐ 93 ☐ 94 ☐ 95 ☐ 96 ☐ 97 ☐ 98 ☐ 99 ☐ 100 ☐ 101 ☐ 102 ☐ 103 ☐ 104 ☐ 105 ☐ 106 ☐ 107 ☐ 108 ☐ 109 ☐ 110 ☐ 111 ☐ 112 ☐ 113 ☐ 114 ☐ 115 ☐ 116 ☐ 117 ☐ 118 ☐ 119 ☐ 120 ☐ 121 ☐ 122 ☐ 123 ☐ 124 ☐ 125 ☐ 126 ☐ 127 ☐ 128 ☐ 129 ☐ 130 ☐ 131 ☐ 132 ☐ 133 ☐ 134 ☐ 135 ☐ 136 ☐ 137 ☐ 138 ☐ 139 ☐ 140 ☐ 141 ☐ 142 ☐ 143 ☐ 144 ☐ 145 ☐ 146 ☐ 147 ☐ 148 ☐ 149 ☐ 150 ☐ 151 ☐ 152 ☐ 153 ☐ 154 ☐ 155 ☐ 156 ☐ 157 ☐ 158 ☐ 159 ☐ 160 ☐ 161 ☐ 162 ☐ 163 ☐ 164 ☐ 165 ☐ 166 ☐ 167 ☐ 168 ☐ 169 ☐ 170 ☐ 171 ☐ 172 ☐ 173 ☐ 174 ☐ 175 ☐ 176 ☐ 177 ☐ 178 ☐ 179 ☐ 180 ☐ 181 ☐ 182 ☐ 183 ☐ 184 ☐ 185 ☐ 186 ☐ 187 ☐ 188 ☐ 189 ☐ 190 ☐ 191 ☐ 192 ☐ 193 ☐ 194 ☐ 195 ☐ 196 ☐ 197 ☐ 198 ☐ 199 ☐ 200 ☐ 201 ☐ 202 ☐ 203 ☐ 204 ☐ 205 ☐ 206 ☐ 207 ☐ 208 ☐ 209 ☐ 210 ☐ 211 ☐ 212 ☐ 213 ☐ 214 ☐ 215 ☐ 216 ☐ 217 ☐ 218 ☐ 219 ☐ 220 ☐ 221 ☐ 222 ☐ 223 ☐ 224 ☐ 225 ☐ 226 ☐ 227 ☐ 228 ☐ 229 ☐ 230 ☐ 231 ☐ 232 ☐ 233 ☐ 234 ☐ 235 ☐ 236 ☐ 237 ☐ 238 ☐ 239 ☐ 240 ☐ 241 ☐ 242 ☐ 243 ☐ 244 ☐ 245 ☐ 246 ☐ 247 ☐ 248 ☐ 249 ☐ 250 ☐ 251 ☐ 252 ☐ 253 ☐ 254 ☐ 255 ☐ 256 ☐ 257 ☐ 258 ☐ 259 ☐ 260 ☐ 261 ☐ 262 ☐ 263 ☐ 264 ☐ 265 ☐ 266 ☐ 267 ☐ 268 ☐ 269 ☐ 270 ☐ 271 ☐ 272 ☐ 273 ☐ 274 ☐ 275 ☐ 276 ☐ 277 ☐ 278 ☐ 279 ☐ 280 ☐ 281 ☐ 282 ☐ 283 ☐ 284 ☐ 285 ☐ 286 ☐ 287 ☐ 288 ☐ 289 ☐ 290 ☐ 291 ☐ 292 ☐ 293 ☐ 294 ☐ 295 ☐ 296

To the best of your knowledge, what is the Ethnic Origin of your:

Father **Mother**

☐ ☐ Caucasian (please mark specific geographic area below if known)

☐ ☐ Northern Europe (Austria, Denmark, Finland, France, Germany, Netherlands, Norway, Sweden, Switzerland, UK)

☐ ☐ Southern Europe (Greece, Italy, Spain, Turkey)

☐ ☐ Eastern Europe (Czechoslovakia, Hungary, Poland, Russia, Yugoslavia)

☐ ☐ Middle Eastern (Israel, Egypt, Iran, Iraq, Jordan, Syria, Other Arab States)

☐ ☐ African-American

In which state do you live?

☐ ☐ Hispanic (please mark specific geographic area below if known)

☐ ☐ Mexico

☐ ☐ Central America, South America

☐ ☐ Cuba, Puerto Rico, other Caribbean

☐ ☐ Asian (please mark specific geographic area below if known)

☐ ☐ Japanese

☐ ☐ Chinese

☐ ☐ Korean

☐ ☐ Vietnamese

☐ ☐ Filipino

☐ ☐ Native American

☐ ☐ Other _____

☐ ☐ Don't know

How long have you lived there?

Years

What is your highest grade you completed in school?

☐ less than 8th grade

☐ 8th, 9th, 10th, or 11th grade

☐ high school graduate or equivalency

☐ some college, 2yr degree

☐ college graduate, 4yr degree

☐ post graduate education or degree

Mother Deceased? Cause of Death **Father Deceased? Cause of Death** **Father:**

☐ Yes ☐ No

If Yes at what age?

☐ < 29 ☐ Heart Disease ☐ Yes

☐ 30-39 ☐ Cancer ☐ No

☐ 40-49 ☐ Stroke

☐ 50-59 ☐ Accident

☐ 60-69 ☐ Suicide

☐ 70-79 ☐ Other, _____

☐ 80-89

☐ ≥ 90

If Yes at what age?

☐ < 29 ☐ Heart Disease

☐ 30-39 ☐ Cancer

☐ 40-49 ☐ Stroke

☐ 50-59 ☐ Accident

☐ 60-69 ☐ Suicide

☐ 70-79 ☐ Other, _____

☐ 80-89

☐ > 90

FIG 22A

FIG. 22A

SUBSTITUTE SHEET (RULE 26)

Have you ever smoked? ☐ Yes ☒ No

If yes, for how long?

0-4	5-9
10-14	15-19
20-24	25-29
30-34	35-39
40-44	45-49
50-54	55-59
60-64	65-69
70-74	75-79
80-84	85-89
90-94	95-99

Years

Have you been hospitalized in the past 5 years for more than 6 days at a time?
☐ Yes ☒ No

If yes, how many times?
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 10

For each hospitalization (if not the same) how long did you stay and for what reason?

1) Weeks: ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6
☐ Acute disorder, including infection and thrombosis
☐ Chronic Disorder
☐ Accident
☐ Other: _____

2) Weeks: ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6
☐ Acute disorder, including infection and thrombosis
☐ Chronic Disorder
☐ Accident
☐ Other: _____

3) Weeks: ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6
☐ Acute disorder, including infection and thrombosis
☐ Chronic Disorder
☐ Accident
☐ Other: _____

Have you or has anyone in your immediate family (parents, brothers, sisters, or your children) had the following?
Mark all that apply!

Disease	You	Mother	Father	Sister	Brother	Child
Heart Disease, including arteriosclerosis	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Stroke	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hypertension	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Blood clots	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Diabetes, insulin dependent	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Diabetes, not insulin-dependent (diet controlled)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cancer:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lung & Bronchus	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Breasts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Prostate	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Colon & Rectum	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Stomach	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lymphoma & Leukemia	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other, please specify below:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Alzheimer's Disease	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Epilepsy	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Schizophrenia	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Bipolar disorder (manic depression)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Major depression	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Chronic Inflammatory or Autoimmune Disease including Multiple Sclerosis and Rheumatoid Arthritis	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Emphysema	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Asthma	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other, please specify below:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Do you take prescription drugs on a regular basis?
☐ Yes ☒ No

If yes, please specify below:

Have you ever donated blood before? ☐ Yes ☐ No

If yes, how many times: Number of Times

Additional health information details you would like to provide:

FOR
OFFICE
USE ONLY

Do you drink any kind of alcoholic beverage?

☐ Never
☐ Less than 3 times per week
☐ Daily

☐ Hardly ever
☐ 3 or more times per week

FIG. 22B

SUBSTITUTE SHEET (RULE 26)

Collection Information										
Consent Form Signed			Time of Sample Collection		Initials		Initials of Data Collector			
<input type="checkbox"/> Yes <input type="checkbox"/> No			(nearest hour in 24-hour clock format)		<div style="border: 1px solid black; padding: 5px;"> (DO NOT COMPLETE for data entry only) </div>					
Date of Collection Month Day Year JAN <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>							
FEB <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>							
MAR <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>							
APR <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>							
MAY <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>							
JUN <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>							
JUL <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>							
AUG <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>							
SEP <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>							
OCT <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>							
NOV <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>							
DEC <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>							
Donor Information										
Date of Birth Month Year JAN <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			Height Ft. Inches JAN <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		Weight (lb) JAN <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		What physical activity do you do on a regular basis?		Are you a vegetarian?	
FEB <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			FEB <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		FEB <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> Running		<input type="checkbox"/> Yes	
MAR <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			MAR <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		MAR <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> Swimming		<input type="checkbox"/> No	
APR <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			APR <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		APR <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> Biking		If female: How many times have you been pregnant?	
MAY <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			MAY <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		MAY <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> Gymnastics		<input type="checkbox"/> <input type="checkbox"/>	
JUN <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			JUN <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		JUN <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> Other		<input type="checkbox"/> <input type="checkbox"/>	
JUL <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			JUL <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		JUL <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> None		<input type="checkbox"/> <input type="checkbox"/>	
AUG <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			AUG <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		AUG <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>				<input type="checkbox"/> <input type="checkbox"/>	
SEP <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			SEP <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		SEP <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>				<input type="checkbox"/> <input type="checkbox"/>	
OCT <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			OCT <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		OCT <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>				<input type="checkbox"/> <input type="checkbox"/>	
NOV <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			NOV <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		NOV <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>				<input type="checkbox"/> <input type="checkbox"/>	
DEC <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			DEC <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		DEC <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>				<input type="checkbox"/> <input type="checkbox"/>	
Sex: <input type="checkbox"/> Male <input type="checkbox"/> Female							How many times did you give birth?		<input type="checkbox"/> <input type="checkbox"/>	
							<input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/>	
							<input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/>	
							<input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/>	
							<input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/>	

FIG. 22C

SUBSTITUTE SHEET (RULE 26)

What is your highest grade you completed in school?
☐ less than 8th grade
☐ 8th, 9th, 10th, or 11th grade
☐ high school graduate or equivalent
☐ some college, 2yr degree
☐ college graduate, 4yr degree
☐ post graduate education or degree

Health Information

Have you or has anyone in your immediate family (parents, brothers, sisters, or your children) had the following?
 Mark all that apply!

Disease	You	Mother	Father	Sister	Brother	Child
Heart Disease	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Stroke	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hypertension	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Blood clots	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Diabetes, insulin dependent	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Diabetes, no: insulin-dependent	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cancer	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lung & Bronchus	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Breasts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Prostate	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Colon & Rectum	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Skin	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lymphoma & Leukemia	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other, please specify below:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Alzheimer's Disease	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Epilepsy	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Schizophrenia	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Bipolar disorder (manic depression)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Major depression	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Chronic Inflammatory or Autoimmune Disease including Multiple Sclerosis and Rheumatoid Arthritis	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Emphysema	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Asthma	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other, please specify below:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Do you take prescription drugs on a regular basis?
☐ Yes ☐ No

If yes, please specify below:

Have you been hospitalized in the past 5 years for more than 6 days at a time?
☐ Yes ☐ No

If yes, how many times?
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 10 ☐ 11 ☐ 12 ☐ 13 ☐ 14 ☐ 15 ☐ 16 ☐ 17 ☐ 18 ☐ 19 ☐ 20 ☐ 21 ☐ 22 ☐ 23 ☐ 24 ☐ 25 ☐ 26 ☐ 27 ☐ 28 ☐ 29 ☐ 30 ☐ 31 ☐ 32 ☐ 33 ☐ 34 ☐ 35 ☐ 36 ☐ 37 ☐ 38 ☐ 39 ☐ 40 ☐ 41 ☐ 42 ☐ 43 ☐ 44 ☐ 45 ☐ 46 ☐ 47 ☐ 48 ☐ 49 ☐ 50 ☐ 51 ☐ 52 ☐ 53 ☐ 54 ☐ 55 ☐ 56 ☐ 57 ☐ 58 ☐ 59 ☐ 60 ☐ 61 ☐ 62 ☐ 63 ☐ 64 ☐ 65 ☐ 66 ☐ 67 ☐ 68 ☐ 69 ☐ 70 ☐ 71 ☐ 72 ☐ 73 ☐ 74 ☐ 75 ☐ 76 ☐ 77 ☐ 78 ☐ 79 ☐ 80 ☐ 81 ☐ 82 ☐ 83 ☐ 84 ☐ 85 ☐ 86 ☐ 87 ☐ 88 ☐ 89 ☐ 90 ☐ 91 ☐ 92 ☐ 93 ☐ 94 ☐ 95 ☐ 96 ☐ 97 ☐ 98 ☐ 99 ☐ 100

For each hospitalization (if not the same) how long did you stay and for what reason?

1) Weeks: ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 10 ☐ 11 ☐ 12 ☐ 13 ☐ 14 ☐ 15 ☐ 16 ☐ 17 ☐ 18 ☐ 19 ☐ 20 ☐ 21 ☐ 22 ☐ 23 ☐ 24 ☐ 25 ☐ 26 ☐ 27 ☐ 28 ☐ 29 ☐ 30 ☐ 31 ☐ 32 ☐ 33 ☐ 34 ☐ 35 ☐ 36 ☐ 37 ☐ 38 ☐ 39 ☐ 40 ☐ 41 ☐ 42 ☐ 43 ☐ 44 ☐ 45 ☐ 46 ☐ 47 ☐ 48 ☐ 49 ☐ 50 ☐ 51 ☐ 52 ☐ 53 ☐ 54 ☐ 55 ☐ 56 ☐ 57 ☐ 58 ☐ 59 ☐ 60 ☐ 61 ☐ 62 ☐ 63 ☐ 64 ☐ 65 ☐ 66 ☐ 67 ☐ 68 ☐ 69 ☐ 70 ☐ 71 ☐ 72 ☐ 73 ☐ 74 ☐ 75 ☐ 76 ☐ 77 ☐ 78 ☐ 79 ☐ 80 ☐ 81 ☐ 82 ☐ 83 ☐ 84 ☐ 85 ☐ 86 ☐ 87 ☐ 88 ☐ 89 ☐ 90 ☐ 91 ☐ 92 ☐ 93 ☐ 94 ☐ 95 ☐ 96 ☐ 97 ☐ 98 ☐ 99 ☐ 100

2) Weeks: ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 10 ☐ 11 ☐ 12 ☐ 13 ☐ 14 ☐ 15 ☐ 16 ☐ 17 ☐ 18 ☐ 19 ☐ 20 ☐ 21 ☐ 22 ☐ 23 ☐ 24 ☐ 25 ☐ 26 ☐ 27 ☐ 28 ☐ 29 <




FIG. 23





FIG. 24

**FIG. 25**

SUBSTITUTE SHEET (RULE 26)




FIG. 26




FIG. 27




FIG. 28




FIG. 29

Exp fitting
 $a_0 + a_1 \exp^{-a_2 m}$




FIG. 30




FIG. 31




FIG. 32

$$\text{Signal}(t) = \frac{(\text{Start } 0(t) + \text{Start } 1(t) + \text{Start } 2(t) \dots + \text{Start } 23(t))}{24}$$

SHIFT SIGNAL TO ACCOUNT FOR
VARIATIONS DUE TO STARTING POINT

FIG. 33




FIG. 34

SUBSTITUTE SHEET (RULE 26)




FIG. 35




FIG. 13—TAKE A MOVING AVERAGE, REMOVE SECTIONS EXCEEDING A THRESHOLD

FIG. 36




FIG. 37

FIND MINIMA IN REMAINING SIGNALS AND CONNECT TO
FORM A PEAK FREE SIGNAL




FIG. 38

GENRATE BASELINE CORRECTION




FIG. 39

SUBSTITUTE SHEET (RULE 26)




FIG. 40

NON-O COEFFICIENTS	COEFFICIENTS	INTERMEDIATE	RELATIVE
183 100 150 500 10,050 10,075 11,125 12,100 13,250	182 25 220 .1 800 890 910 1000 (MAX) 940	184 188 186 190 100.025 150.220 500.0001 10,050.8 10,075.89 11,125.91 12,100.99999 13,250.94	180 195 100.025 50.220 350.0001 9550.8 25.89 150.91 975.99999 1150.94

FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56




FIG. 57




FIG. 58

SEQUENCE LISTING

<110> SEQUENOM
Braun et al.

<120> METHODS FOR GENERATING DATABASES AND DATABASES FOR IDENTIFYING
POLYMORPHIC GENETIC MARKERS

<130> 24736-2033PC

<140> Not Yet Assigned

<141> 2000-10-13

<150> 60/217,658

<151> 2000-07-10

<150> 60/159,176

<151> 1999-10-13

<150> 60/217,251

<151> 2000-07-10

<150> 09/663,968

<151> 2000-09-19

<160> 118

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 361

<212> DNA

<213> Homo Sapien

<400> 1

ctgaggacct	ggtcctctga	ctgctctttt	cacccatcta	cagtcctccct	tgccgtccca	60
agcaatggat	gatttgatgc	tgtccccgga	cgatattgaa	caatgggtca	ctgaagaccc	120
aggtccagat	gaagctccca	gaatgccaga	ggctgctccc	cgcgaggccc	ctgcaccagc	180
agctcctaca	ccggcggccc	ctgcaccagc	cccctcctgg	cccctgtcat	cttctgtccc	240
ttcccagaaa	acctaccagg	gcagctacgg	tttcgctctg	ggcttccttg	attctggggac	300
agccaagtct	gtgacttgca	cggtcagttg	ccctgagggg	ctggcttcca	tgagacttca	360
a						361

<210> 2

<211> 44

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide Primer

<400> 2

cccagtcacg	acgttgtaaa	acgctgagga	cctggctcctc	tgac	44
------------	------------	------------	-------------	------	----

<210> 3

<211> 42

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide Primer

<400> 3

agcggataac	aatttcacac	aggttgaagt	ctcatggaag	cc	42
------------	------------	------------	------------	----	----

<210> 4

<211> 17

<212> DNA

2/122

<213> Artificial Sequence

<220>

<223> Probe

<400> 4

gccagaggct gctcccc

17

<210> 5

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Probe

<400> 5

gccagaggct gctcccc

17

<210> 6

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Probe

<400> 6

gccagaggct gctccccgc

19

<210> 7

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> Probe

<400> 7

gccagaggct gctcccc

18

<210> 8

<211> 161

<212> DNA

<213> Homo Sapien

<400> 8

gtccgtcaga acccatgcgg cagcaaggcc tgccgcgcc tcttcggccc agtggacagc
gagcagctga gccgcgactg tgatgcgcta atggcgggct gcatccagga ggcccgtgag
cgatggaact tcgactttgt caccgagaca ccactggagg g

60

120

161

<210> 9

<211> 43

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide Primer

<400> 9

3/122

cccagtcacg acgttgtaaa acggtccgtc agaaccatg cgg 43

<210> 10
<211> 44
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide Primer

<400> 10
agcggataac aatttcacac aggtccagt ggtgtctcgg tgac 44

<210> 11
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide Primer

<400> 11
cagcgagcag ctgag 15

<210> 12
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Probe

<400> 12
cagcgagcag ctgag 15

<210> 13
<211> 16
<212> DNA
<213> Artificial Sequence

<220>
<223> Probe

<400> 13
cagcgagcag ctgagc 16

<210> 14
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Probe

<400> 14
cagcgagcag ctgagac 17

<210> 15
<211> 205
<212> DNA

4/122

<213> Homo Sapien

<400> 15

gcgctccatt	catctcttca	tcgactctct	gttgaatgaa	gaaaatccaa	gtaaggccta	60
caggtgcagt	tccaaggaag	cctttgagaa	agggctctgc	ttgagttgta	gaaagaaccg	120
ctgcaacaat	ctgggctatg	agatcaataa	agtcagagcc	aaaagaagca	gcaaaatgta	180
cctgaagact	cgttctcaga	tgccc				205

<210> 16

<211> 42

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide Primers

<400> 16

cccagtcacg	acgttgtaaa	acggcgctcc	attcatctct	tc	42
------------	------------	------------	------------	----	----

<210> 17

<211> 42

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide Primer

<400> 17

agcggataac	aatttcacac	agggggcatc	tgagaacgag	tc	42
------------	------------	------------	------------	----	----

<210> 18

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide Primer

<400> 18

caatctgggc	tatgagatca	20
------------	------------	----

<210> 19

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Probe

<400> 19

caatctgggc	tatgagatca	20
------------	------------	----

<210> 20

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Probe

5/122

<400> 20
 caatctgggc tatgagatca a 21
 <210> 21
 <211> 22
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Probe
 <400> 21
 caatctgggc tatgagatca gt 20
 <210> 22
 <211> 60
 <212> DNA
 <213> Homo Sapien
 <220>
 <223> Probe
 <400> 22
 gtgccggcta ctcggatggc agcaaggact cctgcaaggg ggacagtga ggcccacatg 60
 <210> 23
 <211> 60
 <212> DNA
 <213> Homo sapien
 <400> 23
 ccaccacta ccggggcacg tggtacctga cgggcatcgt cagctggggc cagggctgcg 60
 <210> 24
 <211> 42
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Oligonucleotide primer
 <400> 24
 cccagtcacg acgttgtaaa acgatggcag caaggactcc tg 42
 <210> 25
 <211> 18
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Oligonucleotide primer
 <400> 25
 cacatgccac ccactacc 18
 <210> 26
 <211> 43
 <212> DNA
 <213> Artificial Sequence

6/122

<220>
<223> Oligonucleotide primer

<400> 26
agcggataac aatttcacac aggtgacgat gcccgtcagg tac 43

<210> 27
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Probe

<400> 27
atgccaccca ctacc 15

<210> 28
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Probe

<400> 28
cacatgccac ccactaccg 19

<210> 29
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Probe

<400> 29
cacatgccac ccactaccag 20

<210> 30
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Probe

<400> 30
agcggataac aatttcacac agg 23

<210> 31
<211> 2363
<212> DNA
<213> Homo Sapien

<220>
<221> CDS
<222> (138) ... (2126)
<223> AKAP-10

7/122

<300>

<308> GenBank AF037439

<309> 1997-12-21

<400> 31

```

gcggcttggt gataatatgg cggctggagc tgcttgggca tcccaggagg gcgggtggggc      60
ccactcccgg aagaagggtc ccttttcgcg ctagtgcagc ggcccctctg gacccggaag      120
tccgggccgg ttgctga atg agg gga gcc ggg ccc tcc ccg cgc cag tcc      170
                Met Arg Gly Ala Gly Pro Ser Pro Arg Gln Ser
                  1                5                10

ccc cgc acc ctg cgt ccc gac ccg ggc ccc gcc atg tcc ttc ttc cgg      218
Pro Arg Thr Leu Arg Pro Asp Pro Gly Pro Ala Met Ser Phe Arg
                15                20                25

cgg aaa gtg aaa ggc aaa gaa caa gag aag acc tca gat gtg aag tcc      266
Arg Lys Val Lys Gly Lys Glu Gln Glu Lys Thr Ser Asp Val Lys Ser
                30                35                40

att aaa gct tca ata tcc gta cat tcc cca caa aaa agc act aaa aat      314
Ile Lys Ala Ser Ile Ser Val His Ser Pro Gln Lys Ser Thr Lys Asn
                45                50                55

cat gcc ttg ctg gag gct gca gga cca agt cat gtt gca atc aat gcc      362
His Ala Leu Leu Glu Ala Ala Gly Pro Ser His Val Ala Ile Asn Ala
                60                65                70                75

att tct gcc aac atg gac tcc ttt tca agt agc agg aca gcc aca ctt      410
Ile Ser Ala Asn Met Asp Ser Phe Ser Ser Ser Arg Thr Ala Thr Leu
                80                85                90

aag aag cag cca agc cac atg gag gct gct cat ttt ggt gac ctg ggc      458
Lys Lys Gln Pro Ser His Met Glu Ala Ala His Phe Gly Asp Leu Gly
                95                100                105

aga tct tgt ctg gac tac cag act caa gag acc aaa tca agc ctt tct      506
Arg Ser Cys Leu Asp Tyr Gln Thr Gln Glu Thr Lys Ser Ser Leu Ser
                110                115                120

aag acc ctt gaa caa gtc ttg cac gac act att gtc ctg cct tac ttc      554
Lys Thr Leu Glu Gln Val Leu His Asp Thr Ile Val Leu Pro Tyr Phe
                125                130                135

att caa ttc atg gaa ctt cgg cga atg gag cat ttg gtg aaa ttt tgg      602
Ile Gln Phe Met Glu Leu Arg Arg Met Glu His Leu Val Lys Phe Trp
                140                145                150                155

tta gag gct gaa agt ttt cat tca aca act tgg tgg cga ata aga gca      650
Leu Glu Ala Glu Ser Phe His Ser Thr Thr Trp Ser Arg Ile Arg Ala
                160                165                170

cac agt cta aac aca atg aag cag agc tca ctg gct gag cct gtc tct      698
His Ser Leu Asn Thr Met Lys Gln Ser Ser Leu Ala Glu Pro Val Ser
                175                180                185

cca tct aaa aag cat gaa act aca gcg tct ttt tta act gat tct ctt      746
Pro Ser Lys Lys His Glu Thr Thr Ala Ser Phe Leu Thr Asp Ser Leu
                190                195                200

gat aag aga ttg gag gat tct ggc tca gca cag ttg ttt atg act cat      794

```

8/122

Asp	Lys	Arg	Leu	Glu	Asp	Ser	Gly	Ser	Ala	Gln	Leu	Phe	Met	Thr	His	
205						210					215					
tca	gaa	gga	att	gac	ctg	aat	aat	aga	act	aac	agc	act	cag	aat	cac	842
Ser	Glu	Gly	Ile	Asp	Leu	Asn	Asn	Arg	Thr	Asn	Ser	Thr	Gln	Asn	His	
220					225					230					235	
ttg	ctg	ctt	tcc	cag	gaa	tgt	gac	agt	gcc	cat	tct	ctc	cgt	ctt	gaa	890
Leu	Leu	Leu	Ser	Gln	Glu	Cys	Asp	Ser	Ala	His	Ser	Leu	Arg	Leu	Glu	
				240					245					250		
atg	gcc	aga	gca	gga	act	cac	caa	gtt	tcc	atg	gaa	acc	caa	gaa	tct	938
Met	Ala	Arg	Ala	Gly	Thr	His	Gln	Val	Ser	Met	Glu	Thr	Gln	Glu	Ser	
			255					260					265			
tcc	tct	aca	ctt	aca	gta	gcc	agt	aga	aat	agt	ccc	gct	tct	cca	cta	986
Ser	Ser	Thr	Leu	Thr	Val	Ala	Ser	Arg	Asn	Ser	Pro	Ala	Ser	Pro	Leu	
		270					275					280				
aaa	gaa	ttg	tca	gga	aaa	cta	atg	aaa	agt	ata	gaa	caa	gat	gca	gtg	1034
Lys	Glu	Leu	Ser	Gly	Lys	Leu	Met	Lys	Ser	Ile	Glu	Gln	Asp	Ala	Val	
	285					290					295					
aat	act	ttt	acc	aaa	tat	ata	tct	cca	gat	gct	gct	aaa	cca	ata	cca	1082
Asn	Thr	Phe	Thr	Lys	Tyr	Ile	Ser	Pro	Asp	Ala	Ala	Lys	Pro	Ile	Pro	
300					305					310					315	
att	aca	gaa	gca	atg	aga	aat	gac	atc	ata	gca	agg	att	tgt	gga	gaa	1130
Ile	Thr	Glu	Ala	Met	Arg	Asn	Asp	Ile	Ile	Ala	Arg	Ile	Cys	Gly	Glu	
				320					325					330		
gat	gga	cag	gtg	gat	ccc	aac	tgt	ttc	gtt	ttg	gca	cag	tcc	ata	gtc	1178
Asp	Gly	Gln	Val	Asp	Pro	Asn	Cys	Phe	Val	Leu	Ala	Gln	Ser	Ile	Val	
			335					340					345			
ttt	agt	gca	atg	gag	caa	gag	cac	ttt	agt	gag	ttt	ctg	cga	agt	cac	1226
Phe	Ser	Ala	Met	Glu	Gln	Glu	His	Phe	Ser	Glu	Phe	Leu	Arg	Ser	His	
		350					355					360				
cat	ttc	tgt	aaa	tac	cag	att	gaa	gtg	ctg	acc	agt	gga	act	gtt	tac	1274
His	Phe	Cys	Lys	Tyr	Gln	Ile	Glu	Val	Leu	Thr	Ser	Gly	Thr	Val	Tyr	
		365				370					375					
ctg	gct	gac	att	ctc	ttc	tgt	gag	tca	gcc	ctc	ttt	tat	ttc	tct	gag	1322
Leu	Ala	Asp	Ile	Leu	Phe	Cys	Glu	Ser	Ala	Leu	Phe	Tyr	Phe	Ser	Glu	
380					385				390						395	
tac	atg	gaa	aaa	gag	gat	gca	gtg	aat	atc	tta	caa	ttc	tgg	ttg	gca	1370
Tyr	Met	Glu	Lys	Glu	Asp	Ala	Val	Asn	Ile	Leu	Gln	Phe	Trp	Leu	Ala	
				400					405					410		
gca	gat	aac	ttc	cag	tct	cag	ctt	gct	gcc	aaa	aag	ggg	caa	tat	gat	1418
Ala	Asp	Asn	Phe	Gln	Ser	Gln	Leu	Ala	Ala	Lys	Lys	Gly	Gln	Tyr	Asp	
			415					420					425			
gga	cag	gag	gca	cag	aat	gat	gcc	atg	att	tta	tat	gac	aag	tac	ttc	1466
Gly	Gln	Glu	Ala	Gln	Asn	Asp	Ala	Met	Ile	Leu	Tyr	Asp	Lys	Tyr	Phe	
		430					435					440				
tcc	ctc	caa	gcc	aca	cat	cct	ctt	gga	ttt	gat	gat	gtt	gta	cga	tta	1514

9/122

Ser	Leu	Gln	Ala	Thr	His	Pro	Leu	Gly	Phe	Asp	Asp	Val	Val	Arg	Leu		
445						450					455						
gaa	att	gaa	tcc	aat	atc	tgc	agg	gaa	ggg	ggg	cca	ctc	ccc	aac	tgt	1562	
Glu	Ile	Glu	Ser	Asn	Ile	Cys	Arg	Glu	Gly	Gly	Pro	Leu	Pro	Asn	Cys		
460					465					470					475		
ttc	aca	act	cca	tta	cgt	cag	gcc	tgg	aca	acc	atg	gag	aag	gtc	ttt	1610	
Phe	Thr	Thr	Pro	Leu	Arg	Gln	Ala	Trp	Thr	Thr	Met	Glu	Lys	Val	Phe		
				480					485					490			
ttg	cct	ggc	ttt	ctg	tcc	agc	aat	ctt	tat	tat	aaa	tat	ttg	aat	gat	1658	
Leu	Pro	Gly	Phe	Leu	Ser	Ser	Asn	Leu	Tyr	Tyr	Lys	Tyr	Leu	Asn	Asp		
			495					500					505				
ctc	atc	cat	tcc	gtt	cga	gga	gat	gaa	ttt	ctg	ggc	ggg	aac	gtg	tcc	1706	
Leu	Ile	His	Ser	Val	Arg	Gly	Asp	Glu	Phe	Leu	Gly	Gly	Asn	Val	Ser		
		510					515					520					
ccg	act	gct	cct	ggc	tct	gtt	ggc	cct	cct	gat	gag	tct	cac	cca	ggg	1754	
Pro	Thr	Ala	Pro	Gly	Ser	Val	Gly	Pro	Pro	Asp	Glu	Ser	His	Pro	Gly		
						530					535						
agt	tct	gac	agc	tct	gcg	tct	cag	tcc	agt	gtg	aaa	aaa	gcc	agt	att	1802	
Ser	Ser	Asp	Ser	Ser	Ala	Ser	Gln	Ser	Ser	Val	Lys	Lys	Ala	Ser	Ile		
540					545					550					555		
aaa	ata	ctg	aaa	aat	ttt	gat	gaa	gcg	ata	att	gtg	gat	gcg	gca	agt	1850	
Lys	Ile	Leu	Lys	Asn	Phe	Asp	Glu	Ala	Ile	Ile	Val	Asp	Ala	Ala	Ser		
				560					565					570			
ctg	gat	cca	gaa	tct	tta	tat	caa	cgg	aca	tat	gcc	ggg	aag	atg	aca	1898	
Leu	Asp	Pro	Glu	Ser	Leu	Tyr	Gln	Arg	Thr	Tyr	Ala	Gly	Lys	Met	Thr		
				575				580					585				
ttt	gga	aga	gtg	agt	gac	ttg	ggg	caa	ttc	atc	cgg	gaa	tct	gag	cct	1946	
Phe	Gly	Arg	Val	Ser	Asp	Leu	Gly	Gln	Phe	Ile	Arg	Glu	Ser	Glu	Pro		
		590					595					600					
gaa	cct	gat	gta	agg	aaa	tca	aaa	gga	tcc	atg	ttc	tca	caa	gct	atg	1994	
Glu	Pro	Asp	Val	Arg	Lys	Ser	Lys	Gly	Ser	Met	Phe	Ser	Gln	Ala	Met		
		605				610					615						
aag	aaa	tgg	gtg	caa	gga	aat	act	gat	gag	gcc	cag	gaa	gag	cta	gct	2042	
Lys	Lys	Trp	Val	Gln	Gly	Asn	Thr	Asp	Glu	Ala	Gln	Glu	Glu	Leu	Ala		
620					625					630					635		
tgg	aag	att	gct	aaa	atg	ata	gtc	agt	gac	att	atg	cag	cag	gct	cag	2090	
Trp	Lys	Ile	Ala	Lys	Met	Ile	Val	Ser	Asp	Ile	Met	Gln	Gln	Ala	Gln		
				640					645					650			
tat	gat	caa	ccg	tta	gag	aaa	tct	aca	aag	tta	tga	ctcaaaaactt				2136	
Tyr	Asp	Gln	Pro	Leu	Glu	Lys	Ser	Thr	Lys	Leu	*						
			655					660									
gagataaagg	aaatctgctt	gtgaaaaata	agagaacttt	tttcccttgg	ttggattcctt											2196	
caacacagcc	aatgaaaaca	gcactatatt	tctgatctgt	cactgttggt	tccaggggaga											2256	
gaatggggag	acaatcctag	gacttccacc	ctaatagcagt	tacctgtagg	gcataattgg											2316	
atggcacatg	atgtttcaca	cagtgaggag	tcttttaaagg	ttaccaa												2363	

10/122

<210> 32
 <211> 662
 <212> PRT
 <213> Homo Sapien

<400> 32
 Met Arg Gly Ala Gly Pro Ser Pro Arg Gln Ser Pro Arg Thr Leu Arg
 1 5 10 15
 Pro Asp Pro Gly Pro Ala Met Ser Phe Arg Arg Lys Val Lys Gly
 20 25 30
 Lys Glu Gln Glu Lys Thr Ser Asp Val Lys Ser Ile Lys Ala Ser Ile
 35 40 45
 Ser Val His Ser Pro Gln Lys Ser Thr Lys Asn His Ala Leu Leu Glu
 50 55 60
 Ala Ala Gly Pro Ser His Val Ala Ile Asn Ala Ile Ser Ala Asn Met
 65 70 75 80
 Asp Ser Phe Ser Ser Ser Arg Thr Ala Thr Leu Lys Lys Gln Pro Ser
 85 90 95
 His Met Glu Ala Ala His Phe Gly Asp Leu Gly Arg Ser Cys Leu Asp
 100 105 110
 Tyr Gln Thr Gln Glu Thr Lys Ser Ser Leu Ser Lys Thr Leu Glu Gln
 115 120 125
 Val Leu His Asp Thr Ile Val Leu Pro Tyr Phe Ile Gln Phe Met Glu
 130 135 140
 Leu Arg Arg Met Glu His Leu Val Lys Phe Trp Leu Glu Ala Glu Ser
 145 150 155 160
 Phe His Ser Thr Thr Trp Ser Arg Ile Arg Ala His Ser Leu Asn Thr
 165 170 175
 Met Lys Gln Ser Ser Leu Ala Glu Pro Val Ser Pro Ser Lys Lys His
 180 185 190
 Glu Thr Thr Ala Ser Phe Leu Thr Asp Ser Leu Asp Lys Arg Leu Glu
 195 200 205
 Asp Ser Gly Ser Ala Gln Leu Phe Met Thr His Ser Glu Gly Ile Asp
 210 215 220
 Leu Asn Asn Arg Thr Asn Ser Thr Gln Asn His Leu Leu Leu Ser Gln
 225 230 235 240
 Glu Cys Asp Ser Ala His Ser Leu Arg Leu Glu Met Ala Arg Ala Gly
 245 250 255
 Thr His Gln Val Ser Met Glu Thr Gln Glu Ser Ser Ser Thr Leu Thr
 260 265 270
 Val Ala Ser Arg Asn Ser Pro Ala Ser Pro Leu Lys Glu Leu Ser Gly
 275 280 285
 Lys Leu Met Lys Ser Ile Glu Gln Asp Ala Val Asn Thr Phe Thr Lys
 290 295 300
 Tyr Ile Ser Pro Asp Ala Ala Lys Pro Ile Pro Ile Thr Glu Ala Met
 305 310 315 320
 Arg Asn Asp Ile Ile Ala Arg Ile Cys Gly Glu Asp Gly Gln Val Asp
 325 330 335
 Pro Asn Cys Phe Val Leu Ala Gln Ser Ile Val Phe Ser Ala Met Glu
 340 345 350
 Gln Glu His Phe Ser Glu Phe Leu Arg Ser His His Phe Cys Lys Tyr
 355 360 365
 Gln Ile Glu Val Leu Thr Ser Gly Thr Val Tyr Leu Ala Asp Ile Leu
 370 375 380
 Phe Cys Glu Ser Ala Leu Phe Tyr Phe Ser Glu Tyr Met Glu Lys Glu
 385 390 395 400
 Asp Ala Val Asn Ile Leu Gln Phe Trp Leu Ala Ala Asp Asn Phe Gln
 405 410 415
 Ser Gln Leu Ala Ala Lys Lys Gly Gln Tyr Asp Gly Gln Glu Ala Gln
 420 425 430

11/122

Asn Asp Ala Met Ile Leu Tyr Asp Lys Tyr Phe Ser Leu Gln Ala Thr
 435 440 445
 His Pro Leu Gly Phe Asp Asp Val Val Arg Leu Glu Ile Glu Ser Asn
 450 455 460
 Ile Cys Arg Glu Gly Gly Pro Leu Pro Asn Cys Phe Thr Thr Pro Leu
 465 470 475 480
 Arg Gln Ala Trp Thr Thr Met Glu Lys Val Phe Leu Pro Gly Phe Leu
 485 490
 Ser Ser Asn Leu Tyr Tyr Lys Tyr Leu Asn Asp Leu Ile His Ser Val
 500 505 510
 Arg Gly Asp Glu Phe Leu Gly Gly Asn Val Ser Pro Thr Ala Pro Gly
 515 520 525
 Ser Val Gly Pro Pro Asp Glu Ser His Pro Gly Ser Ser Asp Ser Ser
 530 535 540
 Ala Ser Gln Ser Ser Val Lys Lys Ala Ser Ile Lys Ile Leu Lys Asn
 545 550 555 560
 Phe Asp Glu Ala Ile Val Asp Ala Ala Ser Leu Asp Pro Glu Ser
 565 570 575
 Leu Tyr Gln Arg Thr Tyr Ala Gly Lys Met Thr Phe Gly Arg Val Ser
 580 585 590
 Asp Leu Gly Gln Phe Ile Arg Glu Ser Glu Pro Glu Pro Asp Val Arg
 595 600 605
 Lys Ser Lys Gly Ser Met Phe Ser Gln Ala Met Lys Lys Trp Val Gln
 610 615 620
 Gly Asn Thr Asp Glu Ala Gln Glu Glu Leu Ala Trp Lys Ile Ala Lys
 625 630 635 640
 Met Ile Val Ser Asp Ile Met Gln Gln Ala Gln Tyr Asp Gln Pro Leu
 645 650 655
 Glu Lys Ser Thr Lys Leu
 660

<210> 33
 <211> 2363
 <212> DNA
 <213> Homo Sapien

<220>
 <221> CDS
 <222> (138)...(2126)
 <223> AKAP-10-5

<221> allele
 <222> 2073
 <223> Single Nucleotide Polymorphism: A to G

<400> 33
 gcggcttggt gataatatgg cggctggagc tgcctgggca tcccgaggag gcggtggggc 60
 ccactcccgg aagaagggtc ccttttcgcg ctagtgcagc ggcccctctg gacccggaag 120
 tccgggcccgg ttgctga atg agg gga gcc ggg ccc tcc ccg cgc cag tcc 170
 Met Arg Gly Ala Gly Pro Ser Pro Arg Gln Ser
 1 5 10

 ccc cgc acc ctc cgt ccc gac ccg ggc ccc gcc atg tcc ttc ttc cgg 218
 Pro Arg Thr Leu Arg Pro Asp Pro Gly Pro Ala Met Ser Phe Phe Arg
 15 20 25

 cgg aaa gtg aaa ggc aaa gaa caa gag aag acc tca gat gtg aag tcc 266
 Arg Lys Val Lys Gly Lys Glu Gln Glu Lys Thr Ser Asp Val Lys Ser
 30 35 40

12/122

att aaa gct tca ata tcc gta cat tcc cca caa aaa agc act aaa aat Ile Lys Ala Ser Ile Ser Val His Ser Pro Gln Lys Ser Thr Lys Asn 45 50 55	314
cat gcc ttg ctg gag gct gca gga cca agt cat gtt gca atc aat gcc His Ala Leu Leu Glu Ala Ala Gly Pro Ser His Val Ala Ile Asn Ala 60 65 70 75	362
att tct gcc aac atg gac tcc ttt tca agt agc agg aca gcc aca ctt Ile Ser Ala Asn Met Asp Ser Phe Ser Ser Arg Thr Ala Thr Leu 80 85 90	410
aag aag cag cca agc cac atg gag gct gct cat ttt ggt gac ctg ggc Lys Lys Gln Pro Ser His Met Glu Ala Ala His Phe Gly Asp Leu Gly 95 100 105	458
aga tct tgt ctg gac tac cag act caa gag acc aaa tca agc ctt tct Arg Ser Cys Leu Asp Tyr Gln Thr Gln Glu Thr Lys Ser Ser Leu Ser 110 115 120	506
aag acc ctt gaa caa gtc ttg cac gac act att gtc ctc cct tac ttc Lys Thr Leu Glu Gln Val Leu His Asp Thr Ile Val Leu Pro Tyr Phe 125 130 135	554
att caa ttc atg gaa ctt cgg cga atg gag cat ttg gtg aaa ttt tgg Ile Gln Phe Met Glu Leu Arg Arg Met Glu His Leu Val Lys Phe Trp 140 145 150 155	602
tta gag gct gaa agt ttt cat tca aca act tgg tcg cga ata aga gca Leu Glu Ala Glu Ser Phe His Ser Thr Thr Trp Ser Arg Ile Arg Ala 160 165 170	650
cac agt cta aac aca atg aag cag agc tca ctg gct gag cct gtc tct His Ser Leu Asn Thr Met Lys Gln Ser Ser Leu Ala Glu Pro Val Ser 175 180 185	698
cca tct aaa aag cat gaa act aca gcg tct ttt tta act gat tct ctt Pro Ser Lys Lys His Glu Thr Thr Ala Ser Phe Leu Thr Asp Ser Leu 190 195 200	746
gat aag aga ttg gag gat tct ggc tca gca cag ttg ttt atg act cat Asp Lys Arg Leu Glu Asp Ser Gly Ser Ala Gln Leu Phe Met Thr His 205 210 215	794
tca gaa gga att gac ctg aat aat aga act aac agc act cag aat cac Ser Glu Gly Ile Asp Leu Asn Asn Arg Thr Asn Ser Thr Gln Asn His 220 225 230 235	842
ttg ctg ctt tcc cag gaa tgt gac agt gcc cat tct ctc cgt ctt gaa Leu Leu Leu Ser Gln Glu Cys Asp Ser Ala His Ser Leu Arg Leu Glu 240 245 250	890
atg gcc aga gca gga act cac caa gtt tcc atg gaa acc caa gaa tct Met Ala Arg Ala Gly Thr His Gln Val Ser Met Glu Thr Gln Glu Ser 255 260 265	938
tcc tct aca ctt aca gta gcc agt aga aat agt ccc gct tct cca cta Ser Ser Thr Leu Thr Val Ala Ser Arg Asn Ser Pro Ala Ser Pro Leu 270 275 280	986

13/122

aaa gaa ttg tca gga aaa cta atg aaa agt ata gaa caa gat gca gtg Lys Glu Leu Ser Gly Lys Leu Met Lys Ser Ile Glu Gln Asp Ala Val 285 290 295	1034
aat act ttt acc aaa tat ata tct cca gat gct gct aaa cca ata cca Asn Thr Phe Thr Lys Tyr Ile Ser Pro Asp Ala Ala Lys Pro Ile Pro 300 305 310 315	1082
att aca gaa gca atg aga aat gac atc ata gca agg att tgt gga gaa Ile Thr Glu Ala Met Arg Asn Asp Ile Ile Ala Arg Ile Cys Gly Glu 320 325 330	1130
gat gga cag gtg gat ccc aac tgt ttc gtt ttg gca cag tcc ata gtc Asp Gly Gln Val Asp Pro Asn Cys Phe Val Leu Ala Gln Ser Ile Val 335 340 345	1178
ttt agt gca atg gag caa gag cac ttt agt gag ttt ctg cga agt cac Phe Ser Ala Met Glu Gln Glu His Phe Ser Glu Phe Leu Arg Ser His 350 355 360	1226
cat ttc tgt aaa tac cag att gaa gtg ctg acc agt gga act gtt tac His Phe Cys Lys Tyr Gln Ile Glu Val Leu Thr Ser Gly Thr Val Tyr 365 370 375	1274
ctg gct gac att ctc ttc tgt gag tca gcc ctc ttt tat ttc tct gag Leu Ala Asp Ile Leu Phe Cys Glu Ser Ala Leu Phe Tyr Phe Ser Glu 380 385 390 395	1322
tac atg gaa aaa gag gat gca gtg aat atc tta caa ttc tgg ttg gca Tyr Met Glu Lys Glu Asp Ala Val Asn Ile Leu Gln Phe Trp Leu Ala 400 405 410	1370
gca gat aac ttc cag tct cag ctt gct gcc aaa aag ggg caa tat gat Ala Asp Asn Phe Gln Ser Gln Leu Ala Ala Lys Lys Gly Gln Tyr Asp 415 420 425	1418
gga cag gag gca cag aat gat gcc atg att tta tat gac aag tac ttc Gly Gln Glu Ala Gln Asn Asp Ala Met Ile Leu Tyr Asp Lys Tyr Phe 430 435 440	1466
tcc ctc caa gcc aca cat cct ctt gga ttt gat gat gtt gta cga tta Ser Leu Gln Ala Thr His Pro Leu Gly Phe Asp Asp Val Val Arg Leu 445 450 455	1514
gaa att gaa tcc aat atc tgc agg gaa ggt ggg cca ctc ccc aac tgt Glu Ile Glu Ser Asn Ile Cys Arg Glu Gly Gly Pro Leu Pro Asn Cys 460 465 470 475	1562
ttc aca act cca tta cgt cag gcc tgg aca acc atg gag aag gtc ttt Phe Thr Thr Pro Leu Arg Gln Ala Trp Thr Thr Met Glu Lys Val Phe 480 485 490	1610
ttg cct ggc ttt ctg tcc agc aat ctt tat tat aaa tat ttg aat gat Leu Pro Gly Phe Leu Ser Ser Asn Leu Tyr Tyr Lys Tyr Leu Asn Asp 495 500 505	1658
ctc atc cat tcg gtt cga gga gat gaa ttt ctg ggc ggg aac gtg tcg Leu Ile His Ser Val Arg Gly Asp Glu Phe Leu Gly Gly Asn Val Ser 510 515 520	1706

14/122

ccg act gct cct ggc tct gtt ggc cct cct gat gag tct cac cca ggg	1754
Pro Thr Ala Pro Gly Ser Val Gly Pro Pro Asp Glu Ser His Pro Gly	
525 530 535	
agt tct gac agc tct gcg tct cag tcc agt gtg aaa aaa gcc agt att	1802
Ser Ser Asp Ser Ser Ala Ser Gln Ser Ser Val Lys Lys Ala Ser Ile	
540 545 550 555	
aaa ata ctg aaa aat ttt gat gaa gcg ata att gtg gat gcg gca agt	1850
Lys Ile Leu Lys Asn Phe Asp Glu Ala Ile Ile Val Asp Ala Ala Ser	
560 565 570	
ctg gat cca gaa tct tta tat caa cgg aca tat gcc ggg aag atg aca	1898
Leu Asp Pro Glu Ser Leu Tyr Gln Arg Thr Tyr Ala Gly Lys Met Thr	
575 580 585	
ttt gga aga gtg agt gac ttg ggg caa ttc atc cgg gaa tct gag cct	1946
Phe Gly Arg Val Ser Asp Leu Gln Phe Ile Arg Glu Ser Glu Pro	
590 595 600	
gaa cct gat gta agg aaa tca aaa gga tcc atg ttc tca caa gct atg	1994
Glu Pro Asp Val Arg Lys Ser Lys Gly Ser Met Phe Ser Gln Ala Met	
605 610 615	
aag aaa tgg gtg caa gga aat act gat gag gcc cag gaa gag cta gct	2042
Lys Lys Trp Val Gln Gly Asn Thr Asp Glu Ala Gln Glu Glu Leu Ala	
620 625 630 635	
tgg aag att gct aaa atg ata gtc agt gac gtt atg cag cag gct cag	2090
Trp Lys Ile Ala Lys Met Ile Val Ser Asp Val Met Gln Gln Ala Gln	
640 645 650	
tat gat caa ccg tta gag aaa tct aca aag tta tga ctcaaaaactt	2136
Tyr Asp Gln Pro Leu Glu Lys Ser Thr Lys Leu *	
655 660	
gagataaagg aaatctgctt gtgaaaaata agagaacttt tttcccttgg ttggattctt	2196
caacacagcc aatgaaaaca gcactatatt tctgatctgt cactgttggt tccagggaga	2256
gaatggggag acaatcctag gacttccacc ctaatgcagt tacctgtagg gcataattgg	2316
atggcacatg atgtttcaca cagtgaggag tctttaaagg ttaccaa	2363

<210> 34

<211> 662

<212> PRT

<213> Homo Sapien

<400> 34

Met Arg Gly Ala Gly Pro Ser Pro Arg Gln Ser Pro Arg Thr Leu Arg	
1 5 10 15	
Pro Asp Pro Gly Pro Ala Met Ser Phe Phe Arg Arg Lys Val Lys Gly	
20 25 30	
Lys Glu Gln Glu Lys Thr Ser Asp Val Lys Ser Ile Lys Ala Ser Ile	
35 40 45	
Ser Val His Ser Pro Gln Lys Ser Thr Lys Asn His Ala Leu Leu Glu	
50 55 60	
Ala Ala Gly Pro Ser His Val Ala Ile Asn Ala Ile Ser Ala Asn Met	
65 70 75 80	
Asp Ser Phe Ser Ser Ser Arg Thr Ala Thr Leu Lys Lys Gln Pro Ser	
85 90 95	
His Met Glu Ala Ala His Phe Gly Asp Leu Gly Arg Ser Cys Leu Asp	

			100					105				110			
Tyr	Gln	Thr	Gln	Glu	Thr	Lys	Ser	Ser	Leu	Ser	Lys	Thr	Leu	Glu	Gln
		115					120					125			
Val	Leu	His	Asp	Thr	Ile	Val	Leu	Pro	Tyr	Phe	Ile	Gln	Phe	Met	Glu
	130					135					140				
Leu	Arg	Arg	Met	Glu	His	Leu	Val	Lys	Phe	Trp	Leu	Glu	Ala	Glu	Ser
145				150					155						160
Phe	His	Ser	Thr	Thr	Trp	Ser	Arg	Ile	Arg	Ala	His	Ser	Leu	Asn	Thr
			165						170					175	
Met	Lys	Gln	Ser	Ser	Leu	Ala	Glu	Pro	Val	Ser	Pro	Ser	Lys	Lys	His
		180					185					190			
Glu	Thr	Thr	Ala	Ser	Phe	Leu	Thr	Asp	Ser	Leu	Asp	Lys	Arg	Leu	Glu
		195					200					205			
Asp	Ser	Gly	Ser	Ala	Gln	Leu	Phe	Met	Thr	His	Ser	Glu	Gly	Ile	Asp
	210				215						220				
Leu	Asn	Asn	Arg	Thr	Asn	Ser	Thr	Gln	Asn	His	Leu	Leu	Leu	Ser	Gln
225				230						235					240
Glu	Cys	Asp	Ser	Ala	His	Ser	Leu	Arg	Leu	Glu	Met	Ala	Arg	Ala	Gly
			245					250						255	
Thr	His	Gln	Val	Ser	Met	Glu	Thr	Gln	Glu	Ser	Ser	Ser	Thr	Leu	Thr
		260						265					270		
Val	Ala	Ser	Arg	Asn	Ser	Pro	Ala	Ser	Pro	Leu	Lys	Glu	Leu	Ser	Gly
		275					280					285			
Lys	Leu	Met	Lys	Ser	Ile	Glu	Gln	Asp	Ala	Val	Asn	Thr	Phe	Thr	Lys
	290				295						300				
Tyr	Ile	Ser	Pro	Asp	Ala	Ala	Lys	Pro	Ile	Pro	Ile	Thr	Glu	Ala	Met
305				310						315					320
Arg	Asn	Asp	Ile	Ile	Ala	Arg	Ile	Cys	Gly	Glu	Asp	Gly	Gln	Val	Asp
			325						330					335	
Pro	Asn	Cys	Phe	Val	Leu	Ala	Gln	Ser	Ile	Val	Phe	Ser	Ala	Met	Glu
			340					345					350		
Gln	Glu	His	Phe	Ser	Glu	Phe	Leu	Arg	Ser	His	His	Phe	Cys	Lys	Tyr
		355					360					365			
Gln	Ile	Glu	Val	Leu	Thr	Ser	Gly	Thr	Val	Tyr	Leu	Ala	Asp	Ile	Leu
	370				375						380				
Phe	Cys	Glu	Ser	Ala	Leu	Phe	Tyr	Phe	Ser	Glu	Tyr	Met	Glu	Lys	Glu
385				390						395					400
Asp	Ala	Val	Asn	Ile	Leu	Gln	Phe	Trp	Leu	Ala	Ala	Asp	Asn	Phe	Gln
			405						410					415	
Ser	Gln	Leu	Ala	Ala	Lys	Lys	Gly	Gln	Tyr	Asp	Gly	Gln	Glu	Ala	Gln
			420					425					430		
Asn	Asp	Ala	Met	Ile	Leu	Tyr	Asp	Lys	Tyr	Phe	Ser	Leu	Gln	Ala	Thr
		435					440					445			
His	Pro	Leu	Gly	Phe	Asp	Asp	Val	Val	Arg	Leu	Glu	Ile	Glu	Ser	Asn
	450		</												

16/122

580	585	590
Asp Leu Gly Gln Phe Ile Arg Glu Ser Glu Pro Glu Pro Asp Val Arg		
595	600	605
Lys Ser Lys Gly Ser Met Phe Ser Gln Ala Met Lys Lys Trp Val Gln		
610	615	620
Gly Asn Thr Asp Glu Ala Gln Glu Glu Leu Ala Trp Lys Ile Ala Lys		
625	630	635
Met Ile Val Ser Asp Val Met Gln Gln Ala Gln Tyr Asp Gln Pro Leu		
645	650	655
Glu Lys Ser Thr Lys Leu		
660		

<210> 35
 <211> 162025
 <212> DNA
 <213> Homo Sapien

<300>
 <308> GenBank AC005730
 <309> 1998-10-22

<400> 35

gaattcctat	ttcaaaagaa	acaaatgggc	caagtatggt	ggctcatacc	tgtaatccca	60
gcactttggg	aggccgaggt	gagtgggtca	cttgagggtca	ggagttccag	gccagtctgg	120
ccaacatggt	gaaacactgt	ctctactaaa	aatacaaaaa	ttagccgggc	gtgggtggcgg	180
gcacctgtaa	tcccagctac	tcaggaggct	gaggcaggag	aattgcttga	acctgggaga	240
tggagggtgc	agtgagccga	gatcgcgcca	ctgctctcca	gcctgggtgg	cagagtgaga	300
ctctgtctca	aaaagaaaca	aagaaataaa	tgaaacaatt	ttgttcacat	atatttcaca	360
aatttgaaat	gttaaaggta	ttatgggtcac	tgatatcctg	tttcattctt	tatataatca	420
ttaagtttga	aatgtatact	tgcaactacta	acacagtagt	taatcttagt	cctacaagtt	480
actgctttta	cacaatatat	tttcgtaata	tgtatgcact	gggtgtttatg	tacgtgttta	540
tgtttatatc	tgttaaaatt	agcagtttcc	atctttttct	atctttgtacc	atcacatcag	600
ttcagaagga	ttgacagagc	aaaatgattt	gatgaagtat	aaaagtcaca	tggtgagtg	660
cataaataca	actctgaaca	attaggaggc	tcactattga	ctggaactaa	actgcaagcc	720
agaaagacac	atatacctata	tgtcaagaga	tgtaccaccc	aggcagttaa	agaagggaag	780
tacacataga	aagcacaatg	gtgaataaatt	aaaaaattgg	aatttatcag	acactggatt	840
catttgctcc	taaagtcaga	gtcctctatt	gtttttttgt	ttttgtgggt	ttctttttta	900
atttttttat	tttttgtaga	gtcggagctc	cactgtgtta	cccgggctgg	tctagaactc	960
ctggcctcaa	acaaacctcc	tgccctagct	tcccaaagca	ttgggattac	agacatgagc	1020
cactgagccc	agcccagacg	ctttagcatt	tatgaagctt	ctgaaatagt	tgtagaaacc	1080
gcataagctt	tccatgtcac	tttcaaagtt	tgatgggtctc	tttagtaaac	caaccaagtt	1140
attcctcaag	ggcaaaaataa	catttctcag	tgcaaaactg	atgcacttca	ttacccaaaag	1200
gaaaagacca	caactataga	ggcgtcattg	aaagctgcac	tcttcagagg	ccaaaaaaaa	1260
aggtacaaac	acatactaata	ggaacattct	ttagaagagc	cccaaagtta	atgataaaca	1320
ttttcatcaa	agagaaaaga	gaacaagggtg	ttagcaaatt	cctctatcaa	ataacactaa	1380
acatcaagga	acatcaatgg	catgccatgt	ggaagaggaa	gtgctagctc	atgtacaaac	1440
cagtagataa	tttcaacttg	ctgccgaatg	aaacctcttt	gcaagggtatg	aatcagcact	1500
tctcatgttt	gttttgcttt	gttttgtttt	gttttttagag	acaggccctt	gctctgtcac	1560
acaggctgga	gtgcagtggc	acgatcagag	ctcactgcaa	cctgaaactc	ctgggctcaa	1620
gggatcctcc	tgcccttagcc	tcccaagtag	ctgggactac	aggcccacca	tgcccagcta	1680
attttttaaa	ttttctatag	agatgggagc	tcactagcac	ctttcatgtt	tgatgttcat	1740
atacaacgac	caaggtagaa	tgtggaaaag	ggtctcaggg	atctaaagtg	aaggaggacc	1800
agaaagaaaa	gggggttgcta	catagagtag	aagaagttgc	acttcatgcc	agtctacaac	1860
actgctgttt	tcctcagagc	agagttgatg	atctaaatca	gggggtcccca	acccccagtt	1920
catagcctgt	taggaaccgg	gccacacagc	aggaggtgag	caataggcaa	gcgagcatta	1980
ccacctgggg	ttcacctccc	gtcagatcag	tgatgtcatt	agattctcat	aggaccatga	2040
accctattgt	gaactgagca	tgcaagggat	gtaggttttc	cgctctttat	gagactctaa	2100
tgccggaaga	tctgtcactg	tcttccatca	ccctgagatg	ggaacatcta	gttgcaggaa	2160
aacaacctca	ggggtcccat	tgattctata	ttacagtgag	ttgtatcatt	atttcattct	2220
atattacaat	gtaataataa	tagaaataaa	ggcacaatag	gccaggcggtg	gtgggtcaca	2280

17/122

cctgtaatcc	cagcacttcg	ggaggccaag	gcaggcggat	cacgaggtca	ggagatcgag	2340
accatcctgg	ctaaaacggg	gaaaccccgt	ctactaaaaa	ttcaaaaaaa	aattagccgg	2400
gtgtgggtgg	gggcacctgt	agtcccagct	actcgagagg	ctgaggcagg	agaatggtgt	2460
gaacctggga	ggcagagctt	gaggttaagcc	gagatcacgc	cactgcactc	cagcctgggc	2520
gacagagcga	tactctgtct	caaaaaaaaaa	aaaaaaaaaa	aaagaaataa	agtgaacaat	2580
aaatgtaatg	tggctgaatc	attccaaaac	aatcccccca	ccccagttca	cggaaaaatt	2640
ctcccacaaa	accagtccct	ggtgccaaaa	agggtgggga	ccgctaattc	aaataatcta	2700
atcttcattc	aatgctaaaa	aatgaataaa	ctttttttta	aatacacggg	ctcactttgt	2760
tgcccagggt	ggagtacggg	ggcatgatca	cagctcactg	tagcctcaat	caccagggcc	2820
ccagcgatcc	tcccacctaa	acttcctgag	tagctgggac	tacaggcacg	caccaccatg	2880
cccagctaata	ttttaaatth	tttatagaga	tgggggtctc	accatggttg	ccagactggg	2940
ctcaaacctc	gggctcaagt	gatcctccct	caaactcctg	gactcaagtg	atcctccttc	3000
cttggcctcc	caaagtgtctg	ggattacaag	catgagccac	tgtaccagc	tggataaaca	3060
ttttaagtcg	cactacagtc	atggacaatc	aggcttttca	acatgcagta	tggacagtg	3120
gtcccagggt	ctgcttttcc	atactgaaat	acatgtgata	ctaaggagaa	agggtgctgc	3180
aaggatattt	aaaatgaaga	atatttaaaa	tgaggaaaaa	actgtttctt	catgactttg	3240
ataaggctga	taaagacccat	ttctgtgatc	tcaggtgatt	cactcaagta	gtatatttca	3300
gtaatcatca	tctggaacag	cctgaatctt	aaccaaataa	ccatgattht	ttaatgctgt	3360
tgatgatact	tgatgatatg	accaaaactgc	aatgtaggca	gctaaatctc	cacgactttg	3420
acttccccga	gagttgacag	ttttcttcac	aaattaaaga	aataatattt	ttgatacatg	3480
attggcatat	taaaaaacta	cactgaaatg	ctgcaaaatg	atataaagaa	acattttcca	3540
gaatcaaatg	caatcaaaga	gtggattagg	aatctactca	ccattatcaa	ctaaatagaa	3600
acacttggag	tgggtgtggg	ggctcacatc	tgtaattctc	gcactttggg	aggccaaggc	3660
agggtggatg	cttgaggcca	ggagctcaag	accagcctga	gcaacatagc	aaaactctgt	3720
ctctacaaaa	aaaaaaaaaa	attaaccagg	catggtggca	gatgcttgta	atcccagcta	3780
ctctggaaagc	tgaagtagga	ggactgcttg	agcccaggag	atcaagactg	cagttagccg	3840
tggtcatgct	gcgccacagc	ctgagtgaac	gagagagacc	ctgtctcaaa	aacaaaaaca	3900
aacaaaaaac	acttaaccct	cctgtttttt	gctgttggtg	ttgtttgttg	tttgttttga	3960
gatggagtct	cactctgttg	cccaggctgg	agtgcagtgg	cgtgatcttg	gctcactgca	4020
agctctgcct	cccgggttca	cgccattctc	ctgcctcagc	ctcccagagta	gctgggacta	4080
taggcgcccc	ccaccacgcc	cggctacttt	tttgcatttt	tagtagagat	gggggttcac	4140
cgtgttagcc	aggatgctct	tgatctcctg	acctcgtgat	ccacctgcct	cggcctccca	4200
aagtgtctggg	attacaggca	tgagccaccg	cacccggcca	acctttctgt	tttttagttt	4260
gatatgcttg	ttaactcagc	agctgaaaga	atgctgaaag	tggccttcag	taaaaaaatt	4320
tcactagaat	ctctacatcc	atatttaatc	tgaatgcata	tccagattga	tcagtttagag	4380
caaaaaacact	cctcatcatt	cctgatgacc	tctaattctg	gtttcggcct	tctattttca	4440
tggaaacaga	ataaggaaag	aaatggaagg	gctctggaaa	tttgtcctgg	gctatagata	4500
ctatcaaaga	tcaccaacaa	taagatctct	cctataaata	taaaacaagt	ataatttaatt	4560
ttttaattat	ttttttctct	tcagaggatt	ttattttcaag	ataaaacata	acttctaccc	4620
atactattga	ttccaaaggg	tagaaaaagt	gtttttcctc	atcttatcct	tcaaaagggt	4680
cacagcaatg	caaacatcta	taaaatgcct	ctgcataatt	gtcagaagct	atagtcagga	4740
aatcattgaa	aatgcttttc	catttttaagc	ttaggtgagg	tgtcttagga	aacctctatg	4800
acaacttact	ctattttattg	ggaggtaaag	tcccagactc	tcccagggtc	tcctgtattg	4860
atctcatttt	ttagggttcc	taatcccttg	aagcacaatc	gaaaaagccc	tggatctctt	4920
ttctgcacat	atcatcgagg	aattcattcg	gcttcagca	agctgacact	ccatgatata	4980
agcggcctcg	cccttctccg	gacgccagtc	cttgctgcgg	ttagctagga	tgaggggttt	5040
gctgggcttc	agtgcaggct	tctgcgggtt	cccaagccgc	accagggtggc	ctcacaggct	5100
ggatgtcacc	attgcacact	gagctcctgg	caggctgtac	caatttttta	attattttaat	5160
atattttttt	aaaatttatgg	tgaatatttt	ggtatttctgc	tctaaaatag	gccataaaat	5220
gcacagcaga	tatctcttgg	aaccacagc	tttccactgg	aagaactaag	tattttttctt	5280
ttaaagatgc	tactaagtct	ctgaaaagtc	cagatcctct	acctctttcc	atcccaaact	5340
aagacttgga	atattatgga	gatctagcta	acagaaatcc	cagacacatc	attggttctt	5400
cccagagtgc	agtcctccta	aagaggctca	gccataagca	ggcccctgca	ccaggagggt	5460
gggtctgaga	cccacatagc	acttcccaag	gtgcatgctc	cagagaggca	ctgaaacagc	5520
tgagcacaag	cctgcaagcc	tggagaactc	tcacagtcag	aacggagggg	gcccagtggtg	5580
actaacataa	agagaaaagg	gaacacagag	aaatggatgg	caccaacaac	cagcaaaaggc	5640
ttcatggcca	atgaaagcat	cagtgcaggg	gccagaacct	tcatcccaa	agactcttca	5700
ctgccttttag	tgaaaaacaa	tggctagaga	gtgaagtatt	gatcatgtat	agagaggttaa	5760
agttacattt	ttatattctg	actctgctaa	tgtgaaattc	cctatctgct	agactaaaag	5820
tttcagacac	cctgttcaaa	tatcccatca	gttgctagag	acttaaaatg	aacagaacgc	5880

18/122

acattgtcag	gatgactatt	accaaaaaat	caaaagacag	caagtatttg	tgaggatgta	5940
gagaaactgg	aacttttgtg	caactgtttat	gagaatgtaa	aatggagcag	ctgctgtgga	6000
aaagagtatg	caggttcctc	aaagagtaaa	accaagatgt	ggaaacaact	aaatgcccac	6060
cagtggatga	aggggtagac	aatatgtggt	atatacatat	catggagtag	tattcagcct	6120
ctaaaaaaa	aaaaggaaat	tctataacat	gcaacagcat	ggatgaatct	tgaggacatt	6180
ttgctaata	aataaggcag	tcatagaaag	acaaatactg	cacgactcca	cttatatgag	6240
ataccaaaa	tagacaaatt	catagaatca	aagagtacaa	tggaggttac	ctggagctgc	6300
agggcgggaa	acgaggagtt	actaatcaac	gaacataacg	ttgcagttaa	gtaagatgaa	6360
taagctctca	agatcagctg	tacaacactg	tacctagagt	caacaataat	gtattgtaca	6420
cttaaaaaat	tgtaagggtg	agattaacaa	atgtagtaga	tccacaaatg	tggttaagtg	6480
ttcttaccac	agtaaaaata	aaaaagaata	tcaagcccag	gagttcgaga	ctagcctggg	6540
taacatgggt	aaaccctgtc	tctacagaaa	atacaaaaaat	tagccagctg	tggagggtgca	6600
ctcctaggga	ggctgaggtg	ggaggcttgc	ttgagcccag	gaggtcaagg	ctgcagtgag	6660
ccatgatgtg	accactgtac	tccagcccag	atgacagagc	aagacaccac	cccccccaa	6720
aaaagaaaa	gaatatcaaa	catttttaaaa	gatcagatac	gcaagaacaa	caacaaaaaa	6780
gagatgaaca	gagcatcgac	cctcatctag	tgggattctt	ggtctaactg	aaaaacagac	6840
attgagagac	aaacaatgac	agtgatgtga	tcacagcaat	tacacaggta	tccccctggg	6900
actgcagaag	aaaggagaa	tgccctaact	tcagaaaata	gagaaaagcg	caaacagttg	6960
gtgaaagcct	tccaaaacta	gagagaactg	cacacaccaa	atcacagaaa	gaagaaaagc	7020
cgtgggagat	tctgggaccc	accggctatt	tttgatggct	gaacaccctg	ctgcaggaga	7080
gacaggagct	ggaaaagcat	gtgggatgaa	acctcaaaca	gctttgcctg	cattgcttaa	7140
gatgactggg	cttgattaac	tctagtcaat	ggggacaatt	caatcaaaga	agaaagatgc	7200
tcaaattcac	attttagaat	gattttttat	ggcagatagg	ggaatagatt	aaaagagagt	7260
gaagctggag	gcaagaaact	tgtaagagg	caactgaaac	agtctagatg	ataaataata	7320
aactgacaga	gtgactagaa	aaatcagaac	aggctgaatc	aacagatacc	tagatgaaaa	7380
taacaggact	tgatcaccag	ttgtatcttg	gagaggaagg	agttgtttcc	ttgctttccc	7440
tacgactggg	ccatttagca	gtttgccctg	tgatttggtt	atatactggg	gtgttgccaa	7500
tactgacaa	gataggctta	gcttaaaaaca	caaaggctta	tctcccagtt	tctgtgggcc	7560
aggaatctaa	agctgggggt	gctggctggg	tctggctcag	agtttctcaa	gaggttgcaa	7620
tcaagatgtc	ccaaggaggt	gcacatctg	aaggctcaac	tggggccgga	gggtccactt	7680
ccaaggaggt	cctgacaagg	cctgacaagg	cagtgtgggt	tggtggcagg	agatctcaat	7740
tcatttgcaa	gtgagcctct	ctatagcatt	gctggaacat	cctccccatc	tggcagttgg	7800
cttctctcag	catgagtgat	ctgagagaga	gagcaaggag	gaagccacag	tggttctcct	7860
actcctactc	ctaacactat	ggacctaact	ctaacactct	cacttctgce	ttattccatt	7920
agttagaaa	ggaactaagc	tccacctctt	gaaataagaa	gtgtcaaaga	atttgtggat	7980
atatttataa	atcatcacac	tgtggaagtg	gatagggggg	tcaattaatg	ctgaacttga	8040
aatgcctgag	acattcaaat	gtccaacagg	caatgaacat	acccatagat	ggtcagtact	8100
ttagcaagaa	tagaggaaga	tcacagaatt	aaggaggaat	tgaaggttaa	aagaagtgga	8160
gtcagattcc	ccctgaaaag	tgagccatga	aaggaaactt	aactattgag	ttagagggtca	8220
gagtaggaaa	tttcgggtgga	attctttttt	aaagaaagga	accatataag	catgttttga	8280
ggttagaggga	gaataaatca	gtagacaggg	agaggtaaaa	aacataaatg	ataggggata	8340
ggtgacaaa	gtcttggcag	aatcccttac	ccattgactt	ggggccaaga	gagggacact	8400
tctttgtttg	agggataagg	aaaataagaa	agaatgggtg	ctattttagt	tggtcctgtc	8460
tctagggcaa	acgcataggt	aaaaaactgt	gtgtgttagg	aatatagatg	tgacctcaca	8520
ttgagattct	cacctcaaat	ccatttttgt	gttacctgta	ccttcctacc	ttctcttttt	8580
gctacatgca	gactgctgtt	ttgtcttctt	ggcctgttcc	aggtttcagc	attctggcat	8640
atctgtctac	ctgttcccaa	acctctctag	agtccatgct	ccttccttgg	atagtgtttg	8700
attggggcac	gtatctaaga	agtgatgcct	tcagtttagc	ctgagaacct	cctctatgga	8760
aatctccatc	agtgaccctg	acagacttgg	tatcttggag	atgtcactgc	tcccagcctg	8820
tggtctagga	gaatctcagc	ctgggcctct	agtagtatgg	ataaggcggt	aaggatatctt	8880
tgaaccagag	tctgtcatat	tcctcaatgt	gggacagata	aaacagtggg	agtgtgggtg	8940
tttctgagct	agaactctgg	tttttggctt	agattctttg	atgtatgacc	tttcagaggt	9000
attaaaaatt	gttctaatac	aatgttcaat	acaaatgtag	ttccttttct	gttaggacct	9060
caacaaaaca	tgaccaactg	tagatgaaca	ttaaactatg	acaattcatg	gaaatgaata	9120
cagtaataacc	tgcggttccc	ccatttttagc	agtcaactat	gtgacatttg	gcacaaaatg	9180
ctatttaagg	gtgcttttgt	taaaacctac	catcttacta	ggcacatgat	attgaaacta	9240
atgaaataat	gggaaaaact	cttaaaaaact	tttaatgaat	aaagtgatga	agtgaataa	9300
ttttagctgc	tattttataaa	gtgactatta	caggtcaaac	attcttctag	ggtttttttg	9360
ttgaagttgt	cacatttaaat	ccttaataaac	ccactatgag	tcaggtattc	ttctctcccc	9420
tttgagacagt	tggggaaatg	gggggtcagag	agggttaggta	atttgctcag	ggccacacaa	9480

19/122

cctgcatgta	gaaaatctga	gatttgtaca	ggaacgtatc	aaactctgaa	gtccatgctt	9540
ctattttccc	atgctgcctt	tctaataaaa	ggtaactaat	gctactggat	gctgccccca	9600
aagtgagtc	ctttcacccc	accctacttg	attttctcca	taaaactaat	cacatcctga	9660
caacttattt	attgctgatc	tccccacta	gattataaac	tcaataaaaag	caagatcctt	9720
gtctgctgaa	tatcagtacc	taaaacgctg	tctagcacag	agcaagtaat	taatatttgt	9780
tgaatgaaca	aataaaggaa	aaaaattcaa	aggaagaaaa	agccctaaaa	cagatgttta	9840
cctaaacata	catttttaaaa	gaaagcatat	aacaaattca	ggacagaatt	taaatttgat	9900
tttttaaaaga	aataaccaag	tgctagctgg	gcacagtggc	tcacacctgt	aatcctagca	9960
ctctgggagg	ccgaggcagg	cagatcactt	gaggtcaaga	gttcaagacc	agcctggcca	10020
acatggtgaa	acctgtctct	actaaaaata	cagaaattat	ccaggcatgg	tggcagggtc	10080
ctgtaacccc	agctactcag	gaggctgagt	caggagaatt	gcttgaaccc	aggaggcaga	10140
gggtgcagtg	ggccaagatt	gcaccactgc	actccagcct	gagtaacaaa	gcaagactct	10200
gtctgaaggga	gaaggaaaaga	aagaaggaaa	gaaggaaaaga	aggaaaagaag	gaaagaagga	10260
aagaaagaaa	gaaagaaaaga	aagaaagaaa	gaaagaaaaga	aagaaagaaa	gaaagaaaaga	10320
aagaaagaaa	aagaaagaaa	gaaagaaaaga	accaaagtgc	tatttgggac	ctactatgct	10380
atgtttttcc	atgcacgcta	ttttcagtaa	agcagttagc	aaacttgcaa	gatacataaca	10440
acaaatatat	gcttctataa	ctctaaaatt	gtgctttaag	aagttcctct	ttaccagctc	10500
atgtatgcat	tagttttcta	agagttacta	gtaacttttt	ccctggagaa	tatccacagc	10560
cagttttatt	aaccaaaagg	ggatgcttac	taacatgaag	ttatcaaata	tgagcctaa	10620
ttggggccagt	tcatgttaat	atactccaga	acaaaaacca	tcctactgtc	ctctgacaat	10680
tttacctgaa	aattcatttt	ccacattacc	aaggagccag	ggtaggagaa	tatagaaaga	10740
ccaccaaga	atccttactt	ctttcagcaa	aatcaattca	aagtaggtaa	ctaaacacat	10800
gccctaacia	tgaatagcag	attgtgctca	gaagaattgat	ctacaacatc	ttactgtgaa	10860
ggaaactactg	aaatattcca	ataagacttc	tcccaaaat	gatttttattg	aatttgcatt	10920
ttaaaaaata	ttttaagcct	aaattttaaa	aggtttgata	ttggtacatg	aatagacaaa	10980
cagacatgga	ctagaccaag	aattagggtc	aaacatatac	aggaatttaa	tatacgataa	11040
atctagtatt	ccaaaggaac	caacaaatgg	tgttcagaca	gcaggatagg	catcaggaaa	11100
aacacagttg	ggcacccctac	cttactccta	acaccaggag	taactgaagg	agcaccaaat	11160
atttattttat	tttaattata	gttttaagtt	ctagggtacg	tgtgcacaac	atgcagggtt	11220
attacatagg	tatacatgtg	ccatgttggt	gaggagcacc	aaatatttaa	aagaaaaaaa	11280
ttggccaggg	gcggtggctc	acacctgtaa	tcccagcact	ttgggaggcc	aaggtgggca	11340
gatcacctga	ggtcggggagt	tcgagaccag	cctgagcaac	atggagaaaac	cccattctcta	11400
ctaaaaatac	aaaattagcc	aggcatgggtg	gcacatgcct	gtaatcccag	ctacttggga	11460
ggctgaggga	ggagaatagc	tttaactctgg	gaggcacagg	ttgcggtgag	ctgagatatt	11520
gcactccagc	ctgggcaaca	agagcaaaaac	ttcaactcaa	aaaaattaat	aaataaataa	11580
aaataaaagaa	agaaaaagaaa	aaaatgaaaa	tagtataatt	agcagaagaa	aacaccgtag	11640
aatcctcgga	ctcttaggat	gggggaatgcc	tataatataa	aaaccctgaa	gttataaaag	11700
agaaaatcac	ctacatacaa	accaaattctt	tctacatgcc	taaaacatag	cacaaacaca	11760
gctaaataat	catagctgaa	tgaactggga	aaacaaaact	tgactcatat	ccagacagag	11820
tttaattttcc	tacacataaa	gagtaccta	ataaacccaa	caaaaaaacc	accactaacc	11880
caaaataaaa	atgtgacagg	taatgaacag	atgattcaca	gagaatacaa	atggctcttc	11940
ggcacataag	atgctcagac	tgacttttac	ttattttatt	tttgagagac	agggtctcac	12000
gatgttgccc	agggttaggt	caaactcctg	ggctcaaata	atagtaccag	gactacaggt	12060
gtgccccacc	gcacctgggt	cctcaaccac	ctgtattaac	aggaaatgca	aaataaaaact	12120
ttcaaatcta	ttttacctat	tagaatggca	aaaatttgaa	aaacttcaaa	catcatcatg	12180
ttggtgagaa	tgtgaggaga	ctggcactct	cattttttgc	tgatagcata	tataacttga	12240
tgggttctat	ggaaagcaat	ctgggcagcgt	ctatcaaata	tacaagtgca	tatatccttt	12300
gacaaagcaa	ttccactcta	ggaatgtggt	ctatatgggt	gtgcttctctg	gggctgggaa	12360
ctggggagcta	agggacaggg	gcagaagata	atcttctttt	ccctccttcc	cgttaaaca	12420
tgttgaattt	tataactgt	aatatattat	ttttcacaaa	agataatttt	taagcgatat	12480
gtctgggaat	tttttttttt	cttttctgag	acagggtctc	actctgtcat	ccaggctgga	12540
atgccatggt	atgatctcag	ctgactgcag	cctcgacctc	ctgggttcaa	gcaatcctcc	12600
cacctcagcc	tcttagtag	ctgggactac	aggcacgtgc	catcatgcta	atttttgtat	12660
atacaggggtc	tcactatggt	gcccaggcta	cctgcaaaact	cctaggctca	agcaatccac	12720
ccacctcagg	ctccaaagtg	ctgggattac	aggcgtgagc	caccgcgcct	ggccctggga	12780
attcttacia	aagaaaaaat	atctactctc	cccttctatt	aaagtcaaaa	cagagaagga	12840
aattcaacct	ataatgaaag	tagagaaggg	cctcaaccct	gagcaacaaa	cacaaaggct	12900
atctctgaga	caggaatttg	ctgaacaaaa	tcgagggaag	atgacaagaa	tcaagactca	12960
cttctcgggt	gggagcagtg	gctcacacct	gtaatcccag	cactttggga	ggccgaggcg	13020
gacagatcac	gagggtcagga	gattgagacc	atactggcta	acacagtga	accagctctc	13080

20/122

tactaaaaat	acaaaaaatt	agccggggcgt	ggtggcaggt	gcctgtagtc	ccagctactt	13140
gggaagctga	ggcaggagaa	tggcgtgaac	ccaggaagcg	gagcttgag	tgagccgaga	13200
tcacgccact	gcactccagc	ctgggtgaca	gagcaagact	ctgtctcaaa	aaaaaaaaaa	13260
aagactcatt	tctctagatc	ttgagccgta	ttcaaatTTa	tctcagctta	gtgagaggtt	13320
aaagcaagga	atatccttcc	ctgtggggccc	tgctccttac	tgaaggaagg	taacggatga	13380
gtcaaggaca	ccaatggaga	aaagcactaa	caccattatc	tgatgaacat	tacgtgaaga	13440
agggtaagaa	gtgaagtggg	attgctgaag	aagtcagtga	aagcggacat	tcatttgggg	13500
aaatggaata	taggaaatcc	ataaaaagtga	ttaaaaagat	gttagaggct	gaggcggggg	13560
gaccacaggg	tcaggagatc	gagaccatcc	tggctaacac	ggtgaaaccc	catctctact	13620
aaaaatacaa	aaaatttagcc	aggcgtgggt	gcaggcacct	gtagtcccaa	ctactcggga	13680
gactgaggca	ggagaatggc	atgaacctgg	gagacggagc	ttgcagtggg	ccgagatcac	13740
gccactgcac	tccagcctgg	gtgacagagt	gagactccat	ctcaaaaaaa	aaagttagat	13800
acgagagata	aagatccaac	agacacacaa	ctgctaattc	tgaacagaac	aaaacaaatg	13860
gcacaggaaa	agaaaaattta	agatataaca	ccggaaaact	ttcctgaaat	tgagtaactg	13920
aatctatagc	ttgaaagggt	ttagcatatg	ccaagaaaaa	tcagttagagt	ccaaccagca	13980
caagacacat	ctagcaaggc	tggtgattct	accaacacag	agaaagaagt	gggtgacca	14040
taatgcggaa	aaaggcagac	catctgcagt	cttctccaga	acactggagt	ctgaagacaa	14100
aagaatgctg	cctactgagc	cagaagggag	agaaagtga	ccaacacatc	tttaccaagt	14160
tagaatgtca	cgcattattt	aaaggctgca	aagacatgaa	aagacatgaa	agaacacaag	14220
catttacaac	atgaaagaac	acaagcattc	tcataactcaa	gaatccttaa	gaaaaatgta	14280
gtcctaatac	agccactga	aagttaaattg	tacttaattgt	gctcattaat	gggaacttca	14340
tagcttcaaa	tcagtctggg	cccactacc	aacatctctc	gcccggcttt	cctgcaatag	14400
tcagcacctt	tcctcctcc	cagtcttgct	ccctggagtc	tgctctcagc	atagcagagt	14460
gaccacatca	acacccaagt	cagagccctc	cagtgcgcac	tggtctacaa	agcccttccc	14520
acccccacc	ccacgtgccc	tccggatcct	tgtgacgtgt	ctcctgcata	ccctagcagc	14580
cctggcctcc	tactgcccc	tcctgtacat	caggaaggcg	actccttgag	tcttggctct	14640
ggccgcctcc	tccacctgca	gtgagttaac	tcccttacct	actctagggt	attgctcaaa	14700
tgtcagcatc	tagttcagag	tattcaatgt	taccctattt	aaattctaca	tactcccctt	14760
gaccccatgg	acctcactca	ccctattcca	ctttttattct	tacaatttag	cacttggtct	14820
cttctaactg	attctaagac	ttactcattt	attacattgt	ttgccacccc	ctctagtaca	14880
taaactccag	aggggcaggg	atttctgtct	atttattcat	ttctttatcc	ctaggacata	14940
gaacagggca	tagttcagag	tattcaatgt	tatcaatgaa	tgaactagca	gtagtaccag	15000
ttccagttag	gcacagaatt	aaatctaaat	agaattaaat	ctcatggtct	gggttaacta	15060
tggatagaaa	attagatata	attttaagaa	gcctagaaaag	aaaaaattaa	taatgtaaaa	15120
ataaatatta	tttgataata	ataacaaaaa	ctctgccagg	cactgtggct	caaactctgca	15180
atcccagctc	tcaggaggc	tgagggtgaa	ggactacttg	agaccagagt	tcaagactca	15240
gcctaggcaa	cacggcaaga	aactgtctct	aaaaaaaatta	aaacttaaat	ttttaaaaaa	15300
gaattctcaa	agcgtcacia	aaactggaga	ttaagggtaca	ggaagtgtga	agtaatatta	15360
ctatgcta	ggtttttttt	tttttttagaa	aggtataacc	aaaagatttc	tttctcaagt	15420
cgataaaactg	agaaagataa	gcatactctc	caattaacag	agggggagga	aaagccagat	15480
acaacaaaaa	aagatataaa	ttagtttcca	gttgaaaaaca	agagttaggag	ttattttgca	15540
tcacctcacc	tgtgacctcc	cccagcccaa	aaaacactac	tgataaacag	ggtagaaaag	15600
catcatctca	gataaagcag	gaaaaactgc	cacagtctca	aaccacaaac	tataagcaca	15660
cactggcca	accctgcca	gtctgggctc	agtaggagga	acgtgctgag	agctaggatg	15720
taccaactta	gacattctgt	gggatacaga	tgtccctgga	agggtcacac	catctcaaag	15780
gcacctgtaa	tgccactga	ttacagccac	catatgtgag	agagaaactc	agggcactta	15840
gagagtataa	caagaacctt	atgtcatctg	agatgaggaa	tcctcagccc	tgcaaattaa	15900
ccaactcttt	agaacaactg	gcaaaacata	aatatccaca	acttttgttt	cagtaattcc	15960
actcttagat	atcaatccaa	agtacatgag	acagcagata	cacacacaaa	atggtattta	16020
ctgcagcatt	gtttataata	gcaaaaaaca	agaaataatc	catatgtctc	aataggatac	16080
tgggtacatg	agggatatga	cccatcattc	aaccatcaaa	aagagtata	tggatgtcca	16140
cagatggaca	taaaaagctg	tgtgttacgt	gaaaacaaac	tcaagcagca	gcaggatggg	16200
cttatgatag	ctagtatgag	ctaatttctg	gaaaaaaaaa	tctagtgtgt	gcacagaaaa	16260
catctgaaag	aacagaaaca	aaactatcag	cagaatattg	agatgtttta	ctaagtgtga	16320
tatctatact	gcttgtaatt	tttaccceaa	gcaagaatta	cttttttgaa	aaagaaaatt	16380
caggaaataa	agcattttct	taaacttcat	gttttaacaa	atgggtgatg	aataaaagag	16440
ttcttattca	tcataaacac	acacagcaca	catgcacgca	tgtgcgtgag	cacacccttt	16500
acttgataaa	taccatgttg	aatatttttag	tcttcccttt	taggttctat	cccttccctc	16560
aaaatgcggt	tataaataaa	tgtacttttc	atgtgccttc	tgccataaac	cactttaata	16620
taactttaca	gtcccattat	cattatagtc	tcaaagctag	actcagcctg	aaactaccct	16680

21/122

ttcatttggga	accettatta	aaatgccaca	tacagctcct	tcaaataaaa	acaaacccta	16740
ggacctgaca	ctaggettcc	tttgttgcta	ctcataatgg	ccaagttctg	tgcttataat	16800
acatcttctt	tcattttatt	gctacatate	caagggtttt	atatgttttt	cttattatat	16860
cttaattcaa	aacaccatca	cgctcttttc	cagatgaaaa	taaggaaaaag	aaattgagca	16920
actgactgac	ttaaagggtca	taaaactata	tagtagcaga	gtcagcaaaa	gaagaaacac	16980
acatctccca	agtagaggct	gaaaaccagt	accattcacc	tccagggtga	gctatataca	17040
gattacaaag	tcaccttctc	taaatgttca	aactgaatcc	cataccata	ctttaccact	17100
acctcgtaag	aacagcctca	gatcttggtta	tagccttttt	tttagcatgc	tgaagccaat	17160
aaaatgcttc	ccattcagca	agagaaacaa	gttctgaaac	actgaataat	ctgcccaggg	17220
cctatgaaca	tttccactgt	gagaaatggt	ctccactgtg	tggagaagat	ccttactcct	17280
ctccacacag	gcagaacatt	agaaaaattc	ttggattcta	tgatgcacag	cttaggagtc	17340
tgcttgacac	aattttaagtc	caaatagttta	ttaaatcttc	ctctgttcca	gaaacagtg	17400
taataactgt	gaatataaaa	attgaaaaga	tactctcctg	gctcccaaga	aagtcagcca	17460
gatadiggag	acacaggcac	acaaatcact	gtcacatgaa	gctctacctc	cctaacttca	17520
aactggggcc	taagtccaca	agaatacagt	agcagttgtg	actacgagta	actactataa	17580
ctcaataact	tatcttccct	tagaaaactc	ttctcccttg	gaaatttatt	tgcatctcta	17640
aataacttcc	cttactaaaa	ggaagcaggg	ctccttgggg	aaatagctga	ttctaggtgt	17700
ggactatgan	atgaaaatgg	tgagtcctggg	acatcccatg	ttgcccagaa	atcaaggaac	17760
tgcccaaaag	ttaacagagt	catgttaaat	ggacctaaga	gtgaaccaga	aggagctcac	17820
tttgacacgc	gtggaacaat	ttcaagaaaa	acatgacagt	aatgaattat	aaaacatgaa	17880
ttaaatatac	tatttggtact	aaaaagagaa	caaaaggatg	tggcttttga	taaagctcct	17940
cttcatgaaa	gaataccagc	taataaatgt	aaaggaaatg	agagaattag	aaaaattatc	18000
attttctaaa	ccttaatata	ttcacctaga	catgtctaaa	ccactgagta	aaaggctgct	18060
tgggagagag	atgctcacat	gatctcagag	tttcacacca	cagataattt	attagatata	18120
ggaaagaaana	tgtgtacaag	cttctgtgta	ccccacgcca	ggccccacaa	cactatgtgc	18180
ctccttctga	tgtgggagct	acacagcatc	gcccacacag	cttctcgcca	aaactgtttg	18240
aagctaatca	caagggaaga	actggacagc	ttctgaccat	gagacgctcc	accagacaac	18300
ttgcttggcc	tctccaaaaga	aacttgcttg	gcctctccaa	agaaaactca	gtttcattta	18360
aaaacaaaac	taattatttta	aaaacaaaac	aaaagcaagt	tgtggacttg	agctccaggg	18420
acagagacaga	catacttttc	cctgttcttc	ccagtaagtg	gtaataaaaa	ccctcaacac	18480
tagatataaa	acaaatataa	gaaggttctg	gaagggggaag	aggaggcaga	ctatccagg	18540
gccttgaggc	ccacagaaca	acccagtgat	gggttccactg	gggtcttctt	ttgcttcatt	18600
atctcagact	tggagctgaa	gcagcaggca	acttcaaaac	accaaggggc	acagattgaa	18660
aagccccaag	aaaagcctgc	cctctctagc	caaaggacca	ggaaggagac	agtctaata	18720
gatggaaacac	atttagacag	taactgcca	tttaccagca	ataactgagc	aggagacct	18780
gacttccagt	cttgtgagga	cgtaccaagg	taccacacac	ccccaccaag	gctgagtaag	18840
gactgcagact	ttattccctg	catggcagtc	gtaaggagcc	catccctcac	ccgccagcag	18900
tgtcaggagg	acctggactt	ccactcccac	ccaggagtga	tgaggccctc	cctgtgtggg	18960
tcatgtcaga	ggaggcctag	tggagattca	gtgacttaac	cttttcccag	agataatgag	19020
gccaccttcc	ctccctcttc	ccccatggtg	acagtgaag	cactgtggca	agcagtaggc	19080
actcctaccc	ctcctagcca	gggaggtatc	agggaggcca	agtaggggaa	cagaataccc	19140
acaaccaccc	agcagcaaca	gggggtcccc	accccatttg	gtgtcaatgg	aagcagagcg	19200
gaaagcctgg	atatttacct	ccatctagaa	gtaacaagct	gatgtcccc	ttcttctact	19260
acaatgggtg	tcaaaacagg	tttaaataag	gtctagagtc	tgataacgta	atacccaaat	19320
cggtgaagtt	ttcattgagg	atcatttata	ccaagagtca	ggaagatccc	aaactgaaag	19380
agagaaaana	caattgacag	acactagcac	taagagagca	cagatattag	aactacctga	19440
aaggatgtta	aagcacatat	cataagcctc	aacaggctgg	gcgcggtggc	tcacgcctgt	19500
aaccccgagca	ctttgggagg	ccgaggcagg	tggatcacaa	gatcaggaga	tcgagaccat	19560
cctgggctaac	acgggtgaaac	cccgtctcta	ctaaaaatac	aaaaaaaaat	agcaaggcat	19620
gggtgggtggc	acctgtagtc	ccagctactc	gggagcctga	ggcaggagaa	tggcatgaac	19680
ctgggaaagag	gagcagtgag	ccgagatcgc	accaccgcac	tccagcctgg	gcaacagagc	19740
aagacttcgt	ccccaaaaaa	aaaaaaaaaa	aaaaaaaaagc	ctcaacaaac	aactacaaac	19800
gtgcttgaaa	caaataaaaa	aaaaatcttg	gcaaagaaat	aaaagatata	tattttggcc	19860
aggtgcagtg	ggtcacagcc	tgtaatccct	gcactttggg	aggctgaggc	aggcggtatca	19920
cctgaggtga	ggagcttgag	accagcctga	ccaacatgga	gaaaccccg	cttactaaa	19980
aatacaaaat	tagccagtc	tgggtggcaca	tgctgtaat	cctagctact	caggaggccg	20040
aggcaggaga	atcgcttgaa	ctcaggagggt	ggaggttgcg	gtgagccgag	atcccgcct	20100
tgcacattgc	agctccagcct	gggcaacaag	agcaaaactc	catctcaaaa	aaatagatac	20160
atattttta	gtaattgaaa	gaattgaaa	atacagtaac	caaattgaat	ggaaagacaa	20220
catagaatgg	agggggcaga	caaaaataatc	agtgaacttc	aacagaaaat	aatagaatt	20280

22/122

acccaatatg	aagaacagaa	agaaaataga	ctggccaaaa	aataaagaag	aaaaaagagg	20340
agcagcagga	ggaatgatgg	aaaaagagaa	aggaaggaaag	gaagggaagg	agggagggaa	20400
ggagtgaggg	agaaagtctc	aaagacctct	gagactaaaa	taaaagatct	aacacttgct	20460
atcaggggtcc	aggaaagaga	caaagatggc	acagctggaa	acgtattcaa	aaaataatag	20520
ctgaaaaactt	cccaaatttg	gcaagagaca	taaacctata	gattcgaaat	gctgaacccc	20580
aaataaaaaag	cccaataaaa	tccacaccaa	aatacatcat	agtcaaactt	ctgaaaagac	20640
gaaaagagaa	aacgtcttga	aagcagtgag	tgaacaaca	cttcattgtat	aagggaaaaa	20700
caattcaagt	aacagatttc	ttacagaaat	taaggaagcc	agaaggaaat	gacacaatgg	20760
ttttcaagtg	ctgaaagaaa	agaagtgtca	acacaaaatt	ctagattcag	taaaaatata	20820
cttcaagaat	caatgggaaa	tcaagacagt	ctcagataaa	gcaaaaataag	agaatatgtt	20880
gccagcagat	ctcccctaaa	ggaatggcaa	aagggaagatc	atgcaacaga	ccaaaaaatg	20940
atgaaagaag	gaatccagaa	acatcaagaa	gaaagaaata	acatagtaag	caaaaaataca	21000
tgtaattaca	ataaaatttc	tatctcctct	taagacttct	aaattatatt	gatgggtgaa	21060
gcaaaaatta	taaccctgtc	tgaagtgcct	ctactaaatg	tatgcagaga	attataaatg	21120
gggaagagat	aggtttctat	acctcattga	agtggtaaaa	tgacaacact	gtgaaaagt	21180
acatacacac	acacacgtaa	gtatatataa	atatatgtgt	gtatatgtgt	gtgtatatat	21240
atatatacat	ataatgtaat	acagcaacca	ctaacaacac	tatacaaaga	gataataacc	21300
aaaaacaatt	tagataaatt	gaaatggaat	tctaaaaaat	attcaaatac	tctacaggaa	21360
gacaagacaa	aaagagaaaa	aaagaggagg	acaaaataaa	ttttttaaaa	acataaataa	21420
aatggtagac	ttaagcccta	acttatcaat	atttacataa	atgtaaatga	tctaatataa	21480
tcaattaaaa	gacagagata	gcagagttaa	tttaaaaaaca	tagctataag	aaacctgctt	21540
tgggctgagt	gcagtgactc	acacttgtaa	tcccagcact	tcgggaggcc	aaggcggtg	21600
gatcaactga	ggtcaggagt	tccagaccag	cctggacaac	atggtaatac	cccactctca	21660
ctaaaaatac	aaaaaaatta	gccaggcatg	gtggcacacg	cctgtagtcc	caactactca	21720
ggaggctgag	acacaagaac	tgcttgaacc	cgggcagcag	aggtagcagt	gggccaagat	21780
tgcgccactc	cagcctgaac	gacagagtga	gactccacct	cagttgaaaa	acaaaaaaga	21840
aacctgcttt	aaatatacca	acatatgttg	gttgaaatta	aaagaataaa	atatatcatg	21900
aaaacattaa	tcaaaagaaa	ggagtggcta	tatttaataac	ataaaataga	cttcagagaa	21960
aagaaaattt	caagagacag	gaataaaagg	atcaagaaaa	gatcctgaaa	gaaaagcagg	22020
caaatcaatc	attctgcttg	gagattcaac	accctctctt	aacaactgat	agaacaacta	22080
gacaaaaaaa	tcagcatgga	gttgagaaga	acttaacacc	actgaacaac	aggatctaatt	22140
agacatttac	ggaacactct	acccaacaat	agcaaaaata	acattctttt	caagtatctca	22200
ctgaacatat	ccttagaccc	taccctgggc	cataaaaaca	agctcactag	tgattgccga	22260
aggcttggtg	ggacagtggg	agagctgcat	ggggagggag	aagggtgacag	ttaaagagt	22320
taggattttct	ttttgggata	atgaaaaatg	tccaaaattg	attgtgggtga	tggtggcgca	22380
actctacaaa	tataaaaag	gccattgaat	tgtacgtttt	aagtgggtga	aacatatggt	22440
atgtggatta	tatctaaccg	tttttaaaaa	cttaaacacat	ttcaaaagaat	agaagtcata	22500
cagagtgtgc	tctactggaa	tcaaactaga	aagaggtaac	tgaggagataa	cgagaaaagc	22560
ctccaaatac	ttgaaaactg	gacagcacat	ttctaaaaatc	atccgtgggt	caaagatatt	22620
cattttctgat	attcattttt	attgtttta	gtattttttaa	aaattttctta	agggaaataa	22680
actgactaaa	aatgaatatg	gctgggtgag	gtggctcacg	cctgtgatcc	cagcactttg	22740
ggaggccgag	gctggtggat	cacaagatca	ggagtccgag	accagcctgg	ccaagatggt	22800
gaaaccccg	ctcaactaaa	aaactacaaa	aagtagccaa	gcgcagtggc	gggagcctgt	22860
ggtcccagct	acttggggag	ctgaggttag	agaatcgctt	gaacacaggc	agcagaggtt	22920
gcagtgagcc	aagattgtgc	cactgcacgc	cagcctgggc	gacagagact	gcctcaaaaa	22980
aaaaaaaaaa	aaaaagaata	tcaaaatttg	tgggacatag	ttaaagcaat	gctgagaggg	23040
aaattttataa	cactaaatgt	ttacattaga	aaagagaaaa	agtttcaa	caatagtctc	23100
cactcccatc	tcaagaacac	agaagatgaa	gagcaaaaata	aacccaaagc	aagcaaaaaga	23160
aagaaaaatat	aaaaataaat	cagtaaaatt	gaaaacagaa	acacaataaa	gaaaatcagt	23220
gaaacaaagt	actgattctt	cgaaagatta	ataaaattga	caaacctcta	gcaaggctaa	23280
caaacaaaaa	agaaagaaga	cacggattac	cagttatttag	aatgaaagca	taattagaaa	23340
caactctaca	cattataaat	ttgacaatgt	agatgaaatg	gactaattac	tgaaaaaaca	23400
caaattacca	caactcacc	aatatgaaat	agataattgg	gatagcctga	taactactga	23460
gaaaattgaa	tttgtaattt	taacactctt	aaaacagaaa	cattaaaactt	aatattttat	23520
aaatattaga	taaggtaatt	atacccttcc	ttaacaaata	aaaacgacaa	attatttttgc	23580
agctaaagag	atgtatgtac	tgtgaaaaat	atcttcagaa	aaatagaact	ttgtttgaag	23640
aataaggatt	taaaaaatgt	tttttaactct	caagaagcaa	atatctgggc	ccagatgggt	23700
tcactgaaga	atgtttacca	atgttttaact	aagaattacc	accaactcta	catagcatct	23760
ttgagaaaac	tgaagagaag	ggaacatctc	ccagttcatt	ttatgaagt	ggtgttactc	23820
tgataactaga	actgtataag	gacagctact	cttgacacac	tgcttatggg	tagctctgct	23880

23/122

ctgcaggaac	agtcagaaaa	aaaaaaaaaa	gaagcactgg	acaagggcag	tataaaaaaa	23940
gaaaaactggg	ccagggtgcag	tggctcacac	ctgtaatctc	agcacttttg	gaggctgacg	24000
ctgggtggatc	acctgagggtc	aggagtttga	gactagcctg	gccaacatgg	taaaaccctg	24060
tctctactaa	aatacaaaaa	ttagccaggc	aggggtggtg	ggaaaaataa	aaggaaaaaa	24120
aaacaaaaat	aaactgcaga	ccaatatcct	tcatgagtat	agacacaaaa	ctcctttaa	24180
tccttaacaa	aatattagca	agtagaagca	atatataaaa	ataattatac	accatgatca	24240
agtgaggactt	attccagaaa	cgcaagtctg	gttcaacatt	tgaaaacaag	gttaaccctc	24300
atatgaacgt	actaaagagg	aaaactacat	aatcacatca	atcaatgcag	aaaaaagcat	24360
ttgccaaaaat	ccaatatcca	ttcatgatac	tctaataaga	aaaataagaa	taaaaggggaa	24420
attccttgac	ttgataaagc	ttacaaaaga	ctacaaaagc	ttacagctaa	cctatactta	24480
atgggtgaaaa	actaaatgct	ttcccctacg	atcagggaaca	aagcaaggat	gttcactctc	24540
attgctctta	tttaacatag	ccctgaagtt	ctaacttggtg	caaaacgata	agaaaggggaa	24600
atgaaagacc	tgcagattgg	caaagaagaa	ataaaaactgt	tcctgtttgc	agatgacatg	24660
attgtctcat	agaaaatgta	aagcaactag	gggtaggggg	gcagtggaga	cacgctgggtc	24720
aaaggatacc	aaatttcagt	taggaggagt	aagttcaaga	tacctattgc	acaacatggg	24780
aactatactt	aatatattgt	attcttgaaa	atactaaaag	agtgggtggt	aagcgtttctc	24840
accacaaaaa	tgataactat	gtgaagtaat	gcatacgtta	attagcacaa	cgtatattac	24900
tccaaaacat	catgttgta	atgataaata	cacacaattt	tatctgtcag	tttaaaaaa	24960
catgattttg	gccaggcaca	gtggctcata	ctgttaatcc	cagcatttta	ggaggctgag	25020
gcgagcagaa	aacttgagg	cgggagtttg	agctcagaat	ggtcaacata	gtgaaatccc	25080
gtctccacta	ataatacaaa	aatttagcagg	atgtggtggc	gtgcacctgt	agaccagct	25140
acttggggagg	ctgagggcacg	agaattgctt	gaacaaggga	ggcagagggt	gcagtgcagct	25200
gggtgccact	gcattccagc	ctggtgcag	agtgcagctc	catctcaaaa	aaaaataaaa	25260
aaagcagac	ttttcttaaa	tgcaaagcag	ccaagcgag	tggctcatgc	ctgtaatccc	25320
accactttgg	gaggccgagg	caggcagatc	acaaggtcag	gagtttgaga	ccagcctgac	25380
caacatgggtg	aaaccccatc	tctactaaaa	aatatataaa	ttagccaggc	atgtgtagtc	25440
tcagctactc	aggaggctga	ggcaggagaa	tcacttgaac	ccggagggcag	aggttgca	25500
gttgtagccac	cgactccag	cctgggtgag	agaacgcag	tccgtctcaa	aaaaaaaag	25560
caaaataacc	taatttttaa	aacactaaaa	ctactaagtg	aatttcagtaa	gtcttttagga	25620
ttcaggatat	atgatgaaca	tacaaaaatc	aattgagctg	gacaaaggag	gattgtttta	25680
ggtcagtagt	ttgaggctgt	aatgcacaat	gattgtgcct	gtgaatagct	gctgtgctcc	25740
agcctgagca	gcataatgag	accacatctc	tatttataaa	aaaaaaaatt	gtatctctat	25800
gtactagcaa	taagcacatg	ggtactaaaa	ttaaaaacat	aataaatact	gttttttaatt	25860
gcctgaaaaa	aatgaaatc	ttacatatata	atctaacaaa	atgtgcagga	cttgtgtgct	25920
gaaaactaca	aaacgctgat	aaaagaaatc	aaagaagact	taaatagcgt	gaaatatacc	25980
atgcttatag	gtttgaaaac	ttaatatagt	aaagatgcca	attttatcca	aattattaca	26040
caggataaca	tttattactac	caaaatccca	gaaaattttt	acatagatat	agacaagata	26100
atacaaaaat	gtatacggaa	atatgcaaag	gaactagagt	agctaaaaca	aatttgaaaa	26160
agaaaaataa	agtgggaaga	atcagttctat	ccagtttcaa	gacttacata	gctacagtaa	26220
tcaagactgt	gatattgaca	gaggggacagc	tatatagcaa	tgcaacccaa	tagagaacta	26280
agaaagaagc	acacacaaat	atgcccacaa	gatttctgac	aaagggtgta	aaacacttca	26340
acgggggaag	atatgtctct	cattaaagggt	tgtagagtca	ttgcacatct	ataggcaaaa	26400
agatgaacct	gaacctcaca	ccctacagaa	aaattaactc	aaaatgactc	aaggactaaa	26460
cataagatat	acatctataa	aacatttaga	aaaaggccac	gcacgggtggc	tcacgctcgt	26520
aatcccagca	ctttgggagg	ccaaggcagg	tggatcacct	aagggtcagga	gtttgagacc	26580
agccggatca	acatggagaa	gccccatctc	tactaaaaat	acaaaattag	ctggacgtgg	26640
tggcacatgc	ctgtaatccc	agctacttgg	gaggctgagg	catgagaatc	gcttgaaccc	26700
ggggggcaga	ggttgcggtg	agccaagatc	acaccattgc	actccagcct	gggcaacaag	26760
agcaaaaactc	caactcaaaa	aaaaaaaaaa	aaaggaaaaa	tagaaaaatc	ttgggagcta	26820
agggcagggt	aagaattctt	acacttgatg	ccaaaactaag	atctataaag	ccagtcgttg	26880
tggctcatgc	ctgtaattcc	agcactttgg	tcaactagat	gaaagggtata	tgggaattca	26940
ctgtattatt	ctttcaactt	ttctgtaggt	ttgacatttt	tttagtaaaa	aattggggga	27000
aagacctgac	gcagctggctc	acacctgtaa	tcccagcact	ttgggaggcc	ggggcagggtg	27060
gatcacacgg	tacaggagttc	gagaccagcc	tggccaacat	gggtgaaaccc	cgtctctacc	27120
aaaaatataa	aaaattagcc	gggtgtcatg	gtgcatgcct	gtaatcccag	ctactgagga	27180
ggctgaggca	ggagaatcac	ttgaacctgg	gagggtggaag	ttgcagtgag	ccgagattgt	27240
gccactgcac	tccagccttg	ggtgacagag	cgagactccg	tctcaaaaaga	aaaaaaaaaa	27300
aaagaatatc	aaacgcttac	tttagaaact	tttaaaagga	gccagaattt	aattgtatta	27360
gtatttagag	caatttttat	gctccatggc	attgttaaat	agagcaacca	gctaacaatt	27420
agtgagggttc	aacagctggt	aaatttgcta	actgtttagg	aagagagccc	tatcaatatc	27480

24/122

actgtcattt	gaggetgaca	ataagcacac	ccaaagctgt	acctccttga	ggagcaacat	27540
aaggggttta	accctgttag	ggtgttaatg	gtttggatat	ggtttgtttg	gccccaccga	27600
gtctcatggt	gaaatttgtt	ccccagtact	ggaggtgggg	ccttatttga	aggtgtctga	27660
gtcatggggg	tggcatatcc	ctcctgaatg	gtttgtggcc	attccttgca	gaatgagtga	27720
gttcttactc	ttagttccca	caacaactgg	ttattaaaaa	cagcctggca	ctttccccca	27780
tctctcgctt	cctctctcac	catgtgatct	cactggttcc	ccttcccttt	atgcaatgag	27840
tggagcagc	ctgaagccct	cgccagaagc	agatagtgat	gccatgcttc	ttgtacagcc	27900
tacaaaacca	tgagcccaat	aaaccttttt	tctttataaa	ttatccagcc	tcagggtattc	27960
ctttatagca	agacaaatga	accaagacag	ggggaaatca	acttcattaa	aataatctat	28020
gcagtcacta	aacaaataag	aacaagaggc	tccagaagtg	ggaagccaat	accagagatt	28080
cctacaatac	agtatctgaa	aagtccagtt	tccaacccaa	aaatatatat	atacaggccg	28140
gncatggtag	cttatgtctg	taatccagc	actttgggat	gctgaggcgg	gcagatcacc	28200
ctaggtcagg	agttcgagac	cagcctggcc	aatatggcaa	aaccccgctc	ctactaaaaa	28260
tacaaaaatt	agccaggcat	ggtggtggat	gcctgtaatc	ccagctactc	gggaggctga	28320
ggcagggaat	cacttgaacc	caggaggcag	aggttgcagt	gagccgagat	cacgccactg	28380
aactccagcc	tgggcaacaa	agtgcagctc	cactcaaaa	aaaaaaaaaa	tatacatata	28440
tatatgtgtg	tgtgtgtgtg	tgcgcgctg	tgtgtatata	cacatacaca	tatatacata	28500
tatacagaca	cacatatata	tatgaagcat	gaaaagaaac	aaggaagtat	gaaccatact	28560
ttctctggtt	atgataggat	ggggtatcac	gggggaagta	gacaagggaa	actgcaagtg	28620
agugcaaaaa	gttatcagat	ttaacagaaa	aagactttgg	agtaaccatt	ataaatatgt	28680
ccacaaattt	aaagaaaaagc	gtgattaaaa	aaggaaagga	aagtatcata	acaatattac	28740
tccaaataga	gaatatcaat	aaaggcatag	aaattataaa	atataatata	atggaaattc	28800
cggagtgtgaa	aggtagaata	actaaaattt	aaaattcact	agagaagggt	caacactata	28860
tttguactgg	cagaagaaaa	atttagtgag	acaaatatac	ttcaatagac	attatttcaa	28920
tgaaaaaata	aaagaaaaaa	gaatgaagaa	aaataaacag	aatctcagca	aaatgtggga	28980
caccattaat	cacattaaca	tatgcatact	gagagtaccg	gaagcagatg	agaaagagga	29040
agaaaaaata	ttcaaatgat	ggccagtaac	ttcctagatt	tttgttttaa	agcaataacc	29100
tatacautca	agaaactcaa	tgaattccaa	gtaggataaa	tacaaaaaga	accacaaaca	29160
gatacaacct	ggtaaaaatg	ctgtaagtca	aaaacagaga	aaatattgaa	agcagctaga	29220
ggaaaactta	taagagaaacc	tcacttacaa	aagaacatca	cttataaaaag	aaccacaata	29280
atagaaacag	ttgacctctc	atcagaaaca	atgaatgata	acatatttga	agtgtctcaa	29340
gaaaaaaaat	aaagattcct	atatacgaca	aagctgtctt	tcaaaaatat	acatccaaaa	29400
ggattgaaac	cagggtcttg	aagagttatt	tgtacatcca	tggtcatagc	agcattattc	29460
acaataggcca	aaaggtagaa	gcaacccaag	ggtccatcga	caaataaata	aaatgtggta	29520
tatgtataca	caatggaatt	tattcagtat	taaaaaggaa	tgaaattctg	acacatgcta	29580
caacatgggt	aaaccttgag	aacactatgc	taagtgaat	aagccagcca	caaaaggaca	29640
aataccatat	tacttcactt	gtatgaaata	cctagggtag	tcaaattcag	agatagaaaag	29700
taaaaacagt	gttgccaagg	gctgagggag	ggagtaacgt	ggagttattg	ttgaatgggt	29760
acagaatttc	agttttgcaa	gataaaaaaga	gttctggaga	cagatgggtg	tgagggtgggt	29820
acaacaatac	aaatatactt	tatactactg	aacagtatac	ttaaaaatga	ttaacatggt	29880
gaaaccccg	ctctactaaa	aatacaaaaa	aattagctgg	gtgtggtggc	gggcacctgt	29940
aatcccagct	acttgggagg	ctgaggcagc	agaattgctt	gaaaccagaa	ggcggaggtt	30000
gcagtgagct	gagattgcgc	caccgcactc	tagcctgggc	aataagagca	aaactccgtc	30060
tcaaaaaata	aaaaataaaa	aaaatttaaa	aatgatttaag	caggaggcca	ggcacggtgg	30120
ctcacacct	taatgccagc	actttgggag	gccgaggcag	gcgatcactt	gagaccagga	30180
gtttcagacc	agcctggcca	acatggcaaa	accctgtctc	tgctaaaaat	acaaaaatta	30240
gccaggcatg	gtggcatata	cttataatcc	cagctactgg	tgagactgag	acacgagaat	30300
tgcttgaacc	caggaggcag	agattgcagt	gagtcgagat	cgcgccactg	aattccagcc	30360
tgggcgacag	agcaagattc	tgtctcgaaa	aaacaaaaac	aaaaacaaaa	agcaaaaacca	30420
aaaaataatt	agcagggaaa	cgagattgct	gctgaggagg	agaaagatgt	gcaggaccaa	30480
ggctcatggt	agcacaaaaa	ttttcaaaaa	atgtttaatg	attaaaaatgg	taaaattttat	30540
atgtatctta	ccacaaaaaa	aagggtctgg	gggcaggaaa	tgaagggtgaa	ataaagacat	30600
cccagagaaa	caaaagtaga	gaatttgttg	ccttagaaga	aacaccacag	gaagttcttc	30660
aggctgaaaa	caagtgcacc	cagagggtaa	tctgaattct	cacagaaaat	tgaagcatag	30720
cagtaaaagg	tattctgtaa	ctatgacact	acaaatgcat	attttttcct	ttcttctctg	30780
aaatgattta	aaaagcaatt	gcataaaaata	ttatatataa	agcctattgt	tgaacctata	30840
acatatatag	aaatatactt	gtaatatatt	tgcaaaatac	tgcaaaaaag	agagttggaa	30900
caaagctgtt	actaggctaa	agaaattact	acagatagta	aagtaatat	acaggggaact	30960
taaaaataaa	atttaaaaaa	acaaaaatac	aataattaca	acaataatat	ggttgggttt	31020
gtaatatata	tagacataat		cacaaaaagg	gaagaagaca	atagaactac	31080

25/122

ataggaataa	catttttggt	tctaactaga	attaaattat	aaatatgaag	tatatctctg	31140
taagttaaga	cacacatggt	aaaccctaga	tactaaaaag	taactcacat	aaatacagta	31200
aaaaaataaa	taaaataatt	aaaatgtttg	tattagtttc	ctcaggggtac	agtaacaaac	31260
taccacaaat	tgagtggtct	aacacaactt	aaatgtattt	tctcccaggt	ctggaggcta	31320
aacacctgca	atcaagggtga	gtacagggcc	atgctccctg	tgaaggctct	aggaaagaat	31380
cctcccttgt	ctcttccagc	ttccagtggg	tctcagtaac	cctaagtgtc	ccttggcctg	31440
tagctatata	attcctagca	accagaaaga	agaaaaataa	aaagattatg	gcaaaaaata	31500
atgaaatcaa	aaggagaaaa	atggaaaaaa	ataaaataaa	ccaaaagcta	gttcttttgaa	31560
aagatcaacc	aagttaacaa	accttttaac	tagactgaca	aaaaggaggt	aagactcaaa	31620
ttactagaat	cagaaataaa	agaggggaca	ttactaatga	gggattagaa	aagaatacta	31680
cgaacaaatg	tgtgccaaca	aattagaaaa	cttagatgaa	atggacaggt	tcctaggaca	31740
acatcaacta	ccaaaattta	ctcaagaaga	aagagacaat	ttgaatgagc	tataacaagg	31800
gaagagactg	aattgacaac	caagaaacta	tccacaaaga	aaatcccagg	cccagaagat	31860
ttcactgtga	aactctttca	aacttataaa	tataaattaa	catcagttct	tcacaaactc	31920
ctccaaaaaa	aagaacagat	ctctattttac	aggcgatacg	atcttttagaa	aatcctaagg	31980
gaactactaa	gacactatga	taactgataa	acaagttcag	caaggctgca	ggatagaaaa	32040
ccaatataca	aaaatctatt	atattttctat	acacttgtag	tgaacaaccc	aaaaatgaga	32100
tttugaaaaa	aattcaattt	acaataacat	caaaaagaat	aaaaacactc	aaaaataaat	32160
ttattcaagt	aagtcgaaaa	cttatactct	agaagctaca	aaacactgtt	aaaagaaatt	32220
aaaggtttac	ataaatgaaa	aactatccca	tgttcatgga	tcaaaagact	tattactggc	32280
aatgctctcc	aaattgatct	ataaattcaa	caaaatcctt	atcaaaatcc	cagatgaggc	32340
tgggggtggc	ggttcatgcc	tgtaatccca	gcactttggg	aggctgaggc	acgcagatta	32400
ctgaggtcgc	ggagctcgag	atcagcctga	ccaacatgga	gaaaccctat	ctcttctaaa	32460
aatacaaaat	tagtcaggcg	tggtggcaca	tgctataaat	cccagctact	cggggaactg	32520
agtcaggaga	atcgcttgaa	cccaggaggc	agaggttgca	gtgagccaag	atcgtgccat	32580
tgcactccag	cctgggcaac	aagagcaaaa	ttccatctca	aaaaaaaaaa	aaaaaaaaatc	32640
ccagatgata	ctactgttga	aattgaaaag	attattctaa	aattcacatg	gaattgcaag	32700
accttgagaa	tagccaaaac	aaacttgaaa	aacacgaaca	aaatatagga	tgactcactt	32760
gccaattgca	aatgtttacga	cacagcaaca	gtaatcaaga	ctgtgtggta	ctggcaaaag	32820
acacatacat	acatacatat	caatggaata	taattgagag	tacagaaaca	agcctaataa	32880
ttctatggta	tgctttttct	atttttttct	tttttttttt	ctttttttgt	gagatagaat	32940
ctcaccatgt	tgcccaggct	ggtcttcaac	ttctgggctc	aagcaatcct	cccactgtgg	33000
cctcccaaag	tgctgggata	actggcatga	gccaccacat	ccagcccaga	tgattttcaa	33060
aaaagtcaac	aagaccattc	ttttcaacaa	ataggtctgg	gatgatcaga	tagtcacatg	33120
aaaaaaaaaa	tgaagttgga	ccctccatca	cactaaagtg	ctgagattat	aggcatcagc	33180
caccacatcc	atgttcaaaa	aggtcaacaa	aggtcaacaa	gaccattcct	ttcaacaaat	33240
aggctctggga	taatcagata	gtcacatgaa	aaaaaaaaatg	aagttggacc	ctccatcaca	33300
ccatattgcaa	aaattaatte	aaaaatgaat	tgatgactta	aacgtaagag	ttacgactgt	33360
aaaactctta	gaaggaaaac	tacgggtaaa	tcttaagac	gttaggtttg	acaaagaatt	33420
cttagacatg	acaccaaaaag	catgaccaac	taaggttaaa	tagggtaaat	tgtacctacc	33480
aaaatgaaaa	acctttgtgc	tggaaaggac	accatcaaga	aatggaaagc	caaaatagcc	33540
aaggcaatat	taagcaaaaa	gaacaaagct	ggaggcatca	tactacctga	cttcaaagca	33600
acagtaacca	aaacagcatg	gtactagtag	aaaaacagac	acatagacca	atggaacaga	33660
ataaagaacc	caaaaataaa	tccacatatt	tatagtcaac	tgatttttga	caatgacacc	33720
ccttcaataa	atgatactag	gaaaactgga	tatcgatatg	cagaagaata	aaactagacc	33780
cctatctctc	accatataga	aaaatcaact	cagactgaat	taaagacttg	aatgtaagac	33840
ccaaaactat	aaaactactg	gtagaaaaac	taaggaaaaa	cgcttcagga	cattgggtcca	33900
ggcaaaagat	ttatggctaa	aacctcaaaa	acacaggcaa	caaaaacaaa	aatggaaaaa	33960
tagcacttta	ttaaactaaa	aagctcctgc	acagcaaaag	aaacaacaga	atgaaaagac	34020
aacctgtaga	atgggagaaa	atatttgcaa	actatccatc	catcaaggga	ctagtatcca	34080
gaacacacaa	gtgactaaaa	caactcaaca	gcaaaaaagc	aaataatctg	gttttttatat	34140
gggcaaaaaga	tctgaataaa	cattctcaaa	ggaagacata	caaagtgcac	tatcattctg	34200
ccagtaccac	actgtcttga	ttacttgtta	gttgtttttg	ttttaaatgg	ggaagtgtag	34260
gtcatcctac	actttgttct	tgtttttcaa	tgctcaccat	gctattctgg	gagccttgca	34320
agtataaaat	agccaacaag	tatgaaaaaa	actccagtta	cactaatcat	cagagaaata	34380
aaaatcaaga	ccactatgag	atatcctctc	ggagaaaagg	gaatggctac	tatcaaaaag	34440
acaaaatata	atggatgctg	gcaaagattt	ggcatttatg	gaactcctat	acactgtggg	34500
tagggatgca	aattggtaat	ggccatttat	gaaaataata	ctgaggtttt	tcaaaaaact	34560
gaaaatagaa	ctaccatatg	atccagcaac	cctactactg	ggtattttat	caaaggaaag	34620
aagtcagtat	actgaagaaa	tatatgcact	ctcatgttaa	ttgcaacact	gttcacaaca	34680

26/122

gccaaagacag	ggaataaaatc	taaatgtgca	tcaacagatg	aatggataaa	gaaaaatgtgg	34740
catatacact	caatagaata	ctattcagcc	attaaagaag	aatgaaatcc	tgtcatccca	34800
gcaacatgga	tgaacctgga	ggacattata	tttaatgaaa	taagttaaagc	acaaaaagat	34860
aaacagtaca	tgttctcact	cagacatggg	tgctaaaaag	aaaatggggt	cacagaatta	34920
gaaggggagg	cttgggaaaa	gttaatggat	aaaaatttac	agctatgtaa	gaagaataag	34980
ttttagtgtt	ctatagaact	gtagggcgag	tatagttacc	aataacttat	tgtacatgtt	35040
caaaaagcta	gaagagattt	tggatgttcc	cagcacaaaag	gaatgataaa	tgtttgtgat	35100
gatggatatc	ctaattaccc	tgattcaatc	attacacatt	gcatacatgt	atcaaattat	35160
cactctgtac	ctcataaata	tgtataatta	ttacgtcaac	aaaaaaagga	aaaaaaagaa	35220
aattaagaca	acccacataa	tggaagaaat	aaaatatctg	caaattatat	atatctgata	35280
aataattta	atttataata	tataaagaac	tctacaact	caagaacaac	aacaaaacaa	35340
cccaattcaa	aaatgggtaa	aagccttgaa	tctacaacta	tctaaagact	atatacaatt	35400
ggccaataaa	gacacgaaaa	gatgctcaac	atcactagtc	atcagggaaa	tataaatcaa	35460
aaccacaatg	tagaatgtag	acaccacttc	atatgcacta	ggatggctag	aataaaaagg	35520
taataacaaa	tgttggtaag	gatgtgaaaa	aatcagaaac	ctcattcgct	gctgttggga	35580
atgtaaatgt	atgcagccac	tttggaaaac	agtctggcag	ctcctcaaat	tattaaatac	35640
agagttaccg	tatgacccag	gaatattcct	cctgggtcta	taacccaaaa	aatgaaaaca	35700
tatatccaca	taaaaacttg	tacatgggca	tttatagcaa	cattattcat	aacagcaaag	35760
gtggtaagaa	cccatatgcc	catcatctga	tgaacaggta	aataacatgc	ggtattatcc	35820
atacactaga	atattatctg	cccatacaag	gagtgacatc	cagctacatg	ctacaaggat	35880
gaatctcgga	aaccttatgc	taagtgaag	aagccagtc	caaataacca	cagattatga	35940
ttccatgcat	cggaaatgac	cagaatagg	aaatctatag	agacagaaag	tagattagt	36000
gttgggtggg	gctgggagga	caggtagtag	actactttcc	cagaactact	ggaacaaagt	36060
accacaact	ggggagctta	aacatagaaa	ttgatttctt	cacagtctct	gagactagga	36120
ctctgagatc	aaggtgtcag	cagagctggt	tctttctgag	ggcctgagg	caaggctctg	36180
tcccaggcct	ctctccttgg	ctggcagggt	gccatcttct	ccctgcgtct	tcacatcatc	36240
ttttctctgt	gtgtgcccac	gtccaaatct	tgattggctc	attctgggtc	atggccaatt	36300
gctatgcaca	aagtgaagtc	tacttccaaa	agaaggggag	aggggaacact	gactaggcta	36360
aacttaagtg	cattttaatg	tccgcttttc	ctatgagatt	gtgaacacac	agaagtagg	36420
tttttatcta	cattgtgcaa	agtttaataa	gaaaaatag	attcaagaga	agcagttcaa	36480
tagcaggaat	ttaatatggg	aactaattac	aaggtttagg	gcaggactaa	aaagccagtt	36540
gggatgggta	gccaaaccag	agattagcaa	cagtgggacc	ccatctacct	accacccatg	36600
aagctgggag	gataaaggag	gggctattat	cagagctcac	aagccagtgt	cagagtcctt	36660
ggctggagct	gggaccaccc	tagagacact	gtgcaaagca	gaaaaacaagg	gggaaaaacc	36720
ctgacttctc	ccttcctccc	acctttcaat	ctcccactag	tgcttcctac	tagccatact	36780
tggccagaga	cagtgacaag	gaacactgca	aatgaagtt	tgtaggaatc	atctccctct	36840
gagacacaga	aatttgggag	ggtagaaaat	gaatcagct	ataaagagaa	aaaacccctga	36900
gtactatctt	atattatctt	gtatctccag	tgcttaattg	gtctctcaaa	aaaggaaaagc	36960
aattgagaga	aactgaaaac	tccaattgaa	atgaaagaat	ggagaattac	tggactagaa	37020
gagaagagaa	aaattttatt	cgcataagat	aaacaagaat	ggattcacaa	aggacgtgat	37080
gaatgaaaag	ctataatcag	caaagatttg	ccagagaaat	taaaaagtgg	taaactcagc	37140
cacgtgtgac	aacctgaagg	cacaatgcac	gaaaacgttt	caagaaatga	caagatttga	37200
agtcaaattc	taagtgtctt	tccagaatct	ctcaagacga	ttatatagct	accccatctt	37260
attaaataaa	atgggaaact	actaaacttt	ccccttgtag	taaactaaca	tatgtcctaa	37320
tagcaaacga	ttctggaatt	cctagagtaa	aatatatttc	gtcaaagtgt	attgtctctt	37380
taatatcttg	ctgacctcct	tttgctattt	aggatatttg	tatacacatc	acacgtaaat	37440
ttggtctata	gtttacatct	acgggcttat	actgttcttt	ttttcatttt	tttaaaatct	37500
ccaaccccca	gtatccatat	actgctctct	atcagggtta	ttttaacttt	gtaaaatcag	37560
ctgagatgct	ttccatgttt	tttttttttt	ttttctgcca	catttgaata	gcataggagt	37620
taccaccatc	aaccttggtt	tatttaagca	ttcacgattc	cacgtgtgga	ttttttattc	37680
agagtctttc	ttgtcattcc	tgctatcagc	acagaaccca	atctcagctt	tccagctata	37740
ctctcacccc	atggaatttg	cagatgaagt	tcaaaaggac	ctttgcatta	tcctgcctcg	37800
ccctcttccc	ccttcattta	gacatcacct	tcttctagaa	cgtcttacct	gacatgccct	37860
gctcccaacc	cctgctgccc	aattgtgtgc	tctcccgtgt	cctggcctgc	catcctcttt	37920
agtaattgcc	tgtctcctca	tctgtctccc	caccagacac	ttaagctgaa	tagactggat	37980
ttgtgtcttg	tccatcacta	taatctcagc	acctagtacc	tagtaggtac	ttaccatgta	38040
ttcattagca	aaatgttatg	tataaccttg	caccttaaaa	acaagagaa	gaagacaaaa	38100
ttaagtctta	agactatggt	ttagaacatg	gatcagaaac	tacagtctgc	agcccaaatc	38160
cagaccaaat	gaagagacca	tgttcattta	catacaacct	atagcagctt	tcacactaca	38220
ggagcagagc	taagtagtcc	caagggaaca	cacggccctg	caaagcctaa	aatattttact	38280

27/122

ctatagctct	tcacagaaaa	agtttttcaga	tcctctcgttt	agaactcttg	ttcatatgca	38340
atttcactaa	accatagttt	tttggggtttg	tttgggttttt	tttggcaaaa	aggaatgagc	38400
cgatccagaa	aaggttgaaa	agaatgaatc	attactgctg	aaagaatgtg	cacacagtc	38460
gtcagtatte	tgctgccatg	ctgacaccca	tccaatagtg	tcatgagatg	cagcagctac	38520
tactgtgttc	tcaatgccga	gtccacccac	tccataacca	tgtccaagca	atcttgggaa	38580
catcatcacc	atgcttgttt	atccttaagg	tattgcctca	catacagcag	tggctgggtca	38640
taaagtcaaa	tgacactagt	ggccaggagg	tcaagagaat	gagtgaggac	aggtgggtag	38700
gcagccagg	ccctagcaac	agcaggagct	cacccctcag	tcactctagc	caggactgaa	38760
atacttttca	ccctttcaag	agagactagg	aatctggatt	tttatgtgaa	atatcttgat	38820
tactaaatgt	tgtcaacaga	catgtcaaaa	ggtaaaacta	agtaagttca	tggggcagat	38880
tgactattca	ggttatagaa	ttaaggattc	ttatccaaca	cagataccaa	ccaaaaagct	38940
gacgtataac	atattaggag	aaactatgtg	cactgtcgaa	acatcaacaa	ggggctaattg	39000
tctaaaatag	tctatatttg	attccagttg	aaacatgggg	aaaggacatg	aacaggcaac	39060
ttatgtcaat	ggaaactcaa	aaagataaca	agcatatata	aaagcattct	caaattcagt	39120
agtaaacaga	cagatgcaaa	taaaaagagg	gaaactgctg	ccgggcacag	tggctcacac	39180
ctgtaatccc	acgactttgg	gaggccgagg	cgggcggatc	atgaagttag	gagatcgaga	39240
ccatcctggc	taacatgggtg	aaaccccgctc	tctactgaaa	acacaaaaaa	ttagccaggc	39300
gtagtgggtg	gcaccagtag	tcccagctac	tcaggaggtt	gaggcaggag	aatggcatga	39360
acccaggagg	cggagattgc	agttagccga	gaccatgcca	ctgcactcca	gcctgggcga	39420
ctgagtquaa	ctccatctca	aaaaatataa	taataattat	aattataata	ataataaata	39480
gtaaataaat	ataatatata	agactgctaa	agtctagaaa	gttgaatgat	gccaagcgca	39540
tgcaaaagtc	agggccttgg	gatggccggg	tgcagtggct	cacgcctgta	atcccaccac	39600
tttggggagg	caaggcgggc	ggatcatgag	gtcaagagat	caagaccatc	ctggccgaca	39660
cagtgaancc	cggtctctac	taaaagtaca	aaaaaatata	tatatatata	tatattatta	39720
tattatatat	atatatatca	gagccttggg	aatccttgtg	tgctgctggg	gaaggtagtg	39780
gtgcagccac	ccttgacagc	aatctggcag	tacttgggtt	tattaaagtat	aggcacacac	39840
cacgaccagg	cagtcctact	cctgggtcta	aatcccaaag	aattctcaca	caagtccata	39900
aggagacatg	tacgaggctc	attcagcatt	actgggagtg	ggaatcaacc	tgggtgtcca	39960
tctacaggag	caaaatgtgg	cactctctct	tggtatttaa	gaccagaatc	accaagtgaac	40020
agagatgggt	ggtgagtgac	aatcctaaga	tacagaataa	aggctagaac	atgatgccat	40080
tcatgtaaat	taaaaataga	tgcacacaaa	gcagtatacg	cgtgaccctt	gaatagcaca	40140
ggtttgaact	gcctgtgtcc	acttacatgt	ggatttttct	ccacttctgc	tacccccaa	40200
acagcaagac	caacccctct	tcttctctct	ccccctcagc	ctactcaaca	tgaagtgaac	40260
aaggatgaag	actttttatga	taatccaatt	ccaaggaact	aatgaaaagt	atatttttct	40320
ttcctttatga	ttttctttat	ctctagctta	cattattcta	agaatatggt	acataatata	40380
catcacacgc	aaaataaatg	ttaattgact	gttttatatta	tgggttaaggc	ttccactcaa	40440
cagtaggctg	tcagtgttta	agttttggga	gtcaaaagtt	atacacagat	tttcaactgt	40500
gcaggcaatc	agtccccctg	acccccctcat	tgttcacggg	tcaactgtat	atacacaaaa	40560
gtatttatatg	aacctcatta	gaatagctgt	ctatagggag	aagagaatga	gagtgggata	40620
aaacggaatg	aacaaataaa	ccaacaaatg	cattaacaag	caaaacaaca	gaggggcttg	40680
catgggcccag	tgatgataaa	gggctaagaa	tgagaatata	attaattcaa	ttcctcacac	40740
ctgagggtcta	aaaccaaggga	aagggaaggc	caggcgtgga	ggctcacgcc	tgtaatccca	40800
gcactttggg	aggctgaggg	gggcggatca	caagattagg	agtttgagat	cagcctggcc	40860
aacacagtga	aagcccattct	ctacaaaaaa	tacaagaatt	acccaggtgt	ggtggcacat	40920
gcctgtagtt	agctactctg	gaggctgagg	caggagaatc	acttgaaccc	aggaggcgga	40980
ggttgcaggg	agccgagatc	acaccattgc	actccagcct	gggtgacaga	gtaagactct	41040
gtctcaaaaa	aataaaaaaa	ataaaaaaac	agagaaaagg	aggaaaactag	atccaggctg	41100
actagatata	gccttttagag	ttagaaaaga	tgatttgaca	atctaagccc	acactcagat	41160
tgaatgaaat	tgaaaagcct	ttcaaaactaa	aacatttaat	tacaccatct	gctgcagaca	41220
gaactcagac	aatcacaaca	ggtaatgtca	gcgtggtggt	ttatatcacc	accctcaaca	41280
cagaataaaaa	atcagctgca	tgtgaagcag	tgactagaat	gaagaaaagg	ctgcttctta	41340
cttccttcta	gtggttcttt	ccgaaaacat	taataggcac	cagctctatg	catgtcacc	41400
tgcagggaga	catgggggtat	ataactatga	cttactgttc	attcctcaag	gaattcccaa	41460
tcttgtggaa	gattatacac	aatgaggcaa	caaaaactat	ccaataaaaac	cacggaaaag	41520
aagccagtga	caaagaagcc	agtgatgaaa	ggccctgtga	gcagagctga	tggccatttg	41580
gggaagaaag	accaacatgg	atgggggtga	tcaggggtggc	tccgtgggaa	agctggaaga	41640
gaagtggcag	atctctgagc	tggatgatgg	gccactacca	tctgtatatg	gctaattaaa	41700
gaccatgtgt	ggatttttta	ttcagctctt	tcgtgtcatt	cctgctatca	gcacagaacc	41760
caatctcaac	tttcagctca	tattgagcta	aacttctcac	ctcatggaat	ttgcagataa	41820
agttcaaaaag	gatccttgcc	ttttcaaaat	aattttgaat	ggttgagtag	tcctctgtg	41880

28/122

ctctctcact	gacacccctct	caaggctgct	gagcacgtgc	catgctatgg	ctttctccaa	41940
catcaggaaa	tgttctccac	tcagtttcac	cttaatacaa	atgtgttctc	tcttcagaga	42000
aggcaaaaaa	attcatgacc	atctgactgg	gagaagtcac	ttctaggtaa	agtgtccatc	42060
tttttctgag	gaacacagga	ggaaaatctt	acagaaaaga	gttaacacag	caggcctaag	42120
actgcttttt	aaaataaata	aataaataaa	taaataaata	aataaataaa	taaataaata	42180
aataaatgaa	tgatagggtc	ttctgtattg	gccaggctag	tctcaaattc	ctggcttcaa	42240
gagatccctc	caccttggtc	tcccacagtg	ttgggattat	agacatgagc	cattgtgctt	42300
ggcccaagac	tgttattctt	aaaaagtctc	ataaaaagca	tggttaatcc	ttggctggca	42360
cctgggaact	tagatttcag	aagggttccc	accatccaac	ctggaaagag	ggactcactg	42420
tgcctaaatt	attgtgtggt	ttatgctgaa	ctcctgcttt	tcttcaggta	gcgtggaatg	42480
tggatatgtc	tgggcaaagg	gggcctgcat	gaccagcccc	caataaaaac	cctgggtggt	42540
gggtctctag	tgagtttccc	tggtagacag	catctcacat	gcgttgtcac	agctccttcc	42600
tcggggaggt	aagcacatac	atcctgtgtg	actgcaactg	gagaggatgc	ttggaagctt	42660
gtgcctggct	tcctttggac	ttggccccat	gcacctttcc	ctttgctgat	tgtgctttgt	42720
atcctttcac	tgaataaaat	tacagccgtg	agtacaccac	atgctgagtc	ttccaagtga	42780
accaccagac	ctgagcatgg	tcctgggggc	ccccacaca	gaaataaatt	ataaaagacc	42840
aggactggg	catgggtggc	catgcgggta	atctcagcgc	tttgggaggg	cgaggcagga	42900
ggaccagtta	agcccaaaag	ttcaaagtta	cagtgcacta	tgactgcgcc	aatgcactct	42960
aacctgggag	acagagcaag	accctgtccc	caaaacaata	aactaaacac	atacttctgc	43020
cttccaagtg	tcttaaaatt	caatggaatg	gtagaacat	ttttaaaaca	ctaaatcaaa	43080
agaaacctgg	aaaacaagag	tgccgatggc	caactaaaat	gtctaggaaa	tttctgaaaa	43140
gtaaaaagta	ctcagaacca	gattacctga	gcaaaccata	gccaataaca	agcttgggag	43200
gaggctgtta	tgcagaagga	aatggtaaca	ggtttccagg	aacagacttg	taacagcaga	43260
tgaacagca	gaggtagaac	ctgacaaggt	gattacctgg	ggaactgcag	tctgaatgac	43320
caggactggt	ggacccttcc	cctcacatgg	caatcacacg	ccactcagca	gcacaccaca	43380
gctcttcaac	aatcacagga	ggcacgctac	gcctagtaag	acaggaaaaa	aggaattctc	43440
aaacttcgaa	gatgaacaca	taaagaatca	ccaagttttt	attcagtatg	atgaaacagg	43500
gacactgaat	caacagaaca	caaaccacaag	caaagataat	tactagagca	catagaagaa	43560
attattagat	attcttggga	agaccttaag	ggacattata	aagagcaagc	agttggtagt	43620
tgacgatctt	tgtgatatac	caagaaataa	aaacacagga	tgaagaccag	atagagaata	43680
atgctactat	ttgtgcaaaa	aaggagaaat	ggagaatctg	attcatattt	gcttgtattt	43740
gcatgaagaa	actttggaag	gtacataagt	aactaacaac	aatggttacc	tacttgtaag	43800
gcgagagaag	taagaggaca	ggaatgggtg	gaacaccttt	tgtgtccgga	attgggtggg	43860
tcttggctcg	acttgggaa	tgaagccgtg	gaccttcgcg	gtgagcgtaa	cagttcttaa	43920
aggcgggtgt	tctggagttt	gttccttctg	atgtttggat	gtgttcggag	tttcttccct	43980
ctggtgggtt	cgtagtctcg	ctgactcagg	agtgaagctg	cagaccttcg	cggcgagtg	44040
tacagctctt	aagggggcgc	atctagagtt	gttcgttctt	cctgggtgag	tcgtgggtct	44100
gctagcttca	ggagtgaagc	tgacagactt	cgaggtgtgt	gttgacgctc	atatagacag	44160
tgcagaccca	aagagtgaag	agtaataaga	acgcattcca	aacatcaaaa	ggacaaacct	44220
tcagcagcgc	ggaatgcgac	cgcagcacgt	taccactctt	ggctcgggca	gcctgctttt	44280
attctcttat	ctggccacac	ccatatectg	ctgattgggtc	cattttacag	agagccgact	44340
gctccatttt	acagagaacc	gattgggtcca	tttttcagag	agctgattgg	tccattttga	44400
cagagtgtct	attggtgcgt	ttacaatccc	tgagctagac	acagggtgct	gactgggtga	44460
tttacaatcc	cttagctaga	cataaagggt	ctcaagtccc	caccagactc	aggagcccag	44520
ctggcttcac	ccagtggatc	cggcatcagt	gccacagggtg	gagctgcctg	ccagtcccgc	44580
gccctgcgac	gcactcctc	agccctctgg	tggtcgatgg	gactgggcgc	cgtggagcag	44640
ggggtgggtg	tgtcagggag	gctcggggcg	cacaggagcc	caggaggtgg	gggtgggtca	44700
ggcatggcgg	gccgcaggtc	atgagcgctg	ccccgcaggg	aggcagctaa	ggcccagcga	44760
gaaatcgggc	acagcagctg	ctggcccagg	tgctaagccc	ctcactgcct	ggggccggtg	44820
gggcgggctg	gccggccgct	cccagtgcgg	ggcccgccea	gcccacgccc	accgggaact	44880
cacgctggcc	cgcaagcacc	gcgtacagcc	ccggttcccg	cccgcgcctc	tccctccaca	44940
cctccctgca	aagctgaggg	agctggctcc	agccttggcc	agcccagaaa	ggggctccca	45000
cagtgcagcg	gtgggctgaa	gggctcctca	agcgcggcca	gagtgggcac	taaggctgag	45060
gaggcaccga	gagcgagcga	ggactgccag	cacgctgtca	cctctcactt	tcattttatgc	45120
ctttttaata	cagtctggtt	ttgaacactg	attatcttca	ctattttttt	tttttttttt	45180
tgagatggag	tcgctctctg	tcgcccagac	tggagtgcag	tgggtgccatc	ctggctcact	45240
gcaagctccg	cctcccgggt	tcacaccatt	ctcctgcctc	aacctcctga	gtagctggga	45300
ctacaggcaa	tcgccaccac	gcccagctaa	ttttttatct	tatttttttt	ttagtagaag	45360
cggagtttca	ccatgttagc	cagatggctc	caatctcctg	acctcgtgat	ccatccgcct	45420
cggcctccca	aagtgcctgg	attacagacg	tgagccactg	cgcctgcctc	atcttaccta	45480

29/122

tttcaaaagt	taaacttta	gaagtagaaa	cccgtggcca	ggcgtgggtg	ctcacgcctg	45540
taaccccagc	actttgggag	gccgaggcgg	gcggatcacg	aggtcaggag	atcgagatca	45600
tcctgggtta	cacagtga	ccccgtcgct	actaaaaata	caaaaaatta	gccgggcgtg	45660
gtgggtgggca	ccggcagtc	tcgctactgg	ggaggctgag	gcaggagaat	ggcgtgaacc	45720
tgggaggcag	agcttgagc	gagccgagat	agtgccattg	ccttccagcc	tgggcgacag	45780
agcgagactc	cacctcaaaa	aaaaaaaaaa	aaaatagaga	cccggaaagt	taaaaatatg	45840
ataatcaata	tttaaaaaca	ctcaagagat	gggctaaaga	gttgacggaa	caaactctaa	45900
tattagattg	gtgacctgca	aaaccagccc	aagggaacatc	ccagaatgca	gcccataaa	45960
ataaagagag	catttccgct	gggcacagtg	gtatggcagg	ggaattgcct	gagtcgaaga	46020
gttgcaggtc	acattgaacc	acaccattgc	actccaggcc	tgggcaacac	agcaataactc	46080
tgtctcaaaa	aaaaaaaaaa	ttaaattaaa	aaagacagaa	tatttgagag	aaaaaaaaatg	46140
ttatttcaag	aaacatgaaa	gataaatcaa	gatattctaa	ttcccaagta	agaataatttc	46200
cagaagcaga	aaatagaata	gaggcaagga	aacactcaaa	acttctccag	tgccatagaa	46260
atgtgtatta	atcttttagaa	tgaaacggac	taccaaatgc	tgagcaggaa	gaacaaaaga	46320
gatccactct	taagccagtg	tgggtgccc	gcgcagtgcc	tcatgcctgt	aatcccagca	46380
ctttgggagg	ccgaggcagg	tggatcacct	gaggtcagga	gtttgagatc	agtcaggcca	46440
acatgggtgaa	accctgtctg	tactaaaaat	acaaacatta	gctgggtatg	gtgggtgcaca	46500
tctgtaatcc	caactacttg	ggaggctaag	gcaggagaat	cacttgaaac	caggaggtgg	46560
aggtttagtg	gagccgagat	catgccacac	tcccagcctg	ggtgacagag	caagattcca	46620
tgtcaaaaaa	aaaatccact	cctagacaaa	taatatgtta	attttagaac	accaaggaga	46680
aagaaaaaaa	attgtaaagc	ttcagagaaa	ataaacatta	actacaaaga	aacgagagtc	46740
agacgcgtgc	acttcttcct	agataccagc	agataaagca	atatctccaa	aattcagaag	46800
gttttaacgt	agaatcctat	acccagtc	gaatattcac	atgggaaagt	gaaataaaaa	46860
acattgttta	aacatgcaag	ggttcagaaa	gtttaccatt	cacagaatcc	ctgaaaacaa	46920
aaccataata	tactttaagg	actcattaa	aaaacaaatg	aaataaaagc	accaatgatg	46980
agtaataaat	cagaaaaatt	tacagtttac	ctaaataact	gtttatgcat	aatgtatgaa	47040
aacccaaaaa	tttaatatgg	gacagaatta	aaatcatgat	aagattcttt	tttgctttac	47100
tcatggagag	ttcacataaa	cagattatct	tttaatatgca	agagaaaaaa	atgttttagat	47160
atgtgtgaaa	aactaagggt	acaaaaacag	tttatcatca	tttatcatca	ggaaaaatcca	47220
aattaaaacc	acagtatcca	ccagaataac	taaaaggtaa	aagacagaaa	ttaccaagag	47280
ttggcaagaa	tgtggagcaa	ccacatatat	ttctggggta	aataagttgg	tgcaaccggt	47340
actgaaaact	gtttgctagt	atctactaaa	accgagcaca	tgacacagat	acaaccaagc	47400
agttccactc	ccagatacac	actcaacaga	aatgcacaca	ctcactcaac	aaaagacgtg	47460
tactagagtg	ttcatgtact	tactattcat	aatagtccaa	aatgcaaac	aaccaactgc	47520
caatcaaaagt	caaatgtata	tctatattag	ggatatatac	aatggcatat	acacagcaat	47580
gagaatgaaa	tgaaccagct	cggcacagtg	gttcatgcct	gtaatctcag	cactttgggc	47640
gggtaaggga	ggcagatcac	ttgaggtcag	aaatttgaga	ctagcctggc	caacacgggt	47700
aaaacctgtc	cccactaaaa	acacaaaaat	tagccgggca	tagtgggtgc	aggcctgtaa	47760
ttccagctac	tcgggaggct	gggttgggag	aatcgtttga	acccgaaagc	cggagggtcgc	47820
agtgagcggg	gatcgtgcc	ctgcactcca	gcctggacga	tagagcaaga	ctccgtctca	47880
aaaaaggaaa	tcaaaaatat	aaaataagat	gacaggaata	atccgcaaaa	gatcagtaat	47940
caaaaataat	ataaatgggc	taaagctacc	tattaaaaga	caaagatttc	acaccataaa	48000
ggatagctac	tatcaaaaaa	agagagagaa	taacagatgt	tagcaaggat	gtatggaaac	48060
tgaaattctc	acgcattgct	ggtgagaata	taaaatgggt	cagcctctgc	ggaaaacact	48120
atgctgggtc	atcaaaaaat	taaaaataga	agtactactt	gatccaacaa	ttctacttct	48180
gggtatatata	ccaaataact	gaaagcaggg	tcttgaagag	atatttgtac	acccatgatc	48240
atggcagcat	tattcataat	agctatgatg	tggaaccaac	ataaatatcc	tttgataaat	48300
atatggataa	gcaaaatgtg	gtgtatacat	tcaatggaat	attaatttagc	aataaaaatg	48360
aagaaaattc	tgacacatgc	tacaacatgg	atgaaccttg	agggcattac	attaaatgaa	48420
ataagccagt	tataaaaaga	caaatactat	atgaggctact	atattagata	ctcatgcaag	48480
gtacctaaaa	taggcaaatt	catagagaca	aaaagcagaa	tggtgggtgc	caggggtgc	48540
ggtaatggat	acagagcttc	aattttgtaa	gatgaaaaaa	ttctggagat	tggttgcata	48600
acaatgtgca	cacacttaac	actgggggaa	tgtaaaactta	aaagtagtaa	atggtaaaaa	48660
taaaaataat	aaataataaa	ttttatgtta	ttttaccaca	atatttatta	aaagacaaag	48720
attaactaat	taaacacaat	ccagccataa	gttaattggta	agagtaacaa	ttaaagaaga	48780
cacagaaaat	tgaaaatcag	tgactagaaa	aagatattcc	atataaatgc	taacaaaaag	48840
caagtacagc	aataataaga	gaatgaacaa	aaaaaaaaatt	aaataagatg	gctcgtttat	48900
tcccataaag	tacaattcac	caagaagata	caagaattgt	gaacctttaa	gcacataaaa	48960
cagcttcaaa	tatacaacat	ttaaagaaaa	atatattatta	aacatagaaa	tagtcaaaaa	49020
accctacaa	gaatcataat	gggagctctc	aatacaactc	tccatatcaa	cagggtcaaac	49080

30/122

agagaaaaaa	aataagttaa	ggatgcagaa	aacctgaatt	accatcaata	aacttgagat	49140
taatatagaa	ctgtataccc	aatatactaa	gagttcaggg	aacagtcgtg	actgacagtg	49200
gactgcaaat	taatctgttc	ttaatctttg	tttttctttc	agcactgtgg	cagaatagag	49260
atcctaaaaa	ccttccagct	acaaaacatc	tttttaaaaa	tataaaaaaa	tacaaaaata	49320
actctgaaat	caatagaaga	cacatggtga	aacccaaatt	ctagaataca	gggagaataa	49380
aggcattttc	agatattaca	aaaacagaaa	attgatcatt	gctgaagtaa	tttctaagaa	49440
atgtacttga	gggagaagaa	aaatgttcca	aagaaaagta	tctgtgatac	aagaaggaat	49500
ggaaagttaa	gaaatggtaa	acaggtagat	aaagctaata	aatgttgacc	tagaaaaata	49560
caaaaaacaat	agcaataatg	tctcgttgga	agggttgaa	taaaaataca	attaaggcca	49620
aatgtgaggt	aagtgggaatg	aaagaattag	aagtccttgc	cttggttcaca	ggactgatta	49680
aataaatgag	ccagggttttc	cattcaaaca	gttaaaactt	gaacaaaata	aactcaaatt	49740
aagtagaag	ataaaaaaca	gaaattaatg	tcatagaaaa	ataaaaaatc	aatagaatta	49800
atcaataaat	cctgggttaat	aaaagctggg	tctttgaaag	gattaataaa	ataatcatta	49860
agcaagctcg	atcaaaaaaa	aagagaaaaa	gtaccaaaaa	aagtactgta	tcagaaagag	49920
aacatacaga	tacatacaga	tatgtaagag	tctgttttct	tacaccagaa	tactatatac	49980
aacattatgc	tagcatatgc	taaatttcaa	taagtgtta	gatttttctag	gaaaaacaga	50040
aatattaaat	ttacttttga	gaaacagaaa	aactgagaaa	aataaatgat	catgaaaaaa	50100
atgaaaaggt	aattaaatac	tgatattaac	tgcctaaaca	acaccagcag	cagcccaggc	50160
agtctgcagt	caagttctgc	caaacttgag	ggaacagata	attcttctat	tccagagcat	50220
agaaaatgat	ggaaaagttc	ccaatttaag	cagagaggac	agcctgatcc	ttgttatgaa	50280
cacagataaa	aatggggtaa	actatatgcc	aaactcagat	acaaaaacc	taaataagat	50340
gctagcttat	tgatgtgaac	aatccaaaag	tgcattttta	attagcccag	ggtttttagag	50400
aaagaaaatc	tagcaatgtg	accaccactt	atggttaacaa	ttttaagacg	aaaatctaca	50460
tgatcatatc	aatgcattgc	acacaaaagc	atttgggcaa	aaaaccacac	accaccctt	50520
gactttttta	actcttagta	attaggcata	tacttaagta	tacttaagta	gatagaatac	50580
actcgggtgaa	gatacagagg	gaatgctccc	taaaaccaag	cccaagacaa	agattcctat	50640
ttaacctcaa	tagtcaacac	tgacgagaga	gtaatctatg	gaagacaagg	aaaaaagtaa	50700
aaacatgaga	gacatctgtt	gtttaacaga	caataagatc	acctacttgg	aagaggcaaa	50760
cgaatcaagc	gaaaaactat	taaaactgag	acaggcttta	gtatggaggc	tcagcttcag	50820
ctgtagtttg	ggctaccaa	ttcaactcgc	ttgcttgagg	agttaatcct	gcaaagctaa	50880
tttctgttga	ggtattagga	ttgacaagcc	tgtgctcctc	cctcctcccc	catcttcaac	50940
actgaaataa	cacgggtggt	ggaactggat	aacagaatct	tccaaaaaca	aaaattgtcc	51000
tgaagggtcg	acttgtgccc	ttactcaaaa	aacactttat	ctgctgacct	cagctcctac	51060
agttgctggt	ggataagcct	gccaaaccagc	tccgctgaat	tcttccctgca	gaggggcaag	51120
aagagcactt	tcacaggaaa	atttttttcc	gaactgtatg	ccgcttatta	cataaactta	51180
cgtgctggca	aatggagctc	cagcaaaaata	agatattcag	agtcaaaactt	ccttaggaaa	51240
aaaaaaaaaa	aaaaagcaagc	acataaacact	aatcttctga	catgggcact	gggggaaggag	51300
gtcgttactt	ccgcacgccc	gcaggtccgc	accaccggga	aaccacggg	caccgcgcgc	51360
tgcccccggt	ccttccaggt	gcactgcgcc	gcggcgcccc	agctgacccg	ggatgcgcag	51420
ccctagccct	tcccctgtca	ccccggccag	gaagggcgcg	gagcgcgccg	gacgcccagg	51480
gcgaagggtc	tctcggtcct	ctgcaccacg	cagcaccctc	aaggcacaac	agggagggtg	51540
cgggagggtc	ccgagaccga	ggagccgggg	cggggcgttc	ccgcgcacct	gtcccactgc	51600
ggcgagggtc	ggggtcgctc	ccagggccgc	agctgtcggg	agccacctgg	ctctcagtc	51660
cgggtccctg	cgacaaccct	cgggcccggga	ggggaggagc	cggccacctg	ccgctgccac	51720
ctgcggcacc	ggtcccaccg	ctccgggccc	ggcaggacag	gccaggacct	ccctcctggg	51780
ctgggggacag	gacacgcgac	gaggggaccg	gggccccgcg	ggcgaagacg	cagcacgcct	51840
tcccagaaag	gcagtcctcg	gccccacaga	cggactgccc	gacccccgcg	ctcgccccgc	51900
catcccttca	gaccacgcgg	ctgaggcgca	aagagccggc	cggcgggcg	gctggcgggc	51960
cggctagtac	tcaccggccc	cgctggctca	gcgcgcgcgc	aacccccagc	ggccacgggt	52020
ccggggcgctc	actgatgctc	aggagaggga	cccgcctcc	gccggcgcc	ccagccactg	52080
ccgccagggg	gcgagcgcg	gccgcgcggg	gctcgctggg	agatgtagta	cccgaccgcg	52140
cgcctgcgcc	gtcctccttc	agccggcgcc	cgggggcccc	ctctctccca	gctctcagtg	52200
tctcatctcc	ctatctgctc	atcctctggt	cgcacataat	cgatgtttgg	gcgtcccaag	52260
ccagatgtgg	accccatctc	cgcactctac	actggaggtt	ttctaagggt	ggtgcccaga	52320
ccagcagctt	cagcctcatc	tggaactctg	agaaaatgca	gattctccgt	cccaccagc	52380
ctattcggtt	tttctctcac	taaaaccatg	aaggtggggc	ccagcagtc	acattctcgc	52440
aagcccgtca	agtgattctg	aggcgccctc	cagtttgaga	gctatgctca	cggcctcacc	52500
tccgccccgc	aaggagcccc	gtcttgctg	tggcgctagc	cgcacacgga	cacctcatcc	52560
tggggggccc	gcccccccg	tgacccctca	cgcaccaacg	cctcctccgg	gatgcagcg	52620
aggcgccctg	aagtcggcaa	ggtcaacatc	cccctcagca	tcttccctac	cctcacggct	52680

31/122

cctcctccag	gggtgcctca	tggccagggg	ttagaaagag	ccactgtgtt	tcttgacatg	52740
gaagtggcct	aagaccttaa	tgaaaactgc	aggagtggaa	tgacagaacc	tttgggtcata	52800
cttgagggcg	tgaagctcaa	atgaggagga	aggaaaggat	ccagggagaa	taaccaaccc	52860
tggcaagttg	tggcgccag	gtagaggggc	gagcctaggc	tagcggttct	cgaccagggc	52920
cggtgttgcc	cctcctcgcc	gccccgcgta	catttgggga	ggctctggaga	catttttgggt	52980
tgtcatgatg	cgggagttgc	tactgttgcc	taagtgggta	gacacgaggg	tgctcctcaa	53040
catcctacct	gaaggacagg	actgccccac	aaggaagaat	gatccggccc	caaataagaa	53100
accctgggct	ggtcagcaac	aacccttttg	ttctgagaag	agaggaggaa	agaataaaaag	53160
aagtgggggtg	aagttttgggt	ttggtagagg	aaacttgaaag	acattttcac	tggaaaggaa	53220
gagaggaaga	ggagggagat	gtctgtaagg	acgagcaaac	cgggtgacag	ctgatttccct	53280
catattgaag	taatgagtc	tagttataat	aaattcctaa	taaaaaccca	gtttatccct	53340
gcaataaact	tgtctttttt	ttttaaatat	actgcttgat	tctgtttgct	aatattttat	53400
ttacaggctt	tgcattgata	tgcaaaaatg	agatgggcaa	taattttctt	tttgaatgtc	53460
taatgttgtt	tggtttcaga	atcaatgtta	tgctcacatc	ataaaaaatt	tgggaaccgag	53520
gcaggaggag	tgcttgaggc	cagaagttcg	agaccagtct	aggaaacaca	gtgagacccc	53580
cccattctcta	caaaaaaaaa	aaaagaaaaa	taatttcggca	tgtttgcttt	ttccttttac	53640
tctgaacaat	ttaaggagca	ttaaaattat	ctattccttg	aggtttgatc	atttcccagt	53700
taaaaatgtt	cctcccagcc	tgatgctttc	tttggggagg	gtaaatcttt	taaggctaga	53760
aaagtttctt	ctgtggcaat	tttattattt	acattttaaa	aattattcta	gagttaattt	53820
tgataaagca	tgtattttct	aaaacaaatt	atcctttttt	tccagatggt	caagtgtatt	53880
tgcataaagt	tgaggaaagt	agtcttttgt	gaatctttta	acttctccca	aatatcttat	53940
tttgtgtatt	tttgcttctt	tattttgtta	acttttaaaa	gtgtattttt	ttttcaaaga	54000
atcagctctt	aggtttatgt	ttttggttat	actggagctt	ttttcttctt	ctttttaaaa	54060
tattttttct	cgtttatttt	ttagacgtat	tttgatctaa	cgtaatcgga	agaaggtaaa	54120
ttagaatctt	ttgttactat	tgtgttttta	tttctcctta	tttctctgaa	gtcctgcttt	54180
ataaatagta	ccatgttatt	tgtgcataaa	tattcatttg	tcttatattc	ttgggaattt	54240
tcccacttca	tcataaaaatg	accttccttg	tctcatttaa	tgtgttcaaa	ctttgcccgt	54300
aatttaactt	tgtctgatatt	tttaccatcc	tgtctgaattt	tgtttgttac	cccaaacaac	54360
ctttgtgtt	tctgtctttt	ctgaaccctt	tatttttaggt	aatcccttga	attagagcac	54420
taagttttgc	tttgtgatta	aatctgaaaa	tctttatctt	gccatagatg	agttgagccc	54480
tattcatgtg	acagctatat	tatgctgttt	catagccctt	ttgggtcctt	tttcaactct	54540
gcattgcata	ttttgtgttt	attgtgtttt	gtgtttcttc	tgataaattg	gaagggttgt	54600
actttttatt	agggagtgtc	cttataatca	tactccgcaa	tacacatcgt	cctcagtttc	54660
ttcagactgt	ctgttaactc	cctattctga	ataaaaaatga	cattgtaatt	tcctctcttt	54720
ttctttaccc	cttttcttct	cctcacctaa	tgtaaatgat	tttatccttc	tttagtatatt	54780
gcttttttaa	ttaaactacat	ttataaatat	ctttatcact	tgatttttaa	atcagctttg	54840
aatgagatat	ttggattcct	agatataaaa	gatgttaatt	ataccatttc	cacgttagta	54900
ggttttataaa	atcatacatt	ctgctgtgta	accataatcc	cacgtttgtt	ttagttccac	54960
tcctacagtt	aaaagattca	gaagtattat	taacagttat	tttgccatag	ttttttcccc	55020
aacccttttt	gtggtaagtt	atgatcctgc	tttagtttct	taagaataat	ttatagagca	55080
gagtgtgggtg	gctcacgttt	gtaatcccag	cactttggga	gacaagaggt	agaaggatcg	55140
cttgaagcca	gcagttcaag	accaccctga	gcaacatagt	gagacctgt	ctctacaaaa	55200
aatttttaaaa	tttagccaga	cgtagtggcg	tgtgcctata	gtcccagcta	ctcaggaggc	55260
tgaggcaaga	ggattgctag	agcccagaag	tttgaggetg	cagtgcacct	tgattgtgcc	55320
actgcacccc	agtctgggca	agaaaagtga	aacctatctc	tttaaaataa	caataataac	55380
ttatgaaaat	tatttttcca	gagtttttca	tgtttaaaaa	tattttgtgc	ctttatcctg	55440
taaaagtttg	agtataaatt	cttgggttat	actttattta	ttgaagaatg	tataagtatt	55500
gtcttctaga	attgagtgtt	gctgtaatga	aaccagaagt	cagcctgggt	tatttttccct	55560
cagaaatgag	gtaattgccg	gccggacacc	gtggctcatg	cctgtaatcc	caacactttg	55620
ggaggccgag	acaggtggat	cacgaggtca	ggagattgag	accatcctgg	ctaactgggt	55680
gaaaccccg	ctctactaaa	agtacaaaaa	gttagctggg	catgggtggg	gacgcctgta	55740
atcccagcta	cccgggaggg	tgaggcagga	gaatggcgtg	aacctgggag	gaggagcttg	55800
cagagagctg	agatcgcgcc	actgcactcc	agcctgggcg	acagagtggg	actccgtctc	55860
aaaaaaaaca	aaaaaagtaa	agaagtgaat	gtaattggca	tgatgtctca	agaattattc	55920
ctttgtctat	gaaatccaga	aatctcactg	ttatacattt	tggaattatt	attctggggc	55980
aatatttcct	gggacacaat	agattgactc	tatagattta	attttttttt	tttttttgag	56040
acagagtctc	actgcaatct	cagcttactg	caacctctgc	ctcacgggtt	caagcaattc	56100
tcctgcctca	tcctcccaag	tagctgggag	tacaggcgcg	tggcaccatg	cctgggcta	56160
ttttgtcttt	gtagtagaga	cagggtttca	ccatgttggc	caggctgggt	ttgaacgcct	56220
aacctcaagt	gatccacctg	cctcagcctc	ccaaagtgtc	gggattacag	gcgtgagcca	56280

32/122

ccatgcccag	cctcaattcc	tctttctatc	tggttaatttt	tctgaagtgtg	aaaacatttg	56340
ttctaatac	ttattttcagt	gttctttctaa	gatgtgtaaa	gcaccctatt	cccagggtcag	56400
cccccatctt	gctagtggagc	tcggctgggtt	cttcacaaga	gctctgggtt	tctcctgtct	56460
aatctcaagt	acctctgtca	gcctccacct	ggtttatgat	ttggagtgtt	ttgggtttttg	56520
ttttttgttt	ttgacagagt	cttactctgt	cacccagggt	ggagagcagt	ggcataatct	56580
cagctcactg	caacctctgt	ctcccagggt	tgagcgattc	tcctgcctca	gcctactgag	56640
tagctgggat	tacaggcgcg	tgccaccaca	cccgctaatt	ttttgtattt	ttagtagaga	56700
tggtgtttca	ccatgttggc	cagggtgggtc	ttgaactcct	gacctcaggt	aatccacctg	56760
cctcagcctc	ccaaagtgt	gagattacag	gcgtgagcca	ccgcgcctgg	catgggtttg	56820
agttttaatc	tgtagtttta	ataaagatag	tgcttatgtt	tgtgtttcct	atatttcttg	56880
gtactcttgg	gtaatttgta	agatcccat	atctacacaa	gaagtccatt	ttcaattcct	56940
ttcttcagac	tgtttatttt	attttatttt	attttatttt	tatgtttgag	atggagtctc	57000
gctgtgtcac	ttctggaggc	tggtgtgcag	tggtgcgcatc	tcagggtcact	gcaacctccg	57060
tctcccgggt	tcaagcaatt	ctcctgcctc	agcctcccga	gtagctggga	ttacaggcac	57120
ctggcacttt	ttaatttttt	tagagacaga	gtctcgcttt	gttgaccagg	ctggagtgcg	57180
gtggctgcaat	catggtgcag	tataacctcc	aaatcctggg	ctcaagtgat	cctcctgcct	57240
cagcctcctg	agtagctggg	actacaggca	catgccacca	tgcccagtta	attttaattt	57300
ttttgtagag	acagggtctc	catatgttgc	ccaggctggc	ctcctactcc	tggtcctcaag	57360
taatcctcct	acctcagcct	cccaaattac	taggattata	agcatgagcc	accatgcccc	57420
gccttgttct	actactttaa	tttcatatgt	taggtgacca	tgtaattgat	catccaaacc	57480
aggataactgt	aagaatgaaa	gaggctgaca	gtagtatgat	gctgggacta	gcatttgtgca	57540
ctgagattat	ttctgggaaa	gcaggagata	cggtcaccct	acttatagtg	tgcttgtcct	57600
tggtattgtg	aatttggagt	ttctattttg	aggcttattt	caactgggca	gccttgatcc	57660
gccctgcccc	gcaatgctac	cgttctctcc	accgggtctc	tggtgacctc	tcagtcacta	57720
tacttagctc	agttgccac	cctcccactc	cctaaaagcg	taaccaggaa	tctgcctca	57780
ggtctactgc	cgtcttccgt	gggtgttttc	agttcctatt	accagagtc	aaactcccag	57840
cattccctac	ctgattccag	acttgaggtc	cagagcttta	acctcttcag	gccaactccc	57900
cactttgcat	ttctgtccct	atatcttagt	ccatggagat	acatttcatg	tctttgagtc	57960
tacttacaaa	gtaaattttg	ctgtttttta	attttttttt	tgagatggag	tcttgctctg	58020
tcacccaggc	tggtgtgcaa	tgacgccatc	tcggctcact	gcaacctccg	cctcctgggt	58080
tcaagcgatt	catctgcctc	agcctcccaa	gtagctgtga	ttacagacag	gcaccaccac	58140
gcccagctaa	ttttttttat	cttttagtag	agacagggtt	tcaccatgtt	ggccaggctg	58200
gtcttgaaat	cctgacctcg	tgatctgccc	atctcgccct	cccaaagtgc	tgagattaca	58260
ggcgtgagcc	actgtgcccc	gccaattttg	ctttttttat	atttcattgc	tatatgttta	58320
gaggataagt	ttacagtgtc	atatgcattc	ccaaatatta	gacaaaaaaa	atctccaaaa	58380
aattagaaaag	aaaaatccaaa	aaatctcaaa	aaataccaaa	aagcaacaat	ctcacagacc	58440
atactcactg	acccccata	aaataaaatt	agaaaataac	cacaacttaa	caaaaataag	58500
tactcaagtg	agagaggaaa	gaggaaataa	acatcaaaat	tacaaagtct	aggcggtggc	58560
tcacgcctgt	aatcccagca	ctttggggagg	ccaaggcggt	cagatcacaa	ggtcaggaat	58620
tcgagaccag	cctggccaat	atggtgaaac	cccgtttcca	ctaaaaatac	aaaaatttagc	58680
caggcatagt	gatgtgtgcc	tgtaatccag	ccacttggga	ggctgaggca	ggagaatcac	58740
tgaacccagg	gagacgaaga	ttgcagtgtg	ccaaaatcgt	gccactgcac	ttcggcctgg	58800
gtgacaaagc	gagactccat	ctcaaaaaaa	aaaaaattac	aaactcttta	gatagaaatt	58860
ttggtgtttt	tttttgagac	ggagtctcac	tctgtcgcag	aggctggagt	gcagtgggac	58920
tatgtcagct	caccgcaacc	tccatctcct	ggattcaagc	aattctcctg	tctcagcctc	58980
ccaagtagct	aggattacag	gcgcccacca	ccagaccagc	ctagttttta	tatttttagt	59040
agagatgggtg	tttcaccatg	ttggccaggc	tggtctcaaa	ctcctgacct	caagtgatcc	59100
acctgcttca	gcctcccaaa	gtgctcagat	tacaggcggtg	agccaccgca	cccacctag	59160
atagaaattt	caacatgagg	ccgggcacaa	tggtcacgc	ctgtaatctc	agcacttcag	59220
gaggctgagg	cgtggggagg	tcacttgggc	ccaggagttc	aggaccagca	tggtgacag	59280
agacagaccc	tgtctctatt	tatttgaaaa	aaaaaaaaaa	aaagagagag	agaaagaaat	59340
ttcaacatga	aaagtatctc	tcaaaccctt	cgagatgttg	gcaaaaagcg	actcaaagga	59400
aaatgtatta	ctgtgtgtga	atttgcttga	aaataagaaa	gaggccgggt	gtggtggcta	59460
acacctgtaa	tcccacact	ctgggagtcc	gaatcaagtgt	gatcatgagg	tcaggagatc	59520
gagaccatcc	tggtcaaacat	ggtgaaaaccc	tgtctctact	aaaaatacaa	aaaatttagct	59580
aggcgcggtg	gctcatgcct	gtaatcccag	cactttggga	ggctgaggca	ggtggatcac	59640
ctgagggtcag	gggtttgaga	ccagcctggc	ctacatggtg	aaacctcgtc	tcttctacaa	59700
atacaaaaaa	tagctgggag	tggtgtgtgg	tgctgtgaat	cccagctact	cagaggctga	59760
ggcaggagaa	tcgcttgaac	ccgggagggc	gaggtgtcgg	tgagccgaga	tcgcaccact	59820
acactccagc	ctgggcaaca	gcctgggtga	cacagtgtga	ctccatctca	aaaaatacaa	59880

33/122

aaaattagct	gggtgtggtg	gcctgcgccct	gtagtcccgag	ctacccggga	ggctgaggca	59940
ggagaatgga	gtgaacctgg	gaggaggagc	ttgcagttag	ccgagatccc	accactgcac	60000
tccagcctgg	gcgacagagc	aagactcctg	tctcaaaaaa	aagaaaaaaa	aaggaaaaaa	60060
gaacctgat	aataaagaaa	ccaaatgttc	aactctcaaa	gctcggacac	tttaaagaaa	60120
taattaataa	aggcagaagt	ttaaaggagg	atgataaagc	aatttttttt	gttgggtttt	60180
ttgagatgga	gtcttgctct	gtcaccaggg	ctggagtgcg	gtgatgcgat	cttgggtcac	60240
tgcaacctct	gcctcccggg	ttcaagcaat	tctcctgcct	cagcctcctg	agtagctggg	60300
actacagggtg	cgcgccacct	ggcccagcta	atTTTTgtat	TTTTattaga	gacgggggtt	60360
caccatattt	gttaggctgg	tctcaaaactc	ctgatctcag	gtaatctgcc	cacctcggcc	60420
tctcaaaagt	ctgggattac	aggcaggcgc	caccgcgcct	ggcctaaagc	aaaaatttgg	60480
ttctgtgcaa	aagggtcaata	aaaaagagcaa	actggttcaaa	actggagcca	gcacctattc	60540
auctcagtgt	gtctggagaa	aaaacaatct	cgcttcagaa	ttcatgatta	cgagccctt	60600
tttgtttcct	aaaaatccta	ctatgttgct	gttgaccatt	ctctctcttt	ctctctctct	60660
tgttttctct	ccagaaaagc	tattcagaca	ttctcctctt	tcctcaaacc	tccaacactt	60720
cctcctccat	ccttagcttc	agctgctgac	ctcacttcta	atcattgaga	aaccaggaga	60780
agcattttag	agtgaacctc	cgctccccc	cacgggcaaa	accacccacc	cacagaattg	60840
tgcccaattt	ctgcgtcctc	tctctccacc	atggatggac	gggtccaggct	ccgagccaaa	60900
gccagjactc	ccctggagct	ctggatccac	cacctgcagc	ttctcaggca	gggccccagc	60960
agctccctg	ctcccttgta	ccatcaatcc	ctccccctac	tgggtcactc	ccaacaatat	61020
atatatttag	ccatgtgggt	ccatgtgggt	aaaatcacct	agcctctctc	ctccccagc	61080
tactatccta	tttgtttctt	tccattctct	gcaaaaacttc	tcaaagcatt	gtgtctatgt	61140
gttgactcca	tttatcttct	cccgttctct	gctgagtcct	tcccacagac	tctcacccca	61200
gttactccat	gaaatgacct	ctgcaactgcc	acatccaatg	gtgaatgttc	agttcttaat	61260
tttatctagt	ctttcagcag	catttgacct	ggccgatcac	tcctctctct	taaaaatact	61320
tttctcagcc	aggcgtgatg	gctcacacct	gagacctcca	cactttggga	ggccaaggcg	61380
ggagjactcat	gagagcccg	gagttcaaga	tcagcctggg	caacatggca	agaccctatc	61440
tctacaaaaa	ctaaaaagta	gccagtgtga	tggcatgcac	ctgtagtccc	atctacttag	61500
gaggtgtgag	cagtaggatg	acttgagcct	gggaaatcaa	ggctgcagtg	agccatgatt	61560
gcaccactgc	actccagcct	gagtgacagc	gagaccctgt	ctcaaaaaaga	caaaatagga	61620
aacttttctc	agcatattcc	tctgattctc	ctgctgcttc	tgtctgcaca	gattcagttc	61680
ccttttgccgg	ttcttccctca	tctcctgat	ctcttgacct	tgaagtgcct	cagagtacag	61740
tctttttttt	ttttttttgag	acgcagtctc	gtctgtcacc	caagctggag	tgcaatggcg	61800
aggctctcag	tcctgcctcct	tctgcctcct	gggttcaagc	gattctcctg	cctcagcctc	61860
ccaagttagcc	aggactacag	gcacatgcca	ccatgcccag	caaattgttg	tatttttagt	61920
agagacaggg	ttttactata	ttggccacgc	tgggtctcaaa	ctcctgaact	cgtgaaccac	61980
cgccctcggg	ctcccaaagt	gctgagatta	caggcatgag	ccaccacacc	cggcccagag	62040
tacagctctt	agacggcctc	tctacctata	cttgctcccc	tcataaaactc	ctcctgcctc	62100
atggcttttaa	ataccatcgg	tagactgatg	actcccatat	ttctcttttt	tttttgagga	62160
cggagtctcg	ctcagtcccc	caggctggag	tgcagtggcg	cgatctcggc	tcactgcaag	62220
ctccacctgc	caagttcaca	ccattctcct	acctcagcct	ctccagtagc	tgggactaca	62280
ggcaccgcgc	accacgcctg	gctaattttt	ttgtattttt	agtagagatg	gggtttcacc	62340
atgttagcca	ggatgggtct	gatctcctga	cctcgtgatc	cgcccatctc	ggcctcccaa	62400
agtgtctggga	ttataggtgt	gagccaccgt	gcccagccga	tgactcccat	atttctatct	62460
cttgtctgtg	gggagttctc	ctcagaactc	catactcata	aatccaactc	tcataaatag	62520
tatctcaaat	gggcaaatag	ctcaaaagtc	aattcctact	tttctcccta	aacttgcttt	62580
cctgcagtct	ccaccatctt	aatgtccaat	gtaacattag	gaggcaaaaa	ctttgaagtc	62640
attcttgact	cttctctatt	acacacccta	tccaatcttt	ctgcagatcc	agtcgacccc	62700
caaatccagt	tagctctcat	catctcccc	gttaccocct	gggtccaggcc	atcttccctc	62760
ctcacctgaa	tcactgcagc	attctcctca	ctggtctctt	tgggtctgtt	ttcactccac	62820
cttagcatag	tctccacaga	gcagtccagag	ggatcctttt	aaagtgtaat	tccatcctg	62880
tccctgctct	gctcaaaacc	ctgtcgtgat	tcccggtttt	atctgtcaga	ttaaaagcca	62940
gagtctttcc	agtgccttac	atgatctgcc	tattatcacc	tcccacttct	ttccccttgc	63000
tcactccact	ccagctctgc	agctgtcctt	tctgtttcct	gaacagccca	gattttgctt	63060
ctttagaacc	ttgttatatt	ctgtcccttc	tgtctggaat	gtttttccag	gaagtcacct	63120
ggctctctcc	tgcacttctc	tctgaccac	actgtttaaa	aatcactcaa	acacacttca	63180
ggccggacat	ggtgggtcac	gcctgtaatc	ccagcacttt	gggaggccaa	ggtgggtgga	63240
tcacctgagg	tcaggagttc	gagaccagcc	tggccaacat	ggtgaaactt	cgtctctact	63300
acaaatacaa	atagtacca	ggtgtagtgg	cacacacctg	taatctcagc	tactcaggag	63360
gctgaggcag	gagaatcgct	tgaaccagga	aggcagagga	ggtgcagtga	gccaagatca	63420
cgccacaaca	ccccagcctg	ggtgacagag	caagacccca	tctcaaaaaa	aaaaaaagaa	63480

34/122

aaaaaaatca	cacaaacaca	cttctcttca	tattctcttt	ccaagtttta	tttttctcca	63540
gaatacttta	cattgtttta	atggaagttc	tccgtttccc	cccaactaga	atggatactt	63600
cctgcaggta	ggcactctag	tcctcccatc	caagtactaa	ccaggctcaa	ccctgcttag	63660
cttctgagag	caggggagat	caggcctggt	caggggtggt	tggcccagga	attttgattc	63720
tgtttttattc	attgctgttc	tgttgattct	cttttgttcc	tcctcctagt	gctgagaaca	63780
ctacttgtac	ataataagca	ttcaataaat	atttgttgaa	tgaatgactt	gttgaatgaa	63840
ttaatctcag	aaatgcagga	ctgggtctac	attagaaaaa	ttttcaaggt	cattctctgt	63900
tgtcgttaaca	cattaagaga	ggaaaatttt	gtactctaaa	tcatttgata	aaatacatac	63960
tgattttctgt	tttcaaaaaa	tcttagtggt	tgggcgaggt	ggctcacatc	tataatccca	64020
gcatttttggg	aggacgaggt	gggcggatca	cttgaggtca	ggagtttgag	accagcctgg	64080
ccatcatggt	gaaaccctat	ctctactgaa	aatagaaaaa	ttagccgggt	gtggtggcgc	64140
atgcctgtag	tcccagctac	ctgggagggt	gaggcaggag	aatggcttga	accggggagg	64200
cggagggttgc	agtgaagcaa	gatcatgcca	ttgactcca	gcctgggtta	cagagtgaga	64260
ctccatctca	aaagaaaact	cttagtgagt	ttaggaatcc	aaggaagacc	ctcaaaactaa	64320
atagataatc	tagctaccag	aagccttcag	taaaccttaa	cactccatgg	tgaacaatta	64380
gaaacattcc	tactaaaaga	caggctaaga	atgcctgcaa	tcttcacggc	tagtccaaga	64440
agtcaaaaag	aagaaatgag	cgctgattta	aaaaaataaa	caaacaaaaa	actaccgatg	64500
cagagggttgc	cagcaaggac	tgaaggactg	tacagtactt	gcctggagca	ggcggatggc	64560
cacacccctg	cgaagcctgc	tcagctgggt	gggggacgct	ccagtgtgtg	agtggcagga	64620
tgcaggggtac	ttcctctgcc	agggagtgtg	actggggaga	tcctccccc	ctcacacttt	64680
ggcagctggg	gcttttgaat	gtgacttagc	ttctgtcaaa	gggtcaatcc	accctttgat	64740
atatgatgca	aaggcgaaca	tatgatgcaa	aggtgagaga	acagcccaaa	ttaggacttt	64800
taccacaggt	gtggagggtg	acagcgacag	tgggtgggccc	tggccagact	tttcatgctc	64860
aaaggtgctg	gttgttcttc	ctacttcttg	tcctccccag	gcttcctttg	cctgtgtgct	64920
gaacctgctt	cttttaattt	tttttaactt	ttttaaattt	ttaattgttt	taattaaaac	64980
aaattttgaa	aactgtctga	acctgctttt	gaaccctgct	atgatttgaa	tgtttgtccc	65040
ctgccaact	gattttgaaa	cttaatctcc	aaagtggcaa	tattgagatg	gggctttaag	65100
cagtgcactg	atcatgagag	ctctgacctc	atgagtggat	taatggatta	atgagttgtc	65160
atgggagtg	catcagtggt	tttataagag	gaagaattaa	gacctgagct	agcatggctc	65220
ccccttcacc	atgtgatata	ttacactgcc	taggggctct	gcagagagtc	cccaccaaca	65280
agaaggtctc	caccagatac	agctcctcaa	ccttgtactt	ctcagcctct	gtaactgtaa	65340
gaaataaattg	ccttttcttt	atgaattacc	cagtttcaga	tattctgtta	taaacaatat	65400
aaaacgaact	aaggccaaact	ctcatgattc	tactgccatg	ccattccaat	aaactccctt	65460
tatgcttaag	agagccagag	ttggccaggc	gtggtgactc	acgcctgtaa	ttccagcact	65520
ttgggaggcc	gaggcagggtg	gatcacaagg	tcaggagatc	gagaccatcc	tggctaacac	65580
ggtgaaaccc	cgtctctact	aaaaatacaa	aaaaattagc	tgggcgtggt	agtgggtgcc	65640
tgtagtccca	aggctgaagc	aggctgaagc	agcactccagc	tggcgtggac	ccaggaggcg	65700
gagcttgacg	tgagtcgaga	tcgtgccact	gcactccagc	ctgggtgaca	gaatgagact	65760
ccgtctcaaa	aaaaaagaga	gccagagttt	atttctgttg	cttgcaacca	agaaatctgg	65820
ctgggtgact	gaagtttcca	taaataatag	caattttaaag	actctttcca	agccaggcaa	65880
tgcctagcct	tgtgtagtcc	ttgtggtaat	acattcattc	attcatttgt	tcaaccaact	65940
gtgctccaga	gactaagaat	acaaaaatgg	gggcccgggtg	tgggtggctca	cacctataat	66000
cctagcactt	tgggaggccg	aggcaggtag	atcacctgag	gtcaggagtt	cgagaccaac	66060
ctggccaaaa	tgggtgaaacc	cctactctac	taaaaaataca	aaaaattagc	tgggggtggt	66120
ggcgacaccc	tgtaatccca	gctactcgtg	agactgaggc	aggagaatca	cttgaaccgc	66180
ggaggcagag	gttgacagtga	gccgagatcg	caccactgca	ctccagcctg	ggcaacaaga	66240
gcgaaactcc	acctcgaaaa	aaaaaaaaaa	aaaaaaagag	ggccggggct	ggcgcgagt	66300
gctcacgcct	gtaatcccag	cactctggga	ggccaaggca	ggagaattac	gaggtcagca	66360
gactgagacc	agcctgacca	acatggtgaa	accccatctc	tactaaaaat	acaaaaatta	66420
tccgggcgtg	gtggcgacac	cctctagtcc	cagctacttg	ggaggctgag	gcaggagaat	66480
cgcttgaacc	cgggaggcag	aggttgacgt	gagccgaaat	catgccactg	cactccagcc	66540
tgggtgacag	agtgaactc	cgtctcaaaa	aaaaaataaa	aaaaaataaa	gaattcaaaa	66600
attgtagagt	tatagtgtgc	ttctagttaa	gttgagagga	catctgtcct	tcaagggaag	66660
ctagaatcta	taccctgagt	ccttactgaa	atcaatccag	cagtcaaaac	atgggacca	66720
cgatcacagc	agtaagatag	gaagagcacc	tttgtacatt	tagctcatgt	tgagataagc	66780
cactgacaga	gctgaaggaa	gctcacagtt	ctgggttcca	tcctttggca	tttaaaaaaga	66840
aaagtgtctaa	gaaaattcgg	ttggtcacgg	tgggtcacgc	ctgtaatccc	aacactttga	66900
gaggccaagg	caggcagatc	acgaggtcag	gagttcgaaa	ccagcctggc	caacatgggtg	66960
aaaccccgctc	tctactaaaa	acagaaaaat	tagccgggca	tgggtggcgca	tgccataaat	67020
cccagctact	caggaggctg	aggcaggaga	attgcttgaa	cccggggagg	ggaggttgca	67080

35/122

gcgagtgaga	gcaggccact	gcactccagc	ctgggagaca	gagcaagact	ctgtctcaaa	67140
aaaaaaaaag	aaaaaaaaagaa	agaaaggaaa	aaaagaaaga	aaaaaaaaaga	aaaaagaaaa	67200
ttcaggccag	gccaggcctg	gtggctcaca	cctgtaatcc	caacactttg	ggaggctgaa	67260
gcgagacggt	gccttagccc	aggagtttga	gaccagcctg	agcaacatag	cgagaccctg	67320
tctctataaa	aaaaaatttt	tttttggcca	gacgcagtg	ctcacgcctg	taatcccagc	67380
actttgggag	gccgaggcag	gtggatcacg	aggtcaggag	atggagacca	tcctggctaa	67440
cacggtgaaa	ccccatctct	actaaaaaat	acaaaaaatt	aaccgggcgt	ggaggcgggc	67500
gcctgtagtc	ccagctactc	gggaggctga	ggcaggagaa	tggcgtgaac	ccgggaggcg	67560
gagcttgacg	tgagccgaga	ttgcgccact	gcactccaga	ctgggagaga	gtgagactcc	67620
gtctcaaaaa	aaaaaaaaaa	aaaaaaaaat	taattgtcag	gtgtgctggc	atgcagctgt	67680
agtcctagct	actcgggagg	ctgaggtaat	acagatcgct	gagcccagga	gttcaaggct	67740
gcagtaatag	tgctctctac	tctaccctgg	gtgacaatga	gaccctctct	caaaaagaaa	67800
gaaaaaagg	aaagaagaaa	agaaagaaa	aaagagaaga	aaggaaggaa	gaaagaaaga	67860
aaaagaaaag	gaagggaagg	agaagaaaaa	aaaagaaaga	aagaaaagag	agagaagttc	67920
aaagaccaaa	gggtcaggat	cccaaaatag	tttttatggt	ttattttatt	attttacttat	67980
ttatttttga	gcagtagtgg	ctctgtcgcc	caggctggag	tgcaagtgat	cgatttgcggc	68040
tactgacg	ctccaaactg	ggctcagggt	gccctccac	ctcagcctcc	cgagtagctg	68100
ggaccacagg	cgcgtgccac	catgccagc	taatttttta	attctttgta	gagatgaggt	68160
ctctatatgc	tgcccaggct	ggctctgagc	tcctgggctt	aagccatcca	cccgctctggg	68220
cctcccaaag	tgtcgggatt	acagaagtga	gcaccccgcg	ctaactcggg	ggtttgtttg	68280
tttattgacg	gggtctcgct	gctgccagg	ctggagtggc	agtggctgtt	cacagggtgca	68340
gtcctggagc	attgcatcag	ctcttgggct	ctagcgatcc	tccagagtag	ctgcagctgg	68400
gattccaggc	gcgccaccgc	gcggggctca	gaatgggttt	ttatatgtag	ggttatgctg	68460
ccacctagag	gatatatgta	gtaccgaact	gtgtgcgag	ggaggctgag	gttgcaagta	68520
gccaaagatga	tgccaggggca	ctccagcgtg	ggtgacagag	caagatttca	tctcaaaaaa	68580
aaaaaaaaaa	aaaaaaaaaa	aagaattgaa	agtaagggtct	tgaagagata	tttgtgcctg	68640
tatggtcata	gcagtatata	ctttgaccca	ctagctaaaa	cacaaaagca	acatgtgtct	68700
gtcagcagg	gaacggataa	acaaaatgtg	gtatataatgt	acaattgaat	attattcagc	68760
ctttaaaaag	gaataaaaag	ctggatgcgg	gggtcacgc	ctgtaatcct	aacactttgg	68820
gagactgagg	tgggtggatc	acccgagggt	aggagtttga	gaacagcctg	gccaacatgg	68880
tgaacttca	tctctactaa	aaatactaaa	attagccggg	catggtggca	cttgtctgta	68940
atccaagcta	ctggggaggc	taaggcagga	gaattgtctg	aactcaggag	ccggagggtg	69000
cagtgcagct	agatggcacc	actgcactcc	agcctgggca	acagagttag	actccatctc	69060
aaaacaaaca	aacaaaaaat	tattatttcc	aaagaaacaa	gaccctgggt	ccattttcca	69120
gcccacacct	gatgttgact	cacaacacac	agcctgggtt	gctatgagcc	tgcttcattt	69180
aatgtgcacc	ttaacttcac	atcacctca	agtccctgaa	taactctttg	ctgacctttg	69240
tgtgtgagc	catctccatg	tcgctcaacg	tcactgccct	ctcactgcac	tgagtcaata	69300
gccagacgtg	gtctgactgc	agggtcatcc	ttggtggctt	aggctgactc	gggcatagca	69360
gggtgctctg	agacctcacc	gcatataggc	tttggcccca	ataaactcta	tataatattc	69420
atattatgtg	gtctgggtgt	gtgtagcttt	gcaactgtct	ctcgtgacag	tgccctcaac	69480
ctctttccca	ggatttccct	ctctacctcc	tcaagtccca	ctgctctgca	aagaccaaaa	69540
gctgcagagt	cccagctccc	tcctttacac	cccacgacgc	agcctcctct	ctcagaaccc	69600
tttaaacaga	gtcttttact	gcagatccca	agaacagcca	caccctctct	tcccaccac	69660
tccagacaca	cccaggtaat	tatagcacc	agggtaacta	tgtagatgga	gtccctggaa	69720
catgtggata	gtgccccctg	ggagtatgca	aaagcaacat	tgctggcacc	tgcaagaaac	69780
aggggtgacat	ccaggaatca	gagcatgggc	ctctgggagg	tagggatgtg	gccaggcagg	69840
ctgccaaaaa	ttggtagagc	aaggccacag	gatctttctg	accttccttc	caaacagagg	69900
ctcctgtact	gggtgatccct	gtgttgattg	accactccct	tcctgggggt	cgtggtctct	69960
gtcccagttg	cccggacttc	tgtgagtgtc	ctactgaggt	ccttttcatg	agaagcatgc	70020
tgtccttcca	cctgctggga	gcaagagtga	caacttcaat	actataatag	cagtggcata	70080
cagagaagaa	gaaagatgaa	gtggcaagaa	aaacaggctt	ccaagcagga	gtttttctat	70140
aaaaacaaaa	acgtttacaa	gcaaactttt	tataaagggc	tagatagtaa	atattttagg	70200
ctttgagagc	cacatagact	tgtttgacag	gactcaatgt	cgctattgta	gtttgaaagc	70260
agccatcagg	gttatgtaaa	tgagtgcgtc	tgattttgtt	tcagcaaaat	tttatttacc	70320
aaaacagaca	atgagtgggc	tggatttggc	ccatgatcct	tagtttgcca	actcctgctt	70380
tgggctcacc	cagatctgat	tttgaattct	ggctctgcta	ctgggttagct	gcaggagctt	70440
ggaaggctct	ctgagcctgt	ttcctcatct	gtaaaattaa	agcaataatt	tctaactact	70500
aagagtgtta	cctcacgcct	gtaatccag	cctattggag	gctgaggcag	gcggatcacc	70560
tgagggtcaga	agttcaagac	cagcgtggcc	aacgtggcaa	aaccctgtct	ctactaaaaa	70620
atacaaaaag	tagccgggca	tgggtggcgc	catctgtaat	cccagctact	tgggaggctg	70680

36/122

aggcagggat	actgctagaa	cctgggaggt	ggagcgtgca	gtgagtggag	atcacacctc	70740
cacactccag	cctggccgac	agagcggagac	tccatctcaa	aaaaaaaaaa	aaaaagagt	70800
ttagaagggt	ttgagataat	gaataaaaaga	tgccttggtg	atactaagta	ttcaacaact	70860
gatagctgca	ttggtctaata	tataacaggt	tagaagcgat	tgagtcaaca	aatgctggat	70920
ttgtcagggga	ggacttccta	tcaggaggta	gatcttgggc	tgagtcctga	agcaaagata	70980
ggcattggat	agaggagttg	agagaacacc	ctaggactgt	tattattatt	attcgacacg	71040
gagtcctctg	ctctgtcacc	caggctggag	tgcagtggcg	cgatctcggc	tcactgcaac	71100
ctctgcctcc	cagggtcaag	cgattctcct	gcctcctaag	tagctgagac	tacagggtg	71160
tggccaccaca	cccggctaata	ttttatattt	ttagtagaga	cagagtttca	ccatggtggc	71220
catgctggtc	tcgaactcct	gacttcagg	gatccaccgc	cctcagcctc	ccaaagtgt	71280
ggataaacag	atgtgagcca	ccgcaccgac	cccagaacca	tttttcaatc	cttgggtctg	71340
ccctttatta	gctgcaagat	ctcaggcaat	ttattttaacc	tctccaaaga	ctcattttct	71400
cattcacaata	atgaggcaaa	taataatatc	tactatccca	ggttgtcatg	agaattaaat	71460
gcaacatgac	atttaaatgaa	atgagaagtc	ccttggacat	taactggcta	aagtatgtgc	71520
tcgacaaggga	tatcatttta	ggtggatact	tagcatctca	gaactgatgc	tcacaatgga	71580
atatcattga	aacgcattaa	aattcatttt	aaatgattgt	aggtagttag	gcaattgaaa	71640
gaagaaagaca	agaggactga	ttataatgct	tcaggctcac	tagtctcctt	ttaggaggga	71700
aaaacatttt	caagttaaat	tttaggctct	agatttttac	ccctgctgct	cattagaatc	71760
acccaatttg	atgaaatcag	agcccatctg	aggctgtgtt	tttcatctcc	agaatgagag	71820
ctgttggagg	gattaagttt	ttgaaaaagt	acatctaaca	ggtgatcgaa	aatgatagt	71880
atattattgc	agtgatggtc	attattgttt	ttattattat	actgaaagag	gcttcagttt	71940
tctgactcct	aaagttaggg	aattgcatga	gaccattgct	aagattcctt	ctagctctgt	72000
tttttttttt	ttgtttttta	gacagagtct	ctgtcgccca	ggctggagtg	caatggcatg	72060
atcttggctc	actgcaacct	ccgcctcccg	ggttcaaatg	atcctcctgt	ctcagcctcc	72120
gaagttagctg	ggactacagg	cacacaccac	catgccccagc	taacttttat	atttttaata	72180
gaggttgjgg	ttcaccatata	tggtcaggct	ggtctcaaac	tcctgacctc	aggtgatcca	72240
cccgcctcgg	cctcccaaca	tgctgggatt	acaggcatga	gccactgtgc	ccaacccctt	72300
ctagctttct	tgatcactga	ttctagggtt	ctctgctgaa	atatatttga	gacatcctgg	72360
ataaaagtc	tcccaatagc	ttccaatatg	gtatttaata	tgattctcgg	aggcttagct	72420
actcctgatg	gatttagacat	gactcaactg	cctctcttat	gtgtacaaca	caacaacaca	72480
accaagaaag	gttattcttg	cattccattt	attcagttta	tttacagccc	ttacttccag	72540
cagcacgtta	aagatatggc	caggggccggg	tgcatgggtt	caagtctgta	atcccaggac	72600
tttgggaggc	caaggtgggc	ggatcacaaag	tcaggaggtt	tgagaatctg	gcaattcttc	72660
agacttagaa	gcaaccagct	cgataacaca	gtcttggttg	ggctctccct	ctgtccctcc	72720
ctcgtctccc	tcattttctca	tccttgcccc	tgagactgtg	caccttcaca	tagccctgcc	72780
atgagacctt	catctcaggc	tttgctttct	ggggtaactg	aggctaaaaca	ctgagtggcc	72840
ctaaaagagg	attgggattt	ggaagttaga	ttattcacca	gagaacagac	tttgctgatg	72900
atcaggccca	ggttgtaatt	gttgaaaaaa	agagaggatg	catagtctta	tctcatctcc	72960
tagtcaaggt	caacaccatg	ataaataaga	gtcaaactct	gagatgtgaa	ttggggacat	73020
ttgagtgggt	aaccctgaga	agcttgcaac	ttcagacccc	tcaatacccc	tgctccccag	73080
agaaggctgg	acattgacct	cagcacaggc	aggagccctg	caagatgcca	tttgtcctac	73140
taaagatgga	cccctccact	ctgtttctag	gtaaataaac	aaagtcaagt	ctccacacag	73200
cctgagcaag	aaagttagag	cctgctacag	gagaaaatac	cacactggcc	aaaggattca	73260
ctagccctgg	ccactgtgtg	tgggaggaac	cagggaatca	tgtgtgggag	tcaatgttga	73320
agctgttggg	ctgggggttg	ggtggaatat	aagcctggcc	ctggggagtt	tttcccgttt	73380
gagggccttt	acccacaact	caagatccag	tgctatagca	ggagatccca	gagctagtcc	73440
taacagatgg	tcaggattga	acttggccta	gagtaaaatg	aggaggatag	tgccagaact	73500
ttctcaacat	actattgagg	aagaggtcag	aaggcttaag	gaggtagtgt	aactggaaaag	73560
gggtcctgat	ccagacccca	ggagagggtt	cttggacctt	gcataagaaa	gagttcgaga	73620
cgagtccacc	cagtaaaagt	aaagcaattt	tattaaagaa	gaaacagaaa	aatggctact	73680
ccatagagca	gcgacatggg	ctgcttaact	gagtgttctt	atgattattt	cttgattcta	73740
tgctaaacaa	agggtggatt	atttgtgagg	tttccaggaa	aggggcaggg	atttcccaga	73800
actgatggat	ccccccactt	ttagaccata	tagagtaact	tcctgacgtt	gccatggcgt	73860
ttgtaaaactg	tcattggcctt	ggagggaatg	tcttttagca	tgttaatgta	ttataatgtg	73920
tataatgagc	agttaggacg	gccagaggtc	gctttcatca	ccatcttgg	tttgggtggg	73980
tttggccggc	ttcttttatca	catcctgttt	tatgagcagg	gtctttatga	cctataactt	74040
ctcctgccga	cctcctatct	cctcctgtga	ctaagaatgc	agcctagcag	gtctcagcct	74100
cattttacca	tggagtgcct	ctgattccaa	tgctctgac	agcaggaatg	ttggaattga	74160
attactatgc	aagccattgg	aggacacagc	cttcattagg	acactggcat	74220	
ctgtgacagg	ctgggtgggtg	gtaattgtct	gtggcagctg	ggagatgcta	74280	

37/122

ctactgtaag	atatgacaag	gtttctcttc	aaacaggctg	atccgcttct	tattctctaa	74340
ttccaagtac	cacccccgc	ctttctcttc	ctttctcttc	tttctgattt	tactacatgc	74400
ccaggcatgc	tacggcccca	gctcacattc	ctttctcttc	ttaaaaatgg	actggggctg	74460
ggcgcggtgg	ctcatgcctg	taatccagc	actttgggag	gccgaggcgg	gcggatcatg	74520
aggctcaggag	atcgagacca	tcctggctaa	cacggtgaaa	ccccgtctct	actaaaaatg	74580
caaaaaacatt	agccaggcgt	gggtgcaggt	gcctgcagtc	ccagcggctc	aggaggctga	74640
ggcaggagaa	tggcgtgaac	ctgggagggtg	gaggttgcaa	tgagccgaga	ttgtgccact	74700
gcaactccagc	ctgggtgaca	gagcgagact	ccgtctcaaa	aaaaaaaaaa	aaaaaaaaaa	74760
tagctgggca	tgggtggcgcg	tgccctgtaat	accagctact	ctggaggctg	aggcaagaga	74820
atcgcttgaa	cccagtaggc	ggaagttgca	gtgagccgag	atcttgacac	tgcaactccag	74880
cctgggtgaca	gagtgagact	ctgtctcaaa	aaaaaaaaaa	agaaaaaaag	agacagaaag	74940
aaagagcaca	gacagagtca	caggtatttg	cagtaggaag	ctgtcagggt	agagtgcacg	75000
gaaatagaaa	gtatatattta	cacttacagc	acatcttcgt	ttgattagcc	acatttataa	75060
tactgaatag	caacgtgtgg	ctatttagta	ttcactaaaa	tcttgagacag	tgcaagtcta	75120
aagaatcctt	gatccgtccg	gcatgggtggc	tcacgccttt	aatcccagca	ctttggggagg	75180
ccaaggtgga	ctgggtcactt	aaggtcagga	gttcgagacc	agcctggcca	acatgggtgaa	75240
acctcgcttc	tactaataat	acaaaaaa	ttagccgggc	atgggtgggtg	atgcctgtaa	75300
tcccagggtac	ttgggaggct	gagggcaggag	aatagcttga	atccaggagg	cgctgcagtg	75360
agccgagatc	atgccatgcc	actactgcac	tccagccctg	gcaacagagt	gagactgtct	75420
caaaaaaa	aaaaaaattg	ttgggcgtgg	tggtctcacg	ctgtaatccc	agcactttgg	75480
gagggtgagg	gggggtggatc	acctgggttc	tgaggttcga	gaccagcctg	gccaactggg	75540
tgaaacccca	tctctactaa	aaatacaaaa	attagctggg	cggtggtggg	ggcacctgaa	75600
atctcagcta	ctcaggaggc	tgaggcagga	gaatttcttg	aacccaggag	gcagagggtg	75660
cagtgcagcca	agatcgcgcc	tctgcactcc	atcctgggtg	gcagagcaag	actatgtctc	75720
aaaaaaaaaa	aaaaaaatc	ttgattgtct	ggacattctg	cagaacatca	tatggagaca	75780
ctatgttgac	gacatcatgc	tgatttgtaag	caagaaatgg	caagtgttcc	agaaacacag	75840
tcaagacaca	tacatgccag	aaggtgagat	ataaactcta	ctaagattca	gtggcctgcc	75900
acactgggtga	cattttttaa	cctgctagat	gtttgtgtag	aaaaggattt	aaccttgccc	75960
aaagaggggt	ctggcctttg	tccccagcta	ctggacataa	tctcttttaa	ctcttgaaat	76020
atcattcctg	atagaagtat	ttttgttttg	actaggggccc	ttgggcccagc	cagatagcaa	76080
caatgtgatc	tgggttgggg	gctttggatc	aggtggcatc	agtgtgacct	cctgagtggc	76140
tagagactag	aatcaaccac	atgggagac	aacccagctt	acatgatgga	attccaataa	76200
agactttgga	cacaagggtc	tgggtaagct	ttcctgggtg	gcaatgctct	atactgggaa	76260
acccattctg	actccatagg	gagaggacaa	ctggatattc	tcattttggtg	cctccctggg	76320
ctttgcccta	tgcatttttc	ccttgtctga	ttattattat	tattatgaga	tggaatctcg	76380
ctctgtcacc	caggctggag	tgcatgtgaa	tgatctcaac	tcactgcaac	ctctgcctcc	76440
ccggttcaag	cgattttctc	gtctcgccct	cccagtagc	tgggactaca	gatgcatacc	76500
accacacccg	gctaattttt	ttgtattttt	agttagagacg	gggtttcacg	ttagccagga	76560
tgggtctcgat	ctcctgacct	catgttccgc	ctgcctcggc	ctctcaaagt	gctaggaata	76620
catgtgtgag	ccaccgcgcc	cagccccctt	ggctgattat	taaagtgtat	ccttgagctg	76680
tagtaaaatta	tAACCGTgaa	tataacagct	tttagtgagt	tttgtgagca	cttctagcaa	76740
attatcaaac	ctaaggatag	ccttggggac	ttttgtagtt	gcagttgggtg	tcagaaataa	76800
gggtgctcat	gtgtgtacca	tgccctctaa	ttttgtagtt	aattaacttt	cacaacttta	76860
ttattaccgc	ttacactcaa	tgttttattca	catttatcca	cataccactt	attctagtgc	76920
cttgcatcaa	agacttttcta	tctcatgtac	tttattctgc	ttgaagtaaa	tccttttagga	76980
tattcttttt	ttttttttaa	ctttgcacat	acatactttt	atttttttatt	tatttttaatt	77040
tttgttattt	ttgtgggtac	gtagtagata	tatgtattta	tggagtacat	gagatgtttt	77100
gatacaggca	tgcaatgtga	aataagcaca	tcatggagaa	tggggtatcc	atcctctcaa	77160
gcaattttatc	cttcaagtta	caaacaatcc	aattacactc	tttaagtatt	tttaaaatgt	77220
acattttaatt	ttgtattgac	tagagtcact	ctgttggtct	atcaaatata	attttttttt	77280
tttttgagac	agagtctcac	tcagtggccc	agactgaaaag	tgcaagtggca	caagctcggc	77340
tcacttcaat	ctctgcctcc	ctgggtcaag	cgaatctcct	gcctcagcct	cccacatagc	77400
tgggattaca	ggcacacacc	accatgcccc	gctaattttt	atattttttt	agtagagacg	77460
ggttttcgcc	atgttgccca	ggctgggtctt	gaactcctgg	cctcaaatga	tctgaccacc	77520
tcagcctccc	aaagtgttag	gattacaggg	atgagccacc	acacctggcc	aaaatagaat	77580
attcttttagt	gaggtctgct	ggtgacaatt	tttttctttt	ttttgagact	gagtctcgct	77640
gttgtcagct	tgggtctggag	tgcaatagca	cgatctcagc	tcactgcaac	ctccacctcc	77700
cggattccag	caattctcct	gcctcagcct	cccaagtagc	tgagagatta	caggcaccca	77760
ccaccacagc	ggcttaattt	ttgtattttt	agtagaaatg	gggggtcacc	gtgttgccca	77820
ggctgggtctc	gaactcctga	cctcaggtga	tccaccacc	ttggcctccc	aaagtgtctg	77880

38/122

gattacaagc	atgagccacc	acgcacagcc	aattttttcc	gtttttgtct	gaaatcttat	77940
tttgtgtcat	ctttgaaata	tattttttgat	ggatataaaa	ttgttggttg	atagttatta	78000
tcattattat	tattattttg	agacagggtc	tcactctgtt	gcctatgctg	gggtgtagta	78060
atgtgatctc	ggttcactgc	agacttgacc	tcctagggct	cagggtgatct	tcccacctca	78120
gcctccctag	tagctgggac	tacagatgca	tgccaccata	cccaactaat	ttttctattt	78180
tttgtagaga	tgaggctttg	ccacatttcc	caggctggtc	tctaactcct	gagctctagc	78240
aatccaccca	ccttggcctt	acaaagtgtc	ggggcatgac	tagccagcag	ttacttttta	78300
tagcatattg	aatattttaat	atgaatcttc	tggcatccac	tgttaactgtt	taaaaaatca	78360
gctgtttact	tggcactctt	tttttttttt	ttttttttga	gacagagtct	tgccctgtcg	78420
cccaggctgg	agtgcagtgg	cgtgatcttg	gctcactgca	agctctgcct	cccgggttca	78480
cgccattctc	ctgcctcagc	ctccggagta	gctgggacta	aaggcgcccg	ccaccacgcc	78540
cggctgattt	ttttgtattt	ttcgtagagt	tggggtttca	ccgtgttagc	caggatggtc	78600
tcgatctcct	gacctcgtga	tctgtccgcc	tcggcctccc	aaagtgtctg	gattataggc	78660
gtgagccacc	gcgcccagcc	tctttttttt	ttttttttga	acggagtctt	actctgtcat	78720
ctaggctggt	gtacagtggc	gtgatctcag	ctcagtgcaa	cctccacctc	ctgcctcagc	78780
ctgccaaata	gctgggatta	caggtgcgta	ccatcacgcc	cggctaattt	ttgtattttc	78840
agtagagatg	gggtttccacc	atgttagaca	ggctgggtctc	gaactcctgg	cctcaagtga	78900
tctgcctgcc	ccagcctccc	aaagattaca	ggcatgagcc	accgcacccg	gccaagttagc	78960
actcctttga	aggtaactctg	cttcccctac	ccctagcaat	ttttaacaat	ttttcttcat	79020
ttttatttcc	tttaagttttg	ttattaataa	tctgtgtgca	gatttctttg	tatttctttt	79080
gtttgcagtt	catagtgatt	cttgaattag	tgtgttggtt	tctgttatca	ccacaggaaa	79140
attgtcagcc	gttagctttt	caaatatttc	cttgctaaat	tctctcttct	cccctttcgg	79200
tacaattgat	ttgattaaaa	ctaaaaccag	ggccgggtgc	agtgactcat	gcctgtaatc	79260
ccaacacttt	gagaggctga	ggcaggtgga	gcacctaagc	tcaggagtct	aagcacagcc	79320
tggccaatat	ggtgaaaccc	cgtctctact	aaaaatacaa	aaattaccag	gcatgggtggc	79380
acacatttgt	agtcaggagg	ctgaggcagg	agaattgctt	gaatccagga	ggtggagggtt	79440
gcagtgaagt	gagatcccac	cactgcagtc	tggcctgggc	gacagagtga	gatgagaatc	79500
tgtctcgaaa	aaaaaagtta	tgaatgtttg	ataaactata	ttgttagaa	tgtttgttgt	79560
agaatactat	tcattgattt	ttaaacaatg	ttagattaaa	ccattcactg	gatttgtgat	79620
aattaactta	ctgattttac	ctcactgatt	tgttgtaatt	aatacaactg	gtataaaaaag	79680
actgtgacga	ggccggggcat	ggtgggtccc	gcctataatc	ccagcacttt	gggagggtga	79740
ggcaggcgga	tcacctgagg	tcaggagttc	aagacagcc	tgaccaacat	ggtgaaaccc	79800
catctttact	aaaaatacaa	aattagccgg	tcgtgggtgt	gcatgcctgt	aatgccagct	79860
cttcggggagg	ctgtggcagg	agaatcactt	gaacccggga	ggtggagggtt	gcagtgaagg	79920
gatatcgccg	catttgactc	cagcctgggc	aacaagagcg	aaactccgtc	taaaaaaaaa	79980
aaagaaaaaa	aacacataaa	acaaaacaac	actgtgacgg	ttcccaaaaa	ttaggagcat	80040
aattaaagga	actcctgata	aaaatttaatt	ttatcttaca	tgtaaactaa	aatgacttta	80100
tgaagttaat	tcagaaatac	aatgcagggt	attagtttgc	cacagctgcg	tattcagcct	80160
aatgtaatat	tcttgttatt	tttaaaattct	tcttttaact	ttactcatat	gtggatcatc	80220
aaattttcaa	agattaaatg	acaatactct	tagcagcaag	cttccctaag	catataaaca	80280
tttttaattggg	tgatgattca	gaaggtaacc	gaagaatatg	tactgccaga	tatcattcac	80340
ccccatatac	ctgcccgcga	gacatcccat	tttgggaccc	tggataaatg	tgtgggtgga	80400
gagaaagata	ggagaaagtg	gtataagcaa	atggctttgg	agtctgattg	acagcgattg	80460
aaatcctgtc	tctacctctt	aacagcctca	tgatccatca	taagttaccc	cgatccctcag	80520
ggccacatct	gtaaattggg	ggttgcgatg	gcagcctctc	cacagggtct	ctttccgggg	80580
aagggcagga	attatggatt	aagtgcagct	gttaattgtaa	agcacttaat	acaaggagggg	80640
cgcataataa	gtacttcata	aataatgacg	gccattatca	tgactgaggt	gtatgcagct	80700
gtcgggggatt	acggcgactt	cagaatttct	ggtgggcagg	gctcaaaggc	agcaaatcac	80760
actggaagtc	gagggtgagg	actgcttctg	cacagactgc	ttagctggag	agaatgagga	80820
aggcttagag	gagatttaga	ggaacttaga	gtcctccgcc	tccaactctg	tgggatctgc	80880
tcccgtgcc	gagacattca	ggggatttct	cgcactctcc	cctcccctac	gtccctcccg	80940
ccccatccaa	ctaaccacac	aacacataca	aaatagcccc	tgcgagggtc	tgcacgctgg	81000
aagggaacag	gagaaggggc	ctgcgctttc	ttgctgatgc	cctgtacttg	ggccccgggt	81060
agacacagcc	acttgtcccc	tcagcctgca	gagaaatccc	acgtagaccg	cgccccgggtc	81120
cttggtctca	gccaatctcc	ctttggtggg	ggtgggatgc	acgatccaag	gttttatttg	81180
ctacagacag	cgggggtgtg	tccgccaaga	acacagattg	gctcccaggg	gcactctcga	81240
tccctggtgt	ggcgccgctc	agcctcccgg	tgcaggcccg	gccgaggcca	ggaggaagcg	81300
gcccagccgc	gtccattcgg	cgccagctca	cctccgagct	ccggagcctc	tgccagcgct	81360
gcttccgctc	agtgcgcctg	gacgcgctgt	ccttaactgt	agaaaggctt	caccttgaaa	81420
tccaggcttc	atccctagtt	agcgtgtgac	cttgagcagt	tgactttatt	tttcagtgcc	81480

39/122

tagttttcca	gataaccagga	ctgactccaa	ggactattac	tcatctggag	ggtttagcac	81540
agtaccgtcg	catagtaaat	ttccatgtca	gttttgggta	cctttcatgc	acttgcaaac	81600
atgccatgct	ctgaaacgaa	ataggcacat	cttttttttt	ttttttttta	aggagtcttc	81660
ctctcgccca	ggctggagtg	cagtggcgcg	atcttggtct	actgcaacct	ccacctcccg	81720
tgttcgagat	tctcctgcct	cagcctcctg	attagctggg	actacaggca	tgccacgacg	81780
cccagttaat	ttttgtattt	ttagtagaga	cgggggttcg	ccatcttggc	caggctgggc	81840
taactcctga	cctcaggtga	tctgactgcc	tcagcctctc	aaagtgttgg	gattacaggc	81900
ataagccact	gcatctggcc	agaaatgaaa	taagtaaatc	ttttaacctg	ctctaacaat	81960
atagtgaaaa	gaccatatta	ttattagagc	aggttaaggg	atgtgcctat	ttcgggttct	82020
agttatagtc	ttaaacttgg	acattcctgt	agaaagtaaa	aagtttctct	ttcaaagttc	82080
ccctcttgt	taaagaatac	atcataagtg	ttagaagtaa	tagtttattt	taaagactaa	82140
ctttcttcaa	gcctccttgc	tttgtgctaa	taactctttg	ttaagcccta	tcctatgtaa	82200
ctgttggaca	tgctcacagg	cacgttccag	ttcacagcct	atgccccctc	cttatttgga	82260
aatgttattg	cttctctaaa	cctttcggta	agcaactctc	tctccttctt	cgttcttctt	82320
tgaccttacc	tttttaggaa	gttttaggct	attagcaaat	cggctatcag	tttaagagtg	82380
tgaggtcccg	ctccagccaa	tggatgcagg	acatagcagt	gaggacgacc	caaagtgcgt	82440
agggataaat	atgtttgctt	ttcctttgtt	cagggtgtgt	ctcgacatcg	ttccatctgc	82500
gattgagcac	cctttctgca	gaaagtaaa	attgccttgc	tggagatctt	ttgtctccgt	82560
gctgactttt	cttcgtggca	ccgattatct	atttctaaca	attttgggtat	ttctaactat	82620
ctgaacaatc	ttgggttagt	tgtctcttct	gggcctgttt	ccccatccgt	cacatgataa	82680
acttcat:gg	tttaaaaacc	ccagcgaaca	tttattgagt	tactattacc	ttcctgcctt	82740
ccccaaaccc	aaccccgagg	agcagttaca	acctcagccg	ctgagcgcac	tcgcccgggtg	82800
ttaagaagca	ccaaagacag	ggaggcttga	ttgattttgc	tttgggagta	gagggctcaga	82860
agattcacag	gaaaatggca	tttgagcaag	gatgattcac	tggagctagc	ttttaaatat	82920
tggcgaggct	tttatgttgc	agtcccttac	aaagttgagc	attcgcaggg	actgcactcc	82980
gaaataagcc	cgcttcccc	tttcattcgc	taatgatcca	gggagctgct	ggttccgcct	83040
gcggcaggtt	gtgccttttc	ctaactcagg	ttctgcatcg	cctcgaaccc	gcaggccggtg	83100
gcgggttctc	ctgagggaagc	agggactggg	gtgcagggtg	aagctgctcg	tgccggccag	83160
cgctgtgag	caaaactcaa	acggaggagc	aggaggggtc	gagctggagc	gtggcagggg	83220
tgacctgccc	ttttagaagg	gcacaatttg	aagggtaccc	aggggcccga	agccggggac	83280
ctaaggcccc	ccccgttcca	gctgctggga	gggctcccgc	cccaggaggt	tagttttgca	83340
gagactgggt	ctgcagcgct	ccaccggggg	ccggcgacag	acgccacaaa	acagctgcag	83400
gaacgggtggc	tcgctccagg	cacccagggc	ccgggaaaga	ggcgcggtta	gcacgcgcgg	83460
gtcacgtggg	cgatgcgggc	gtgcgcccct	gcacccgcgg	gagggggatg	gggaaaaggg	83520
gcggggcccg	cgcttgacct	cccgtgaagc	ctagcgcggg	gaaggaccgg	aactccgggc	83580
ggcggttctg	ttgataaat	ggcggtggga	gtgcctggg	catcccagg	aggcggtggg	83640
gcccactccc	ggaagaagg	tcctttttcg	cgctagtgc	gcggccccct	tggaccggga	83700
agtccggggc	ggttgctgaa	tgagggggagc	cgggccctcc	ccgcgccagt	ccccccgcac	83760
cctccgtccc	gacccggggc	ccgccatgtc	cttcttccgg	cggaaaggta	gctgaggggg	83820
cgccggcggg	gagtcaggcc	gggcctcagg	ggcgccgggt	gggcaggtgg	gcctgcgagg	83880
gctttccccc	aggcggcagc	aaggccttca	gctagcctcg	acctcggcgc	agatggcccc	83940
tgagtgcctt	gctctgctcc	gggactcttc	tgggagggag	aaggtggcct	tcttgccgca	84000
ggtcagagga	gtattgtcgc	gctggttcag	aagcgattgc	taaagcccat	agaagtctct	84060
gcctgtttgg	ttaagaacag	ttcttaggtg	ggggtaggtt	tttttgtgtt	tctttgagga	84120
ccgtggatca	agatcaagga	aatctcttta	gaaccttatt	atggaagtct	gaagttttcca	84180
aatgttgagg	gttttatgtc	taaaagcaac	acgtgaaaaa	attgttttct	tcacccagtg	84240
ctgtcttcca	atttctctct	tgggggggagg	ggtagtctact	gctgttacta	aaataaaaatt	84300
acttattgct	aaagtctccc	aacaggaaga	ccactacttt	tgatgacttt	ggcaagtttg	84360
ctaactactg	gaaccctaac	ttacaaacga	actacttaca	tttttgattt	ccagttgtat	84420
tacctgcccc	atgtttacgt	agaaacagct	taattttgat	tctgggtaac	gttggtgcac	84480
ttcattaaaa	atacatatcc	gaagtgcagc	agtatgggtc	tgtggacagc	agtgattttt	84540
cctgtcaatt	cctgttgctt	cagataaaa	gtaccagaca	gaggccgggc	gcggtggctc	84600
acgctgttaa	ttccagcact	ttgggaggct	tggcggttgg	atcacctgag	atcgggagtt	84660
caagaccagc	ctgaccaaca	tggagaaaacc	ccgtgtctac	taaaaataca	aaattagcca	84720
gggtggtggc	gcatgcctgt	aatgccagct	acttgggagg	ctgaagcagg	agaatcgctt	84780
gaacctggga	ggcgagggtt	gcgggtgagcc	gagatagcac	cattgcactc	cagcctgggc	84840
aaaaagagcg	aaactccgtc	tcaaaaaaaa	agtaccagac	agaaatgggt	tttgttttct	84900
ttttttgttt	tgagacggag	tttcgctctt	gttgcccagg	ctcgagtgc	atggcgcat	84960
ctcagctctg	gctcactgca	acctctgtct	cccaggttta	atcgattctc	ctgcctcagc	85020
ctcccaagta	gctgggatta	cccatgcccc	accatgcccc	gctaattttt	gtatttttag	85080

40/122

tagaaacggg	gcttcaccat	gttaggctgg	tcttgaaccc	ctgacctcaa	gtgggcctcc	85140
cacctcgcc	tcccaaagt	ccaggattac	aggcatgagc	caccgcggcc	agccagaaat	85200
gggttttgg	aaaagcacta	aacaaaatcg	aacttgggtt	catatgacag	ctctgctgct	85260
aactgtaca	ggggcagacc	agttaaccta	cttttctgtc	ttctgtcagc	tgagaattag	85320
atgattccca	aaggcccat	gaactctgaa	tgactttaaa	tacttcttct	taagtgggta	85380
cacggttttg	gtaactgatg	ccagggtgat	aatgcatgaa	agtgcctaat	gaatgaaacc	85440
ggtaaaatag	taggaggaag	ctttattggg	aaggcagggg	tataccta	agctctctaa	85500
tttattggta	ttgaagtggg	taacttttgt	ttttttaagg	ggggaaaaca	ttctaagaat	85560
aatgaggcaa	actgcatatt	gcacaagaga	ctgttgtctc	tattcaacaa	ataccttttg	85620
agtgtccaga	gtctgccagg	tgtgtgtgta	ggccctcacg	attgagtagt	gaaccagaga	85680
atgtccctgc	acccatggag	cttattgtct	agggggtag	acagataata	aataagcaaa	85740
caaactcttct	ctcttctccc	tttcgctcca	tgtaatgtgt	tgtgtatagg	tgtatactta	85800
caagttgagt	aaagtgttat	gaaagattaa	gaggagaaat	gcattttggg	tagatgttag	85860
aggactcagc	aggtgacctt	gaaacttaga	gctgaaggat	cagtaggagg	taactagaga	85920
ggccagggaa	tcgcatgttc	aaaggccagg	agggcaagaaa	gagcatgggt	cccttcaaga	85980
gaggaaagaa	ggctactgtg	actggagcat	agatgtaggc	aagtgttggg	tgattgagag	86040
ctctacgggc	catggttagg	ttttattcct	aatgccgaga	tgccaaacat	ggtgggtcat	86100
atctgtaate	ccagtatttt	aggaggccga	ggcaggaata	tagcttgaac	ccaggagttc	86160
aaqaccagcc	tgagcaacat	gagacctgta	aaaaacattt	aaaaaattgc	tgggtatgat	86220
ggtgcacacc	tgtgggtccca	gctactcagg	aggctgaggc	agaaggatca	cttgagccta	86280
ggaggtggag	gctacaatga	gccatatttg	agtcactaca	ctccagcctg	gatgacaaag	86340
tgagaccatg	tgtcaaacaa	aatacagaaa	gaatattaat	ttaaaatttt	gaaagaggag	86400
tgatctgaac	ttatatctta	aaaagatcat	tctagggcat	ggtgggtcat	gcctgtaate	86460
agggcttttg	ggaggtctgag	acaggaggat	cacctgaggc	cagttcgaga	tcaacctgta	86520
cagcatagag	agactccatc	tctacaaaaa	gaaaaaataa	atagctgggt	ggtgtgagtt	86580
attcaggagg	ctgaagcaga	aagatcactt	gagcccagga	gtttgaggct	gcagtaagct	86640
atgatcccac	cactgcaaca	cagtggatct	ttgtctcaaa	aaaaaaaaaa	aatcattcta	86700
ggcgcttttt	ggaggtctgga	tgtggtaaga	gtagaagctc	gagatgggtc	tgttagggat	86760
tcgattcaga	ctttaaatac	catcaatgca	ttgagtccca	aatttacatc	actacgttgg	86820
atccttgccc	ctgaatccag	actggtatat	ccaactttag	gttcagtttg	tatctctacc	86880
tgaccaatat	agaggtgtcc	agtcttttgg	cttccttagg	ccacattgga	agaagaattg	86940
tcttgagcca	cacatagagt	acactaacgc	taacaatagc	agatgagcta	aaaaaaatc	87000
gcaaaactta	taatgtttta	agaaagttta	cgaattttgt	ttgggcacat	tcagagccat	87060
cctgggcccgc	gggatggaca	agcttaatcc	agtagatacc	ttcaacttac	aatatctaaa	87120
attttatgccc	agattttagtc	attttaaacc	tgctcatcag	tttttctcaa	gaagtagtat	87180
tttggctttt	tttcttttct	tttttttgag	atggagtttc	gctcttatcg	ttcaagctgg	87240
agtgcagtgg	cggatcttgg	ctcactgcaa	cctccgcttc	ctgggttcaa	gtgattctcc	87300
tgcctcagcc	tcgcaagtag	ctggaattac	aggcatgccc	caccatgacc	agctaatttt	87360
tggagacagg	gtttcaccat	gttgggtcagg	ctgggtttgt	actcctgacc	tcaggtgatc	87420
tgcctgcctc	ggcctcccaa	aggctgggat	tacaggcatg	agccaccgct	cccggctgca	87480
tttttggatt	tttagttgct	cagcccaaaa	ctttagtaca	tctttgaacc	tcttctttcc	87540
tcctactcta	tatctgatcc	atcagcaaat	ctgttaggtc	tacctcacac	atctcgaaat	87600
cctaccacgt	ctcaccatct	gtgacaatta	acaccctggg	ctaggcagtc	atctctgtta	87660
agattgagtg	gttaaggatg	tcctctaagg	agatgacatt	caaactcttag	cttaaatgtc	87720
aagagggagc	tggttttata	aagattgagg	aggcagcatt	attttgccat	aggcttccat	87780
ttgggtttcca	ttccattctt	gatacttatg	gtatatattc	aaaacaaatg	cacagaaaca	87840
gacccaggta	tattgggaat	ttcggtatata	gagttcctag	ttgggaaaag	atagactgat	87900
ctgtaaatga	tgctagttat	ccatcatctg	gcaaaaaata	atttctctgc	tcctctcata	87960
tatctcagat	caacagactt	tttctgttaa	gggccaaatc	ataaatattt	taggctttcc	88020
agaccatatg	gtttctgtca	cactctcctt	tatccttgaa	gccatagaca	atagttaaac	88080
aaatgggcat	ggctgtgcta	cgataaaact	ttacttacaa	aaactggtag	tgggccagtt	88140
taggcattggc	cagcactttg	ggaggctaag	gcagatggat	cacttggggg	caggagtttg	88200
agaccagcct	ggccaacatg	gtgaaacacg	gtctctacta	aaaatacaaa	aaatagctgg	88260
gcatgggtgg	gggtgtctat	aattccagct	actctggagg	ctaagacaca	agaatcactt	88320
gaaccagga	ggcagaggtt	gcagtgaagt	gagatagcac	cactgcactc	cagccagggt	88380
gacggagtct	taaagcaaaa	caaaaacaaa	ggtagtgggt	tgtatttggc	ccatgggctg	88440
tagttttgcca	atccctgatg	cagaaacaaa	ttccaggtaa	ataagagcct	ggaatgttaa	88500
aaaaacaaaa	cttgaagtca	tgtagaagaa	caggttaggg	gaacaatcct	gatctcagga	88560
taggaaggga	tattgcttaa	aataagacac	agggaaaat	aatccatgtt	gtgtaaaatt	88620
gactacgtta	aaacttaaaa	ctttcgccaa	gcgcgggtggc	tcacgcctgt	aataaccagta	88680

41/122

ctttggggagg	ccgaggtgag	cagatcacca	ggtcaggaga	ttgagaccat	cctgggctaac	88740
acgggtgaaac	cccgctctcta	ctaaaaatac	aaaacatttag	ccgggcgtgg	tggcggggcgc	88800
ctgtagtccc	agctacttgg	gaggctgagg	caggagaatg	gcctgaaccc	gggaggcgaa	88860
gcttgcaagt	agctgagatc	gcgccactgc	actccagcct	ggcgacaga	gtgagattcc	88920
gtctcaaaaa	aacaaaacaa	aacaaagcaa	aaaacctaaa	actttcatac	aataaaagtat	88980
acctaagata	cttctagaag	agaagattta	catccaggac	gtgtatggaa	tttctgcaag	89040
taataagtaa	aagacaaggg	acatgaagag	gcagttcaca	aaagaggaag	ccaaaatgac	89100
caataaacat	gaaaggatgt	ttaacctcaa	aggaaaacaag	gaaatgaatt	aaaaacatca	89160
aatgccattt	caaaaactagt	aagttggcaa	aattaaaaat	accaaggatg	agaatatgaa	89220
gcattggctat	atgagtgcag	ggaatgggtc	agtcactttc	attaaaaatg	cacataattt	89280
gtttttttatt	tatttttttg	agacagtcta	tgtcgcccag	gctagaatgc	agtggcatga	89340
tctcggtcca	ccacaatctc	tgcctcctgg	gttcaagcaa	ttctcctgcc	tcagcctcct	89400
gagtagctgg	gattacaggc	acatgccaca	acgcccgggt	aagttttgta	tttttagtag	89460
agacagggtt	tgtccattgt	ggccaggctg	gtctcgaact	cctgacctca	ggtagagctgc	89520
ttcccaagat	gtggggatta	gaggcgtgag	gcaactgctcc	tggctgaaaa	aatgacacat	89580
aatttgttac	ctagcaattc	catgtctaga	ggcttatcct	agagaaattc	ttgcttatat	89640
gcataggaag	acgtgtacta	gaatgttcac	tagttgaatg	tttaagtga	aattaggaaa	89700
taaagtaaat	gttcattaac	aggaaaatga	gtaaagggtat	atttataaaa	caattaagta	89760
gtaaaaatga	ataaactaga	gctgcgtgaa	tgaactagaa	ctgggtcaat	agtcattgtca	89820
gattattgaa	tgaatacagg	tcagatatgt	atagagtgtc	atttgtgtaa	ttaatttttt	89880
tttttttttt	gagatggagt	ctcactctgt	tgccagggtc	ggagtgcagt	ggcgtgatct	89940
cagctcactg	caacctccac	ctcctgggtt	aaagtgatcc	tctgcctca	gcctcccag	90000
tagttgggat	tacaggcatg	caccaccatg	cccagctcat	tttcttattt	ttagtggcca	90060
cagggtttca	ccatgttggc	caggctgggtc	ttgaactcct	gacctcaagt	gttccaccca	90120
acttggcctc	ccaaagtgtc	aggattacag	gcgtgagcca	ccgtgctcag	ccatttgcgt	90180
gatttttaaa	gatgtgcaga	ataatgccat	taaaaaaaat	acacatacat	gtatatatat	90240
acacgtttgg	ctgggtgtgg	tggctcacac	ctgtaatccc	agcacttttg	gaggctgagg	90300
caggaggatc	acttgagccc	agggtgtacaa	gactagcctg	ggcgagatag	caagacccca	90360
tctcaacaac	agaaaggata	attagggtatg	gtggcatgag	aggatcactt	gagcccagga	90420
gttcgagtgt	tatcaggcca	ctgcactcta	gcctgggaca	caaagcaaga	ccgtgtctca	90480
aaaaaataaa	aataaaaaagt	atttgtatgt	ggctcatagtc	aaaaaacgta	catggaagga	90540
aaatgtcttt	atttttttat	ttattttttt	ttttttaaga	cagagtcttg	ctctgtcacc	90600
caggctgggg	tacagtgggtg	taatctcagc	tcaccgcaat	ctcggcctcc	cgggttcaag	90660
cgattcttct	gcctcagcct	tctaagtagc	tgggactaca	ggtacccgcc	accacaccct	90720
gctaattctt	gtgttttcag	tagagacagg	gtttcaccat	gttggcaagg	ctggtctcga	90780
actcctgacc	ttaagttagc	caccgcctt	ggcctcccaa	agtctggga	ttacaggtgt	90840
gagccactgc	gcttggccag	gaaatatcta	atttagtaag	tatttatatc	tgggaaggga	90900
agggtcaggt	ggtgattcat	aggaactcta	aagtctatgt	ataatactta	gggggacaga	90960
aggaaaataa	gcaaaatgct	gatatttgat	tgttgagttg	tgtatatgtt	agaagtataa	91020
cataggagat	ctgattgata	gtaggagaat	gtttttagg	ggtaaaagt	gaaccgtggt	91080
ggtttgtttt	ggcagtagaa	tcagtgggtc	atagtttgta	tgtggaagg	aataaacaga	91140
ccatgttaag	gatgacttcc	ggaattttgg	tctgagtagt	gggtggatga	cagtgtcatt	91200
catgagggaa	gatgaagact	gaggtaggaa	caggtttggg	agaagatgac	atgttccctt	91260
ttagacaagt	ggaatttatg	aagatggcag	gtagggtggt	agctatatga	atttgagata	91320
aaagatttag	gatggagata	taaatttagg	agtaacagcg	tatctatggt	attgtaaacc	91380
ttaagaatgg	gtaggatcag	ccaggaaata	cagatgtata	tgcagaagag	aggagtcaag	91440
gaagccaaga	caagttaatg	tttaaagtga	gtgatgtagt	ccatgggcag	atgctgctga	91500
gagggtgcga	aacaccagt	accctacaac	attttttaaa	gtcgtcttcc	tgacagcagt	91560
gatcagttac	tgcaacgata	ttattttatt	ttttcatggt	agtctccaca	cacttgaatg	91620
tagacttttt	gaaggcaaaa	tcattgcctt	ttctgagctg	ggagcatgtc	tggcacatac	91680
caagcactca	acagttgatg	tattgacttc	atccagatac	tctgagggcg	agttattttc	91740
tgctactact	ctttcacctt	tcaatgttta	agagcacaaa	tacagagatg	ggcacgtttt	91800
ggcatttctt	ccttttctaa	ccttttctct	gtaagatttt	ttaatgttga	aaaaaaaaaa	91860
caagaaaaga	gggttaaaaa	tagtcttatg	tcagatcctg	tgatagaatt	cacacttggc	91920
ttaagctgct	gggcaccttc	ctatcttgga	tgtcatatta	gcttatctac	agcagaattt	91980
ttactgtttt	atgtagtaag	gaagcaatta	tatgattatt	ttacagacaa	attattcttt	92040
atctttttat	tttttagacg	gagtctctct	tgtctcccca	ggctggagta	cagtgtcgcg	92100
atctcggtct	actgcaacct	ccgctcctg	gggtcaagca	attctctgcc	tcagcctccc	92160
aagtagctgg	gcttacaggt	gtccgccacc	acaccagct	cattgttttg	tatttttagt	92220
agagatgggg	tttcaccatg	ttggccaggc	tggctcttag	ctactgacct	caggtgatcc	92280

42/122

accgccttg	gcaccccaaa	gtgctggaat	tacaggcgtg	agccaccgtg	cctggccag	92340
acaaattatt	atactctgag	tgtagagggc	ttaggatgtt	ttcacttgat	gctatgggag	92400
gaataagtaa	taagatatga	tacacaacca	aagacctttc	ttcactatgc	ttctagtagc	92460
tagtactatg	gatgacacat	ggtaataata	ttggtagca	tttgtcctca	atttactgtg	92520
ctagttaactc	ttctaagccc	cttacaggta	tatatttttt	ttcatcaata	atcctctaag	92580
gtagttttta	ttattgacct	aatttttata	atcaagaaaa	ttaagaccca	gagaagtaag	92640
taacttggtcc	aagatcacat	ggcttataag	tggtagagcc	agaatttgac	cccagatgtt	92700
gtgactacat	tgtctctcca	taagcaggtt	caactctttt	gactggatgc	tgttccaagg	92760
tcacttcctt	agagaagcct	ttgctgacaa	ctaccctcct	gtgccctcct	ccaaggctgt	92820
ccattgttct	tttgccattga	atactcatct	tagaataaag	ctgggtcta	ttttacagt	92880
ttatagaatg	gatctctgac	tgcaaaagtt	ggtcataa	atctttttat	gttctagtga	92940
aaggcaaaaga	acaagagaag	acctcagatg	tgaagtccat	taaaggtaag	ttctgccctt	93000
ggcagtcac	tgcattaaaa	agtgatgtgc	tttgcatttg	tgagttcttt	aatcctgtta	93060
tactctctct	tttgccattga	atcattttctg	cttattttta	taattactta	tgattttgat	93120
ttatttccct	ctttaacctg	tataatgctt	taacatctag	catataataa	gtaggctttt	93180
tttttttttt	tttttttgga	gacggagtct	tgctctgtta	cccaggctgg	agtgcagtgg	93240
cgcgatcttg	gctcactgca	agctctgtct	cccgggttca	caccattctc	ctgcctcagc	93300
ctcccagca	gctgggacta	caggtgcacg	gcgccacgcc	tggttaattt	tttgtatttt	93360
ttagttaga	cagagtttca	ccatgttagc	cagtaggttc	tcgatctcct	gacctgttga	93420
tcgcccgc	tcggcctccc	aaagtgtctg	gattacaagc	gtgagccacc	gcacccggcc	93480
gtaagtggc	tttttttacc	tttaattttat	ttttttgaga	tggaagtctg	ctcttatccc	93540
caggctggag	tgcatgtgtg	ccatctcggc	tcactgcagc	atccacctcc	cgggttcaag	93600
cgattctcct	gctcagcct	cccagtagc	tggtattaca	gggtggccgc	accattgcca	93660
gctaattttt	gtatttttag	tagagacagg	gtttcacctg	gttggccagg	ccagtctcaa	93720
actcctgacc	tcaagtgatc	cactcgctct	ggcctcccaa	agtcctggga	ttacaggcgt	93780
gagccaccat	gcctggccat	aagtaggctt	ttactgagcc	ttgtgtgtat	tggttatcct	93840
agtgatcata	gtgaaccagt	gccctttcta	ctaatcacac	atttaattgt	tccttaaaag	93900
tgattagttc	actttatttta	tttagtaaga	caaaaaatga	agaatactct	taactgagca	93960
gtctgttaac	tgtaggaaag	cactgacact	tataaggctt	agttttctgt	catttatcca	94020
gaagtatggt	tgattacagt	ttttactttt	ttatttgaat	gaacaacctt	aattttaa	94080
atattttggt	tattttttgt	tggtatcgat	acattgtcct	tggtttataga	ttagagcatg	94140
cttttttaag	atgctgtatt	actcactgat	tttatttgtc	cagtgtacag	agattgaagt	94200
gggaaaaatta	taatggaaat	tgtttccata	gtcattacat	attaatttca	tcaatttatt	94260
tccataaaat	ctgtagattg	ctacttattt	agatttttcc	ttcaaattgt	tttatgttgt	94320
attgcttgca	ctgagatttt	attctatatg	ctcaatttgc	tggaagaaga	gactaattat	94380
aacttaggca	agttgtaaaa	ttagggaata	aagtaaggta	ccttacagcc	tagtttactt	94440
atttcttatg	taaagccagt	tagattccac	attagttcaa	actgccttct	ttgagcaaaa	94500
cttgattggc	agtgtataag	gcttaagacc	cttctcaagc	agagacctgt	aaagactaga	94560
tctgactgta	gtgaaggaa	ggaacttaga	tggttcaggc	agtgagaaca	ccagtcttcc	94620
actctaaact	ttggcactaa	cagtatgacc	ttgggaagtt	gtaactttct	tcagattctt	94680
catttggtga	atggggggat	tgccctagct	aattttctaaa	tctctactgg	gctaaaaaat	94740
tctgtgctta	tactctgatt	atgaagtaca	taatctgtgc	ttaacattca	ctgacttatc	94800
cttaggataa	tacagaagca	gtacaagaaa	cagccctca	agatgtttgc	agtctggtta	94860
gaaagacaaa	cttatacaca	gaacagtagc	aaatagacca	aaataataat	agctgccatt	94920
tatagaacac	ttcttctggt	ctgggcatta	gacaaaact	gactataacg	gtgaacaaaa	94980
aagacttagg	tcctgcccct	attgaactta	cagattagta	ggggagagga	acattaatca	95040
agtaattcca	cagatggctt	agcctagatt	ggtagtgatg	gaagtaaaaga	gatgtgaacg	95100
gacttgaaaa	aaaattcgga	ggcaaaatgg	atagaagttt	attattgatt	aaatatgagg	95160
tgtgagagag	agggatattt	aagattgata	cctaccttct	ggcttgcccta	acagaaccaa	95220
aacaggaaat	tatatgttca	gttttgttat	gttgggtggg	aggtgctttt	gagtcattca	95280
tttatatatg	ttatatatgt	tatttttatat	gcatagtaat	tttaaggctt	gagtttttaa	95340
ccaaagggtta	gagagtgatt	tttttagagtc	tagcaaacct	aagttgaaat	cctgcctgtt	95400
gaaatggctg	tttactagct	cattaaccta	gggcaaaagta	ttcaacttgt	tttcaatttt	95460
gtcttcatct	ctaaaatgag	gaaaatatgg	tcttacaaga	ttgtcctgag	agatagatga	95520
aataatatcc	aaaaaaaaaa	aaggtagata	gagaaactcg	tatagtgcct	ggtatatagt	95580
aggtcctcca	ttggtagcta	tcattatcta	gttttaacat	agccttcagt	ttgttgaaat	95640
agtcaaacctg	agtgaagcac	tgcaaggaaat	tcagaggaat	ttgagatcaa	caaagatttt	95700
ctgaagttta	gggaagactt	catggcaatg	acacttacct	tgtataaaaag	ttgaagaata	95760
agaaagattt	gaatgagaga	ttctttctct	tctccctacc	agcccagctt	cttattttgag	95820
gatatatgtg	gcaaaagggc	cttcagacaa	gtagagggag	attttttacag	aaagatttgag	95880

43/122

atgaaggat	agaaggctgt	aaagaccaga	aaagagaatt	gagacagagg	aagcaggaag	95940
ccactgtagg	tttttgagca	agatattgat	gctgttaagta	tggtgtttat	gaaagggttag	96000
tctggaagag	atttgcagga	tggagacccc	ggaagttttt	ttgttataat	acagaaagac	96060
ttgcaactgag	ggtgaggtgt	taaaaataaa	caggtaagta	aatgtttaaa	catcttgaag	96120
gaaaagctca	caaactcttg	caagtaaaaca	gataacagtg	aaaaagaatg	ggaccaagat	96180
tttgagtttt	ggagactggg	ggattgaaca	gacagggaaa	ttgagaggag	aatcagatga	96240
tgatgtttta	agttgatatt	tagacagatt	gtgcttgaga	tggtaaagtc	aatgtgggtg	96300
ggaatgctta	gtagcgagta	atcagtgata	caagaccaa	gcccagggtca	aagacaagtc	96360
acagatacag	atcagggcct	tttcatctgc	tccacagagg	tgtagcctag	gagctgttgc	96420
aaacagtcga	tgtggagggt	gtgagtaaga	tggttccctt	gaatttgcca	gaattacttt	96480
tttgtgtgtg	tttgtgtttt	ttctgagaca	gattctcgct	ctgttgccca	ggctggaggg	96540
cagtggcgag	atcgcgagc	tcactgcaac	ctctgcctct	cggtgtcgag	tgattctcct	96600
gcctcagcct	cccaagtagc	tgggattaca	ggcttgtgcc	accaaagccca	gctaatttct	96660
tttgtatttt	tagtagagat	gggtgttgat	catgttgccc	agactgggtc	cgaactcctg	96720
gcctcgtgat	ctgcctgcct	cagcctccaa	aagttctggg	attacaggcg	tgaaccactg	96780
cacccggtcc	cttgttaagt	ttatttttgt	gggaagcaaa	ggagggtttca	gcttttataa	96840
agtctgaaaa	ttattgctct	ggtaataatt	aaagatttga	gagtaaatat	gcttttctagc	96900
agaaagata	aaagaagaac	agatagcctc	aagaaggggg	gccaaagaag	caggctatat	96960
ctgacacact	gggtgttgat	aaatgggtat	taaaagaatg	agagcaatga	gcagatagaa	97020
gaggaaatta	ggagagtata	ataccatgga	gaccaagaaa	gatagactat	caggaaggag	97080
tggtaaaaat	aagttactag	ttctaagaga	gatgttaaga	gggaccgggg	aaagccttgt	97140
acaaatgagt	tagtagcatt	ttacattata	tacatcta	taagaaacaa	tgcgagagtc	97200
tcacattccc	tatagactct	tacttgtact	tgtctgaaca	cgaaaactgg	cttttgttta	97260
taaataagct	aaaaattatt	ttgctccaat	ttctcatgaa	aataaaaaata	aaccttcttt	97320
taacattgaa	aaaatagttt	gaagacagtc	actcttcatt	ttgtaattcc	cacaactatt	97380
attgaattgac	tgaattatct	tttattctga	agccaaaggg	gtgatactga	tatttcttca	97440
gactactaaa	aataattttt	atgaattttt	agctgtgctt	atcttttttt	gttttttttt	97500
ttgagatgga	gtttcactcc	cggtgtctcag	gctggagggc	agtgggtgcaa	tctcagctca	97560
ctgcaacctt	cgcctcccag	attcaagcaa	ttctcctgcc	tcgggtctccc	aagtagctgg	97620
gattacaggg	acctgcccc	acacccagct	aattttttgt	attttttagta	gagacagggg	97680
ttcaccattg	tactcaggt	ggctctgaac	tctgtacctc	aggtgatcca	cccactttgg	97740
cctcccaaag	tactgcgatt	gcaggcatga	gccaccatgc	ctggcctgag	gaatattttt	97800
ctagggtccc	cccaccccaa	gcatttattc	tgcaatttta	gttttgttcc	taaagcaagc	97860
aaggtttaag	gatttaaaaa	taatccgtat	tttagaatgc	tttctggctt	tggtactttt	97920
ttccacagtg	agaatgtatc	agagaatgat	ctccctcttt	taatttaact	ttttggcaca	97980
gtattttgag	aattataaat	aatattagaa	tgttttctgg	ctgggtgtgg	tgggtcatgc	98040
ctgtaatcct	ggctacttgg	gaggctgagg	caggagaatc	acttgaacat	gggaggcaga	98100
gggtgcagtg	agccgagggt	atgccactgc	actccagcct	gggtgacaga	gcaagactct	98160
gtctgggaaa	aaaaaaaaaa	aaaaaaagag	tgttttcttt	cctattttcc	accacttgat	98220
taagttactt	ttctctttaa	gtattttttg	ctgagtatgc	tgacttaaga	gtaattgtac	98280
aaaatttaatt	ttttaaaagt	ctctgaaagc	ccctttatga	gagttttagg	ctatcaaatt	98340
gtgtttaatt	cttaacaatt	ttttgaaaaa	ttatagcttc	aatatccgta	cattccccac	98400
aaaaaagcac	taaaaatcat	gccttgctgg	aggctgcagg	accaagtcat	gttgcaatca	98460
atgccatttc	tgccaacatg	gactcctttt	caagtagcac	gacagccaca	cttaagaagc	98520
agccaagcca	catggaggcc	gctcattttg	gtgacctggg	taagtaacta	tcatttttta	98580
ttaacttgta	ttagaaggat	ttgagtacaa	tatgtgaaac	ttctgtcata	ggatacagaa	98640
ctatataatt	ggaaagtgtc	ttggaaaaaa	tgtattttaa	ataacagcta	caagtataat	98700
gggtagctgt	ttgtgttctc	tgtaaatata	gaatataaag	catgcccagt	agaaaaacaa	98760
gcattttccag	aagaaatata	tctgatcact	aatataaat	atatgaaaaa	gatgtctcac	98820
tttattactg	agggaggtgc	aaattaaaaa	aatcagttaa	tggtctccta	acacattagc	98880
atatttttta	aagtttgaca	atttgaatgt	cagtgaagat	gcagggaaat	accctccta	98940
tttagtgata	atataactcg	gtgaagactc	tttggaagc	aatttggaaa	tcagtataaa	99000
atatgcactg	catttaggcc	actctttcta	agacctagcc	ctcagatatg	ctcattcata	99060
tgtgcagggt	tgtatgtgtg	tgtgtgtgtg	tgtgtgtgtg	tgtatagtga	tgtatgtatg	99120
tatgtatgta	tgtatgttga	aggctattca	ttatagtatt	gtttgtgata	gcaaaaaatt	99180
atggacaaca	tataaatatc	tgttataggg	aaataaccaa	attgtgggtat	acgcatgctc	99240
tgtagtataa	tatagccatt	tgtttctatt	tatttttttt	cttgagacag	gggttttactc	99300
tggtgcccag	gctggagtg	agtggtatga	tcagtgttca	ctgcagcctt	cacctcctgg	99360
gcacaagcca	ttctctcgcc	tcagcctcca	gagttactag	gactgcaggc	atgtgtcacc	99420
acacccagat	aatttttttaa	ttttttttag	agacagggtc	tcactatggt	gcctaagctg	99480

44/122

gtctcaaact	cctggcctca	agcaattctc	ccacacaggc	ctcccaaagt	gctgggatta	99540
ccaacgtgaa	ccaccacacc	tgggttcagt	tagccattta	gaaatctaaa	aaagacgtgg	99600
gaaaatgtct	aaggcatggt	taaatgtgag	aaaagcaagt	cacagtatgc	atggtaaaat	99660
ccgttatatt	aaaataagtt	cttccaaaac	aaaaacatat	gcaggagacc	tttattttgt	99720
cagtatttct	tacccaaatt	tctgcactta	gaaaattgca	tgtcatgttg	tcataagttg	99780
aaaaaaagat	ccatgaacca	atggacttct	aataaaaatca	gtcctgcttt	tgacatctct	99840
ctctactttt	gtgtatatcc	aaaccagagt	gtcaatgtgt	ttgtggggca	cacttagcaa	99900
taatacatag	cagacaaaat	gcatatagct	cagagagtaa	aattgtaagt	tttgctagat	99960
cactcataaa	ttgctgatga	gaatttaaaa	tgggtgcagat	gctctggaaa	acaggcagtt	100020
tctttctttc	tttttttttt	tctttttgag	acagggctctc	actctgttgc	gcaggctgga	100080
gtacagtggc	gtgattacaa	ctcactgcag	cctcacccctc	ctcaggttca	ggtgatcctc	100140
cctcagtcct	ctgagtagct	gggactatag	gcatgcacca	ccacgcctgg	ctaatttttg	100200
tatttttttt	tttttttttt	gtagagacgg	ggtttcgcca	tgtttccag	gctggctctca	100260
aactcctgga	atcaagcgat	ccacttgctg	aggcctccca	aagtgtctggg	attacgggcg	100320
tgagctactg	tgcctggcct	aggcagtttg	tttgtttgtt	tgtttgtttg	tttattttat	100380
tgtagacgga	gtctcacagg	ctggagtgc	gtggcccaat	ttttggctca	ctgcaacctc	100440
cgctcccag	gttcaagcta	ttctcctgcc	tcagcctcct	gagtagctgg	gatgacaggt	100500
gcctgccata	atgcctggct	gatttttgta	tatttagtag	atatgggggt	tcaccatggt	100560
ggctcagctg	tgcctggcct	cctgacctca	ggtgatcagc	ccgcctcgcc	ctcccaaagt	100620
gctgggatta	caggcatgag	ccgtcatccc	tgggtgggtg	tttcttatga	cgtgaaacat	100680
gcaattacca	tatgacctag	cagttgcact	ctgtatttat	cccagataaa	tgaaaactta	100740
ccttccaata	aaaacctgtg	cacaaatgtt	catagcagct	taatattgaa	aaactggatg	100800
ttcttcagca	ggtgtaagaa	ctggttcatt	cataccatgg	aataccattc	agcaataaaa	100860
aggaacaac	tggtgatata	tttaaccacc	tggatgaata	tcaagggaat	tatgctgtca	100920
gacaaaaacc	agtcctctaa	gactacatat	agtatgatcc	cgtttggata	atattcttga	100980
aatagagaaa	ttaagagaaa	tgaaaagatt	agtgtttgcc	agatgttaga	gacagggagg	101040
tgagaggggt	aagtgggtgt	agttataaaa	gtgcaacatg	agggatcttt	gtgatgttga	101100
agttgtatct	tggcagtgga	tgcagaaatc	aaaattacna	gtagagtgt	tgtatcactg	101160
acaagaatga	gtatagataa	aactggggaa	atctgaacaa	gtttaccatg	ggagaaacta	101220
tcagtatctt	agagtgatat	tgtactatag	ctttgcaaga	gatgggggtt	cactatgttc	101280
aagtgtacaa	gggatctcta	ctgggtccta	gtgatccgcc	tgcccagcc	tcctaaagta	101340
cccaggccgg	tcttgaaactc	gacctgcct	ggccctttca	gtattgtatc	ttagaacttc	101400
ctggaattac	aggcgtgagc	catagaattt	aattaaaaga	aattgtaaac	ctcacagaag	101460
atgtgaatct	agcattatct	gtgatgttga	caaagatgaa	ctagttgaca	ctgacagtaa	101520
atcagaattt	cctcaagttt	cgtgcttcaa	aaaatgatt	tgaatatcaa	tggtattaaga	101580
gactgaggat	gaagacacga	atgaaaccct	cagtcagttt	tataagaatg	cccatcttta	101640
agaactcttt	tgacaaattg	atgttttaaaa	aaattttttg	tctttcctaa	caattagctt	101700
tgatcatgct	atgaaagcca	gttaaatata	agataaatga	ttttttatta	agtttagttt	101760
gtggtttata	tttaaattta	caaagctact	ctttaacctc	ctatgaatga	ataatgctga	101820
catttttcaa	ggtacgatct	tatatccaca	attttccctc	aggataagtg	cctacaagtg	101880
gttcataaca	tctttgtaga	atgcagtttg	ctaagacttt	gctatctggt	cctgaatgct	101940
gaattactgg	actgaaaata	gtttacatcc	tcataagttt	cgaatgagag	tggtgcctat	102000
cctccaaaaa	ggttttgcca	gcttaataat	gcaatcccag	aatctaattt	gacagacaaa	102060
tttctgtgct	ccttggtact	gcttttctgg	ttttgaaaaa	gaggttgagt	atagttttta	102120
aatgcatttt	atgttaattt	ggaactagta	tcataagttt	tttttcttaa	gaatttatgt	102180
atatttttat	tggccctttt	gctcacgcct	gcaatcccag	cactttggga	ggccgaggtg	102240
agtctgggct	gggctgagtg	gagtttgaga	ccatcctgac	caacatgggtg	aaaccgaatc	102300
ggtggattgc	cgaaggctcag	tagctcagcg	tgggtggggg	tgccctgtaat	cccagctact	102360
tctactaaaa	gtacaaaaac	atcgcttgaa	cccgaggagt	ggaggttggt	tgcatgtagc	102420
taggaggctg	agtcagagaa	ccagcctagg	caacaagagt	gaaaagtctc	aaaaaataaa	102480
cgagatcgcg	ccattgctct	ttacatggct	tgaattgcca	ttaaaagaga	tatgagaatt	102540
aaaaaaaaaa	aaaaaagaat	aggcaagttt	aggcaagttt	tggacgattg	tactttgttt	102600
attgagtaac	aaataaactt	tttatttact	tttatttact	ttagtgtgta	ggaagtatac	102660
agaaacccaa	agcatagtat	ccagttgttg	ctaaaagtga	ttgactaatc	tgtcaatctg	102720
tttattcaag	gtctctggta	gctaattctt	ttgcttctat	cttttaggca	gatcttgtct	102780
aaattatttg	ttgctgaact	ccaaatcaag	cctttctaag	acccttgaac	aagtcttgca	102840
ggactaccag	actcaagaga	acttcattca	attcatggaa	cttcggcgaa	tggagcattt	102900
cgacactacc	gtcctccctt	ctgaaagttt	tcattcaaca	acttggtcgc	gaataagagc	102960
ggtgaaattt	tgggttagagg	agcagagctc	actggctgag	cctgtctctc	catctaaaaa	103020
acacagtcta	aacacagtga					103080

45/122

gcatgaaact	acagcgtcct	ttttaactga	ttctcttgat	aagagattgg	aggattctgg	103140
ctcagcacag	ttgtttatga	ctcatttcaga	aggaattgac	ctgaataata	gaactaacag	103200
cactcagaat	cacttgctgc	tttcccagga	atgtgacagt	gcccattctc	tccgtcttga	103260
aatggccaga	gcaggaactc	accaagtttc	catggaaacc	caagaatctt	cctctacact	103320
tacagtagcc	agtagaaata	gtcccgcctc	tccactaaaa	gaattgtcag	gaaaactaat	103380
gaaaagttag	tatgtgattt	tcttgtgtgt	acatatgtgt	ctcactttct	ttttttaatt	103440
tactaagcag	aacttcagat	gaggaataaa	atgattggaa	tatttttttt	ctcctctaac	103500
tacttgtaaa	tttgggagaa	tttggagagt	gtagtagagt	cagatcagtg	tatggaaaag	103560
gagcaggagt	gactggacct	tctaagaagt	gtgttatcag	aattagtaaa	tgaaggggtca	103620
aatgtcctac	ttttcccttc	cactgatttt	gacatcaaac	cattatccac	atagccttat	103680
ttcctccctc	ggtcttaatt	ttattaatat	tttactgcac	tttgcagata	aaatttttaa	103740
aaaattttta	aaaattgccca	ataagtgcac	tttattaagt	tcagtgccta	gtgtatatatt	103800
ggattttatt	tattagtcac	aagacctttg	tgcaggtagt	aggcatgatt	atcttttttt	103860
ttttgagatg	gagttcttgc	ctgtcgccca	ggctggagtg	caatggcgcg	gtctcggtct	103920
actgcaacct	ccgggttcat	gccattctcc	tgctccagcc	tcccaaatag	ctgggactac	103980
aggcgctgc	caccacaccc	ggctaatttt	tttgtatttt	tagtagagac	gggggttcac	104040
catgttcgcc	aggatgggtc	cgatctcctg	actttgtgat	ccgcctgcct	cggcctccca	104100
aagtgtcggg	attacaggca	tgagccaccg	cgcccggact	gattatctta	tttacacatg	104160
agaaaaaccag	ggcttaggtaa	ggttaggtaa	cttcctctag	gttgtacagt	aaatgtggag	104220
ctagaagcat	tttgacaaga	gcacctgttt	ttttttcttc	tctattagtt	tagaaaattat	104280
atactcttaa	ttatcacctg	ggattttgat	tagacagcct	tcagtgtctt	tttcatctta	104340
aatgttcttt	gtgtcttaaa	gggctaagtg	atttcttcag	atcttttagt	tcactcattc	104400
tcagtgaact	aaaatcggt	ctaactctgt	actgaactca	gttttcagca	tgttatttcc	104460
ttcctccctc	cctccctcct	tccttccctc	aaccaggctc	ccgaggagct	gggattacag	104520
gcgcccgcga	ccactcctgg	ctaattttta	tatttttagta	gagacggggt	ttcaccatgt	104580
tggtcaggct	gatcttgaac	tcctgacctc	aagtgaacca	cctgcctcgg	cctcccaaag	104640
tgctgggatt	acaggctaga	atcaccacac	ctgacggcat	gttattttca	tcgcaaagtt	104700
actgtaagct	gggagaagtg	gcacacactt	gtactccag	ctactcagga	agcttaaggt	104760
gagaagattg	cttgagccca	ggagttttga	gaccaacctg	ggcaacacag	caagacccca	104820
gctcaaacaa	agaaaaaaag	ttattgaatt	ttttatttct	atggatcatt	ttttgtagtt	104880
tcttattcct	ccactccttc	attcccctt	ttgatcccat	cttttattta	tttagtttta	104940
ttaaatgtat	atttgtctga	taattctgct	atctacagtt	ttttgtggac	ctgactcagc	105000
atttctttgt	ttcttcggat	tcagactggt	gggtggctgt	gatttttagtg	atttttggcc	105060
gtgaacatgt	ttcttggact	tttgtctgtg	gggaattctct	gtgtactctg	tataaattaa	105120
gttactctcag	gtgttttgca	ttttcttttg	ccatgcacct	ggggcctggg	tcactaccct	105180
tctggtacca	cttaaaactg	aatttttgtc	ttgggtgctc	gtactgatcc	tgtatgagta	105240
cagggtttata	cttactgtag	aaatatgggtg	tttgattatg	gggtattgtc	ccagatgggtg	105300
ctggagttat	aatatgctct	ctgttaaact	taatgtgttg	tccctgtaaa	actccaaaat	105360
tctgaattcc	agaatactac	tgcccccaaa	tgtttaagat	aagggcactg	cctgtatttg	105420
tttctgcctc	ccactatttt	ccttagttta	acacaaactc	acctttttta	aaaacatttt	105480
gagagaattc	agtattggga	agagtttcta	acctgtttct	ggaaatggaa	gtccaaagtc	105540
tgtttctgta	attgtttttt	ttttgagatg	gagtcctcact	ctgtcaccca	ggctggagtg	105600
caatgacgta	ctctcagctc	actgcaacct	ccacctcccg	ggttcaagcg	attctcttgc	105660
ctcagccccc	tgagtagctg	ggattacagg	tgcccaccac	catgcctggc	tgatttttgt	105720
atttttagaa	gagatggggt	ttcgccatgt	tggccaggct	ggctctgaac	tcctgacttt	105780
gtgatctgcc	cacctcagcc	tcccaaagtg	ctaggattat	gtttctgtaa	ttgtaataca	105840
tttattgttt	ttagaaactg	tctttgcttt	agtggttaatt	ttcaataaaa	atagaaatag	105900
cagtgagttt	attaaaagag	cattagttac	atttttccct	ttttcattat	cttcaaatat	105960
tatatatagt	aagtttgacc	tttttaaaat	gtatacttgt	atcagtttta	acacatacat	106020
agattcctgt	aactgtcacc	actataaggg	taaagaacag	ttagttcctt	cacctttgaa	106080
gtcaagcccc	acctctatcc	caacacttgg	caaccgctga	tctttctccg	tctcaatagc	106140
tttgccctttt	ctcttttttt	ttcttatttt	tttttttgag	acagcgtcct	gctctgtcgc	106200
ccgagctgga	gtgcagtgag	gcaatctcgg	ctcactgcaa	cctccgcctc	ctgggttcaa	106260
gcagttctcc	tgccctagcc	tccctagtag	ctgggattat	aggcacgcac	caccacaccc	106320
ggctgatttt	tttgtatttt	tagtagaaat	gggggtttcc	catgttggcc	aggctgggtc	106380
caaactcttg	acctcaagtg	atccacctgc	ctcggcctcc	caaagtgtctg	ggattacagg	106440
cgtgagccac	tgtgcccact	caggactttt	tttttttaaa	tttacattca	acttgtcatt	106500
tttttcttgt	atggattgtg	ccttcagagt	cacacctaa	agccctttgc	ctaagcaaa	106560
gtcatgaaga	ttttctcata	tgtttctttt	taaaagtatt	gtgggtggcc	agggtgccatg	106620
gcttatgcct	gtaatctcag	cactttgaga	agctgaggtg	ggcagattac	gaggtcagga	106680

46/122

gatcgagacc	atcctggcta	atgcggtgaa	accccatctc	tactaaaaat	acaaaaaaa	106740
aaaaaaatta	gccgggcgtg	gtggcgggca	cctgtagtc	cagctacttg	agagggtgag	106800
gcaggagaat	agtgtgaacc	cgggaggtgg	agcttgagtc	gagccgagat	cgcgccactg	106860
cactccagcc	tgggcaacac	agtgagactc	catctcaaaa	aaaaaaaaaa	agtattatgg	106920
ttttacactt	tacgtttaga	tatatatctt	ttttgagtta	atgtcgtata	agtatgaggg	106980
ttacgtcaga	ttttttgttt	tttggtttatt	ttttacatatg	gatgtctagt	tggtctaata	107040
ccatttgttg	aaaagacaac	ctttactcca	ttgaattgcc	tttgtaacttt	tgccatattt	107100
gtctaggcct	gtttttggac	tcctttttct	gtttcatgat	gtgtgtgtct	attcctttgt	107160
taataccaca	tggctctaat	tactgtatag	taagtcttaa	aattgggttaa	tgctggcctt	107220
ataaaacgaa	ttgggaagtt	tttattttta	ctcttatttc	cattttctag	aagagattgt	107280
gtagaattgg	tgtcatttct	tctttagata	tttggttgaa	ttgggaagtg	atgccattctg	107340
ggcctagggt	tttggttttt	gtgtgtgaga	cagagtctca	cttctgtcac	ccagggttga	107400
gtgcagtggt	gagatcttgg	cttactgcaa	cctctgcctc	ccagggtcaa	gttatcctcc	107460
tgccctcagcc	tcccaaatag	ctgggattac	aagcgtgtgc	caccatgccc	gactaatttt	107520
tgtattttta	atgcagacag	ggtttcacca	tgttagccaa	gctgggtctcg	aacttgtgac	107580
ctcaagtgat	tagccacact	tggcctccca	aagtgttagg	attatagatg	tgagccaccg	107640
tgccctggcag	gggcctaggg	ttttcttttt	cagagtattt	taaactatga	attcagatta	107700
tttaatatag	ataggactat	ttaagttatc	tgtttcttct	tgagtgaatt	tttactgtag	107760
tttatggcct	ttgagttaatt	aattgtattg	aattgtcaaa	tttatgagcg	tgtaattatt	107820
tatagcattt	cgggtttgta	gtggatatccc	tcttttatct	ctgggtgttg	caattgtgtc	107880
ttgtttttct	ttgtcagatt	gtatagggat	ttattagctc	tttcaaagaa	ctagcttttg	107940
ttttgatttt	tctgttgttt	tgttttcaat	tttattgatt	ttctgtctct	tattatttct	108000
tttctattat	ttctgcttgc	tttggtttta	ttttactctt	ttttttttct	ccaagttgct	108060
taaagtagaa	actttagattt	ctgggttgag	accttctttt	tctaagataa	gcattttaata	108120
ctgtaaaattt	ccttctaacc	actgctttag	ttacaccccc	acaaattctg	gtattttgaa	108180
ctgagcacaa	atgaaatggt	ctaatttccc	ttgaatctta	ttcttttacc	aatgaattat	108240
ttagaaatat	gttatttagt	ttgcaagcaa	ttggagactt	ttttcctggt	atttttctac	108300
catttttttc	tcatttccatt	atattatggt	cagagaatat	atttttgaatg	atttctattta	108360
tttaattttta	aaaataacat	taaaaaattt	tttaaaatgt	gaatatacca	catacagtat	108420
aaagattgta	catttctgttt	ttggacagtt	ttctataaat	gtcaagttga	tttagttggt	108480
taatgatggt	gttcagtttt	tctttattct	tgctgatact	ttgtatgcag	ttatatcact	108540
ttattactca	gaagagtgtt	gaactttcca	actacaattt	ttttttccaa	ttttactttc	108600
agctctatct	ggttttgctt	catgtatttt	gaggctctgt	tgtaggtgtg	gtacacattc	108660
aggatgatat	cttctgggtg	aattgcctgt	tttatcatta	tgtaattccc	tctttatggt	108720
aatttttctt	gttctaagat	cagaaatatc	tggtgtccaa	tttatataga	cactgcagct	108780
ttcattttgat	tagtgcttgc	atggcatatc	tttttccatt	tttttacttt	tgatctacct	108840
ttataattct	attttaaagg	ggcttcttgt	aggcagcata	tagttgggta	gtgttattta	108900
tttattttatt	tattttattta	tttatttatt	tattgagaca	gagttttgct	cttggtgccc	108960
aagctggagt	gcagtgggtg	aatcctggct	taccacaacc	tccacctcct	gggttgagct	109020
gattctcctg	cctcagcctc	ccaagtacgt	gggattacag	gcacgcgcac	catgcctggc	109080
tgatttttttg	tatttttagt	agaaacggat	tttaccatgt	ttagccaggc	tcgtcttgaa	109140
ctcctgacct	caggtgatcc	acctgctttg	gcctcccaaa	gtgctgggat	tacaggcgtg	109200
agccactgca	cccggctgag	tcatgttatt	tttaatcttt	tctcacaata	cagggttttt	109260
gttggttaa	ttaattattt	taataataat	tttagtataa	ttatttacat	taaatgtaac	109320
tggtgcactg	gggtattttat	aatgtgtaaa	tataattatt	ggtattaata	taattatatt	109380
actcataata	atattaatat	ctttggattt	agattaccag	tttagtatat	gtttttctgt	109440
ttctccctct	ttgatttccc	cttttttgct	tttttttttt	ttttaattct	tatttttttt	109500
tagtatttgt	tgatcattct	tgggtgtttc	ttggagaggg	ggatttggca	gggtcatagg	109560
acaatatgtg	aggggaaggc	agcagataaa	catgtgaaca	aggtctctgg	ttttcctaga	109620
cagaggaccc	tgcggccttc	tgcagtgttt	gtgtccctgg	gtacttgaga	ttagggagtg	109680
gtgatgactc	ttaacgagca	tgctgccttc	aagcatctgt	ttacaaaagc	acatcttgca	109740
ccacccttaa	tccatttaac	cctgagtggg	aatagcacat	gtttcagaga	gcagggggtt	109800
gggggtaagg	ttatagatta	acagcatccc	aaggcagaag	aatttttctt	agtacagaac	109860
aaaatggagt	ctcccatgtc	tacttctttc	tacacagaca	cagtaacaat	ctgatctctc	109920
tttcttttcc	ccacatttcc	cccttttcta	ttcgacaaaa	ctgccatcgt	catcatggcc	109980
cgttctcaat	gagctgttgg	gtacacctcc	cagacggggg	ggcagctggg	cagaggggct	110040
cctcacttcc	cagatggggc	agccggggcg	agggcggccc	cacctccag	acggggcag	110100
ggcggggcgg	agggcggccc	cacctccctc	cgggctgggg	cgggctggcg	ggcgggggct	110160
gacccccac	ctccctcccg	gacggggcgg	ctggccgggg	gggggctgac	ccccacctc	110220
cctcccagat	ggggcgggctg	gccggggcggg	ggctgcccc	cacctccctc	ccggacgggg	110280